

DAFTAR PUSTAKA

- Alpan, A. S., Sarikaya, G., Çoban, G., Parlar, S., Armagan, G., and Alptüzün, V., 2017, Mannich-benzimidazole derivatives as antioxidant and anticholinesterase inhibitors: synthesis, biological evaluations, and molecular docking study, *Arch. Pharm. Chem. Life Sci.*, 350, 1–15.
- Amusengeri, A., Tata, R. B., and Bishop, Ö. T., 2020, Understanding the pyrimethamine drug resistance mechanism via combined molecular dynamics and dynamic residue network analysis, *Molecules*, 25(4), 1–24.
- Baelmans, R., Deharo, E., Muoz, V., Sauvain, M., and Ginsburg, H., 2000, Experimental conditions for testing the inhibitory activity of chloroquine on the formation of β -hematin, *Exp. Parasitol.*, 96, 243–248.
- Bamnela, R., Ahirwar, M. K., and Shrivastava, S. P., 2010, Synthesis, characterization and biological activity studies of some N-Mannich bases of 1-substituted methyl-2-(substituted phenyl)benzimidazoles, *Asian J. Chem.*, 4(23), 1719–1722.
- Basco, K.L., 2007, *Field application of in vitro assays for the sensitivity of human malaria parasites to antimalarial drugs*, World Health Organization, Geneva.
- Batista, R., de Jesus Silva Júnior, A., and de Oliveira, A. B., 2009, Plant-derived antimalarial agents: new leads and efficient phytomedicines. part II. non alkaloidal natural products, *Molecules*, 14, 3037–3072.
- Bekhit, A. A., Lodebo, E. T., Hymete, A., Ragab, H. M., Bekhit, S. A., Amagase, K., Batubara, A., Abourehab, M. A. S., Bekhit, A. E. D. A., and Ibrahim, T. M., 2022, New pyrazolylpyrazoline derivatives as dual acting antimalarial-antileishmanial agents: synthesis, biological evaluation and molecular modelling simulations, *J. Enzyme Inhib. Med. Chem.*, 37(1), 2320–2333.
- Calic, P. P. S., Mansouri, M., Scammells, P. J., and McGowan, S., 2020, Driving antimalarial design through understanding of target mechanism, *Biochem. Soc. Trans.*, 48(5), 2067–2078.
- Coban, C., 2020, The host targeting effect of chloroquine in malaria, *Curr Opin Immuno*, 66, 98–107.
- Dagnogo, O., Ako, A. A., Dago, D. N., Kouman, K. B., Coulibaly, golo D., Bla, K. B., Touré, O. A., and Djaman, A. J., 2025, Prevalence and genetic diversity of polymorphisms in *pfert*, *pfdhfr-ts* and *pfk13* propeller genes of *Plasmodium falciparum*, *Malariaworld J.*, 16, 1.

- Dilmurat, Y., Davis, A. M., Kleywegt, G. J., and Schmitt, S., 2008, An alternative method for the evaluation of docking performance: RSR vs RMSD, *J. Chem. Inf. Model.*, 48, 1411–1422.
- Egan, W. J., Merz, K. M., and Baldwin, J. J., 2000, Prediction of drug absorption using multivariate statistics, *J. Med. Chem.*, 43, 3867–3877.
- Ekowati, J., Diyah, N. W., Nofianti, K. A., Hamid, I. S., and Siswandono, 2018, Molecular docking of ferulic acid derivatives on P2Y₁₂ receptor and their ADMET prediction, *J. Math. Fund. Sci.*, 50(2), 203–219.
- Farooq, S., Haq, I., and Ullah, N., 2021, Synthesis, characterization and biological evaluation of N-Mannich base derivatives of 2-phenyl-2-imidazoline as potential antioxidants, enzyme inhibitors, antimicrobial, cytotoxic and anti-inflammatory agents, *Arab. J. Chem.*, 14, 1–23.
- Frisch, M. J., Trucks, G. W., Schlegel, H. B., Scuseria, G. E., Robb, M. A., Cheeseman J. R., Scalmani, G., Barone, V., Mennucci, B., Petersson, G. A., Nakatsuji, H., Caricato, M., Li, X., Hratchian, H. P., Izmaylov, A. F., Bloino, J., Zheng, G., Sonnenberg, J. L., Hada, M., Ehara, M., Toyota, K., Fukuda, R., Hasegawa, J., Ishida, M., Nakajima, T., Honda, Y., Kitao, O., Nakai, H., Vreven, T., Montgomery Jr., J. A., Peralta, J. E., Ogliaro, F., Bearpark, M., Heyd, J. J., Brothers, E., Kudin, K. N., Staroverov, V. N., Keith, T., Kobayashi, R., Normand, J., Raghavachari, K., Rendell, A., Burant, J. C., Iyengar, S. S., Tomasi, J., Cossi, M., Rega, N., Millam, J. M., Klene, M., Knox, J. E., Cross, J. B., Bakken, V., Adamo, C., Jaramillo, J., Gomperts, R., Stratmann, R. E., Yazyev, O., Austin, A. J., Cammi, R., Pomelli, C., Ochterski, J. W., Martin, R. L., Morokuma, K., Zakrzewski, V. G., Voth, G. A., Salvador, P., Dannenberg, J. J., Dapprich, S., Daniels, A. D., Farkas, O., Foresman, J. B., Ortiz, J. V., Cioslowski, J and Fox, D. J., 2013, Gaussian 09, revision D.01, Gaussian, Inc., Wallingford CT.
- Gendron, D., 2022, Vanillin: a promising biosourced building block for the preparation of various heterocycles, *Front. Chem.*, 10, 1–7.
- Geue, N., 2024, Modern electrospray ionization mass spectrometry techniques for the characterization of supramolecules and coordination compounds, *Anal. Chem.*, 96, 7332–7341.
- Ghose, A. K., Viswanadhan, V. N., and Wendoloski, J.J., 1999, A knowledge-based approach in designing combinatorial or medicinal chemistry libraries for drug discovery. 1. A qualitative and quantitative characterization of known drug databases, *J. Comb. Chem.*, 1, 55–68.

- González-Sanz, M., Berzosa, P., and Norman, F. F., 2023, Updates on malaria epidemiology and prevention strategies. *Curr. Infect. Dis. Rep.*, 25(7), 131–139.
- Hamdi, A., Daoudi, W., Aaddouz, M., Azzouzi, M., Amhamdi, H., Elyoussfi, A., El Aatiaoui, A., Verma, D. K., Abboud, M., Ahari, M., 2024, Various synthesis and biological evaluation of some tri-tetra-substituted imidazole derivatives: A review, *Heliyon*, 10, 1–28.
- Herschlag, D., and Pinney, M. M., 2018, Hydrogen bonds: simple after all?, *Biochemistry*, 57(24), 3338–3352.
- Ibrahim, M. T., Uzairu, A., Uba, S., and Shallangwa, G. A., 2021, Design of more potent quinazoline derivatives as EGFRWT inhibitors for the treatment of NSCLC: a computational approach, *FJPS*, 7(1), 1–11.
- Jana, S., Ganeshpurkar, A., and Singh, S. K., 2018, Multiple 3D-QSAR modeling, e-pharmacophore, molecular docking, and in vitro study to explore novel AChE inhibitors, *RSC Advances*, 8(69), 39477–39495.
- Kalaria, P. N., Karad, S. C., and Raval, D. K., 2018, A review on diverse heterocyclic compounds as the privileged scaffolds in antimalarial drug discovery, *Eur. J. Med. Chem.*, 158, 917–936.
- Kar, S., and Leszczynski, J., 2020, Open access in silico tools to predict the ADMET profiling of drug candidates, *Expert Opin Drug Discov*, 15(12), 473–1487.
- Khanage, S., Mohite, P., and Pandhare, R., 2020, Synthesis and antimicrobial evaluation of 4-(4,5-diphenyl-1H-imidazole-2-yl) 2-methoxyphenyl-N-substituted aminoacetate derivatives, *Anal. Chem. Lett.*, 4(10), 517–523.
- Krstulović, L., Rastija, V., de Carvalho, L. P., Held, J., Rajić, Z., Živković, Z., Bajić, M., and Glavaš-Obrovac, L., 2024, Design, synthesis, antitumor, and antiplasmodial evaluation of new 7-chloroquinoline–benzimidazole hybrids, *Molecules*, 13(29), 1–20.
- Lawong, A., Gahalawat, S., Okombo, J., Striepen, J., Yeo, T., Mok, S., Deni, I., Bridgford, J. L., Niederstrasser, H., Zhou, A., Posner, B., Wittlin, S., Gamo, F. J., Crespo, B., Churchyard, A., Baum, J., Mittal, N., Winzeler, E., Laleu, B., and Phillips, M. A., 2021, Novel antimalarial tetrazoles and amides active against the hemoglobin degradation pathway in *Plasmodium falciparum*, *J. Med. Chem.*, 64(5), 2739–2761.
- Lewars, E. G., 2024, *Computational chemistry: introduction to the theory and applications of molecular and quantum mechanics*, 2nd Edition, Springer Dordrecht, Dordrecht.

- Lipinski, C. A., Lombardo, F., Dominy, B. W., and Feeney, P. J., 2001, Experimental and computational approaches to estimate solubility and permeability in drug discovery and development settings, *Adv. Drug Deliv. Rev.*, 46, 3–26.
- Mohan, A. P., Kumar, V. G. V., Meenukutty, M. S., and Vidya, V. G., 2024, Novel schiff base as potent antimalarial: synthesis, single crystal x-ray structure, spectroscopic analysis, theoretical investigation and molecular docking studies. *Results Chem.*, 11, 1–13.
- Muegge, I., 2003, Selection criteria for drug-like compounds, *Med. Res. Rev.*, 23, 302–321.
- Mushtaque, M., and Shahjahan, 2015, Reemergence of chloroquine (CQ) analogs as multi-targeting antimalarial agents: a review, *Eur. J. Med. Chem.*, 90, 280–295.
- Narode, H., Gayke, M., Bhosale, R. S., Eppa, G., Gohil, N., Bhattacharjee, G., Singh, V., Pawar, R. P., Rajani, D. P., and Yadav, J. S., 2022, Vanillin containing 9H-fluoren sulfone scaffolds: Synthesis, biological evaluation and molecular docking study, *Results Chem.*, 4, 1–9.
- Nureye, D., and Assefa, S., 2020, Old and recent advances in life cycle, pathogenesis, diagnosis, prevention, and treatment of malaria including perspectives in Ethiopia, *Sci. World J.*, 2020.
- Nyaki, H. Y., and Mahmoodi N. O., 2021, Synthesis and characterization of derivatives including thiazolidine-2,4-dione/1-*H*-imidazole and evaluation of antimicrobial, antioxidant, and cytotoxic properties of new synthetic heterocyclic compounds, *Res. Chem. Intermed.*, 47, 4129–4155.
- Okasha, R. M., Mohamed, A. A. H., Elhenawy, A. A., Alsehli, M. H., Alsaedi, W. H., Alblewi, F. F., Assirey, E. A., Alawad, M. O., Aljohani, F. S., Hrytani, Z., Ibrahim, I., and Afifi, T. H., 2025, A novel avenue in the successful synthesis of Schiff base macromolecules via innovative plasma and classical approaches, *Sci. Rep.*, 15(1), 1–22.
- Oranusi, S. U., Mameh, E. O., Oyegbade, S. A., Balogun, D. O., and Aririguzoh, V. G. O., 2024, Inhibitors of protein targets of *Plasmodium falciparum*, *JPAM*, 18(4), 2151–2162.
- Parhizgar, R. A., and Tahghighi, A., 2017, Introducing new antimalarial analogues of chloroquine and amodiaquine: a narrative review, *J. Med. Sci.*, 42(2), 115–128.
- Pavia, D. L., Lampman, G. M., Kriz, G. S., and Vyvyan, J. R., 2015, *Introduction to Spectroscopy*, 5th Edition, Cengage Learning, Stanford.

- Pirie, R., Stanway-Gordon, H. A., Stewart, H. L., Wilson, K. L., Patton, S., Tyerman, J., Cole, D. J., Fowler, K., and Waring, M. J., 2024, An analysis of the physicochemical properties of oral drugs from 2000 to 2022, *RSC Med. Chem.*, 15, 3125–3132.
- Purwono, B., Nurohmah, B. A., Fathurrohman, P. Z., and Syahri, J., 2021, Some 2-arylbenzimidazole derivatives as an antimalarial agent: synthesis, activity assay, molecular docking, and pharmacological evaluation, *Rasayan J. Chem.*, 1(14), 94–100.
- Rahmasari, F. V., Asih, P. B. S., Dewayanti, F. K., Rotejanaprasert, C., Charunwatthana, P., Imwong, M., and Syafruddin, D., 2022, Drug resistance of *Plasmodium falciparum* and *Plasmodium vivax* isolates in Indonesia, *Malar. J.*, 21(1), 1–32.
- Rahmi, H., and Wahyuningrum, D., 2013, Studi sintesis ionic liquid 1,3-dimetil-2,4,5-trifenilimidazolium iodida ([DMTPII]) dari senyawa turunan imidazol menggunakan metode microwave assisted organic synthesis (MAOS), *ISCSM*, 24–25 June 2013, Bandung.
- Rathmes, G., Rumisha, S. F., Lucas, T. C. D., Twohig, K. A., Python, A., Nguyen, M., Nandi, A. K., Keddie, S. H., Collins, E. L., Rozier, J. A., Gibson, H. S., Chestnutt, E. G., Battle, K. E., Humphreys, G. S., Amratia, P., Arambepola, R., Bertozzi-Villa, A., Hancock, P., Millar, J. J. and Weiss, D. J., 2020, Global estimation of anti-malarial drug effectiveness for the treatment of uncomplicated *Plasmodium falciparum* malaria, *Malar. J.*, 19(1), 1991–2019.
- Ravindar, L., Hasbullah, S. A., Rakesh, K. P., and Hassan, N. I., 2023, Pyrazole and pyrazoline derivatives as antimalarial agents: a key review, *Eur. J. Pharm. Sci.*, 183, 1–30.
- Roman, G., 2015, Mannich bases in medicinal chemistry and drug design, *Eur. J. Med. Chem.*, 89, 743–816.
- Saha, A., Choudhury, A. A. K., Adhikari, N., Ghosh, S. K., Shakya, A., Patgiri, S. J., Pratap Singh, U., and Bhat, H. R., 2023, Molecular docking and antimalarial evaluation of hybrid para-aminobenzoic acid 1,3,5 triazine derivatives via inhibition of Pf-DHFR, *J. Biomol. Struct. Dyn.*, 41(24), 15520–15534.
- Sandlin, R. D., Fong, K. Y., Wicht, K. J., Carrell, H. M., Egan, T. J., and Wright, D. W., 2014, Identification of β -hematin inhibitors in a high-throughput screening effort reveals scaffolds with in vitro antimalarial activity, *Int. J. Parasitol. Drug.*, 4(3), 316–325.
- Septiana, I., Purwono, B., Anwar, C., Nurohmah, B. A., and Syahri, J., 2022, Synthesis and docking study of 2-aryl-4,5-diphenyl-1H-imidazole derivatives as lead compounds for antimalarial agent, *Indones. J. Chem.*, 1(22), 105–113.

- Singh, R. K., Bhatt, A., and Kant, R., 2016, Design and synthesis of some novel imidazole derivatives as potent antimicrobial and antimalarial agents, *DPL*, 8(7), 188–194.
- Siwi, I. P., Hayun, and Yanuar A., 2024, Synthesis, molecular docking, and in vitro tests of the Mannich base derivatives of benzimidazolvanilin as an anti-inflammatory, *JPPIPA*, 4(10), 1760–1769.
- Sulis, G., Sayood, S., and Gandra, S., 2021, Antimicrobial resistance in low- and middle-income countries: current status and future directions, *Expert Rev. Anti. Infect. Ther.*, 20(2), 1–14.
- Suvarna, A. S., 2015, Imidazole and its derivatives and importance in the synthesis of pharmaceuticals: a review, *Res. J. Chem.*, 5(10), 67–72.
- Suwito, H., Jumina, Mustofa, Pudjiastuti, P., Fanani, M. Z., Kimata-Ariga, Y., Katahira, R., Kawakami, T., Fujiwara, T., Hase, T., Sirat, H. M., and Puspaningsih, N. N. T., 2014, Design and synthesis of chalcone derivatives as inhibitors of the ferredoxin-ferredoxin-NADP⁺ reductase interaction of *Plasmodium falciparum*: pursuing new antimalarial agents, *Molecules*, 19(12), 21473–21488.
- Syahri, J., Hilma, R., Ali, A. H., Ismail, N., Yee Ling, N., Nurlaili, N., Nurohmah, B. A., Agustar, H. K., Ling, L. Y., and Latip, J., 2023, Chalcone Mannich base derivatives: synthesis, antimalarial activities against *Plasmodium knowlesi*, and molecular docking analysis, *RSC Advances*, 13(51), 36035–36047.
- Syahri, J., Nasution, H., Nurohmah, B. A., Purwono, B., and Yuanita, E., 2020, Novel aminoalkylated chalcone: synthesis, biological evaluation, and docking simulation as potent antimalarial agents, *J. Appl. Pharm. Sci.*, 10(6).
- Tahlan, S., Singh, S., Kaira, M., Dey, H., and Pandey, K. C., 2025, A progress report in advancements of heterocyclic compounds as novel antimalarial agents over the last 5 years, *Eur. J. Med. Chem.*, 289, 1–53.
- Tilley, L., Straimer, J., Gnädig, N. F., Ralph, S. A., and Fidock, D. A., 2016, Artemisinin action and resistance in *Plasmodium falciparum*, *Trends Parasitol*, 32(9), 682–696.
- Tjitda, P. J. P., Nagalingam, S. V., Nitbani, F. O., Mbunga, D., Subadra, O. S., Wahab, S. B. M. A., Hilaria, M., Abdullah, I., and Betan, M. O., 2025, New inhibitor quadrupole mutant *PfDHFR* as antimalaria candidate: structure-based pharmacophore, molecular docking, ADMET, molecular dynamic, and chemical quantum study, *J. Res. Pharm.*, 29(2), 790–805.

- Trott, O., and Olson, A. J., 2010, AutoDock Vina: improving the speed and accuracy of docking with a new scoring function, efficient optimization, and multithreading, *J. Comput. Chem.*, 31(2), 455–461.
- Ugbe, F. A., Shallangwa, G. A., Uzairu, A., and Abdulkadir, I., 2022, A combined 2-D and 3-D QSAR modeling, molecular docking study, design, and pharmacokinetic profiling of some arylimidamide-azole hybrids as superior *L. donovani* inhibitors, *BNRC*, 46(1), 1–24.
- Upadhyay, D. P., and Somaiya, C. P., 2024, Design, synthesis, and evaluation of imidazole derivatives as potential antimalarial drugs, *Russ. J. Org. Chem.*, 60(9), 1777–1783.
- Veale, C. G. L., Jayram, J., Naidoo, S., Laming, D., Swart, T., Olivier, T., Akerman, M. P., de Villiers, K. A., Hoppe, H. C., and Jeena, V., 2020, Insights into structural and physicochemical properties required for β -hematin inhibition of privileged triarylimidazoles, *RSC Med. Chem.*, 11, 85–91.
- Veber, D. F., Johnson, S. R., Cheng, H. Y., Smith, B. R., Ward, K. W., and Kopple, K. D., 2002, Molecular properties that influence the oral bioavailability of drug candidates, *J. Med. Chem.*, 45, 2615–2623.
- Weng, G., Gao, J., Wang, Z., Wang, E., Hu, X., Yao, X., Cao, D., and Hou, T., 2020, Comprehensive evaluation of fourteen docking programs on protein-peptide complexes, *J. Chem. Theory Comput.*, 16(6), 3959–3969.
- Wicht, K. J., Mok, S., and Fidock, D. A., 2020, Molecular mechanisms of drug resistance in *Plasmodium falciparum* malaria, *Annu. Rev. Microbiol.*, 74, 431–454.
- Xiong, G., Wu, Z., Yi, J., Fu, L., Yang, Z., Hsieh, C., Yin, M., Zeng, X., Wu, C., Lu, A., Chen, X., Hou, T., and Cao, D., 2021, ADMETlab 2.0: an integrated online platform for accurate and comprehensive predictions of ADMET properties, *Nucleic Acids Res.*, 49(1), 5–14.
- Yin, Z., Hou, H., Ren, R., Zeng, L., Feng, Q., and Yu, H., 2025, Rational design of 1, 2, 4, 5-tetraphenyl-1*H*-imidazole-based AIEgens with tunable intramolecular charge transfer and restricted intramolecular rotation processes for multifunctional sensing, *Spectrochim. Acta A Mol. Biomol. Spectrosc.*, 329, 1–11.
- Yuthavong, Y., Kamchonwongpaisan, S., Leartsakulpanich, U., and Chitnumsub, P., 2006, Folate metabolism as a source of molecular targets for antimalarials, *Future Microbiol.*, 1, 113–125.
- Zadorozhnii, P. V., Kiselev, V. V., and Kharchenko, A. V., 2022, In silico ADME profiling of salubrinol and its analogues, *Future Pharmacol.*, 2(2), 160–197.

Zhou, B., Li, B., Yi, W., Bu, X., and Ma, L., 2013, Synthesis, antioxidant, and antimicrobial evaluation of some 2-arylbenzimidazole derivatives, *Bioorg. Med. Chem. Lett.*, 23, 3759–3763.