

DAFTAR PUSTAKA

- Abdulahdi R, Widjaja E A, Rahayuningsih Y, Ubaidillah R, Maryanto I, Rahajoe J S. (2014). *Kekinian keanekaragaman Hayati Indonesia* (Bogor: Lembaga Ilmu Pengetahuan Indonesia, Kementerian PPN/ Bappenas, Kementerian Lingkungan Hidup)
- Abdullah, A. (2013). Keberadaan Burung Dan Penggunaan Habitat Di Kawasan Pantai Kecamatan Syiah Kuala Kota Banda Aceh. *Jurnal Edukasi dan Sains Biologi*, 2(2).
- Adelina, M., Harianto, S. P., & Nurcahyani, N. (2016). Keanekaragaman Jenis Burung Di Hutan Rakyat Pekon Kelungu Kecamatan Kotaagung Kabupaten Tanggamus. *Jurnal Sylva Lestari*, 4(2), 51–60.
- Al-Faritsi, M. F., Santosa, Y., & Rahman, D. A. (2022). The estimation of mammal species loss and gain from shrubs to oil palm plantations in South Sumatera. *Jurnal Pengelolaan Sumberdaya Alam dan Lingkungan (Journal of Natural Resources and Environmental Management)*, 12(2), 290-300.
- Alikodra, H. S. (1990). *Pengelolaan Satwa Liar*. Jilid I. Departemen Pendidikan dan Kebudayaan Direktorat Jenderal Pendidikan Tinggi Pusat Antar Universitas Ilmu Hayati, IPB. Bogor.
- Alikodra, HS. (2002). *Pengelolaan Satwa Liar*. Bogor: Yayasan Penerbit Fakultas Kehutanan.
- Almadani, A. R., & Hermawan, W. G. (2023). Fenologi Perkembangan Diameter Dan Ketinggian Batang Tumbuhan Puspa (*Schima Wallichii* Dc. Korth) Di Wilayah Resort Wonolelo, Taman Nasional Gunung Merbabu. *Nusantara Hasana Journal*, 2(12), 152-157.
- Almeida-Gomes, M., Vieira, M. V., Rocha, C. F. D., Metzger, J. P., & De Coster, G. (2016). Patch size matters for amphibians in tropical fragmented landscapes. *Biological Conservation*, 195, 89-96. <https://doi.org/10.1016/j.biocon.2015.12.025>
- Anwar, J., S.J. Damanik, N. Hisyam, dan Whitten, A. J. (1984). *Ekologi Ekosistem Sumatera*. Gadjah Mada University Press. Yogyakarta.
- Arief. (2001). *Hutan dan Kehutanan*. Kanisius. Jakarta.
- Aulan, R., Muhammad, F., Kusrini, M. D., & Mardiasuti, A. (2024). Diversity of Amphibians and Reptiles Based on Differences in Altitude in Sipirok, Batang Toru Forest Area, North Sumatra Province (Diversitas Amphibia dan Reptilia Berdasarkan perbedaan Ketinggian di Hutan Sipirok, Batang Toru, Povinsi Sumatra Utara). *Jurnal Biologi Indonesia*, 20(2), 167-178.

- Austin, K. G., Schwantes, A., Gu, Y., & Kasibhatla, P. S. (2019). What Causes Deforestation in Indonesia? *Environmental Research Letters*, 14(2), 024007. <https://doi.org/10.1088/1748-9326/aaf6db>
- Azhar, A., & Anggoro, A. (2023). Perubahan tutupan dan pemanfaatan lahan di Pulau Kaledupa, Taman Nasional Wakatobi, Sulawesi Tenggara. *Jurnal Oase Nusantara*, 2(1), 25-39.
- Badan Pusat Statistik (BPS) Kabupaten Aceh Tengah (*Statistics of Aceh Tengah Regency*), Kabupaten Aceh Tengah Dalam Angka (Aceh Tengah Regency in Figures Katalog: 2020) Hal. 8
- Bae, K., Lee, D. K., Fahey, T. J., Woo, S. Y., Quaye, A. K., & Lee, Y.-K. (2012). Seasonal variation of soil respiration rates in a secondary forest and agroforestry systems. *Agroforestry Systems*, 87(1), 131-139. <https://doi.org/10.1007/s10457-012-9530-8>
- Bain, R., Biju, S.D., Brown, R., Das, I., Diesmos, A., Dutta, S., Gower, D., Inger, R., Iskandar, D., Kaneko, Y., Neng, M.W., Lau, Meegaskumbura, M., Ohler, A., Papenfuss, T., Pethiyagoda, R., Stuart, B., Wilkinson, M., dan Xie, F. (2008). Chapter 7. *Amphibians Of The Indomalayan Realm*. In Stuart, S. J. Hoffmann, J. Chanson, N. Cox, R. Berridge, P. Ramani and B. Young (eds). *Threatened Amphibians of the World*. IUCN Conservation International-Lynx Press.
- Balasa, N. K. B., Roquero, J. O., Lidasan, A. K., Casim, L. F., Agduma, A. R., & Tanalgo, K. C. (2023). Fruit Color Preference of Frugivorous Birds in an Agroecosystem in Southcentral Mindanao, Philippines. *Birds*, 4(2), 190-201. <https://doi.org/10.3390/birds4020016>
- Balda, R. P. (1969). Foliage Use by Birds of the Oak-Juniper Woodland and Ponderosa Pine Forest in Southeastern Arizona. *The Condor*, 71(4), 399-412
- Baswedann, B. B. ., Adifitri, R. D. ., Fitrih, G. A. Y., Rizdallah, M. A., Djahabiyah, P. A., Mefida, L. I. ., ... Master, J. (2024). Herpetofauna Diversity based on Microhabitat Characteristics at Two Altitudinal Levels in Bukit Barisan Selatan National Park. *Biospecies*, 17(2), 52–59. <https://doi.org/10.22437/biospecies.v17i2.31543>
- Begon M, Townsend CR, Harper JL. 2006. Ecology from Individual to Ecosystem. Edisi ke-4. Malden (US): Blackwell Pub.
- Bhoi, T. K., Samal, I., Behera, B., Mahanta, D. K., Komal, J., & Athulya, R. (2025). Predatory birds in agroforestry: Dawn of a new era for biological control from multitrophic interactions. *Avian Research*, 16(3), 100260. <https://doi.org/10.1016/j.avrs.2025.100260>

- Bibby C, M Jones, S. M. (2000). Teknik -Teknik Ekspedisi Lapangan : Survei Burung. Bogor: BirdLife Internasional-Indonesia Programme
- Bibby, C., M. Jones dan S. Marsden. (2000). *Teknik-Teknik Ekspedisi Lapangan Survey Burung*. BirdLife International Indonesia Programme, Bogor.
- BirdLife International. (2023). Country Profile: Indonesia. Downloaded from <http://datazone.birdlife.org/country/indonesia> on 22/08/2023.
- Bismark, M. (2011). *Prosedur Operasi Standar (SOP) Untuk Survei Keragaman Jenis Pada Kawasan Konservasi*. Pusat Penelitian dan Pengembangan Perubahan Iklim dan Kebijakan Badan Penelitian dan Pengembangan Kehutanan. Kementerian Kehutanan, Indonesia Kerjasama Dengan: International Tropical Timber Organization (ITTO). Bogor.
- Blais, B. R., Velasco, D. E., Frackiewicz, M. E., Low, A. Q., & Koprowski, J. L. (2023). Assessing thermal ecology of herpetofauna across a heterogeneous microhabitat mosaic in a changing aridland riparian system. *Environmental Research: Ecology*, 2(3), 035001. <https://doi.org/10.1088/2752-664x/ace6a3>
- Brown, S., & Lugo, A. E. (1990). Tropical Secondary Forests. *Journal of Tropical Ecology*, 6(1), 1-32.
- Buxton, V. L., Santymire, R. M., & Benson, T. J. (2018). Mixed effects of urbanization on density, nest survival, and nestling corticosterone of a generalist passerine. *Ecosphere*, 9(12). <https://doi.org/10.1002/ecs2.2517>
- Caro, T. M., and G. O'Doherty. (1999). On the Use of Surrogate Species in Conservation Biology. *Conservation Biology* 13: 805-814.
- Carrillo, C. M., Valera, F., Barbosa, A., & Moreno, E. (2007). Thriving in an arid environment: high prevalence of avian lice in low humidity conditions. *Ecoscience*, 14(2), 241-249.
- Castaño-Villa, G. J., Ramos-Valencia, S. A., & Fontúrbel, F. E. (2014). Fine-scale habitat structure complexity determines insectivorous bird diversity in a tropical forest. *Acta Oecologica*, 61, 19-23. <https://doi.org/10.1016/j.actao.2014.10.002>
- Castaño-Villa, G. J., Santisteban-Arenas, R., Hoyos-Jaramillo, A., Estévez-Varón, J. V., & Fontúrbel, F. E. (2019). Foraging behavioural traits of tropical insectivorous birds lead to dissimilar communities in contrasting forest habitats. *Wildlife Biology*, 2019(1). <https://doi.org/10.2981/wlb.00483>
- Catterson TM. (1994). *Strategies for the Valorization of Secondary Forests as a Resource for Development: A Position Paper for GTZ (Second Draft)*.
- Cervantes-López, M. de J., & Morante-Filho, J. C. (2024). A global meta-analysis on patterns of amphibian and reptile diversity in agroforestry systems. *Global*

- Ecology and Conservation, 51, e02914.
<https://doi.org/10.1016/j.gecco.2024.e02914>
- Cervantes-López, M. de J., & Morante-Filho, J. C. (2024). A global meta-analysis on patterns of amphibian and reptile diversity in agroforestry systems. *Global Ecology and Conservation*, 51, e02914.
<https://doi.org/10.1016/j.gecco.2024.e02914>
- Cervantes-López, M. de J., Alves-Ferreira, G., & Morante-Filho, J. C. (2025). Landscape predictors are more important than local factors in determining multiple dimensions of amphibian and reptile diversity in shaded cocoa agroforests. *Landscape Ecology*, 40(1). <https://doi.org/10.1007/s10980-024-02032-6>
- Chazdon, R. L., Peres, C. A., Dent, D., Sheil, D., Lugo, A. E., Lamb, D., Stork, N. E., & Miller, S. E. (2009). The Potential for Species Conservation in Tropical Secondary Forests. *Conservation Biology*, 23(6), 1406-1417.
<https://doi.org/10.1111/j.1523-1739.2009.01338.x>
- Che, Q., Li, C., Zhao, X., Zhang, J., Tang, J., & Zhou, C. (2025). Effects of Climate and Land Use on Different Facets of Mammal Diversity in Giant Panda Range. *Animals*, 15(5), 630. <https://doi.org/10.3390/ani15050630>
- Cheng, C., Xing, Z., Ye, L., Yang, J., & Xie, Z. (2024). Characteristics and Influencing Factors of Landscape Pattern Gradient Transformation of Small-Scale Agroforestry Patches in Mountain Cities. *Sustainability*, 16(15), 6322.
<https://doi.org/10.3390/su16156322>
- Chokkalingam, U., & De Jong, W. (2001). Secondary Forest: a Working Definition and Typology. *International Forestry Review*, 3(1), 19-26.
- Clements, F. E. (1916). *Plant succession. An Analysis of Development of Vegetation*. Carnegie Inst. Washington Publ. 512 hlm.
- Cogger, H.G and Zweifel, R.G. (2003). *Encyclopedia of Reptiles and Amphibians*. San Fransisco: Frog City Press.
- Comber, A., Fisher, P., & Wadsworth, R. (2016). What is land cover? *Environment and Planning B: Planning and Design*, 32(2), 199-209.
<https://doi.org/10.1068/b31135>
- Cox MJ, PP Van Dijk, J Nabhitabhata, K Thirakhupt. (1998). *A Photographic Guide to Snake and Other Reptils of Penisular Malaysia, Singapore and Thailand*. London, Sydney, Singapore: New Holland Publisher Ltd.
- Cox, N., Young, B.E., Bowles, P. dkk. (2022). A Global Reptile Assessment Highlights Shared Conservation Needs of Tetrapods. *Nature* 605, 285–290.
<https://doi.org/10.1038/s41586-022-04664-7>

- Curtis, P. G., Slay, C. M., Harris, N. L., Tyukavina, A., & Hansen, M. C. (2018). Classifying Drivers of Global Forest Loss. *Science*, 361(6407), 1108-1111. <https://doi.org/10.1126/science.aau3445>
- Da Silva, C. M., & Filho, J. P. (2025). Variations in land use and land cover in a region of the brazilian Cerrado: A case study of the Farinha river basin, MA, and Chapada das Mesas National Park. *Agua Y Territorio Water and Landscape*, 25. <https://doi.org/10.17561/at.25.8285>
- Darmawan, M. P. (2006). *Keanekaragaman jenis burung pada beberapa tipe habitat di Hutan Lindung Gunung Lumut Kalimantan Timur*. Skripsi. Institut Pertanian Bogor. Bogor. 138p.
- Daru, B.H., Yessofofou, K., Nuttman, C., & Abalaka, J. (2015). A preliminary study of bird use of fig ficus species in Amurun Forest Reserve, Nigeria. *Malimbus*, 37, 1-15.
- Departemen Kehutanan. (2005). *Rencana Strategis Kehutanan 2006-2025*. Departemen Kehutanan. Jakarta.
- Dewi. R. S., (2007). *Keanekaragaman Jenis Burung di Beberapa Tipe Habitat Taman Nasional Gunung Ciremai*. doi:10.1088/1742-6596/1463/1/012023
- Dhar, A., Naeth, M. A., Jennings, P. D., & El-Din, M. G. (2020). Perspectives on environmental impacts and a land reclamation strategy for solar and wind energy systems. *Science of the total environment*, 718, 134602. <https://doi.org/10.1016/j.scitotenv.2019.134602>
- Dodd, C. K. (Ed.). (2016). *Reptile ecology and conservation: A handbook of techniques*. Oxford University Press.
- Duellman WE, Heatwole H. (1998). Di dalam: Cogger HG, RG Zweifel, editor. *Encyclopedia of Reptiles and Amphibians*. San Fransisco: Fog City Press.
- El-Arif, A. R., Suastika, N. M., Abinurizzaman, R., & Arisoesilaningsih, E. (2016). Diversitas aves diurnal di agroforestry, hutan sekunder, dan pemukiman masyarakat sekitar Rowo Bayu, Kecamatan Songgon, Banyuwangi. *Biotropika: Journal of Tropical Biology*, 4(2), 49-55.
- Elliott, H. L. (1996). Post hoc analysis: use and dangers in perspective. *Journal of Hypertension*, 14, S21-S25. <https://doi.org/10.1097/00004872-199609002-00006>
- Etana, B., Atickem, A., Tsegaye, D., Bekele, A., De Beenhouwer, M., Hundera, K., ... & Stenseth, N. C. (2021). Traditional shade coffee forest systems act as refuges for medium-and large-sized mammals as natural forest dwindles in Ethiopia. *Biological conservation*, 260, 109219. <https://doi.org/10.1016/j.biocon.2021.109219>

- Ewusie, J. Y. (1990). *Pengantar Ekologi Tropika*. Penerjemah Usman Tanuwijaya. Bandung. Penerbit ITB.
- Fachrul, M. F. (2007). *Metode Sampling Bioekologi*. Buku. Bumi Aksara. Jakarta. 198 P
- Fahrig, L. (2003). Effects of habitat fragmentation on biodiversity. *Annual Review of Ecology, Evolution, and Systematics*, 34, 487-515. <https://doi.org/10.1146/annurev.ecolsys.34.011802.132419>
- Fakri, D., & Ahadi, R. (2021). Keanekaragaman jenis burung frugivora di Kawasan Gunung Seulawah Agam Aceh Besar. In *Prosiding Seminar Nasional Biologi, Teknologi dan Kependidikan* (Vol. 9, No. 1, pp. 110-114).
- Fauzan, M. R. M., Jupri, J., & Ridwana, R. (2021). Pengukuran Topografi Untuk Pembangunan Penampungan Air Bersih (Studi Kasus: Daerah Rajamandala, Kabupaten Bandung Barat). *Jurnal Pendidikan dan Ilmu Geografi*, 6(1), 35-48.
- Fawzi, N. I., & Jatmiko, R. H. (2022). Integration of DEMNAS and Multispectral Satellite Imagery for Humidity Monitoring in Tropical Environments. *International Journal of Remote Sensing*, 43(6), 2175-2191. <https://doi.org/10.1080/01431161.2022.2030071>
- Fikriyanti, M., Wulandari, S., Fauzi, I., & Rahmat, A. (2018). Keragaman Jenis Burung pada Berbagai Komunitas di Pulau Sangiang, Provinsi Banten. *Jurnal Biodjati*. 3(2), 157-165.
- Findua, A. W., Harianto, S. P., & Nurcahyani, N. (2016). Keanekaragaman reptil di repong damar Pekon Pahlungan Pesisir barat (studi kasus plot permanen Universitas Lampung). *Jurnal Sylva Lestari*, 4(1), 51-60.
- Fisher, P., Comber, A. J., & Wadsworth, R. (2018). Land Use and Land Cover: Contradiction or Complement. In Fisher, P. F., & Unwin, D. J. (Eds.), *Representing GIS* (pp. 85-98). John Wiley & Sons. <https://doi.org/10.1002/9780470515056.ch7>
- Flores, J., Rivera, J. A., Zúñiga-Vega, J. J., Bateman, H. L., & Martins, E. P. (2023). Specific habitat elements (refuges and leaf litter) are better predictors of Sceloporus lizards in central Mexico than general human disturbance. *Herpetologica*, 79(1), 48-56.
- Foley, J. A., DeFries, R., Asner, G. P., Barford, C., Bonan, G., Carpenter, S. R., Chapin, F. S., Coe, M. T., Daily, G. C., Gibbs, H. K., Helkowski, J. H., Holloway, T., Howard, E. A., Kucharik, C. J., Monfreda, C., Patz, J. A., Prentice, I. C., Ramankutty, N., & Snyder, P. K. (2005). Global Consequences of Land Use. *Science*, 309(5734), 570-574. <https://doi.org/10.1126/science.1111772>

- Fornitano, L., Gouvea, J. A., Costa, R. T., Magioli, M., & Bianchi, R. (2024). Large Protected Areas Safeguard Mammalian Functional Diversity in Human-Modified Landscapes. *Sustainability*, 16(13), 5419. <https://doi.org/10.3390/su16135419>
- Fraixedas, S., Lindén, A., Piha, M., Cabeza, M., Gregory, R., & Lehikoinen, A. (2020). A State of the Art Review on Birds as Indicators of Biodiversity: Advances, challenges, and Future Directions. *Ecological Indicators*, 118, 106728. <https://doi.org/10.1016/j.ecolind.2020.106728>
- Fuller, A., Mitchell, D., Maloney, S. K., & Hetem, R. S. (2016). Towards a mechanistic understanding of the responses of large terrestrial mammals to heat and aridity associated with climate change. *Climate Change Responses*, 3(1). <https://doi.org/10.1186/s40665-016-0024-1>
- Gallmetzer, N., & Schulze, C. H. (2015). Impact of oil palm agriculture on understory amphibians and reptiles: A Mesoamerican perspective. *Global Ecology and Conservation*, 4, 95-109. <https://doi.org/10.1016/j.gecco.2015.05.008>
- Gardner, T. A., Barlow, J., Chazdon, R., Ewers, R. M., Harvey, C. A., Peres, C. A., & Sodhi, N. S. (2009). Prospects for Tropical Forest Biodiversity in a Human-modified World. *Ecology Letters*, 12(6), 561-582. <https://doi.org/10.1111/j.1461-0248.2009.01294.x>
- Gardner, T. A., Ribeiro-Júnior, M. A., Barlow, J., Ávila-Pires, T. C. S., Hoogmoed, M. S., & Peres, C. A. (2007). The Value of Primary, Secondary, and Plantation Forests for a Neotropical Herpetofauna. *Conservation Biology*, 21(3), 775-787. <https://doi.org/10.1111/j.1523-1739.2007.00659.x>
- Gaveau, D. L., Locatelli, B., Salim, M. A., Yaen, H., Pacheco, P., & Sheil, D. (2018). Rise and fall of forest loss and industrial plantations in Borneo (2000–2017). *Conservation Letters*, 12(3). <https://doi.org/10.1111/conl.12622>
- Ghosh, D., & Basu, P. (2020). Factors influencing herpetofauna abundance and diversity in a tropical agricultural landscape mosaic. *Biotropica*, 52(5), 927-937.
- Ghosh, D., & Basu, P. (2020). Factors influencing herpetofauna abundance and diversity in a tropical agricultural landscape mosaic. *Biotropica*, 52(5), 927-937.
- Goin CJ, Goin OB. (1971). *Introduction to Herpetology*. San Francisco: WH Freeman and Company.
- Gorelick, N., Hancher, M., Dixon, M., Ilyushchenko, S., Thau, D., & Moore, R. (2017). Google Earth Engine: Planetary-scale geospatial analysis for everyone. *Remote sensing of Environment*, 202, 18-27. <https://doi.org/10.1016/j.rse.2017.06.031>
- Granda-Rodriguez, H. D., Zarate-Tirado, H. A., Robledo-Buitrago, D., & Urbina-Cardona, J. N. (2025). Edge effects on amphibians in transformed tropical dry

- forest landscapes: The relationship between functional and taxonomic diversity. *Global Ecology and Conservation*, 59, e03553. <https://doi.org/10.1016/j.gecco.2025.e03553>
- Grekousis, G., Mountrakis, G., & Kavouras, M. (2015). An overview of 21 Global and 43 Regional Land Cover Mapping Products. *International Journal of Remote Sensing*, 36(21), 5309-5335. <https://doi.org/10.1080/01431161.2015.1093195>
- Haddad, N. M., Brudvig, L. A., Clobert, J., Davies, K. F., Gonzalez, A., Holt, R. D., Lovejoy, T. E., Sexton, J. O., Austin, M. P., Collins, C. D., Cook, W. M., Damschen, E. I., Ewers, R. M., Foster, B. L., Jenkins, C. N., King, A. J., Laurance, W. F., Levey, D. J., Margules, C. R., ... Townshend, J. R. (2015). Habitat fragmentation and its lasting impact on Earth's ecosystems. *Science Advances*, 1(2), e1500052. <https://doi.org/10.1126/sciadv.1500052>
- Hadinoto, M., & Siregar, A. I. (2012). *Keanekaragaman Jenis Burung Di Hutan Kota Pekanbaru Hadinoto*. 6–7.
- Halliday, T and Adler, K. (2000). *The Encyclopedia of Reptiles and Amphibians*. New York: Facts on File Inc.
- Hanski, I. Metapopulation dynamics. *Nature* 396, 41–49 (1998). <https://doi.org/10.1038/23876>
- Harapan, T. S., Ong, L., Agung, A. P., Rafia, R., Tjong, D. H., Novarino, W., & Campos-Arceiz, A. (2025). A Slow and Underappreciated Forest Megafauna: Food Habits, Movements, and Multiscale Habitat Preferences of Critically Endangered Sundaic Giant Tortoises (*Manouria emys emys*). Integrative zoology, 10.1111/1749-4877.12965. Advance online publication. <https://doi.org/10.1111/1749-4877.12965>
- Heddy, S. dan M. Kurniati. (1994). *Prinsip-Prinsip Dasar Ekologi*. Penerbit PT. Raja Grafindo Persada, Malang.
- Heriyanto, N. M., Garsetiasih R., & Setio, P. (2008). Status Populasi dan Habitat Burung di BKPH Bayah, Banten. *Jurnal Penelitian Hutan dan Konservasi Alam*. Vol. 5(3): 239-249.
- Heyer, W. R., Donnely, M. A., McDiarmid, R. W., Hayek, L. C., dan Foster, M. S. (1994). *Measuring and Monitoring Biological Diversity: Standard Methods for Amphibians*. Smithsonian Institution Press. Washington.
- Hidayah, A., Hanifa, B. F., Devi, S. R., Septiadi, L., Alwi, M. Z., & Afifudin, F. A. (2018, September). Keanekaragaman Herpetofauna di Kawasan Wisata Alam Coban Putri Desa Tlekung Kecamatan Junrejo Kota Batu Jawa Timur. In *Prosiding Seminar Nasional Hayati* (Vol. 6, pp. 79-91).

- Hiola, A. S & Bachtiar. (2018). Keanekaragaman Spesies Burung Di Lanskap Agroforestri *Ilengi*. *Gorontalo Journal of Forestry Research*, 1(1), 9-14.
- Hoffmann, M., Hilton-Taylor, C., Angulo, A., Böhm, M., Brooks, T. M., Butchart, S. H., ... & Veloso, A. (2010). The Impact of Conservation on the Status of the World's Vertebrates. *Science*, 330(6010), 1503-1509. <https://doi.org/10.1126/science.1194442>
- Holl, K. D., & Aide, T. M. (2011). When and Where to Actively Restore Ecosystems? *Forest ecology and management*, 261(10), 1558-1563. <https://doi.org/10.1016/j.foreco.2010.07.004>
- Huanca-Núñez, N., Chazdon, R. L., & Russo, S. E. (2023). Effects of large mammal exclusion on seedling communities depend on plant species traits and landscape protection in human-modified Costa Rican forests. *Journal of Applied Ecology*, 60(12), 2561-2572. <https://doi.org/10.1111/1365-2664.14531>
- Huby, I. M., Wanma, J. F., & Peday, M. H. (2020). Pola ordinansi komunitas pohon di hutan sekunder Distrik Manokwari Utara Kabupaten Manokwari. *Jurnal Kehutanan Papuaasia*, 6(1), 21-36.
- Hutapea, A., Suwarno, E., & Hadinoto, H. (2019). Keanekaragaman Jenis Burung Di Kawasan Penyangga Taman Hutan Raya Sultan Syarif Hasyim Provinsi Riau. *Wahana Forestra: Jurnal Kehutanan*, 14(2), 85-101.
- Hwang, M., Ditmer, M. A., Teo, S., Wong, S. T., & Garshelis, D. L. (2021). Sun bears use 14-year-old previously logged forest more than primary forest in Sabah, Malaysia. *Ecosphere*, 12(10). <https://doi.org/10.1002/ecs2.3769>
- Iglesias-Carrasco, M., Medina, I., & Ord, T. J. (2022). Global effects of forest modification on herpetofauna communities. *Conservation Biology*, 37(1). <https://doi.org/10.1111/cobi.13998>
- Iglesias-Carrasco, M., Medina, I., & Ord, T. J. (2023). Global effects of forest modification on herpetofauna communities. *Conservation Biology*, 37(1), e13998. <https://doi.org/10.1111/cobi.13998>
- Imron, M. A., Campera, M., Al Bihad, D., Rachmawati, F. D., Nugroho, F. E., Budiadi, B., Wianti, K. F., Suprpto, E., Nijman, V., & Nekaris, K. A. I. (2022). Bird assemblages in coffee agroforestry systems and other human modified habitats in Indonesia. *Biology*, 11(2), 310.
- Inger, R. F., dan Stuebing, R. B. (2005). *A Field Guide to the Frog of Borneo*. Natural History Publication. Sabah, Malaysia.
- Irwan, Z.D. (1992). *Prinsip-prinsip Ekologi dan Organisasi Ekosistem komunitas dan lingkungan*. Jaya Ilmu CV: Jakarta.

- Iskandar, D.T. (1998). *Amfibi Jawa dan Bali–Seri Panduan Lapangan*. Bogor: Puslitbang Biologi LIPI.
- Jaman, M. F., Rabbe, M. F., Alam, M. M., Shome, A. R., Mia, T., & Sarker, A. R. (2025). Herpetofaunal diversity and community structure across different habitats around a Ramsar wetland in Bangladesh. *Discover Life*, 55(1). <https://doi.org/10.1007/s11084-025-09708-2>
- Jasin. (1984), *Sistematik Hewan (Invertebrata dan Vertebrata)*. Buku. Sinar Jaya, Surabaya. 32p
- Julzarika, A., Harintaka, Susetyo, D. B., & Hartono (2018). The Utilization of DEMNAS for Preliminary Prospective Land Optimization in Transmigration Area. *IOP Conference Series: Earth and Environmental Science*, 165, 012018. <https://doi.org/10.1088/1755-1315/165/1/012018>
- Kamal, S., Mahdi, N., Senja, N. (2015). Keanekaragaman Jenis Burung pada Perkebunan Kopi di Kecamatan Bener Kelipah Kabupaten Bener Meriah Provinsi Aceh. *BIOTIK: Jurnal Ilmiah Biologi Teknologi dan Kependidikan*. 1(2): 73–79.
- Kamal, S. (2018, Februari). Keanekaragaman jenis burung predator serangga di kawasan Hutan Sekunder Rinon Pulo Aceh. In *Prosiding Seminar Nasional Biologi, Teknologi dan Kependidikan* (Vol. 4, No. 1).
- Kamal, S. (2018, April). Keanekaragaman Jenis Burung di Kawasan Pesisir Deudap Pulo Aceh Kabupaten Aceh Besar. In *Prosiding Seminar Nasional Biologi, Teknologi dan Kependidikan* (Vol. 5, No. 1).
- Kamaluddin, A., Winarno, G. D., dan Dewi, B. S. (2017). Keanekaragaman Jenis Avifauna di Pusat Latihan Gajah (PLG) Taman Nasional Way Kambas. *Jurnal Sylva Lestari*. 7 (1), 10-21.
- Khan, M.S. (2017). Effect of Forest Composition on Bird Species Abundance in Tropical Dry Deciduous Forest: A Case of Bhimbandh Wildlife Sanctuary, India. *Biodiversitas*, 18(1), 78-85.
- Khan, S., Bhardwaj, A., & Sakthivel, M. (2024). Accuracy Assessment of Land Use Land Cover Classification Using Machine Learning Classifiers in Google Earth Engine; A Case Study of Jammu District. *The International Archives of the Photogrammetry, Remote Sensing and Spatial Information Sciences*, 48, 263-268.
- Komlós, M., Botta-Dukát, Z., Bölöni, J., Aszalós, R., Veres, K., Winkler, D., & Ónodi, G. (2024). Tall, large-diameter trees and dense shrub layer as key determinants of the abundance and composition of bird communities in oak-dominated

- forests. *Journal of Forestry Research*, 35(1). <https://doi.org/10.1007/s11676-024-01714-w>
- Korejs, K., Koane, B., Jeppy, S., Sam, L., Jorge, L. R., Novotny, V., & Sam, K. (2025). Comparing impacts of fragmentation on bird functional and phylogenetic diversity in primary and secondary rainforests. *Journal of Applied Ecology*, 62(7), 1674-1684. <https://doi.org/10.1111/1365-2664.70083>
- Korol, Y., Collins, P., Gallegos, J. R., Hollis, S., Hölscher, D., Huinga, M., Kirkby, C., & Gerber, N. (2025). Diversity and Activity Patterns of Medium-Sized and Large Terrestrial Mammals in Agroforests of a Peruvian Amazon Rainforest Region. *Ecology and Evolution*, 15(8). <https://doi.org/10.1002/ece3.71997>
- Krausman, P. R. (2002). *Introduction to Wildlife Management: The Basics*. Prentice-Hall, Upper Saddle River, NJ.
- Krebs, J. C. (1989). *Ecological Methodology*. Harper & Row, Publisher. New York.
- Kumar, T., Khairuddin, N. S. K., & Das, I. (2025). Interpopulation dietary comparisons in the common sun skink, *Eutropis multifasciata* (Squamata: Scincidae). *Raffles Bulletin Of Zoology*, 73, 184-197. DOI: 10.26107/RBZ-2025-0013
- Kurnia, I., & Mulawi, B. A. (2023). Potensi keanekaragaman jenis burung untuk birdwatching di Resort Situgunung dan Resort Cimungkad Taman Nasional Gunung Gede Pangrango. *Jurnal Biologi dan Pembelajarannya (JB&P)*, 10(1), 14–24. <https://doi.org/10.29407/jbp.v10i1.19365>
- Kurnianto, A. S., Dewi, N., Sulistyowati, H., Siddiq, A. M., Ratnasari, T., Khowatini, H., Yulianto, R., & Firdaus, A. S. (2024). Sustaining Biodiversity and Ecological Roles in a Heritage Landscape: The Role of Coffee Agroforestry in Kluncing, Indonesia. *HAYATI Journal of Biosciences*, 32(2), 459-471. <https://doi.org/10.4308/hjb.32.2.459-471>
- Kurniawan, R. (2016). *Analisis regresi*. Prenada Media. Jakarta.
- Kurz, D. J., Nowakowski, A. J., Tingley, M. W., Donnelly, M. A., & Wilcove, D. S. (2014). Forest-land use complementarity modifies community structure of a tropical herpetofauna. *Biological Conservation*, 170, 246-255. <https://doi.org/10.1016/j.biocon.2013.12.027>
- Kushwaha, S. P. S., Khan, A., Habib, B., Quadri, A., & Singh, A. (2004). Evaluation of sambar and muntjak habitats using geostatistical modelling. *Current Science*, 1390-1400.
- Kusrini, M.D. (2007). *Konservasi Amfibi di Indonesia: Masalah Global dan Tantangan (Conservation of Amphibian in Indonesia: Global Problems and Challenges)*. Departemen Konservasi Sumber Daya Hutan dan Ekowisata. Media Konservasi XII (2) Agustus 2007: 89 – 95

- Kusrini, M.D. (2013). *Panduan Bergambar Identifikasi Amfibi Jawa Barat*. Bogor: Fakultas Kehutanan IPB dan Direktorat Konservasi Keanekaragaman Hayati.
- Kuswanda, W. (2010). Pengaruh Komposisi Tumbuhan Terhadap Populasi Burung di Taman Nasional Batang Gadis, Sumatera Utara. *Jurnal Penelitian Hutan dan Konservasi Alam*, 7(2), 193-213.
- Kuswanda, W., & Muhktar, A. S. (2010). Pengelolaan Populasi Mamalia Besar Terrestrial di Taman Nasional Batang Gadis, Sumatera Utara. *Jurnal Penelitian Sosial dan Ekonomi Kehutanan*, 7(1), 59-74.
- Kwatrina, R. T., Santosa, Y., dan Maulana, P. (2019). Keanekaragaman Spesies Herpetofauna pada Berbagai Tipe Tutupan Lahan di Lansekap Perkebunan Sawit: Studi kasus di PT. BLP Central Borneo. *Journal of Natural Resources and Environmental Management*, 9(2), 304-313.
- Lambin, E. F., & Meyfroidt, P. (2011). Global Land Use Change, Economic Globalization, and the Looming Land Scarcity. *Proceedings of the National Academy of Sciences*, 108(9), 3465-3472. <https://doi.org/10.1073/pnas.1100480108>
- Lamprecht, H. (1986). *Waldbau in Den Tropen*. Parey, Hamburg.
- Lariman. (2010). Studi Keanekaragaman Mamalia di Kebun Raya Universitas Mulawarman Samarinda (Krus) sebagai Bahan Penunjang Mata Kuliah Mamalogi. *Bioprospek*. 7(1): 51-68.
- Latumahina, F. S., Mardiatmoko, G., & Sahusilawane, J. (2020). Richness diversity and evenness of birds in small island. *Journal of Physics: Conference Series*, 1463. <https://doi.org/10.1088/1742-6596/1463/1/012023>
- Lekagul, B. & McNeely, J. (1977). *Mammals of Thailand*. Association for the Conservation of Wildlife, 758 pp.
- Lestari, V. C., Tatang, S. E., Melanie, Hikmat, K., dan W. Hewmawan. 2018. Keanekaragaman Jenis Kupukupu Familia Nymphalidae dan Pieridae di Kawasan Cirengganis dan Padang Rumput Cikamal Cagar Alam Pananjung Pangandaran. *Jurnal Agrikultura*. 29(1): 1-8.
- Leyte-Manrique, A., Abel Antonio, B.-C., Miguel Alejandro, T.-D., Berriozabal-Isas, C., & Maciel-Mata, C. A. (2019). A Comparison of Amphibian and Reptile Diversity Between Disturbed and Undisturbed Environments of Salvatierra, Guanajuato, Mexico. *Tropical Conservation Science*, 12. <https://doi.org/10.1177/1940082919829992>
- Li, L., Liu, H., Wan, D. M., Ma, Q., Zhang, S. Q., & Liu, Z. (2010). Foraging habitat selection of wild boar in Laotudingzi Natural Reserve of Liaoning Province in winter. *Chinese Journal of Ecology*, 29(12), 2408-2413.

- Liddle, N., Freeman, M. T., Cunningham, S. J., Conradie, S. R., & McKechnie, A. E. (2025). A heat-sensitive songbird's risk of lethal hyperthermia increases with humidity. *Biology Letters*, 21(10).
- Lindenmayer, D. B., & Fischer, J. (2006). *Habitat Fragmentation and Landscape Change: A Condition for Managing Biodiversity*. Island Press.
- Loaiza, C., Montenegro, O. L., King, D., Spínola, M., Palacio, L. A., & Rudas, A. (2020). Variation in abundance and habitat relationship of three understory insectivorous birds in a disturbed landscape of Neotropical dry forest of Colombia. *Avian Research*, 11(1). <https://doi.org/10.1186/s40657-020-00219-4>
- Lock, M. (2013). J. Ecosystems of Africa. *Encyclopedia of Biodiversity*, 2nd ed.; Elsevier Inc.: Amsterdam, The Netherlands, 1, 45-57. <https://doi.org/10.1016/B978-0-12-384719-5.00181-7>
- Lu, J., Zhang, Y., Lv, D., Xie, S., Fu, Y., Lv, D., ... & Li, Z. (2023). Improved Broad Learning System for Birdsong Recognition. *Applied Sciences*, 13(19), 11009. <https://doi.org/10.3390/app131911009>
- Luck, G. W., Lavorel, S., McIntyre, S., & Lumb, K. (2012). Improving the application of vertebrate trait-based frameworks to the study of ecosystem services. *Journal of Animal Ecology*, 81(5), 1065-1076. <https://doi.org/10.1111/j.1365-2656.2012.01974.x>
- Ludwig JA, Reynolds JF. (1988). *Statistical Ecology: A Primer On Methods And Computing*. John Wiley & Sons.
- Luedtke, J.A., Chanson, J., Neam, K. dkk. (2023). Ongoing Declines for the World's Amphibians in the Face of Emerging Threats. *Nature* 622, 308–314. <https://doi.org/10.1038/s41586-023-06578-4>
- Lugo, A. E. (1992). Comparison of Tropical Tree Plantations with Secondary Forests of Similar Age: Ecological Archives M062-001. *Ecological monographs*, 62(1), 1-41. <https://doi.org/10.6084/m9.figshare.c.3308901>
- Lundgren, B and Raintree, J.B. (1982). *Sustained Agroforestry*. In: Nestel B, ed, *Agricultural Research for Development: Potentials and challenges in Asia*, pp 37–49. ISNAR, The Hague
- Lundquist, J. E., & Reich, R. M. (2006). Tree Diseases, Canopy Structure, and Bird Distributions in Ponderosa Pine Forests. *Journal of Sustainable Forestry*, 23(2), 17-45. https://doi.org/10.1300/j091v23n02_02
- MacKinnon J, Phillips K, Balen van B, (1992). *Burung-burung di Sumatra, Jawa, Bali dan Kalimantan*. Puslitbang Biologi-LIPI. Bogor.

- MacKinnon, J., Phillipps, K., & Balen, B. Van. (2010). *Burung-burung di Sumatera, Jawa, Bali, dan Kalimantan*. Bogor: Puslitbang Biologi-LIPI.
- Magurran A.E. (1988). *Ecological Diversity and Its Measurement*. New Jersey: Princeton University Press.
- Mahanta, G., Panda, R. M., & Palita, S. K. (2025). Avian Diversity and Habitat Preferences in Scrubland Ecosystems of the Eastern Ghats of Southern Odisha, India. *Land*, 14(3), 511. <https://doi.org/10.3390/land14030511>
- Margono, B. A., Potapov, P. V., Turubanova, S., Stolle, F., & Hansen, M. C. (2014). Primary Forest Cover Loss in Indonesia over 2000-2012. *Nature Climate Change*, 4(8), 730-735. <https://doi.org/10.1038/nclimate2277>
- Margono, B.A., Turubanova, S., Zhuravleva, I., & Potapov, P. (2021). Comprehensive Annual Mapping of Forest Cover Loss in Indonesia Spanning 2000-2020. *Environmental Research Letters*, 16(7), 074009.
- Martin, T. E., & Blackburn, G. A. (2013). Conservation value of secondary forest habitats for endemic birds, a perspective from two widely separated tropical ecosystems. *Ecography*, 37(3), 250-260. <https://doi.org/10.1111/j.1600-0587.2013.00234.x>
- Matos, F. A. R., Magnago, L. F. S., Aquila Chan Miranda, C., de Menezes, L. F. T., Gastauer, M., Safar, N. V. H., Schaefer, C. E. G. R., da Silva, M. P., Simonelli, M., Edwards, F. A., Martins, S. V., Meira-Neto, J. A. A., & Edwards, D. P. (2019). Secondary forest fragments offer important carbon and biodiversity cobenefits. *Global Change Biology*, 26(2), 509-522. <https://doi.org/10.1111/gcb.14824>
- McGarigal, K., Cushman, S. & Stafford, S. (2000) *Multivariate Statistics for Wildlife Ecology Research*. New York: Springer-Verlag New York, Inc.
- McGarigal, K., Cushman, S. A., Neel, M. C., & Ene, E. (2002). FRAGSTATS: spatial pattern analysis program for categorical maps. *Computer Software Program Produced by the Authors at the University of Massachusetts, Amherst. Available at the following web site: www.umass.edu/landeco/research/fragstats/fragstats.html*, 6.
- McLaren, J. E and Rotundo, L. (1985). *Health Biology*. Massachusettss: D.C Heath and Company
- McNaughton, S.J., L. Wolf. (1992). *Ekologi Umum*. Edisi 2. Pringgosepupro, Sunaryo, B. Srigundono (Eds.). Gadjah Mada University Press, Yogyakarta.
- Michael. (1994). *Metode Ekologi untuk Penyelidikan Lapangan dan Laboratorium*. Universitas Indonesia. Jakarta.

- Mistar. (2008). *Panduan Lapangan Amfibi dan Reptil di Areal Mawas, Provinsi Kalimantan Tengah*. Kalimantan Tengah: BOS Foundation.
- Mligo, L., Masao, C. A., & Yanda, P. Z. (2024). Impact of exotic plantation on native Grassland Biodiversity: A 30-Year analysis in Tanzania's southern highlands. *Journal for Nature Conservation*, 79, 126625. <https://doi.org/10.1016/j.jnc.2024.126625>
- Montes, A., H., & Brokaw, N. (2010). Conservation value of tropical secondary forest: A herpetofaunal perspective. *Biological Conservation*, 143(6), 1414-1422. <https://doi.org/10.1016/j.biocon.2010.03.016>
- Moreno, G., Aviron, S., Berg, S. dkk. (2018). Agroforestry Systems of High Nature and Cultural Value in Europe: Provision of Commercial Goods and Other Ecosystem Services. *Agroforest Syst* 92, 877–891. <https://doi.org/10.1007/s10457-017-0126-1>
- Morrison, M. L., Block, W. M., Strickland, M. D., Collier, B. A., & Peterson, M. J. (2001). *Wildlife Study Design*. Springer Verlag New York, Inc.
- Mupepele, A.-C., Keller, M., & Dormann, C. F. (2021). European agroforestry has no unequivocal effect on biodiversity: a time-cumulative meta-analysis. *BMC Ecology and Evolution*, 21(1). <https://doi.org/10.1186/s12862-021-01911-9>
- Mustari, A. H., Surono, H., & Mansyur, F. I. (2011). Keanekaragaman Jenis Mamalia Di Taman Nasional Bantimurung Bulusaraung, Sulawesi Selatan. *Media Konservasi*, 16(3), 231330.
- Mustari, A.H., A. Setiawan, dan D. Rinaldi. (2015). Kelimpahan Jenis Mamalia menggunakan Kamera Jebakan di Resort Gunung Botol Taman Nasional Gunung Harimun Salak. *Jurnal Media Konservasi*. 20(2): 93-101.
- Nakamura, Y., & Tominaga, A. (2024). Diet of the Nonnative Southeast Asian Treefrog Polypedates leucomystax on Okinawajima, Ryukyu Archipelago, Japan. *Current Herpetology*, 43(1), 31-41.
- Nasir, M., Hastuti, L., & Rasnovi, S. (2018). Distribusi Jenis Mamalia Kecil Famili Muridae pada Tiga Tipe habitat di Kecamatan Kta Cot Glie Kabupaten Aceh Besar. In *Prosiding Seminar Nasional Biologi, Teknologi dan Kependidikan* Vol. 3, No. 1.
- Natawiria, Asep Suryana, dan Riduwan. (2010). *Statistika Bisnis*. Alfabeta. Bandung.
- Noon, B.R. (1981). *Techniques For Sampling Avian Habitats*. Pp. 42-52. In: The Use O Multivariate Statistics in Studies of Wildlife Habitat. Capen, D.E. (Ed). U.S. Department of Agriculture, Forest Service, General Technical Report RM-87. Rocky Mountain Forest and Range Experiment Station, Fort Collins, CO.

- Nugraha, A. S. A., & Atmaja, E. J. J. (2020). Land Surface Temperature Derivation from DEMNAS and Landsat 8 TIRS: A Case Study of Jakarta and Surroundings. *Jurnal Penginderaan Jauh dan Pengolahan Data Citra Digital*, 17(2), 63-72. <https://doi.org/10.30536/j.pjpdcd.2020.v17.a3315>
- Nugroho, A. P., Pramono, G. H., & Sulistyawati, T. (2021). Temperature and Humidity Mapping using DEMNAS-based Topoclimatic Modeling in Mountainous Regions of Indonesia. *Progress in Earth and Planetary Science*, 8(1), 37. <https://doi.org/10.1186/s40645-021-00428-5>
- Nur, R. F., Novariant, W., & Nurdin, J. (2013). Kelimpahan dan Pola Distribusi burung rangkong (Bucerotidae) di Kawasan PT Kencana Sawit Indonesia (KSI) Solok Selatan, Sumatera Barat. *Jurnal Biologika*, 2(1), 27-33.
- Nuraeni R, Sitorus SRP, Panuju DR. (2017). Landuse Changes Analysis and Landuse Directives in Bandung District. *Buletin Tanah dan Lahan* 1 (1): 79-83. [Indonesian]
- Odum E.P. (1971). *Fundamental of Ecology*. Toppan Co. Ltd. Tokyo (JP).
- Odum, E.P. (1993). *Dasar-dasar Ekologi*. Buku. Gadjah Mada University Press. Yogyakarta
- Of Birds In Small Island. IOP Conf. Series: Journal of Physics: Conf. Series 1463.
- Oksanen, J., Blanchet, F. G., Friendly, M., Kindt, R., Legendre, P., McGlinn, D., Minchin, P. R., O'Hara, R. B., Simpson, G. L., Solymos, P., Stevens, M. H. H., Szoecs, E., and Wagner, H. (2020). *vegan: Community Ecology Package. R package version 2.5-7*. <https://CRAN.R-project.org/package=vegan>
- Ortolan, E., Maciel, E. A., & Martins, V. F. (2025). Biodiversity in agroforestry systems implemented in tropical ecoregions: a systematic review. *Journal of Environmental Management*, 382, 125317.
- Paiman, A., Anggraini, R., dan Maijunita. (2018). Faktor Kerusakan Habitat dan Sumber Air Terhadap Populasi Harimau Sumatera (*Panthera tigris sumatrae* Pocock, 1929) di Seksi Pengelolaan Taman Nasional (SPTN) Wilayah III Taman Nasional Sembilang. *Jurnal Silva Tropika. Vol 2(2)*: 22-28.
- Paine, C. E. T., & Beck, H. (2007). Seed Predation By Neotropical Rain Forest Mammals Increases Diversity In Seedling Recruitment. *Ecology*, 88(12), 3076-3087. <https://doi.org/10.1890/06-1835.1>
- Palombit, R. A. (1997). Inter-and intraspecific variation in the diets of sympatric siamang (*Hylobates syndactylus*) and lar gibbons (*Hylobates lar*). *Folia Primatologica*, 68(6), 321-337.
- Pardede, L., Iswandaru, D., Rahma Fitriana, Y., Darmawan, A., Kaskoyo, H., Wulandari, C., Safe'I, R., Herwanti, S., Novriyanti, N., & Gumay Febryano, I.

- (2025). Insectivorous Birds Dominate Across Land-Use Gradient Revealing Unexpected Ecological Resilience in Tropical Forest-Coffee Landscapes. *Jurnal Wasian*, 12(01), 22-34. <https://doi.org/10.62142/5vf89h84>
- Pardede, L., Iswandaru, D., Rahma Fitriana, Y., Darmawan, A., Kaskoyo, H., Wulandari, C., Safe'I, R., Herwanti, S., Novriyanti, N., & Gumay Febryano, I. (2025). Insectivorous Birds Dominate Across Land-Use Gradient Revealing Unexpected Ecological Resilience in Tropical Forest-Coffee Landscapes. *Jurnal Wasian*, 12(01), 22-34. <https://doi.org/10.62142/5vf89h84>
- Parry, L., Barlow, J., & Peres, C. A. (2007). Large-vertebrate assemblages of primary and secondary forests in the Brazilian Amazon. *Journal of Tropical Ecology*, 23(6), 653-662. <https://doi.org/10.1017/s0266467407004506>
- Partasasmitha, R., Mardiasuti, A., Solihin, D. D., Widjajakusumah, R., & Prijono, S. N. (2017). Frugivorous bird characteristic of seed disperser in shrubland tropical forest West Java, Indonesia. *Biodiversitas Journal of Biological Diversity*, 18(1). <https://doi.org/10.13057/biodiv/d180133>
- Perfecto, I., Rice, R. A., Greenberg, R., & Van der Voort, M. E. (1996). Shade Coffee: a Disappearing Refuge for Biodiversity. *BioScience*, 46(8), 598-608.
- Pliego, G. P., Scheffers, B. R., Basham, E. W., Woodcock, P., Wheeler, C., Gilroy, J. J., Medina Uribe, C. A., Haugaasen, T., Freckleton, R. P., & Edwards, D. P. (2016). Thermally buffered microhabitats recovery in tropical secondary forests following land abandonment. *Biological Conservation*, 201, 385-395. <https://doi.org/10.1016/j.biocon.2016.07.038>
- Pöppel, F., & Seidl, R. (2021). Effects of stand edges on the structure, functioning, and diversity of a temperate mountain forest landscape. *Ecosphere*, 12(8). <https://doi.org/10.1002/ecs2.3692>
- Pough FH, Andrew RM, Cadle JE, Crump ML, Savitzky AH, & Wells KD. 1998. *Herpetology*. Prentice-Hall, Inc. Upper Saddle River, New Jersey. Pp : 138, 169.
- Primack, R.B., J. Supriatna, M. Indrawan, dan P. Kramadibrata. (1998). *Biologi Konservasi*. Yayasan Obor Indonesia. Jakarta.
- Putri, I. A., & Allo, M. K. (2009). Degradasi Keanekaragaman Hayati Taman Nasional Rawa Aopa Watumohai. *Jurnal Penelitian Hutan dan Konservasi Alam*, 6(2), 169-194.
- Putri, Z. A., Fandela, N. L., Septiansyah, E., & Premono, B. (2021). Pendugaan Keanekaragaman Mamalia Menggunakan Camera Trap di Hutan Desa Senamat Ulu, Lanskap Bujang Raba, Jambi. *Jurnal Penelitian Sosial dan Ekonomi Kehutanan*, 18(1), 1-12. <https://doi.org/10.20886/jphka.2021.18.1.1-12>

- Quinta-Nova, L. (2024). Relationship Between Landscape Pattern and Human Disturbance from 1990 to 2018 in Mainland Portugal. *Inżynieria Mineralna*, 1(1). <https://doi.org/10.29227/im-2024-01-80>
- Rahmadana, A. (2024). Keanekaragaman Jenis Herpetofauna Berdasarkan Tipe Habitat Di Hutan Lindung Serbo Langit, Resort Badar, Desa Bintang Bener, Aceh Tenggara (Doctoral dissertation, Universitas Nasional).
- Rahman, B., Fithria, A., Achmad, B., & Biyatmoko, D. (2021). Keanekaragaman dan Kemerataan Burung pada Berbagai Tipe Habitat di Desa Artain Kecamatan Aranio Kabupaten Banjar Kalimantan Selatan. *Jurnal Hutan Tropis*, 9(2), 405-411.
- Rahmawati, S., Aryanti, N. A., Hermiandra, D. W., Wardatutthoyyibah, W., Ardiansyah, I. N., Reynaldy, A. H., & Naufal, M. A. F. (2024). Komposisi Jenis Mamalia Dan Kajian Etnozoologi Di Kawasan PBPH PT. Ekosistem Khatulistiwa Lestari Kalimantan Barat: Mammal Species Composition and Ethnozoological Study in the PBPH Area of PT. Ekosistem Khatulistiwa Lestari West Kalimantan. *Journal of Forest Science Avicennia*, 7(1), 31-47.
- Rasyid, F., Hasanuddin, & Wardiatno, Y. (2019). Land Cover Change Analysis using Remote Sensing in Central Aceh Regency, Indonesia. *IOP Conference Series: Earth and Environmental Science*, 284, 012011.
- Recknagel, H., Harvey, W. T., Layton, M., & Elmer, K. R. (2023). Common lizard microhabitat selection varies by sex, parity mode, and colouration. *BMC Ecology and Evolution*, 23(1). <https://doi.org/10.1186/s12862-023-02158-2>
- Reiley, B. M., & Benson, T. J. (2019). Differential effects of landscape composition and patch size on avian habitat use of restored fields in agriculturally fragmented landscapes. *Agriculture, Ecosystems & Environment*, 274, 41-51. <https://doi.org/10.1016/j.agee.2018.12.017>
- Remeš, V., Harmáčková, L., Matysioková, B., Rubáčová, L., & Remešová, E. (2022). Vegetation complexity and pool size predict species richness of forest birds. *Frontiers in Ecology and Evolution*, 10, 964180.
- Ridha, M. A., Kusrini, M. D., Mardiasuti, A., & Karraker, N. (2021). The amphibians and reptiles of Rawa Aopa Watumohai National Park, Southeast Sulawesi. *Media Konservasi*, 26(2), 128–138. <https://doi.org/10.29244/medkon.26.2.128-138>
- Ríos-Orjuela, J. C., Falcón-Espitia, N., Arias-Escobar, A., & Plazas-Cardona, D. (2024). Conserving biodiversity in coffee agroecosystems: Insights from a herpetofauna study in the Colombian Andes with sustainable management

- proposal. *Perspectives in Ecology and Conservation*, 22(2), 196-204.
<https://doi.org/10.1016/j.pecon.2024.04.001>
- Ríos-Orjuela, J. C., Falcón-Espitia, N., Arias-Escobar, A., & Plazas-Cardona, D. (2024). Conserving biodiversity in coffee agroecosystems: Insights from a herpetofauna study in the Colombian Andes with sustainable management proposal. *Perspectives in Ecology and Conservation*, 22(2), 196-204.
<https://doi.org/10.1016/j.pecon.2024.04.001>
- Ríos-Orjuela, J. C., Falcón-Espitia, N., Arias-Escobar, A., & Plazas-Cardona, D. (2024). Conserving Biodiversity in Coffee agroecosystems: Insights from a Herpetofauna Study in the Colombian Andes with Sustainable Management Proposal. *Perspectives in Ecology and Conservation*, 22(2), 196-204.
<https://doi.org/10.1016/j.pecon.2024.04.001>
- Rita, R. R. N. D., & Ratnaningsih, Y. (2017). Potensi Jenis dan Kepadatan Populasi Satwa Liar di Objek Wisata Alam Air Terjun Benang Kelambu dan Benang Stokel di Kawasan Hutan Lindung Gunung Rinjani Dusun Pemotoh Desa Aik Berik Sepage Kecamatan Batu Kliang Utara Kabupaten Lombok Tengah. *Jurnal Sangkareang Mataram*, 3(3), 25-28.
- Rohiyan, M., Setiawan, A., & Rustiati, E. L. (2014). Keanekaragaman Jenis Burung Di Hutan Pinus Dan Hutan Campuran Muarasipongi Kabupaten Mandailing Natal Sumatera Utara. *Jurnal Sylva Lestari*, 2(2), 89-98.
- Rodrigues, D. P., Konzen, M. Q., Decian, V. S., Hartmann, M., Galiano, D., & Hartmann, P. A. (2022). Response of small mammal species to landscape metrics in a highly fragmented area in the Atlantic forest of southern Brazil. *Mammalia*, 86(5), 455-462. DOI: 10.1515/mammalia-2021-0008
- Rosianty, Y., Lensari, D., Hut, S., & Wiranata, A. (2024). Carrying Capacity And Feeding Preferences Of Sumatran Elephants (*Elephas Maximus Sumatranus*) In The Isau-Isau Forest Group, Lahat District, South Sumatra Province. *Sylva Jurnal Ilmu-ilmu Kehutanan*, 13(1), 6-14.
- Rusnanto, D. E., Yuslinawari, Y., Parakkasi, K., Tampubolon, B. A., & Priijono, A. (2025). Distribusi Kelimpahan Mamalia Pada Tiga Kontur Habitat Di Lanskap Bukit Tiga Puluh Provinsi Jambi. *Jurnal Hutan Tropis*, 13(3), 377.
<https://doi.org/10.20527/jht.v13i3.22152>
- Russel, A. P. dan Bauer, A. M. (2001). The Amphibians and Reptiles of Alberta – A *Field Guide and Primer of Boreal Herpetology (Second Edition)*. University of Calgary Press. Canada.

- Rybicki, J., Abrego, N., & Ovaskainen, O. (2020). Habitat fragmentation and species diversity in competitive communities. *Ecology Letters*, 23(3), 506-517. <https://doi.org/10.1111/ele.13450>
- Saefullah, A., Mustari, A.H., dan Mardiasuti, A. (2015). Keanekaragaman Jenis Burung Pada Berbagai Tipe Habitat Beserta Gangguannya Di Hutan Penelitian Dramaga, Bogor, Jawa Barat. *Jurnal Media Konservasi Vol 20 No 2*, 117 – 124.
- Sanderson, F., Donald, P., Schofield, A., Dauda, P., Bannah, D., Senesie, A., Konneh, M., Swinfield, T., & Hulme, M. (2022). Forest-dependent bird communities of West African cocoa agroforests are influenced by landscape context and local habitat management. *Agriculture, Ecosystems & Environment*, 328, 107848. <https://doi.org/10.1016/j.agee.2021.107848>
- Sandy, I.M. (1977). *Penggunaan Tanah (land use) di Indonesia*. Publikasi No. 75 Direktorat Tata Guna Tanah. Departemen Dalam Negeri. Jakarta.
- Saputra, F., & Badaruddin, B. (2021). Keragaman Jenis burung di Kawasan Hutan Dengan Tujuan Khusus Universitas Lambung Mangkurat (KHDTK ULM) Kalimantan Selatan. *Jurnal Sylva Scientiae*, 4(3), 416-427.
- Sekercioglu CH, DailyGC, EhrlichPR. (2004). Ecosystem consequences of bird declines. *PNAS*. 101(52):18042-18047.
- Setiadi, D. (2005). The diversity of trees species in Taman Wisata Alam Ruteng, East Nusa Tenggara. *Biodiversitas Journal of Biological Diversity*, 6(2).
- Setiawan, D., Yustian, I., & Prasetyo, C. Y. (2016). Studi pendahuluan: inventarisasi amfibi di kawasan hutan lindung bukit cogong II. *Jurnal Penelitian Sains*, 18(2), 55-58.
- Setiawan, Nasrul. (2014). <http://statistikceria.blogspot.com/2014/06/uji-mann-whitney.html>. Diakses Juni 2015.
- Shilereyo, M. T., Magige, F. J., Ogotu, J. O., & Røskraft, E. (2023). Small-mammal abundance and species diversity: land use and seasonal influences in the Serengeti Ecosystem, Tanzania. *Frontiers in Conservation Science*, 4, 981424. <https://doi.org/10.3389/fcsc.2023.981424>
- Siswanto, A. B., Hadinoto, H., & Azwin, A. (2021). Keanekaragaman dan Kegunaan Tumbuhan Bawah pada Beberapa Tegakan di Arboretum Balai Penelitian dan Pengembangan Teknologi Serat Tanaman Hutan (BP2TSTH) Kuok. *Wahana Forestra: Jurnal Kehutanan*, 16(2), 128-152.
- Solania, C. L., Cuadrado, J. T., Galolo, A. R. V., & Gamalinda, E. F. (2021). Species richness and community structure of amphibians and reptiles in Andanan Watershed Forest Reserve, Caraga Region, Philippines. *Biodiversity Journal*, 12(3), 673-694.

- Somerfield, P. J., Clarke, K. R., & Gorley, R. N. (2021). Analysis of similarities (ANOSIM) for 2-way layouts using a generalised ANOSIM statistic, with comparative notes on Permutational Multivariate Analysis of Variance (PERMANOVA). *Austral Ecology*, 46(6), 911-926. <https://doi.org/10.1111%2Faec.13059>
- Song, X. P., Hansen, M. C., Stehman, S. V., Potapov, P. V., Tyukavina, A., Vermote, E. F., & Townshend, J. R. (2018). Global Land Change from 1982 to 2016. *Nature*, 560(7720), 639-643. <https://doi.org/10.1038/s41586-018-0411-9>
- Staude, I. R., Overbeck, G. E., Fontana, C. S., Bencke, G. A., Silva, T. W. da, Mimet, A., & Pereira, H. M. (2021). Specialist Birds Replace Generalists in Grassland Remnants as Land Use Change Intensifies. *Frontiers in Ecology and Evolution*, 8. <https://doi.org/10.3389/fevo.2020.597542>
- Stratford, J. A., & Stouffer, P. C. (2015). Forest fragmentation alters microhabitat availability for Neotropical terrestrial insectivorous birds. *Biological Conservation*, 188, 109-115. <https://doi.org/10.1016/j.biocon.2015.01.017>
- Sutherland, W. J., Newton, I., Green, R. I. (2004). *Bird ecology and conservation: Handbook of Technique*. Oxford University Press.
- Suwarti, M., Mulyani, Y. A., & Kartono, A. P. (2018). Karakteristik Habitat Preferensial Burung Bubut Jawa (*Centropus nigrorufus*) di Wonorejo Surabaya. *Media Konservasi*. Vol 23 (2: 194-202.
- Tamnge, F., Mulyani, Y. A., & Mardiasuti, A. (2016). Efek tepi pada komunitas burung antara tegakan agathis dan puspa hutan pendidikan Gunung Walat, Jawa Barat. *Media Konservasi*, 21(1), 83-90. <https://doi.org/10.29244/medkon.21.1.83-90>
- Tang, C. Q., Li, Y. H., & Zhang, Z. Y. (2010). Species diversity patterns in natural secondary plant communities and man-made forests in a subtropical mountainous karst area, Yunnan, SW China. *Mountain Research and Development*, 30(3), 244-251.
- Taylor, P. D., Fahrig, L., Henein, K., & Merriam, G. (1993). Connectivity Is a Vital Element of Landscape Structure. *Oikos*, 68, 571-572. <https://doi.org/10.2307/3544927>
- Teillard, F., Antoniucci, D., Jiguet, F., & Tichit, M. (2014). Contrasting distributions of grassland and arable birds in heterogenous farmlands: Implications for conservation. *Biological Conservation*, 176, 243-251. <https://doi.org/10.1016/j.biocon.2014.06.001>
- Thaman, R. R. (1988). *Fijian Agroforestry: Trees, People and Sustainable Polycultural Development* (pp. 31-58). Institute of Pacific Studies.

- Thompson, M. E., & Donnelly, M. A. (2018). Effects of Secondary Forest Succession on Amphibians and Reptiles: A Review and Meta-analysis. *Copeia*, 106(1), 10-19. <https://doi.org/10.1643/ch-17-654>
- Tohir, R.K., Sitanggang, F.I., and Sutiawan, R. (2020). The Diversity, Distribution and Feeding Guild of Mammals and Birds in Institut Teknologi Sumatera (ITERA) Landscape. IOP Conference Series: Earth and Environmental Science, 537(1), 1-7.
- Tsujino, R., Yumoto, T., Kitamura, S., Djamaluddin, I., & Darnaedi, D. (2016). History of Forest Loss and Degradation in Indonesia. *Land Use Policy*, 57, 335-347. <https://doi.org/10.1016/j.landusepol.2016.05.034>
- Tuhumury, A. 2018. Komunitas Avifauna Di Sepanjang Aliran Anak Sungai Wailawa Desa Tawiri Kecamatan Teluk Ambon, Kota Ambon. *Jurnal Hutan Tropis*, 6(2), 177-189.
- Tuhumury, A., & Latupapua, L. (2014). Keragaman Jenis Satwa Burung Berdasarkan Ketinggian Tempat pada Hutan Desa Rambatu Kabupaten Seram Bagian Barat Provinsi Maluku. *Jurnal Hutan Tropis*, 2(2), 94-106.
- Umar, M. Ruslan. (2006). *Penuntun Praktikum Ekologi Umum*. Universitas Hasanuddin. Makassar.
- Urbina-Cardona, J. N., Olivares-Pérez, M., & Reynoso, V. H. (2006). Herpetofauna diversity and microenvironment correlates across a pasture–edge–interior ecotone in tropical rainforest fragments in the Los Tuxtlas Biosphere Reserve of Veracruz, Mexico. *Biological Conservation*, 132(1), 61-75. <https://doi.org/10.1016/j.biocon.2006.03.014>
- Urrutia-Escobar, M. X., & Armbrrecht, I. (2013). Effect of two agroecological management strategies on ant (Hymenoptera: Formicidae) diversity on coffee plantations in southwestern Colombia. *Environmental Entomology*, 42(2), 194-203. <https://doi.org/10.1603/EN11084>
- Van Hove IB. (1992). *Ensiklopedi Indonesia Seri Fauna (Mamalia 1)*. Perpustakaan Nasional: Katalog Dalam Terbitan (KTD).
- Vanitharani, J., Bharathi, B.K., Margaret, I.V., Malleshappa, H., Ojha, R.K., & Naik, K.G.A. (2009). Ficus diversity in Southern Western Ghats: A born for biodiversity conservation. *Journal of Theoretical and Experimental Biology*, 6(1), 69-79.
- Vargas-Daza, A. M., Betancurt-Grisales, J. F., Castaño-Villa, G. J., & Fontúrbel, F. E. (2023). The importance of old secondary forests for understory birds in the tropical Andes. *Global Ecology and Conservation*, 47, e02658. <https://doi.org/10.1016/j.gecco.2023.e02658>

- Vebriansyah, R. (2021). *Menjaga Kelestarian Katak*. Trubu.
- Velásquez-Trujillo, V., Betancurt-Grisales, J. F., Vargas-Daza, A. M., Lara, C. E., Rivera-Páez, F. A., Fontúrbel, F. E., & Castaño-Villa, G. J. (2021). Bird Functional Diversity in Agroecosystems and Secondary Forests of the Tropical Andes. *Diversity*, 13(10), 493. <https://doi.org/10.3390/d13100493>
- Villaseñor, N. R., Driscoll, D. A., Escobar, M. A. H., Gibbons, P., & Lindenmayer, D. B. (2014). Urbanization Impacts on Mammals across Urban-Forest Edges and a Predictive Model of Edge Effects. *PLoS ONE*, 9(5), e97036. <https://doi.org/10.1371/journal.pone.0097036>
- Vitt LJ & Caldwell JP. 2009. *Herpetology: An Introductory Biology of Amphibians and Reptiles*. 3rd ed. Elsevier, Academic Press, Inc. San Diego, California.
- Vleut, I., Levy-Tacher, S. I., de Boer, W. F., Galindo-González, J., & Vazquez, L.-B. (2013). Tropical Secondary Forest Management Influences Frugivorous Bat Composition, Abundance and Fruit Consumption in Chiapas, Mexico. *PLoS ONE*, 8(10), e77584. <https://doi.org/10.1371/journal.pone.0077584>
- Vojta, J. (2007). Relative importance of historical and natural factors influencing vegetation of secondary forests in abandoned villages. *Preslia*, Vol. 79, No. 3., 223-244.
- Wang, Y., Lin, X., Zheng, P., Hou, Y., Wang, G., Gong, Y., ... & Xie, F. (2024). Species Richness, Composition, Distribution and Conservation Status of Herpetofauna in a Global Hotspot: The Mountains of Southwest China. *Global Ecology and Conservation*, 54, e03122. <https://doi.org/10.1016/j.gecco.2024.e03122>
- Warmetan, H., Mulyani, Y. A., Mardiasuti, A., & Rushayati, S. B. (2025). Bird Community in Six Successional Stages of Habitats in Manokwari, Papua. *Media Konservasi*, 30(2), 322. <https://doi.org/10.29244/medkon.30.2.322>
- Widianto, K. H., Suharjito, D., & Sardjono, M. A. (2003). Fungsi dan peran agroforestri. *ICRAF. Bogor*.
- Widjaja, EA., Y. Rahayuningsih. JS. Rahajoe. R. Ubaidillah, I. Maryanto. EB. Walujo, & G. Semiadi. (2014). *Kekinian Keanekaragaman Hayati Indonesia*. Jakarta: LIPI Press.
- Widodo, W. (2014). Populasi dan Pola Sebaran Burung di Hutan Wanawisata Galunggung, Tasikmalaya, Jawa Barat. *Biosaintifika: Journal of Biology & Biology Education*, 6(1), 29-38.
- Wiens, J. A. (1989). *The Ecology of Bird Communities* (Vol. 1). Cambridge University Press.

- Withaningsih, S., & ALHAM, R. F. (2020). Diversity of Bird Species in the Coffee Agroforestry Landscape: Case Study in the Pangalengan Sub-district, Bandung District, West Java, Indonesia. *Biodiversitas Journal of Biological Diversity*, 21(6). <https://doi.org/10.13057/biodiv/d210619>
- Wong, W., & Linkie, M. (2012). Managing sun bears in a changing tropical landscape. *Diversity and Distributions*, 19(7), 700-709. <https://doi.org/10.1111/ddi.12020>
- Wulan, C., Pranesti, A., & Khabibi, J. (2025). Identifikasi Jenis Burung di Hutan Adat Guguk Kecamatan Renah Pembarap Kabupaten Merangin Provinsi Jambi: Identification of Bird Species in Guguk Customary Forest, Renah Pembarap District, Merangin Regency, Jambi Province. *Jurnal Silva Tropika*, 9(1), 117-128.
- Xia, H., Lu, F., & Li, J. (2024). Spatial Correlation of Landscape Fragmentation and Ecological Sensitivity in China's Giant Panda National Park and Surrounding Areas. *Sustainability*, 16(17), 7371. <https://doi.org/10.3390/su16177371>
- Xu, J., Dang, H., Hu, D., Zhang, P., & Liu, X. (2024). Patterns of Diversity and Community Assembly and Their Environmental Explanation across Different Types of Shrublands in the Western Loess Plateau. *Forests*, 15(2), 222. <https://doi.org/10.3390/f15020222>
- Yang, J. Y., & Zhu, W. L. (2023). Impact of habitat variation and human activities on small mammal community structure and diversity in Diannan Town, Jianchuan County, Yunnan. *Biodiversity Science*, 31(11), 23246. <https://doi.org/10.17520/biods.2023246>
- Yang, Y., Zhang, Z., Xia, S., & Zhou, L. (2024). Bird diversity and its affecting factors on the riverbanks of main rivers entering Chao Lake. *Chinese Journal of Ecology*, 43(3), 783.
- Yani, A., Said, S., & Erianto. (2015). Keanekaragaman Jenis Amfibi Ordo Anura di Kawasan Hutan Lindung Gunung Semahung Kecamatan Sengah Temila Kabupaten Landak Kalimantan Barat Species Amphibians Diversity Ordo Anura in Gunung Semahung Protected Forest Areas Sengah Temila District Landak Regen. *Jurnal Hutan Lestari*, 3(1), 15–20.
- Yanuarefa, M.F., Hariyanto, G. dan Utami, J. (2012). *Panduan Lapang Herpetofauna (Amfibi dan Reptil) Taman Nasional Alas Purwo*. Banyuwangi: Balai Taman Nasional Alas Purwo.
- Yoshioka, A., Fukasawa, K., Mishima, Y., Sasaki, K., & Kadoya, T. (2017). Ecological dissimilarity among land-use/land-cover types improves a heterogeneity index for predicting biodiversity in agricultural landscapes. *Ambio*, 46(8), 894-906. <https://doi.org/10.1007/s13280-017-0925-7>

- Yuliany, E. H. (2021). Keanekaragaman Jenis Herpetofauna (Ordo Squamata) di Kawasan Hutan Rawa Gambut Tropis Mangsang-Kepayang, Sumatera Selatan. *Biota: Jurnal Ilmiah Ilmu-Ilmu Hayati*, 111-119.
- Zhang, M., & Liu, J. (2022). Does Agroforestry Correlate with the Sustainability of Agricultural Landscapes? Evidence from China's Nationally Important Agricultural Heritage Systems. *Sustainability*, 14(12), 7239. <https://doi.org/10.3390/su14127239>
- Zhao, K., Chen, S., & Yang, X. (2023). Investigation of the diversity of mammals and birds and the activity rhythm of dominant species using camera trapping in a fragmented forest in the Dujiangyan region, Sichuan Province. *Biodiversity Science*, 31(6), 22529. <https://doi.org/10.17520/biods.2022529>
- Zid, M., dan Hardi, O.S. (2019). *Biogeografi*. Jakarta: PT Bumi Aksara.
- Zug GR. 1993. *Herpetology: An Introductory Biology of Amphibians and Reptiles*. Academic Press Inc. San Diego, California.
- Zuhra, S., & Kamal, S. (2022, October). Keanekaragaman jenis burung di hutan kota Banda Aceh. In *Prosiding Seminar Nasional Biologi, Teknologi dan Kependidikan* (Vol. 10, No. 2, pp. 211-216).
- Zurita, G., Rey, N., Varela, D. M., Villagra, M., & Bellocq, M. I. (2012). Edge effects and their influence on habitat suitability calculations: a continuous approach applied to birds of the Atlantic forest. *Journal of Applied Ecology*, 49(2), 503-512. <https://doi.org/10.1111/j.1365-2664.2011.02104.x>
- Zwaan, D., & Roitberg, B. (2015). Variation in foraging strategy with forest age for the Black-Crowned Antshrike (*Thamnophilus atrinucha*). *Ornitología Neotropical*, 26(3), 265-282.