

DAFTAR PUSTAKA

- Abel, E. F. 1973. Zur Oeko-Ethologie des amphibisch lebenden Fisches *Alticus saliens* (Foster) und von *Entomacrodus vermiculatus* (Val.) (Blennioidae, Salariaeidae) unter besondere Berücksichtigung des Fortpflanzungsverhaltens. *Sberichten der Österreichischen Akademie der Wissenschaften, Abteilung I*, 181: 137-153.
- Achyar, A., Hindayageni, A., Humaira, F., Wijaya, N. N. and Aqsha, N., Zultsatunni'mah, Z. 2021. Analysis of Genetic Variations in Poly Gene Sequences in Dengue Virus 2 Using In-Silico RFLP. *Bioscience*, 5(1): 80-86.
- Aini, N. K., Wardiatno, Y., Effendi, H., Mashar, A. and Madduppa, H. 2021. High genetic diversity and mixing of coastal horseshoe crabs (*Tachypleus gigas*) across major habitats in Sundaland, Indonesia. *PeerJ*. 2(9): 1-16. DOI: 10.7717/peerj.11739.
- Aji, K. W. and Arisuryanti, T. 2021. Molecular identification of mudskipper fish (*Periophthalmus* spp.) from Baros Beach, Bantul, Yogyakarta. *Journal of Tropical Biodiversity and Biotechnology*, 6(3): 1-13.
- Akihary, C. V. and Kolondam, B. J. 2020. Pemanfaatan gen 16S rRNA sebagai perangkat identifikasi bakteri untuk penelitian-penelitian di Indonesia. *Pharmakon*, 9(1): 16-22. DOI: <https://doi.org/10.35799/pha.9.2020.27405>
- Allen, G.R. and Steene, R. C. 1988. *Fishes of Christmas Island Indian Ocean*. Australia: Christmas Island Natural History Association.
- Anantyarta, P. 2017. Identifikasi variasi genetik kerbau (*Bubalus bubalis*) Pacitan dan Tuban berbasis mikrosatelit. *Jurnal Bioeksperimen*, 3 (1): 11-28. DOI: 10.23917/bioeksperimen.v3i1.3667
- Ardiaria, M. 2019. Disfungsi mitokondria dan stress oksidatif. *Journal of Nutrition and Health*, 7(3): 50-55. DOI:10.14710/JNH.7.3.2019.50-55.
- Aristya, G. R., Nabillah, S. A. A., Kasiamdari, R. S., Damaiyani, J. and Orabowo, H. 2024. Phylogenetic and Genetic Variation of Sugarcane (*Saccharum* spp.) from Island of Java, Indonesia based on *trnK* Chloroplast Gene. *International Journal of Agriculture and Biosciences*, 13(2): 157-166. DOI: <https://doi.org/10.47278/journal.ijab/2024.097>.

- Arisuryanti, T., Agiestina, P., Fajar, I. and Firdaus, N. U. N. 2020b. *16S* mitochondrial sequence characterization of striped snakehead (*Channa striata* Bloch, 1793) from Ogan River, South Sumatra. *AIP Conference Proceedings*, 2260(1): 1-8. DOI: <https://doi.org/10.1063/5.0015906>
- Arisuryanti, T., Aji, K. W., Shabrina, F. N., Febriyanti, D., Daryono, B. S. and Priyono, D. S. 2024. Phylogenetic and genetic variation of common mudskippers (*Periophthalmus kalolo* Lesson, 1831) from the southern coast of Java, Indonesia inferred from the *COI* mitochondrial gene. *Journal of Genetic Engineering and Biotechnology*, 22(1): 100335. DOI: <https://doi.org/10.1016/j.jgeb.2023.100335>.
- Arisuryanti, T., Alfianti, A., Firdaus, N. U. N and Hakim, L. 2020a. Deteksi polimorfisme gen mitokondria *16S* ikan wader bintik-dua (*Barbodes binotatus* Valenciennes, 1842) dari Danau Lebo Taliwang, Nusa Tenggara Barat. *Jurnal Perikanan Universitas Gadjah Mada*, 22(2): 123-126. DOI: <https://doi.org/10.22146/jfs.54064>
- Arisuryanti, T., Hutasuhut, A. P. S., Koentjana, J. P., Aji, K. W. and Priyono, D. S. 2023. Molecular species identification of rockskipper (Pisces: Blenniidae) from Porok Beach (Yogyakarta, Indonesia) based on *16S* rRNA and *COI* genes. *GENETIKA*, 55 (3): 895-912. DOI: <https://doi.org/10.2298/GENSR2303895A>
- Arisuryanti, T., Ulfa, N., Firdaus, N. and Hakim, L. 2020c. Genetic characterization of striped snakehead (*Channa striata* Bloch, 1793) from Arut River, Central Kalimantan inferred from *COI* mitochondrial gene. *AIP Conference Proceedings*, 2260. DOI: 10.1063/5.0015905.
- Arunima, A., Swain, S. K., Patra, S. D., Das, S., Mohakud, N. K., Misra, N. and Suar, M. 2020. Role of OB-Fold Protein YdeI in Stress Response and Virulence of *Salmonella enterica* Serovar Enteritidis. *Journal of bacteriology*, 203(1): 1-21. DOI: <https://doi.org/10.1128/JB.00237-20>.
- Bandelt, H. J., Forster, P. and Rohl A. 1999. Median-joining networks for inferring intraspecific phylogenies. *Molecular Biology and Evolution*, 16 (1): 37-48. DOI: <https://doi.org/10.1093/oxfordjournals.molbev.a026036>.

- Bang, G., Lee, S. R., Kang, H. E., Kim, A. R., Htoo, H., Abedin, I., Hilman, M., Amin, F., Yi, M., Lee, H. J., Kundu, S. and Kim, H. W. 2026. Environmental DNA reveals the distinct genetic diversity and evolutionary pathways of the Chinese Minnow *Rhynchocypris oxycephalus* in Korean freshwater systems. *Scientific Reports*, 16(2323). DOI: <https://doi.org/10.1038/s41598-025-32073-z>
- Basahona, F., Tahir, I. and Akbar, N. 2021. Kepadatan, keanekaragaman dominansi dan kesamaan jenis biota intertidal di Pulau Ternate dan Pulau Woda. *Hemyscyllium*, 1(2): 1-12.
- Basith, A., Abinawanto, A., Kusriani, E. and Yasman, Y. 2021. Genetic diversity analysis and phylogenetic reconstruction of groupers *Epinephelus* spp. from Madura Island, Indonesia based on partial sequence of *COI* gene. *Biodiversitas*, 22(10): 4282-4290. DOI: 10.13057/biodiv/d221020.
- Boore, J. L. 1999. Animal mitochondrial genomes. *Nucleic Acids Research*, 27 (8): 1767-1780. DOI: <https://doi.org/10.1093/nar/27.8.1767>
- Budiarsa, I. M., Dhafir, F. and Suprianto, S., 2022. Studi In Silico: Hasil BLAST Gen Clock pada Megapodiidae. *Jurnal Riset Sains dan Teknologi*, 6(1): 33-40.
- Cao, R., Tong, S., Luan, T., Zheng, H. and Zhang, W. 2022. Compensatory Base Changes and Varying Phylogenetic Effects on Angiosperm *ITS2* Genetic Distances. *Plants*, 11(7): 929. DOI: <https://doi.org/10.3390/plants11070929>.
- Dailami, M., Yuniarti, A., Saleky, A. and Toha, A. H. A. 2024. Identifikasi Genetik Ikan Gabus Asal Merauke dengan Menggunakan Fragmen Gen Sitokrom Oksidase Sub Unit I. *Bioscientist : Jurnal Ilmiah Biologi*, 12(1): 1252-1262. DOI: <https://doi.org/10.33394/bioscientist.v12i1.11446>
- Darriba, D., Taboada, G. L., Doallo, R. and Posada, D. 2012. jModelTest 2: more models, new heuristics and parallel computing. *Nature Methods*, 9(772). DOI: <https://doi.org/10.1038/nmeth.2109>
- Denny, M. W. and Gaines, S. D. 2007. *Encyclopedia of tidepools and rocky shores*. London: University of California Press Ltd.

- Dewi, E. K., Soma, I. G. and Wandia, I. N. 2013. Diversitas genetik populasi monyet ekor panjang di Mekori menggunakan marka molekul mikrosatelit D3S1768. *Indonesia Medicus Veterinus*, 2(1) : 43-57.
- Donaliazarti, D. 2022. Mekanisme Resistensi terhadap Anti-Mikroba. *Collaborative Medical Journal*, 5(3): 37-45.
- Drummond, A. J., Rambaut, A. 2007. BEAST: Bayesian evolutionary analysis by sampling trees. *BMC Evolutionary Biology*, 7(1): 214. DOI: 10.1186/1471-2148-7-214.
- Faraway, J. J. 2012. Backscoring in Principal Coordinates Analysis. *Journal of Computational and Graphical Statistics*, 21(2): 394-412. DOI: <https://doi.org/10.1080/10618600.2012.672097>
- Fassler, J. and Cooper, P. 2011. *BLAST Help*. USA: National Center for Biotechnology Information.
- Fricke, R., Eschmeyer, W. N. and Van der Laan, R. 2025. *Eschmeyer's catalog of fishes: genera, species, references*. Accessed on February 8, 2025 at <http://researcharchive.calacademy.org/research/ichthyology/catalog/fishcatmain.asp>
- Gao, X., Lin, H., Revanna, K. and Dong, Q. 2017. A Bayesian taxonomic classification method for 16S rRNA gene sequences with improved species-level accuracy. *BMC Bioinformatics*, 18(247): 1-10.
- Gu, X., Li, L., Zhong, X., Su, Y. and Wang, T. 2024. The size diversity of the Pteridaceae family chloroplast genome is caused by overlong intergenic spacers. *BMC Genomics*, 25: 1-14. DOI: <https://doi.org/10.1186/s12864-024-10296-0>.
- Halder, B., Malakar, A.K. and Chakraborty, S. 2017. Nucleotide composition determines the role of translational efficiency in human genes. *Bioinformation*, 13(2): 46-53.
- Hebert, P. D., Cywinska, A., Ball, S. L. and deWaard, J. R. 2003. Biological identifications through DNA barcodes. *Proceedings. Biological Sciences*, 270(1512): 313-321. DOI: <https://doi.org/10.1098/rspb.2002.2218>
- Ikeda, Y., Hirayama, A., Kofuji, S., Hirota, Y., Kamata, R., Osaka, N., Fujii, Y., Sasaki, M., Ikeda, S., Smith, E. P., Bachoo, R., Soga, T. and Sasaki, A. T.

2021. SI-MOIRAI: a new method to identify and quantify the metabolic fate of nucleotides. *Journal of biochemistry*, 170(6): 699-711. DOI: <https://doi.org/10.1093/jb/mvab077>.
- Innan, H. and Nordborg, M. 2003. The extent of linkage disequilibrium and haplotype sharing around a polymorphic site. *Genetics*, 165(1): 437-444. DOI: <https://doi.org/10.1093/genetics/165.1.437>.
- Isenberg, A. R. and Moore, J. M. 1999. Mitochondrial DNA analysis at the FBI laboratory. *Forensic Science Communication*, 1(2): 1-27.
- Jenuth, J. P., Perterson, A.C., Fu, K. and Shoubridge, E. A. 1997. Random genetic drift in the female germline explains the rapid segregation of mammalian mitochondrial DNA. *Nature Genetics*, 14 (1): 146-151. DOI: <https://doi.org/10.1038/ng1096-146>
- Jiang, S., Li, Z., Li, J., Xu, K. and Ye, Y. 2024. Analysis of Genetic Diversity and Structure of Eight Populations of *Nerita yoldii* along the Coast of China Based on Mitochondrial *COI* Gene. *Animals*, 14(5): 718. DOI: <https://doi.org/10.3390/ani14050718>
- Kombong, C.B. S. and Arisuryanti, T. 2018. Komposisi nukleotida sekuen gen mitokondria 16S dan *COI* ikan gabus (*Channa striata* Bloch, 1793) dari Danau Sentani, Jayapura, Papua. *Jurnal Perikanan Universitas Gadjah Mada*, 20 (2): 57-62. DOI: 10.22146/jfs.35551.
- Kumar, S., Stecher, G., Suleski, M., Sanderford, M., Sharma, S. and Tamura, K. 2024. MEGA12: Molecular Evolutionary Genetic Analysis Version 12 for Adaptive and Green Computing. *Molecular Biology and Evolution*, 41(12). DOI: <https://doi.org/10.1093/molbev/msae263>
- Kusumah, Y. M., Kurniawati, F., Kristanto, E. D., Parasian, F. and Christian, M. 2022. Analisis filogenetik *Hyposidra talaca* nucleopolyhedrovirus (*HytaNPV*) yang diisolasi dari perkebunan teh Gunung Mas, Bogor, Jawa Barat dan virulensinya terhadap *Hyposidra talaca* Walker. *Jurnal Entomologi Indonesia*, 20(2): 151-160. DOI: <https://doi.org/10.5994/jei.20.2.151>

- Ladoukakis, E. D. and Zouros, E. 2017. Evolution and inheritance of animal mitochondrial DNA: rules and exceptions. *Journal of Biological Research-Thessaloniki*, 24(2): 1-7. DOI: 10.1186/s40709-017-0060-4.
- Li, L., Xu, B., Tian, D., Wang, A., Zhu, J., Li, C., Li, N., Zhao, W., Shi, L., Xue, Y., Zhang, Z., Bao, Y., Zhao, W. and Song, S. 2023. McAN: a novel computational algorithm and platform for constructing and visualizing haplotype networks. *Briefings in Bioinformatics*, 24(3). DOI: <https://doi.org/10.1093/bib/bbad174>
- Li, X., Wu, Y., Xie, G. and Tan, Z. 2021. Effects of chronic cadmium exposure on the structure and function of intestinal mucosal flora in mice. *Toxin Reviews*. DOI: <https://doi.org/10.1080/15569543.2021.1955712>
- Liu, B., Ding, P., Ye, R., Li, Y., Ou, S., Gentile, A., Ma, X. and Deng, Z. 2023. Genetic Diversity Analysis of Guangxi Kumquat (*Fortunella* Swing) Germplasm Using SRAP Molecular Markers. *Preprints*. DOI: 10.20944/preprints202305.1578.v1.
- Maddison, W. P. and Maddison, D. R. 2023. *Mesquite: a modular system for evolutionary analysis*. Version 3.81. Accessed on December 31, 2024 at <http://www.mesquiteproject.org>
- Malendes, M. A. and Bunyamin, H. 2017. Perbandingan Needleman-Wunsch dan Lempel-Ziv dalam Teknik Global Sequence Alignment: Keunggulan Faktorisasi Sempurna. *Jurnal Teknik Informatika dan Sistem Informasi*, 3 (1): 57-68.
- Mashudi, M. and Baskorowati, L. 2016. Respon provenan dan famili tanaman uji keturunan pulau darat (*Alstonia angustiloba*) terhadap cekaman kekeringan. *Jurnal Penelitian Kehutanan Wallacea*, 5(1): 47-59.
- Nelson, J. S., Grande, T. C. and Wilson, M. V. H. 2016. *Fishes of the world*, 5th Ed. Hoboken: John Wiley & Sons.
- Noer, S. 2021. Identifikasi bakteri secara molekuler menggunakan 16S rRNA. *EduBiologia*, 1(1): 1-6. DOI: 10.26539/edubiologia.v1i1.8596
- Nybakken, J.W. 1992. *Biologi laut: suatu pendekatan ekologis*. 2nd Ed. Jakarta: PT Gramedia Pustaka Utama.

- Oktafia, R. E. and Badruzsaufari, B. 2021. Analisis filogenetik *Garcinia* spp. berdasarkan sekuens gen rRNA (Phylogenetic Analysis of *Garcinia* spp. Based on rRNA Gene Sequences). *Ziraa'ah: Majalah Ilmiah Pertanian*, 46(2): 259-264. DOI: <https://doi.org/10.31602/zmip.v46i2.4526>.
- Ord, T. J. and Cooke, G. M. 2016. Repeated evolution of amphibious behavior in fish and its implications for the colonization of novel environments. *Evolution; international journal of organic evolution*, 70(8): 1747-1759. DOI: <https://doi.org/10.1111/evo.12971>
- Palumbi, S. R. 1996. *Nucleic acids II: the polymerase chain reaction. in: Molecular systematics*. Sunderland: Sinauer Associates, Inc.
- Paradis, E. 2018. Analysis of haplotype networks : The randomized minimum spanning tree method. *Methods in Ecology and Evolution*, 9(1): 1308-1317.
- Peakall, R. and Smouse, P.E. 2012. GenAlEx 6.5: Genetic Analysis in Excel. Population genetic software for teaching and research – an update. *Bioinformatics*, 28(19): 2537-2539. DOI: 10.1093/bioinformatics/bts460
- Pinem, U., Hamdan, H. and Hanafi, N. D. 2014. Estimasi jarak genetik dan faktor peubah pembeda rumpun kelinci melalui analisis morfometrik. *Jurnal Peternakan Integratif*, 2(3): 264-284.
- Posada, D. 2008. jModelTest: Phylogenetic Model Averaging. *Molecular Biology and Evolution*, 25(7): 1253-1256. DOI: <https://doi.org/10.1093/molbev/msn083>
- Pourhosseini, F., Esmacili, H. R. and Ghanbarifardi, M. 2025. Moving towards the west: Morphological and molecular documentation of the reef margin blenny *Entomacrodus striatus* (Teleostei: Blenniiformes) from the most western part of the IndoPacific Ocean. *Iranian Journal of Fisheries Sciences*, 24(1): 141-160. DOI: 10.18869/acadpub.ijfs
- Pratama, I., Pertiwi, N. P. D., Riawan, I. M. O., Yusmalinda, N. L. A., Sembiring, A., Apriliani, L. P. C., Savitri, N. K. R. S., Julyasih, K. S. M., Syah, M. J. and Rachmawati, R. 2025. Keragaman Genetik Telur Penyu Gagal Tetas di Penangkaran Buleleng, Bali Indonesia Berdasarkan *Locus Control Region*. *Journal of Marine and Coastal Science*, 14 (3): 164-173. DOI: 10.20473/jmcs.v14i3.77095.

- Pribadi, T. D. K., Nurdiana, R. and Rosada, K. K. 2017. Asosiasi makroalga dengan Gastropoda pada zona intertidal Pantai Pananjung Pangandaran. *Jurnal Biodjati*, 2(2): 107. <https://doi.org/10.15575/biodjati.v2i2.1573>
- Putri, F. J., Herman, H. and Roslim, D. I. 2025. Multilocus Analysis of *matK*, *atpB-rbcL* Intergenic Spacer, and *trnL-trnF* Intergenic Spacer in Pandanaceae. *Jurnal Biologi Tropis*, 25(2): 2040-2052. DOI: <http://doi.org/10.29303/jbt.v25i2.8775>
- Rahayu, D. A. and Jannah, M. 2019. *DNA barcode hewan dan tumbuhan Indonesia*. Jakarta Selatan: Yayasan Inspirasi Ide Berdaya.
- Rambaut, A. 2019. FigTree v 1.4.4., in Molecular Evolution, Phylogenetics and Epidemiology. Accessed on March 29, 2026 at <http://tree.bio.ed.ac.uk/software/figtree/>
- Reichenberger, E. R., Rosen, G., Hershberg, U. and Hershberg, R., 2015. Prokaryotic nucleotide composition is shaped by both phylogeny and the environment. *Genome biology and evolution*, 7(5): 1380-1389.
- Robin, E. D. and Wong, R. 1988. Mitochondrial DNA molecules and virtual number of mitochondria per cell in mammalian cells. *Journal of Cellular Physiology*, 136(3): 507-513. DOI: <https://doi.org/10.1002/jcp.1041360316>
- Roslim, D. I., Oktavia, S. and Herman, H. 2015. Analisis sebagian Sekuen DNA dari Gen *Meis1* pada Ubi Kayu (*Manihot esculenta* Crantz.) Genotipe Menggalo dan Roti Partial DNA Sequences. *Jurnal Dinamika Pertanian*, 30(2): 109-116.
- Rozas, J., Ferrer-Mata, A., Sánchez-DelBarrio, J. C., Guirao-Rico, S., Librado, P., Ramos-Onsins, S.E. and Sánchez-Gracia, A. 2017. DnaSP 6: DNA Sequence Polymorphism Analysis of Large Data Sets. *Molecular Biology and Evolution*, 34 (12): 3299-3302. DOI: 10.1093/molbev/msx248
- Saha, A., Jorde, P. E., Sodeland, M., Korslund, L. M. and Knutsen, H. 2025. Pelagic Larval Duration and Isolation by Distance in Coastal Species. *Evolutionary Application*, 18(2): 1-8. DOI: <https://doi.org/10.1111/eva.70187>
- Snead, A. A., Tatarenkov, A., Avise, J. C., Taylor, D. S., Turner, B. J., Marson, K. and Earley, R. L. 2023. Out to sea: ocean currents and patterns of

- asymmetric gene flow in an intertidal fish species. *Frontiers in Genetics*. 14: 1-16. DOI: 10.3389/fgene.2023.1206543.
- Sofro, A. S. M. 1994. *Keanekaragaman genetik*. Yogyakarta: Andi.
- Springer, V. G. 1967. Revision of the circumtropical shorefish genus *Entomacrodus* (Blenniidae: Salariae). *Proceedings of the United States National Museum*, 122(3582): 1-150. DOI: <https://doi.org/10.5479/si.00963801.122-3582.1>
- Stoltzfus, A. and Norris, R.W. 2016. On the causes of evolutionary transition: transversion evolution bias. *Molecular biology and evolution*, 33(3): 595-602.
- Subari, A., Razak, A. and Sumarmin, R. 2021. Phylogenetic Analysis of *Rasbora* spp. Based on the Mitochondrial DNA *COI* gene in Harapan Forest. *Jurnal Biologi Tropis*, 21(1): 89-94.
- Suchard, M. A., Lemey, P., Baele, G., Ayres, D. L., Drummond, A. J. and Rambaut, A. 2018. Bayesian phylogenetic and phylodynamic data integration using BEAST 1.10. *Virus Evolution*, 4(1): 1-5. DOI: <https://doi.org/10.1093/ve/vey016>
- Sujaya, I., Nocianitri, K., Aryantini, N., Nursini, W., Ramona, Y., Orikasa, Y., Kenji, F., Urashima, T. and Oda, Y. 2016. Identifikasi dan Karakterisasi Bakteri Asam Laktat Isolat Susu Segar Sapi Bali (Identification And Characterization Of Lactic Acid Bacteria Isolated From Bali Cattle's Raw Milk). *Jurnal Veteriner*, 17(2): 155-167. DOI: <https://doi.org/10.19087/jveteriner.2016.17.2.155>
- Sularto, S., Febrianti, R. and Suharyanto, S. 2017. Estimasi jarak genetik, daya gabung gen dan heterosis bobot tubuh persilangan empat populasi ikan gurami, *Osphronemus goramy*, Lacepede 1801. *Jurnal Ikhtiologi Indonesia*, 17(2): 133-142. DOI: <https://doi.org/10.32491/jii.v17i2.353>.
- Utomo, I. A. 2017. *Karakterisasi Genetik Ikan Rockskipper (*Entomacrodus vermiculatus* Valenciennes, 1836) dari Pantai Porok, Gunungkidul, Yogyakarta berdasarkan Gen Mitokondria 16S*. Skripsi. Universitas Gadjah Mada.

- Warseno, T., Efendi, M., Chasani, A. R. and Daryono, B. S., 2022. Genetic variability and phylogenetic relationships of *Begonia multangula* based on *atpB-rbcL* non-coding spacer of cpDNA sequences. *Biodiversitas Journal of Biological Diversity*, 23(10): 5491-5501.
- Widyana, A. G. and Rezeki, A. 2025. Status konservasi tegakkan di kawasan Kampus ULM Banjarmasin. *Prosiding Seminar Nasional Pendidikan Biologi*, 51: 116-124.
- Williams, J. and Bogorodsky, S. 2010. *Entomacrodus solus*, a new species of blenny (Perciformes, Blenniidae) from the Red Sea. *Zootaxa*, 2475: 64-68. DOI: 10.11646/zootaxa.2475.1.5.
- Williams, J. T. and Myers, R. 2014. *Entomacrodus vermiculatus*. *The IUCN Red List of Threatened Species 2014*. DOI: <http://dx.doi.org/10.2305/IUCN.UK.2014-3.RLTS.T172447A1342518.en>
- Williams, J. T. and Springer, V. G., 2022. Family Blenniidae, Blennies. In: Heemstra, P. C., Heemstra, E., Ebert, D. A., Holleman, W. and Randall, J. E., (Eds.) *Coastal fishes of the western Indian Ocean*. South Africa: South African Institute for Aquatic Biodiversity.
- Winanto, T., Kurniawati, A., Raharjo, P., Kasprijo, K. and Fikriyya, N. 2024. Komposisi dan Keanekaragaman Jenis Teripang (*Holothuroidea*) di Perairan Pantai Pasir Putih Pangandaran Jawa Barat. *JURNAL LEMURU: Jurnal Ilmu Perikanan dan Kelautan Indonesia*, 6(3): 82-98.
- Wirdateti, W., Wulandari, S. W. and Kuswandi, P. C. 2015. Penanda genetik tarsius (*Tarsius* sp.) dengan menggunakan gen *cytochrome oxidase I (COI)* DNA mitokondria (mtDNA) melalui metode sekuensing. *Jurnal Biologi Indonesia*, 11(2): 275-284.
- Yang, L., Tan, Z., Wang, D., Xue, X., Guan, M., T., H. and Li, R. 2014. Species identification through mitochondrial rRNA genetic analysis. *Scientific Reports*, 4089 (4): 1-11. DOI: 10.1038/srep04089
- Zhang F. and Zhao Z. 2004. The influence of neighboring-nucleotide composition on single nucleotide polymorphisms (SNPs) in mouse genome and its comparison with human SNPs. *Genomics*, 84:785-795.