

## DAFTAR PUSTAKA

- Afoakwa, E. O., 2010. *Chocolate Science and technology*. Jon Wiley and Sons United Kingdom.
- Alabran, D. M., and Ahmed F. M. 1973. Carrot flavor. Sugars and free nitrogenous compounds in fresh carrots. *Food Chemistry* 21: 205-207.
- Azam, M. M., Eissa, A. H. A., and Hassan, A. H. 2015. Monitoring of change in cantaloupe fruit quality under pre-cooling and storage treatments. *Journal of Food Process and Technology* 6: 12.
- Baldermann, S., Naim, M., and Fleischmann, P. 2005. Enzymatic carotenoid degradation and aroma formation in nectarines (*Prunus persica*). *Third International Congress Pigment Food* 38: 833–836.
- Baldermann, S. (2008) *Carotenoid oxygenases from Camellia sinensis, Osmanthus fragrans, and Prunus persica nucipersica*. Cuvillier Verlag Göttingen.
- Barrett, D. M., Beaulieu, J. C., dan Shewfelt, R. 2010. Color, flavor, texture, and nutritional quality of fresh-cut fruits and vegetables: desirable levels, instrumental and sensory measurement, and the effects of processing. *Critical Reviews in Food Science and Nutrition* 50: 369–389.
- Beaulieu, J. C. 2006. Volatile change in cantaloupe during growth, maturation, and in stored fresh-cuts prepared from fruit harvested at various maturities. *J. Amer. Soc. Hort. Sci.* 131: 127-139.
- Britton, G., Liaaen-Jensen, S., and Pfander, H. 1995. *Carotenoids Volume 1*. Birkhauser, Basel, Switzerland.
- Caicedo, A. L. V., Schilling, S., Carle, R., and Neydhart, S. 2007. Impact of packaging and storage conditions on colour and  $\beta$ -caroten retention of pasteurized mango puree. *European Food Res Technology* 224: 581-590.
- Cao, S., Liang, M., Shi, L., Shao, J., Song, C., Bian, K., Chen, W., and Yang, Z. 2017. Accumulation of carotenoids and expression of carotenogenic genes in peach fruit. *Food Chemistry* 214: 137–146.
- Castillo, R., Fernandez, J. A., and Gomez-Gomez L. 2005. Implications of carotenoid biosynthetic genes in apocarotenoid formation during stigma

- development of crocus sativus and its closer relatives. *Plant Physiol* 139: 674-689.
- Chen, J. P., Tai, C. Y., and Chen, B. H. 2007. Effects of different drying treatments on the stability of carotenoids in Taiwanese mango (*Mangifera indica* L.). *Food Chemistry* 100 : 1005-1010.
- Choi, S., Huber, D., Kim, J., and Hong, Y. 2009. Influence of chlorine and mode of application on efficacy of aqueous solutions of 1-methylcyclopropene in delaying tomato (*Solanum lycopersicum* L.) *Fruit Ripening* 53: 16–21.
- Curioni, P. M. G., and Bosset, J. O. 2002. Key odorant in various cheese types as determined by *Gas Chromatography-olfactometry*. *International Dairy Journal* 12: 959-984.
- Daryono, B. S., dan Supriyadi. 2012. Laporan Hibah Inkubasi : Produksi benih gama melon parfum dalam rangka penguatan industri benih nasional. Laboratorium Genetika, Fakultas Biologi UGM. Yogyakarta.
- De Mann, J. M. 1983. Principles of food chemistry, *The Avi Publishing Company Inc, Westport, Connecticut*.
- Dutta, D., Chaudhuri, U, R., and Chakraborty, R. 2005. Structure, health benefits, antioxidant property and processing and storage of carotenoids. *African Journal of Biotechnology* Vol. 4 (13)
- El-Assi, N. M., Alsmeirat, N., and Alhadidi, N. 2011. Determination of the optimum harvest date for ‘Magenta’ charentais melon (*Cucumis melo* L.) fruit in Jordan. *Jordan journal of Agricultural Sciences* 7: 32-43
- El-Hadi, M. A., Zhang, F. J., Wu, F. F., Zhou C.H., and Tao, J. 2013. Advances in fruit aroma volatile research. *Molecules* 18: 8200-8229.
- Eskin, N. A. M. 1979. Plant pigments, flavor and textures. *Academic Press, New York*.
- Falah, M. A. F., Nadine, M. D., and Suryandono, Ag. 2015. Effects of storage conditions on quality and shelf-life of fresh-cut melon (*Cucumis melo* L.) and papaya (*Carica papaya* L.). *Procedia Food Science* 3: 313 – 322.
- Fitriyani, R. 2016. Pelunakan buah melon (*Cucumis melo* L.) kultivar hikapel selama penyimpanan dengan variasi umur petik. *Thesis*. Universitas Gadjah Mada. Yogyakarta.

- Fuggate, P., Aree, C.W., Noichinda, S., and Kanlayanarat, S. 2010. Quality and volatile attributes of attached and detached 'Pluk Mai Lie' papaya during fruit ripening. *Scientia Horticulturae* 126: 120–129.
- Giuliano, G., Al-Babili, S., Von Linting, J., 2003. Carotenoid oxygenases: cleave it or leave it. *Trends Plant Sci.* 8, 145–149.
- Gormley, T. R. 1981. Aroma in fruit and vegetables. Di dalam: Goodenough PW, editor. *Quality in Stored and Processed Vegetables and Fruit*. London : Academic Press hlm. 35-51.
- Hasbullah, U. H. A. 2014. Profil senyawa volatil selama fase perkembangan dan senyawa kunci aroma buah melon (*Cucumis melo* L.) kultivar Gama Melon Parfum. *Thesis*. Universitas Gadjah Mada. Yogyakarta.
- Heriyanto dan Limantara, L. 2009. Produksi karotenoid oleh khamir *Rhodotorula* sp. Eksplanasi hlm. 1-3
- Himeno, H., and Sano, K. 1987. Synthesis of crocin, picocrocin, and safranal by saffron stigma-like structures proliferated in vitro. *Agric. Biol. Chem* 9: 2395-2400
- Ho, C.T., Zheng, X., and Li, S., 2015. Tea aroma formation. *Food Science and Human Wellness*
- Hodges, D. M., dan Lester, G. E. 2006. Comparisons between orange- and green-fleshed non-netted and orange-fleshed netted muskmelons : antioxidant changes following different harvest and storage periods. *Journal American Social for Horticultural Science* 131: 110–117.
- Huang, F.C., Horváth, G., Molnár, P., Turcsi, E., Deli, J., Schrader, J., Sandmann, G., Schmidt, H., and Schwab, W. 2009. Substrate promiscuity of rdccd1, a carotenoid cleavage oxygenase from *rosa damascena*. *Phytochem.* 70 : 457-464.
- Ibdah, M., Azulay, Y., Portnoy, V., Wasserman, B., Bar, E., Meir, A., Burger, Y., Hirschberg, J., Schaffer, A. A., Katzir, N., Tadmor, Y., and Lewinsohn E. 2006. Functional characterization of CmCCD1, a carotenoid cleavage dioxygenase from melon. *Phytochemistry* 67: 1579–1589
- Iborra, J. L., Castellar, M. R., Canovas, M., and Manjon, A., 1992. Picocrocin hydrolysis by immobilized  $\beta$ -glucosidase. *Biotechnol. Lett.*, vol14, pp. 574-580
- Ilg, A., Bruno, M., Beyer P., and Al-Babili S. 2014. Tomato carotenoid cleavage dioxygenases 1A and 1B: Relaxed double bond specificity leads to a

plenitude of dialdehydes, mono-apocarotenoids and isoprenoid volatiles. *FEBS Open Bio* 4: 584–593

- Jiang, Y., and Song, J. 2010. Fruits and fruit flavor: Classification and biological characterization. In: Hui, Y. H. (Ed). 2010. Handbook of fruits and vegetable flavors. P 3-92. John Wiley and Sons, Inc. USA.
- Jing, G., Li, T., Qu, H., Yun, Z., Zheng, X., and Jiang, Y. 2015. Carotenoids and volatile profiles of yellow- and red-fleshed papaya fruit in relation to the expression of carotenoid cleavage dioxygenase genes. *Postharvest Biology and Technology* 109: 114–119
- Kelebek, H., Selli, S., Gubbuk, H., and Gunes, E. 2015. Comparative evaluation of volatiles, phenolics, sugars, organic acids and antioxidant properties of Sel-42 and Tainung papaya varieties. *Food Chemistry* 173: 912–919.
- Lalel, H, J, D., Singh, Z, and Tan, S.C., 2003a. Aroma volatiles production during fruit ripening of kesington Pride' mango. Postharvest.
- Leao, K.M.M., Sampaio, K.L., and Pagani, A.A.C. 2014. Odor potency, aroma profile and volatiles composition of cold pressed oil from industrial passion fruit residues Karina. *Industrial Crops and Products* 58: 280–286
- Leffingwell, J. C. 2002. Carotenoid as flavor and fragrance precursors.
- Lehwinson, E., Sitrit, Y., Bar, E., Azulay, Y., Meir, A, Zamir, D., dan Tadmor, Y. (2005). Carotenoid pigmentation affects the volatile composition of tomato and watermelon fruits, as revealed by comparative genetic analyses. *Journal Agriculture and Food Chemistry* 52:3142-3148.
- Lester, G. E. 2008. Antioxidant, sugar, mineral, and phytonutrient concentrations across edible fruit tissues of orange-fleshed honeydew melon (*Cucumis melo* L.). *Journal of Agriculture and Food Chemistry* 56: 3694–3698.
- Lu, Q., Huang, X., Lv, S., and Pan, S. 2017. Carotenoid profiling of red navel orange “Cara Cara” harvested from five regions in China. *Food Chemistry* 232: 788–798.
- Lowry, O. H., Rosebrough, N. J., Farr, A. L. dan Randall, R. J. (1954). Protein measurement with the Folin phenol reagent. *Journal of Biological Chemistry* 193: 27-52.
- Namitha, K. K., and Negi, P. S. 2010. Chemistry and biotechnology of carotenoid. *Crit Rev Food Sci Nutr.* 50: 728-760.
- Ningrum, A. 2010. Carotenoids, related aroma compounds and partial purification of a carotenoid cleavage enzymes from aonori (*Enteromorpha*

- sp.). *Master Thesis*. Faculty of Agriculture, Shizuoka University, Shizuoka, Japan.
- Ningrum, A. 2011. Screening beberapa sumber buah lokal sebagai sumber potensial carotenoid cleavage dioxygenases (CCD). Fakultas Teknologi Pertanian, Universitas Gadjah Mada, Yogyakarta.
- Ningrum. A., Minh. N. N., and Schreiner. M. 2015. Carotenoids and Norisoprenoids as Carotenoid Degradation Products in Pandan Leaves (*Pandanus amaryllifolius* Roxb.). Institut of Food Science, BOKU, Vienna, Austria., Department of Food Science and Agricultural Technology, Faculty of Agricultural Technology, Gadjah Mada University, Yogyakarta, Indonesia.
- Obando-Ullo, J. M., Moreno, E., Garc'la-Mas, J., Nicolai, B., Lammertyn, J., Monforte, A. J., and Fern'andez-Trujillo. 2008. Climacteric or non-climacteric behavior in melon fruit: Aroma volatiles. *Postharvest Biology and Technology* 49: 27-37.
- Oh, S. H., Lim, B. S., Hong, S. J., and Lee, S. K. 2011. Aroma volatile changes of netted muskmelon (*Cucumis melo* L.) fruit during Developmental stages. *Hort. Environ. Biotechnol* 52: 590-595.
- Pandit, S. S., Chidley, H. G., Kulkarni, R. S., Pujari, K. H., Giri, A. P., and Gupta, V. S. 2009a. Cultivar relationships in mango based on fruit volatile profiles. *Food Chemistry*, 114: 363–372.
- Panseri, S., Giani, I., Mentasti, T., Bellagamba, F., Caprino, F., dan Moretti, V. M., 2008. Determination of flavour compounds in A mountain cheese by headspace sorptive extraction-thermal desorption-capillary gas chromatography-mass spectrometry. *LWT*, 186 41: 185-192.
- Pathare, P. B., Opara, U. L., dan Al-said, F. A. 2012. Colour Measurement and Analysis in Fresh and Processed Foods : A Review. *Food Bioprocess Technology*.
- Pek, Z., Helyes, L., dan Lugasi, A. 2010. Color changes and antioxidant content of vine and postharvest-ripened tomato fruits. *Hort Science* 45: 466–468. 2010.
- Puspita, C. A. D., Senobroto, Leo dan Karwur, F. F. 2014. Karotenoid sebagai prekursor flavor: mengenal prekursor flavor turunan karotenoid pada berbagai sumber bahan alam. *Prosiding seminar basional sains dan pendidikan sains IX*: bogor.

- Reineccius, G. 2006. Flavor chemistry and technology. Taylor and Francis Group, Florida.
- Retnaningati, D. 2015. Karakterisasi fenotip dan molekular melon (*Cucumis melo* L.) 'Hikadi' berdasarkan dna barcode gen matk. Tesis Fakultas Biologi Universitas Gadjah Mada.
- Roberts, D. and Brevard, H. 2001. Current protocols in food analytical chemistry: isolation and concentration of aroma compounds. John Wiley and Sons, Inc. Switzerland.
- Rodriguez-Amaya, D. B. 2001. A guide to carotenoid analysis in food. *ILSI Press*, United States of America.
- Rubio, A., Fernandez, P., Fernandez, J. A., and Gomez-Gomez L. 2004. Glucosylation of saffron apocarotenoid crocetin by a glucotransferase isolated from crocus sativus stigmas. *Planta* 219: 955-966.
- Saini, R. K., and Keum, Y. S. 2016. Characterization of nutritionally important phytoconstituents in bitter melon (*Momordica charantia* L.) fruits by HPLC–DAD and GC–MS. Springer Science+Business Media New York.
- Sacks, E. J., dan Francis, D. M. (2001). Genetic and environmental variation for tomato flesh color in a population of modern breeding lines. *Journal of the American Society for Horticultural Science* 126(2) : 221–226.
- Simandjuntak, V., Barret, D. M., and Wrolstad, R. E. 1996. Cultivar and maturity effect on muskmelon (*Cucumis melo*) colour, texture and cell wall polysaccharide composition. *J. Sci. Food. Agric.* 71: 282-290
- Simkin, A. J., Underwood, B. A., Auldridge, M., Loucas, H.M., Shibuya, K., Schmelz, E., Clark, D.G., Klee, H.J. 2004. Circadian Regulation of the PhCCD1 Carotenoid Cleavage Dioxygenase Controls Emission of  $\beta$ -ionone, a Fragrance Volatile of Petunia Flowers Plant. *Physiol.* 136: 3504-3514.
- Scalzo, R. L., Papadimitru, C., Bertolo, G., Maestrelli, A., and Torreggiani, D., 2001. Influence of cultivar and osmotic dehydration time on aroma profiles of muskmelon (*Cucumis melo*, cv. *Reticulatus* Naud.) spheres. *Journal of food Engineering.* 49: 261-264.
- Shan, W., Zhao, C., Fan, J., Cong, H., Liang, S., and Yu, X. 2012. Antisense suppression of alcohol acetyltransferase gene in ripening melon fruit alters volatile composition. *Scientia Horticulturae.* 139: 96-101.
- Sobir dan Siregar. 2010. Budi Daya Melon Unggul. Gramedia. Jakarta. 115 hlm.

- Soedarya, A. 2010. Agribisnis Melon. Pustaka Grafika. Bandung. 94 Hlm.
- Suyatma, 2009. Diagram Warna hunter (kajian pustaka). Jurnal penelitian ilmiah Teknologi pertanian, Institut pertanian bogor, page 8-9.
- Untung, S., dan Veronica, K., 2009. Studi pemulsaan dan Dosis NPK pada Hasil buah melon. Jurnal sains dan Teknologi.
- Vogel, J.T., Tan, B.C., McCarty, D.R., Klee, H.J. 2008. The carotenoid cleavage dioxygenase 1 enzyme has broad substrate specificity, cleaving multiple carotenoids at two different bond positions. *J. Bio. Chem.* 283: 11364-11373.
- Wache, Y., Bossier-deratuld, A. L., Lhuguenot, J., and Belin, J. 2003. Effect of cis/trans Isomerism of  $\beta$ -carotene on the Ratios of Volatile Compounds Produced during Oxidative Degradation. *Journal Agriculture and Food Chemistry* 51: 1984-1987.
- Winston, G.W. (1990). Physicochemical basis of free radical formation in cells: Production and defenses.. Dalam: W. Smallwood [ed.] Stress Responses in Plants: Adaptation and Acclimation Mechanisms hal: 57–86. Wiley-Liss Inc., UK.
- Winterhalter, P., Schreier, P., 1995. The generation of norisoprenoid volatiles in starfruit (*Averrhoa carambola* L.): a review. *Food Rev. Int.* 11, 237–254.
- Winterhalter, P., and Rouseff, R. 2001. Carotenoid-derived aroma compounds: an introduction. *ACS Symp Ser* 802, Vol. 219.
- Wills, R. H., Lee, T. H., Graham, D., McKasson, W. B., and Hall, E. G. 1981. Postharvest, an introduction to the physiology and handling of fruits and vegetables. New South Wales University Press, Kensington, Australia.
- Wills, R. 2007. Post Harvest: An introduction to the physiology and handling of fruits, vegetables and ornamentals 5th edition. UNSW Press. Sydney, Australia.
- Wulandari, P. 2016. Karakter fisiologis pascapanen dan potensi antioksidan buah melon (*Cucumis melo* L.) cv. Hikapel pada berbagai umur petik dan perubahannya selama penyimpanan suhu ruang. Thesis. Universitas Gadjah Mada. Yogyakarta.
- Zhu, H., Chen, M., Wen, Q., and Li, Y. 2015. Isolation and characterization of the carotenoid biosynthetic genes LCYB, LCYE and CHXB from strawberry

and their relation to carotenoidaccumulation. *Scientia Horticulturae* 182:  
134–144.