UNIVERSITAS
GADJAH MADA
**Efek Suplementasi Natural Aromatase Blocker Terhadap Kadar Follicle Stimulating Hormone (FSH) dan
Performa Produksi Ayam Layer**
Salsabila Ayuningtyas Sukma, Prof. Dr. drh. Pudji Astuti, M.P. ; Dr. drh. Claude Mona Airin, M.P.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

VI. DAFTAR PUSTAKA

Ahmad, I. (2017). Pemanfaatan limbah cangkang kerang darah (Anadara granosa) sebagai bahan abrasif dalam pasta gigi. *Jurnal Galung Tropika*, 6(1), 49–59. https://doi.org/10.31850/jgt.v6i1.210

Amalia, R., Airin, C. M., & Astuti, P. (2022). Zinc and shell flour as innovative natural aromatase blocker to increase testosterone concentration. *BIO Web of Conferences,* 49, 01006. https://doi.org/10.1051/bioconf/20224901006

Amalia, R., Airin, C. M., Astuti, P., & Budiyanto, A. (2024). Indole-3-carbinol of broccoli powder can decrease estrogen production in male rats. *Journal of Animal Health and Production,* 12(4), 647–653. https://doi.org/10.17582/journal.jahp/2024/12.4.647.653

Andika, R., & Safarizki, H. A. (2019). Pemanfaatan limbah cangkang kerang dara (Anadara granosa) sebagai bahan tambah dan komplemen terhadap kuat tekan beton normal. *MoDuluS: Media Komunikasi Dunia Ilmu Sipil*, 1(1), 1–6. https://doi.org/10.32585/modulus.v1i1.374

Astuti, P., Airin, C. M., Nururrozi, A., & Harimurti, S. (2018). Oyster shell powder as alternatives macromineral for synthetic testosterone. *Proceedings of the 20th FAVA Congress & The 15th KIVNAS PDHI*, 1(3), 164–165.

Astuti, P., Airin, C. M., Nururrozi, A., Aidi, R., Hana, A., Hadi, S., & Harimurti, H. (2020). Potential natural aromatase blockers to enhance the frequency and sound quality of male canaries. *E3S Web of Conferences, 151, Article 01024*. https://doi.org/10.1051/e3sconf/202015101024

Astuti, P., Airin, C. M., Sarmin, Nururrozi, A., & Harimurti, S. (2019). Effect of shell as natural testosterone boosters in Sprague Dawley rats. *Veterinary World,* 12, 1677–1681. https://doi.org/10.14202/vetworld.2019.1677-1681

Astuti, P., Putra, M. N. P., Shiddiq, M. F. A., Yuneldi, R. F., Airin, C. M., & Sarmin, S. (2022). The potency of Anadara nodifera shell as natural testosterone booster for male canary (Serinus canaria). *HAYATI Journal of Biosciences,* 29(1), 107–113. https://doi.org/10.4308/hjb.29.1.107-113

Astuti, P., Sarmin, Airin, C. M., & Yuneldi, R. F. (2025). *Pemanfaatan aromatase blockers pada hewan.* UGM Press.

Ayo, J. O., Obidi, J. A., Rekwot, P. I., & Onyeanusi, B. I. (2022). Modulatory effects of lycopene and vitamin E on cloacal temperature, thyroid hormonal and reproductive performance responses in laying hens during the hot-dry season. Journal of Thermal Biology, 104, 103105. https://doi.org/10.1016/j.jtherbio.2021.103105

UNIVERSITAS GADJAH MADA
Efek Suplementasi Natural Aromatase Blocker Terhadap Kadar Follicle Stimulating Hormone (FSH) dan Performa Produksi Ayam Layer
Salsabila Ayuningtyas Sukma, Prof. Dr. drh. Pudji Astuti, M.P. ; Dr. drh. Claude Mona Airin, M.P.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Balunas, M. J., & Kinghorn, A. D. (2010). Natural product compounds with aromatase inhibitory activity: An update. *Planta Medica*, 76(11), 1087–1093. https://doi.org/10.1055/s-0030-1250169

Cinar, V., Talaghir, L. G., Akbulut, T., Turgut, M., & Sarkaya, M. (2017). The effects of zinc supplementation and weight trainings on testosterone levels. *Human Sport and Medicine,* 17(4), 58–63. https://doi.org/10.14529/hsm170407

DeLuca, M., Occhiuzzi, M. A., Rituzzti, B., Ioele, G., Ragno, G., Garofalo, A., & Grande, F. (2022). Interaction of letrozole and its degradation products with aromatase: Chemometric assessment of kinetics and structure-based binding validation. *Journal of Enzyme Inhibition and Medicinal Chemistry*, 31(1), 1600–1609. https://doi.org/10.1080/14756366.2022.2081845

Ghanem, K., & Johnson, A. L. (2019). Response of hen pre-recruitment ovarian follicles to follicle stimulating hormone, in vivo. *General and Comparative Endocrinology*, 270, 41–47. https://doi.org/10.1016/j.ygcen.2018.10.004

Hong, Y., & Chen, S. (2016). Aromatase inhibitors: Structural features and biochemical characterization. *Annals of the New York Academy of Sciences*, 1089(1), 237–251. https://doi.org/10.1196/annals.1386.022

Huang, S. J., Purevsuren, L., Jin, F., Zhang, Y. P., Liang, C. Y., Zhu, M. Q., Wang, F., Jia, C. L., & Wei, Z. H. (2021). Effect of anti-Müllerian hormone on the development and selection of ovarian follicle in hens. *Poultry Science,* 100(3), 100959. https://doi.org/10.1016/j.psj.2020.12.056

Johnson, A. L. (2015). Ovarian follicle development in the laying hen. *Poultry Science*, 94(4), 846–856. https://doi.org/10.3382/ps/peu008

Jones, L., Patel, R., & Kumar, S. (2021). Natural aromatase inhibitors from dietary and medicinal plants: Molecular mechanisms and potential applications. Phytotherapy Research, 35(4), 1863–1878.

Kementerian Pertanian Republik Indonesia. (2024). Statistik Peternakan dan Kesehatan Hewan 2024. Direktorat Jenderal Peternakan dan Kesehatan Hewan.https://ppid.pertanian.go.id/doc/17/LAKIN/LapKinerjaPKH_2024.pdf diakses pada 22 desember 2025

Li, D., Ning, C., Zhang, J., Wang, Y., Tang, Q., Kui, H., Wang, T., He, M., Jin, L., Li, J., Lin, Y., Zeng, B., Yin, H., Zhao, X., Zhang, Y., Xu, H., Zhu, Q., & Li, M. (2022). Dynamic transcriptome and chromatin architecture in granulosa cells during chicken folliculogenesis. *Nature Communications*, 13, 1311. https://doi.org/10.1038/s41467-021-27800-9

UNIVERSITAS GADJAH MADA
Efek Suplementasi Natural Aromatase Blocker Terhadap Kadar Follicle Stimulating Hormone (FSH) dan Performa Produksi Ayam Layer
Salsabila Ayuningtyas Sukma, Prof. Dr. drh. Pudji Astuti, M.P. ; Dr. drh. Claude Mona Airin, M.P.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Liu, Q., Gao, H., Yang, F., Zhang, H., & Zeng, S. (2021). FSH promotes progesterone synthesis by enhancing autophagy to accelerate lipid droplet degradation in porcine granulosa cells. *Frontiers in Cell and Developmental Biology*, 9, 626927. https://doi.org/10.3389/fcell.2021.626927

Lohmann Tierzucht. (2021). *Management guide: Management systems (Edition 2021)*. Lohmann Breeders GmbH & Co. KG. https://lohmann-breeders.com/media/2021/03/LTZ_MG_management-systems_EN.pdf

Nie, R., Zheng, X., Zhang, W., Zhang, B., Ling, Y., Zhang, H., & Wu, C. (2022). Morphological characteristics and transcriptome landscapes of chicken follicles during selective development. Animals, 12(6), 713. https://doi.org/10.3390/ani12060713

Nielsen, A. J., & McNulty, J. (2019). Polyphenolic natural products and natural product–inspired steroidal mimics as aromatase inhibitors. *Medicinal Research Reviews,* 39(4), 1274–1293. https://doi.org/10.1002/med.21536

Ma, Y., Yao, J., Zhou, S., Mi, Y., Tan, X., & Zhang, C. (2020). Enhancing effect of FSH on follicular development through yolk formation and deposition in the low-yield laying chickens. Theriogenology, 157, 418–430. https://doi.org/10.1016/j.theriogenology.2020.07.012

Milenia, Y. R., Madyawati, S. P., Achmad, A. B., & Damayanti, R. (2022). Evaluation of production peak of laying hens strain Lohman Brown in CV. Lawu Farm Malang. Journal of Applied Veterinary Science and Technology, 3(1), 12–17. https://doi.org/10.20473/javest.v3.i1.2022.12-17

Mfoundou, J. D. L., Guo, Y. J., Liu, M. M., Ran, X. R., Fu, D. H., Yan, Z. Q., Li, M. N., & Wang, X. R. (2021). The morphological and histological study of chicken left ovary during growth and development among Hy-Line Brown layers of different ages. Poultry Science, 100(6), 101191. https://doi.org/10.1016/j.psj.2021.101191

Mohd, K. I., Saleem, R., Choudhary, O. P., & Singh, I. (2024). Post-hatch developmental changes in the ovary with emphasis on follicular development and atresia in the native chicken (Uttara fowl) of Uttarakhand, India. Anatomia, Histologia, Embryologia, 53, e12977. https://doi.org/10.1111/ahe.12977

Palomba, S. (2015). Aromatase inhibitors for ovulation induction. *The Journal of Clinical Endocrinology & Metabolism*, 100(5), 1742–1447. https://doi.org/10.1210/jc.2014-4235

Prastiya, R. A., Madyawati, S. P., Sari, S. Y., & Nugroho, A. P. (2022). Effect of follicle-stimulating hormone and luteinizing hormone levels on egg-laying

UNIVERSITAS GADJAH MADA
Efek Suplementasi Natural Aromatase Blocker Terhadap Kadar Follicle Stimulating Hormone (FSH) dan Performa Produksi Ayam Layer
Salsabila Ayuningtyas Sukma, Prof. Dr. drh. Pudji Astuti, M.P. ; Dr. drh. Claude Mona Airin, M.P.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

frequency in hens. Veterinary World, 15(12), 2890–2895. https://doi.org/10.14202/vetworld.2022.2890-2895

Ru, M., Liang, H., Ruan, J., Haji, R. A., Cui, Y., Yin, C., Wei, Q., & Huang, J. (2024). Chicken ovarian follicular atresia: Interaction network at organic, cellular, and molecular levels. Poultry Science, 103(8), 103893. https://doi.org/10.1016/j.psj.2024.103893

Safitri, E. & Plumerastuti, H. (2023). *Ayam Broiler : Aspek reproduksi dan Patologinya.* Airlangga University Press: Surabaya.

Salehi, B., Mishra, A. P., Nigam, M., Sener, B., Kilic, M., Sharifi-Rad, M., & Sharifi-Rad, J. (2020). Resveratrol: A double-edged sword in health benefits. *Biomedicines,* 8(5), 118. https://doi.org/10.3390/biomedicines6030091

Sah, N., & Mishra, B. (2018). Regulation of egg formation in the oviduct of laying hen. *World's Poultry Science Journal,* 74(3), 509–522. https://doi.org/10.1017/S0043933918000442

Schiffer, L., Arlt, W., & Storbeck, K. H. (2018). Intracrine androgen biosynthesis, metabolism and action revisited. *Molecular and Cellular Endocrinology*, 465, 4–26. https://doi.org/10.1016/j.mce.2017.08.016

Shaw, N. D., Histed, S. N., Srouji, S. S., Yang, J., Lee, H., & Hall, J. E. (2010). Estrogen negative feedback on gonadotropin secretion: Evidence for a direct pituitary effect in women. The Journal of Clinical Endocrinology & Metabolism, 95(4), 1951–1958. https://doi.org/10.1210/jc.2009-2108

Sun, X., Zhu, H., Zhang, C., Ilboudo, J. P. H. W., Zhao, J., Ma, C., Yan, C., Liswaniso, S., Qin, N., & Xu, R. (2023). Transcriptomic analysis of ovarian follicles uncovers the crucial genes relevant to follicle selection and preovulatory hierarchy in hens. Journal of Animal Science, 101, skad241. https://doi.org/10.1093/jas/skad241

Tan, J. L., Major, A. T., & Smith, C. A. (2024). Mini review: Asymmetric Müllerian duct development in the chicken embryo. *Frontiers in Cell and Developmental Biology,* 12, 1347711. https://doi.org/10.3389/fcell.2024.1347711

Wang, Z., Li, H., Lu, Z., & Zhou, X. (2023). IGF1 promotes granulosa cell proliferation and follicle development in chickens. *Poultry Science,* 102(4), 102393.

Wu, X., Zhang, Z., Li, Y., Zhao, Y., Ren, Y., Tian, Y., Hou, M., Guo, Y., Li, Q., Tian, W., Jiang, R., Zhang, Y., Yi, Z.-M., Gong, Y., Hong, L., Li, G.-X., Liu, X., & Kang, X. (2024). Estrogen promotes GnRH expression by

UNIVERSITAS GADJAH MADA
Efek Suplementasi Natural Aromatase Blocker Terhadap Kadar Follicle Stimulating Hormone (FSH) dan Performa Produksi Ayam Layer
Salsabila Ayuningtyas Sukma, Prof. Dr. drh. Pudji Astuti, M.P. ; Dr. drh. Claude Mona Airin, M.P.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

regulating tachykinin 3 and prodynorphin systems in chicken. *Poultry Science,* 103(7), 103820. https://doi.org/10.1016/j.psj.2024.103820

Yao, J., Ma, Y., Lin, X., Zhou, S., Mi, Y., & Zhang, C. (2020). The attenuating effect of intraovarian bone morphogenetic protein 4 on age-related endoplasmic reticulum stress in chicken follicular cells. Oxidative Medicine and Cellular Longevity, 2020, 4175613. https://doi.org/10.1155/2020/4175613

Yuneldi, R. F., Airin, C. M., Saragih, H. T. S., Prawira, A. Y., & Astuti, P. (2024). Testosterone hormone levels and breast muscle performance of Pelung chickens after zinc sulfate and synthetic testosterone supplementation. *Veterinary World,* 17(10), 2365–2369. https://doi.org/10.14202/vetworld.2024.2365-2369

Yuneldi, R. F., Airin, C. M., Sarmin, S., Prawira, A. Y., & Astuti, P. (2025). Benefits of aromatase blockers for increased testosterone in poultry: A mini-review. *Veterinary World,* 18(5), 1190–1198. https://doi.org/10.14202/vetworld.2025.1190-1198

Yuneldi, R. F., Astuti, P., Saragih, H. T. S., & Airin, C. M. (2021). Anadara granosa shell powder improves the metabolism, testosterone level, and sound frequency of Pelung chickens. *Veterinary World,* 14(6), 1564–1571. https://doi.org/10.14202/vetworld.2021.1564-1571

Zhu, G., Fang, C., Li, J., Mo, C., Wang, Y., & Li, J. (2019). Transcriptomic diversification of granulosa cells during follicular development in chicken. *Scientific Reports*, 9(1), 5462. https://doi.org/10.1038/s41598-019-41132-1

Zhu, Y., Bai, H., Li, Y., Li, W., Li, X., Wang, M., Li, H., Wang, Z., & Li, G. (2022). Morphological characteristics and transcriptome landscapes of chicken follicles during selective development. *Animals,* 12(6), 713. https://doi.org/10.3390/ani12060713