

DAFTAR PUSTAKA

- American College of Surgeon. (2025). THE MANAGEMENT OF TRAUMATIC BRAIN INJURY. ACS Trauma Program.
- Alavi, S.A., Pourasghary, S., Rezakhah, A., Habibi, M.A., Kazempour, A., Mahdikhah, A., Kobets, A., 2025. Assessment of the Sex Hormone Profile and Its Predictive Role in Consciousness Recovery Following Severe Traumatic Brain Injury. *Life* 15, 359. <https://doi.org/10.3390/life15030359>
- Ammar, R. *et al.* (2022) ‘Decompressive craniectomy after traumatic brain injury: An observational study of 147 patients admitted in a Tunisian ICU’, *Interdisciplinary Neurosurgery: Advanced Techniques and Case Management*, 27(February 2021), p. 101421. doi: 10.1016/j.inat.2021.101421.
- Aromatario, M., Torsello, A., D’Errico, S., Bertozzi, G., Sessa, F., Cipolloni, L., Baldari, B., 2021. Traumatic Epidural and Subdural Hematoma: Epidemiology, Outcome, and Dating. *Medicina* 57, 125. <https://doi.org/10.3390/medicina57020125>
- Astuti, E., Saanin, S., & Edison, E. (2016). HUBUNGAN GLASGOW COMA SCALE DENGAN GLASGOW OUTCOME SCALE BERDASARKAN LAMA WAKTU TUNGGU OPERASI PADA PASIEN PERDARAHAN EPIDURAL. *Majalah Kedokteran Andalas*, 39(2), 50. <https://doi.org/10.22338/mka.v39.i2.p50-57.2016>
- Behzadnia, M. J., Anbarlouei, M., Hosseini, S. M., & Boroumand, A. B. (2022). Prognostic factors in traumatic brain injuries in emergency department. *Journal of Research in Medical Sciences*, 27(1), 83. https://doi.org/10.4103/jrms.jrms_290_22
- Chen, H. *et al.* (2021) ‘Demographics and clinical characteristics of acute traumatic brain injury patients in the different Neuroimaging Radiological Interpretation System (NIRIS) categories’, *Journal of Neuroradiology*, 48(2), pp. 104–111. doi: 10.1016/j.neurad.2019.07.002.
- Damara, F. A. *et al.* (2022) ‘Epidemiological Pattern of Traumatic Brain Injury in the COVID-19 Pandemic: A Systematic Review and Meta-Analysis’, *World Neurosurgery*, 161, pp. e698– e709. doi: 10.1016/j.wneu.2022.02.081.
- Dewan, M. C. *et al.* (2019) ‘Estimating the global incidence of traumatic brain injury’, *Journal of Neurosurgery*, 130(4), pp. 1080–1097. doi: 10.3171/2017.10.JNS17352.
- Doty, S., Petitt, J. C., Kashkoush, A., Whiting, B. B., Xiao, T., Francis, J. J., Gunzler, D., Roach, M. J., & Kelly, M. L. (2025). Novel application of latent class analysis to outcome assessment in traumatic brain injury with multiple injury subtypes or poly-TBI. *Journal of Neurosurgery*, 142(2), 561–568. <https://doi.org/10.3171/2024.5.JNS232842>
- Dunham, C.M., Huang, G.S., Ugokwe, K.T., Brocker, B.P., 2024. Traumatic Brain Injury Outcome Associations With Computed Tomography and Glasgow Coma Scale Score Interactions: A Retrospective Study. *Cureus*.

<https://doi.org/10.7759/cureus.53781>

- Firdaus, R. *et al.* (2023) ‘Prediktor Luaran Pada Cedera Kepala: Laporan Kasus Berbasis Bukti’, *Majalah Anestesia & Critical Care*, 41(3), pp. 194–204. doi: 10.55497/majanestercicar.v41i3.366.
- Fitri, N., Syarif Indra and Hendra Permana 2021 ‘Factors Related To Outcome of Traumatic Brain Injury Patients at M Djamil Padang Hospital’, *Bioscientia Medicina: Journal of Biomedicine and Translational Research*, 5(8), pp. 811–817. doi: 10.32539/bsm.v5i8.388.
- Forslund, M.V., Perrin, P.B., Røe, C., Sigurdardottir, S., Hellström, T., Berntsen, S.A., Lu, J., Arango-Lasprilla, J.C., Andelic, N., 2019. Global Outcome Trajectories up to 10 Years After Moderate to Severe Traumatic Brain Injury. *Front. Neurol.* 10, 219. <https://doi.org/10.3389/fneur.2019.00219>
- Haq, M., Naseer, N. and Aslan, M. K. (2021) ‘Assessment of Traumatic Brain Injury With Ct Scan’, *Journal Of Healthcare In Developing Countries*, 1(1), pp. 03–04. doi: 10.26480/jhcdc.01.2021.03.04.
- Indradmojo, C., Zaiyanah, M., Setijowati, N., & Eddy, M. I. (2020). FAKTOR-FAKTOR YANG MEMPENGARUHI NILAI GLASGOW OUTCOME SCALE PADA PASIEN TRAUMA KEPALA (STUDI DI IGD RSUD Dr. ISKAK TULUNGAGUNG). 7.
- Jacobs, B., Beems, T., Van Der Vliet, T.M., Diaz-Arrastia, R.R., Borm, G.F., Vos, P.E., 2011. Computed Tomography and Outcome in Moderate and Severe Traumatic Brain Injury: Hematoma Volume and Midline Shift Revisited. *Journal of Neurotrauma* 28, 203–215. <https://doi.org/10.1089/neu.2010.1558>
- Kaplan, A. D. *et al.* (2022) ‘Mixture Model Framework for Traumatic Brain Injury Prognosis Using Heterogeneous Clinical and Outcome Data’, *IEEE Journal of Biomedical and Health Informatics*, 26(3), pp. 1285–1296. doi: 10.1109/JBHI.2021.3099745.
- Kementerian Kesehatan Republik Indonesia; 2018. Lan, Z. *et al.* (2020) ‘Outcomes of patients undergoing craniotomy and decompressive craniectomy for severe traumatic brain injury with brain herniation A retrospective study’, *Medicine (United States)*, 99(43), p. E22742. doi: 10.1097/MD.00000000000022742.
- Khatri, I. A., Almosa, M., Alkahtani, A., Alanazi, K., & Masud, N. (2025). Clinical Characteristics, Etiology, Radiological Features, and Outcomes of Intracerebral Hemorrhage in Young Adults at King Abdulaziz Medical City, Ministry of National Guard Health Affairs, Riyadh, Kingdom of Saudi Arabia. *Stroke Research and Treatment*, 2025(1), 5550380. <https://doi.org/10.1155/srat/5550380>
- Klemenc-Ketis, Z., Bacovnik-Jansa, U., Ogorevc, M., & Kersnik, J. (2011). Outcome predictors of Glasgow Outcome Scale score in patients with severe traumatic brain injury. *Turkish Journal of Trauma and Emergency Surgery*, 17(6), 509–515. <https://doi.org/10.5505/tjtes.2011.35336>
- Koipapi, S., Mmbaga, B. T., Chilonga, K., Msuya, D., Rabel, H., Nkoronko,

- M., Urasa, S., Saria, V., & Chugulu, S. (2024). Outcomes of traumatic brain injury patients with acute epidural and subdural hematoma who underwent burr hole surgery: A two-year study at Kilimanjaro Christian Medical Centre, Tanzania. *World Neurosurgery*: X, 21, 100257. <https://doi.org/10.1016/j.wnsx.2023.100257>
- Koller, A., Reich, C., Thomé, C., & Pinggera, D. (2025). Sex and age differences in patients treated surgically for acute subdural hematoma. *Brain and Spine*, 5, 105602. <https://doi.org/10.1016/j.bas.2025.105602>
- Kumar, H., Kumar, Anil, Sridhar, R., Hakeem, A., Kumar, D., Khan, A.V., Kumar, Anurag, Anwer, M., Kumari, R., Kumar, S., 2025. Traumatic brain injury outcomes and mortality predictors in Eastern India: An observational study. *SAGE Open Medicine* 13.
- Lefevre-Dognin, C., Cogné, M., Perdrieau, V., Granger, A., Heslot, C., & Azouvi, P. 2021. Definition and epidemiology of mild traumatic brain injury. *Neurochirurgie*, 67(3), 218-221.
- Maas, A. I., Menon, D. K., Manley, G. T., Abrams, M., Åkerlund, C., Andelic, N., & Zemek, R. 2022. Traumatic brain injury: progress and challenges in prevention, clinical care, and research. *The Lancet Neurology*, 21(11), 1004-1060.
- Motah, M., Ndoumbe, A., Gams Massi, D., Fouda Bekolo, F., Inemb, G. B., Moumi, M., Esene, I., Chunteng, N. T., Ekani Boukar, Y., & Eyenga, V.-C. (2021). Traumatic intracranial haemorrhage in Cameroon: Clinical features, treatment options and outcome. *Interdisciplinary Neurosurgery*, 26, 101346. <https://doi.org/10.1016/j.inat.2021.101346>
- Mollayeva, T., Mollayeva, S., Pacheco, N., Colantonio, A., 2021. Systematic Review of Sex and Gender Effects in Traumatic Brain Injury: Equity in Clinical and Functional Outcomes. *Front. Neurol.* 12, 678971. <https://doi.org/10.3389/fneur.2021.678971>
- Nabila, F., & Setiawan, A. B. 2024. Insidensi dan Mortalitas Traumatic brain injury di Rsud Prof. Dr. Margono Soekarjo Purwokerto Tahun 2021-2022. *Journal of Health Science and Prevention*, 8(2), 60-67.
- Nayebaghayee, H., Afsharian, T., 2016. Correlation between Glasgow Coma Scale and brain computed tomography-scan findings in head trauma patients. *Asian J Neurosurg* 11, 46–49. <https://doi.org/10.4103/1793-5482.165780>
- Niryana, I. W. *et al.* 2020. ‘Characteristics of Traumatic Brain Injury in Sanglah Hospital, Bali, Indonesia: A Retrospective Study’, *Biomedical and Pharmacology Journal*, 13(3), pp. 1431–1437. doi: 10.13005/bpj/2014.
- Palekar SG, Jaiswal M, Patil M, Malpathak V. Outcome Prediction in Patients of Traumatic Brain Injury Based on Midline Shift on CT-Scan of Brain. *Indian J Neurosurg.* 2021; 10:210–215
- Pantelatos, R. I., Skandsen, T., Follestad, T., Sandrød, O., Sæterstad, C., Einarsen, C. E., Moen, K. G., Vik, A., & Stenberg, J. (2025). Prediction of Outcome in Moderate and Severe Traumatic Brain Injury: The Value of Pragmatic Estimation of the Duration of Posttraumatic Confusional

- State. Archives of Rehabilitation Research and Clinical Translation, 7(3), 100446. <https://doi.org/10.1016/j.arrct.2025.100446>
- Payen, J.-F., Vilotitch, A., Gauss, T., Adolle, A., Bosson, J.-L., Bouzat, P., the OXY-TC trial collaborators, 2025. Sex Differences in Neurological Outcome at 6 and 12 Months Following Severe Traumatic Brain Injury. An Observational Analysis of the OXY-TC Trial. *Journal of Neurotrauma* 42, 974–984. <https://doi.org/10.1089/neu.2024.0390>
- Pease, M., Arefan, D., Barber, J., Yuh, E., Puccio, A., Hochberger, K., & TRACK-TBI Investigators. 2022. Outcome prediction in patients with severe traumatic brain injury using deep learning from head CT scans. *Radiology*, 304(2), 385-394.
- Pingue, V. and Franciotta, D.2023.‘Functional outcome in patients with traumatic or hemorrhagic brain injuries undergoing decompressive craniectomy versus craniotomy and 6-month rehabilitation’, *Scientific Reports*, 13(1), pp. 1–8. doi: 10.1038/s41598-023-37747-0.
- Pisano, F., & Bilotta, F.2024.The predictive value of the Verbal Glasgow Coma Scale in traumatic brain injury: a systematic review. *The Journal of Head Trauma Rehabilitation*, 39(4), 273-283.
- Prajapati, D. V., & Shah, N. J. (2018). Outcome of traumatic Extradural Hematoma (EDH) using Glasgow Outcome Scale (GOS). *International Surgery Journal*, 5(10), 3327. <https://doi.org/10.18203/2349-2902.isj20184083>
- Prihastomo, K. T., Apriawan, T., & Turchan, A. (2018). Hyperdense Appearance in Active Epidural and Subdural Hematoma: Serial Case Report. *Indonesian Journal of Neurosurgery*, 1(1).
- Rafay M, Gulzar F, Iqbal N, Sharif S. Prognostic computed tomography Scores in traumatic braininjury. *J Clinical Neurology and Neurosurgery*. 2020; 195: 105957
- Riset Kesehatan Dasar (Riskesdas). *Laporan Nasional Riset Kesehatan Dasar 2018*. Jakarta
- Ragae, M. A., Mahmoud, R. N., Alghriany, M. A., & Abd El-Ghani, W. M. A. (2021). Isolated traumatic acute subdural haematoma: Outcome in relation to age, Glasgow Coma Scale, and haematoma thickness. *The Egyptian Journal of Neurology, Psychiatry and Neurosurgery*, 57(1), 156. <https://doi.org/10.1186/s41983-021-00410-4>
- Ratcliff, J. J., Adeoye, O., Lindsell, C. J., Hart, K. W., Pancioli, A., McMullan, J. T., Yue, J. K., Nishijima, D. K., Gordon, W. A., Valadka, A. B., Okonkwo, D. O., Lingsma, H. F., Maas, A. I. R., & Manley, G. T. (2014). ED disposition of the Glasgow Coma Scale 13 to 15 traumatic brain injury patient: Analysis of the Transforming Research and Clinical Knowledge in TBI study. *The American Journal of Emergency Medicine*, 32(8), 844–850. <https://doi.org/10.1016/j.ajem.2014.04.003>
- Rosyidi, R. M., Priyanto, B., Al Fauzi, A., & Sutiono, A. B. (2019). Toward zero mortality in acute epidural hematoma: A review in 268 cases problems and challenges in the developing country. *Interdisciplinary Neurosurgery*, 17, 12–18. <https://doi.org/10.1016/j.inat.2019.01.021>

- Sudadi, S., Nugroho, F.A., Deviatika, F.E., 2025. The Association Between Surgical Waiting Time and Glasgow Outcome Scale–Extended (GOSE) in Traumatic Brain Injury Patients Undergoing Craniotomy at Dr. Sardjito General Hospital. *F1000Res* 14, 1405. <https://doi.org/10.12688/f1000research.170040.1>
- Vadan, I.-M., Grad, D., Strilciuc, S., Stefanescu, E., Verisezan Rosu, O., Michalak, M., Blesneag, A.V., Muresanu, D., 2025. Glasgow Coma Scale Score at Admission in Traumatic Brain Injury Patients: A Multicenter Observational Analysis. *JCM* 14, 5195. <https://doi.org/10.3390/jcm14155195>
- Waseem, N., Akhtar, A., Saleem, K., Liaqat, S., & Waqas, U. (2020). The Evaluation of Frequency of Intracranial Haemorrhage in Patients of Head Trauma with GCS 10-15 on Computed Tomography Scan. *EAS Journal of Medicine and Surgery*, 2(11), 205–211. <https://doi.org/10.36349/easjms.2020.v02i11.002>
- Wettersvik, T., Lenell, S., Enblad, P., Lewén, A., 2021. Pre-injury antithrombotic agents predict intracranial hemorrhagic progression, but not worse clinical outcome in severe traumatic brain injury. *Acta Neurochir* 163, 1403–1413. <https://doi.org/10.1007/s00701-021-04816-0>
- Wilson L, Boase K, Nelson LD, Temkin NR, Giacino JT, Markowitz AJ, Maas A, Menon DK, Teasdale G, Manley GT. A Manual for the Glasgow Outcome Scale-Extended Interview. *J Neurotrauma*. 2021; 38(17): 2435–2446
- Wong, G.K., Tang, B.Y.H., Yeung, J.H.H., Collins, G., Rainer, T., Ng, S.C., Poon, W.S., 2009. Traumatic intracerebral haemorrhage: Is the CT pattern related to outcome? *British Journal of Neurosurgery* 23, 601–605. <https://doi.org/10.3109/02688690902948184>
- Zhang Q, Li Y, Chang X. Role of Decompressive Craniectomy in the Management of Traumatic Brain Injury - A Meta-Analysis of Randomized Controlled Trials. *Annals of Indian Academy of Neurology*. 2023; 26(6)