

DAFTAR PUSTAKA

- Acquaah, G. (2012). *Principles of Plant Genetics and Breeding*. John Wiley & Sons.
- Arief, H., Desi, N., & Praja, H. S. (2022). Aluminium dapat Dipertukarkan dan Fosfor Tersedia pada Tanah di Provinsi Bangka Belitung. *J. II. Tan. Lingk*, 24(1), 20–24.
- Ayari, A., Zubizarreta-Gerendiain, A., Tome, M., Tome, J., Garchi, S., & Henchi, B. (2012). Stand, tree and crown variables affecting cone crop and seed yield of Aleppo pine forests in different bioclimatic regions of Tunisia. *Forest Systems*, 21(1), 128–140. <https://doi.org/10.5424/fs/2112211-11463>
- Bila, A. D., Lindgren, & Mullin, T. J. (1999). Fertility Variation and Its Effect on Diversity Over Generations in A Teak Plantation (*Tectona grandis* L.f.). *Silvae Genetica*, 48:109-114, 109–114.
- Bonneau, X., & Impens, R. (2022). Experimental determination of the optimum oil palm planting density in Western Africa. *OCL*, 29, 30. <https://doi.org/10.1051/ocl/2022019>
- Bonner, F. T., Elam, W. W., & Land, S. B. (1994). *Tree Seed Technology Training Course*. US Forest Service.
- Buckley, B. M., Cook, B. I., Bhattacharyya, A., Dukpa, D., & Chaudhary, V. (2005). Global surface temperature signals in pine ring-width chronologies from southern monsoon Asia. *Geophysical Research Letters*, 32(20), 2005GL023745. <https://doi.org/10.1029/2005GL023745>

Charlesworth, D., & Willis, J. H. (2009). The genetics of inbreeding depression.

Nature Reviews Genetics, 10(11), 783–796.

<https://doi.org/10.1038/nrg2664>

Cooling, E. N. G. (1968). *Pinus Merkusii*. Commonwealth Forestry Institute.

Corder, G. W. (2014). *Nonparametric Statistics: A Step-by-Step Approach*. Wiley.

Corryanti, & Rahmawati, R. (2015). *Terobosan memperbanyak pinus (Pinus merkusii)*. Pusat Penelitian dan Pengembangan Perum Perhutani.

Csillik, O., Cherbini, J., Johnson, R., Lyons, A., & Kelly, M. (2018).

Identification of Citrus Trees from Unmanned Aerial Vehicle Imagery
Using Convolutional Neural Networks. *Drones*, 2(4), 39.

<https://doi.org/10.3390/drones2040039>

Del Río, M., Bravo-Oviedo, A., Pretzsch, H., Löf, M., & Ruiz-Peinado, R. (2017).

A review of thinning effects on Scots pine stands: From growth and yield
to new challenges under global change. *Forest Systems*, 26(2), eR03S.

<https://doi.org/10.5424/fs/2017262-11325>

Deng, C., Zhang, S., Lu, Y., Froese, R. E., Xu, X., Zeng, J., Ming, A., Liu, X.,

Xie, Y., & Li, Q. (2020). Thinning effects on forest evolution in Masson
pine (*Pinus massoniana* Lamb.) conversion from pure plantations into
mixed forests. *Forest Ecology and Management*, 477, 118503.

<https://doi.org/10.1016/j.foreco.2020.118503>

Evayanti, D., Wulandari, F. T., & Rini, D. S. (2019). PRODUKTIVITAS DAN

KUALITAS GETAH PINUS PEHUTANI KELAS UMUR VII DI

KESATUAN PENGELOLAAN HUTAN JEMBER. *Jurnal Belantara*,

2(2), 127–133. <https://doi.org/10.29303/jbl.v2i2.84>

Fachrodji, A., U., Sumarwan, E., Suhendang, & Harianto. (2009). Perbandingan

Daya Saing Produk Gondorukem di Pasar Internasional. *Jurnal*

Manajemen & Agribisnis, Jurnal Manajemen & Agribisnis, 6(2), 140–151.

Fang, W., Hemming, J., Reunanen, M., Eklund, P., Pineiro, E. C., Poljanšek, I.,

Oven, P., & Willför, S. (2013). Evaluation of selective extraction methods

for recovery of polyphenols from pine. *Hfsg*, 67(8), 843–851.

<https://doi.org/10.1515/hf-2013-0002>

Ferguson, J. H. A. (1954). Growth and yield of *Pinus merkusii* in Indonesia.

Netherlands Journal of Agricultural Science, 2(3), 197–208.

<https://doi.org/10.18174/njas.v2i3.17843>

Gill, J. G. S. (1988). Juvenile-mature correlations and trends in genetic variances

in sitka spruce in Britain. *Silvae Genetica*, 35 (5-6), 189–194.

Golabadi, M., Ercisli, S., & Ahmadi, F. (2019). Environmental and physiological

effects on cross-ability and seed production of greenhouse cucumber.

Journal of Seed Science, 41(2), 134–143. <https://doi.org/10.1590/2317->

1545v41n2175689

Hobart, M., Pflanz, M., Tsoulas, N., Weltzien, C., Kopetzky, M., & Schirrmann,

M. (2025). Fruit Detection and Yield Mass Estimation from a UAV Based

RGB Dense Cloud for an Apple Orchard. *Drones*, 9(1), 60.

<https://doi.org/10.3390/drones9010060>

Indriyanto. (2013). *Teknik dan Manajemen Pesemaian* (Vol. 270). Lembaga

Penelitian Universitas Lampung.

Kunstler, G., Falster, D., Coomes, D. A., Hui, F., Kooyman, R. M., Laughlin, D.

C., Poorter, L., Vanderwel, M., Vieilledent, G., Wright, S. J., Aiba, M.,

Baraloto, C., Caspersen, J., Cornelissen, J. H. C., Gourlet-Fleury, S.,

Hanewinkel, M., Herault, B., Kattge, J., Kurokawa, H., ... Westoby, M.

(2016). Plant functional traits have globally consistent effects on

competition. *Nature*, 529(7585), 204–207.

<https://doi.org/10.1038/nature16476>

Lai, M., Dong, L., Yi, M., Sun, S., Zhang, Y., Fu, L., Xu, Z., Lei, L., Leng, C., &

Zhang, L. (2017). Genetic Variation, Heritability and Genotype ×

Environment Interactions of Resin Yield, Growth Traits and Morphologic

Traits for *Pinus elliottii* at Three Progeny Trials. *Forests*, 8(11), 409.

<https://doi.org/10.3390/f8110409>

Li, Z., Miao, Y., Gao, C., Li, J., Wang, L., & Cui, K. (2024). Precocity of fruiting

in *Pinus yunnanensis* revealed by common garden experiment and

association analysis with molecular markers. *Industrial Crops and*

Products, 215, 118659. <https://doi.org/10.1016/j.indcrop.2024.118659>

Na'iem, M., Balai Diklat SDM KLHK, Nugrahanto, G., Universitas Gadjah

Mada, Indrioko, S., Faridah, E., & Widiyatno, W. (1996). Kemampuan

berakar setek pucuk dari beberapa tanaman induk *Pinus merkusii* kandidat

bocor getah. *Jurnal Pemuliaan Tanaman hutan*, 13(2), 71–83.

<https://doi.org/10.20886/jpth.2019.13.2.71-83>

- Nguyen, T. T., Tai, D. T., Zhang, P., Razaq, M., & Shen, H.-L. (2019). Effect of thinning intensity on tree growth and temporal variation of seed and cone production in a *Pinus koraiensis* plantation. *Journal of Forestry Research*, 30(3), 835–845. <https://doi.org/10.1007/s11676-018-0690-x>
- Nugrahanto, G., Na'iem, M., Indrioko, S., Faridah, E., & Widiyatno. (2020). *PEMULIAAN PINUS BOCOR GETAH: KORELASI GENETIK PRODUKSI GETAH PADA TIGA SUB GALUR Uji Keturunan PINUS MERKUSII DI KPH BANYUMAS BARAT. AgriEnvi*, 14. <https://doi.org/10.36873/aev.2020.14.2.78>
- Nugrahanto, G., Na'iem, M., Universitas Gadjah Mada, Indrioko, S., Faridah, E., & Widiyatno, W. (2019). Kemampuan berakar setek pucuk dari beberapa tanaman induk *Pinus merkusii* kandidat bocor getah. *Jurnal Pemuliaan Tanaman hutan*, 13(2), 71–83. <https://doi.org/10.20886/jpht.2019.13.2.71-83>
- Nurtjahjaningsih, I. L. G. (2009). Pengaruh media dasar dan zat pengatur tumbuh BAP pada perbanyakan mikro *Pinus merkusii*. *jurnal Pemuliaan Tanaman Hutan*, 3, 103–116.
- Owens, J. N., Chandler, L. M., Bennett, J. S., & Crowder, T. J. (2001). Cone enhancement in *Abies amabilis* using GA4/7, fertilizer, girdling and tenting. *Forest Ecology and Management*, 154(1–2), 227–236. [https://doi.org/10.1016/S0378-1127\(00\)00629-0](https://doi.org/10.1016/S0378-1127(00)00629-0)
- Parwati, W. D. U., Nadeak, F. H., & Kautsar, V. (2023). Analisis Pertumbuhan dan Produktivitas Kelapa Sawit pada Variasi Kerapatan Tanam. *Jurnal*

Agro Industri Perkebunan, 105–116.

<https://doi.org/10.25181/jaip.v12i2.3535>

Pramudita, M. H., Utomo, W. H., & Prijono, S. (2017). *IMPLEMENTASI*

PEMELIHARAAN LAHAN PADA TANAMAN UBIKAYU: PENGARUH

PENGELOLAAN LAHAN TERHADAP HASIL TANAMAN DAN EROSI.

Jurnal Tanah Dan Sumberdaya Lahan, 1(2), 88-92.

<https://jtsl.ub.ac.id/index.php/jtsl/article/view/116>

Pukkala, T., Hokkanen, T., & Nikkanen, T. (2010). Prediction models for the

annual seed crop of Norway spruce and Scots pine in Finland. *Silva*

Fennica, 44(4). <https://doi.org/10.14214/sf.131>

Puspitorini, P. (2023). *PEMANGKASAN TUNAS APIKAL DAN POSISI BUAH*

PADA RUAS TANAMAN MELON (Cucumis melo L.) VAR. HONEYDEW

ORANGE YANG DIBUDIDAYAKAN DALAM SCREENHOUSE. Agrika,

17(1), 183–193.

Rao, N. K., hanson, J., Dulloo, M. E., Ghosh, K., Nowell, D., & Larinde, M.

(2006). *Manual of Seed Handling in Genebanks*. Earthprint.

Reigner, E. E., & Stoller, E. W. (1989). The Effects of Soybean (Glycine max)

Interference on the Canopy Architecture of Common Cocklebur

(Xanthium strumarium), Jimsonweed (Datura stramonium), and Velvetleaf

(Abutilon theophrasti). *Weed Science*, 37(2), 187–195.

Robb, L. (2020). *Seed matters 3: Sowing five needle pines from Alberta seed.*

Alberta Agriculture and Forestry, Government of Alberta.

- Saputra, M. H., Dodo, Ahmad, S., & Darmawan, E. (2014). Potensi Pinus merkusii Strain Kerinci Sebagai Penghasil Getah Hasil Hutan Bukan Kayu. *Balai Penelitian Kehutanan Aek Nauli*, 154–160.
- Si, H., Su, W., Lin, S., Li, Z., Wang, Q., Zhang, G., Yang, H., & Yang, G. (2023). Persistence of a pine tree with mixed fire-adapted life history strategy in subtropical spring fire-prone habitats. *Forest Ecology and Management*, 549, 121495. <https://doi.org/10.1016/j.foreco.2023.121495>
- Suryanaji, & Na'iem, M. (2023). PENJARANGAN GENETIK SEBAGAI STRATEGI PENINGKATAN PRODUKSI GETAH PINUS DI PERUM PERHUTANI. *RISALAH KEBIJAKAN PERTANIAN DAN LINGKUNGAN Rumusan Kajian Strategis Bidang Pertanian dan Lingkungan*, 10(1), 1–10. <https://doi.org/10.29244/jkebijakan.v10i1.34631>
- Widodo, B. (2016). *Revolusi membangun hutan pinus di Jawa*. Pusat Penelitian dan Pengembangan Perum Perhutani.
- Willför, S., Hafizo~glu, H., Tümen, I., Yazici, H., Arfan, M., Ali, M., & Holmbom, B. (2007). Extractives of Turkish and Pakistani Tree Species. *Holz Als Roh- Und Werkstoff*, 65(3), 215–221. <https://doi.org/10.1007/s00107-006-0160-6>
- Wilson, C. L., Looms, W. E., & Crossdale, H. (1962). *Botany Third Edition*. Rinehart and Winston.
- Ratnaningrum, Y., & Kurniawan, A. (2019). Floral structure and genetical differences of sandalwood variants in Gunung Sewu (Java, Indonesia), and its effects on breeding systems and reproductive ability. *Biodiversitas*

Journal of Biological Diversity, 20(2), 393–404.

<https://doi.org/10.13057/biodiv/d200213>

Zaffico. (2016). *Zambia Forestry and Forest Industries Corporation Limited forest management plan*.

Zhang, Y., Ta, N., Guo, S., Chen, Q., Zhao, L., Li, F., & Chang, Q. (2022).

Combining Spectral and Textural Information from UAV RGB Images for Leaf Area Index Monitoring in Kiwifruit Orchard. *Remote Sensing*, 14(5), 1063. <https://doi.org/10.3390/rs14051063>

Zobel, B. J., & Talbert, J. (1984). *Applied Forest Tree Improvement*. John Wiley.