

DAFTAR PUSTAKA

- Asmoro, A. A., Laksono, B. H., & Asiswagama, T. A. (2021). *Manajemen Jalan Napas*. UB Press.
- Baker, D. J. (2020). *Artificial Ventilation A Basic Clinical Guide*. Springer International Publishing.
- Bansal, P., Kataria, P., Kshetrapal, K., Kamal, H., & Bala, R. (2024). *Comparison of ease of endotracheal intubation with fixed height pillow versus pillow height attained by alignment of external auditory meatus to sternal notch*. 15(12), 13–20. <https://doi.org/10.3126/ajms.v15i12.71314>
- Bhardwaj, M., Priya, Rashmi, Kumar, P., Kaur, K., & Sunny. (2024). *Comparison of neutral and sniffing position for ease of endotracheal intubation using Airtraq optical laryngoscope-A randomized trial*. *Journal of Anaesthesiology, Clinical Pharmacology*, 40(4), 598–604. https://doi.org/10.4103/joacp.joacp_10_23
- Brown, C. A., Sakles, J. C. & Mick, N. W. 2018. *The Walls Manual Of Emergency Airway Management*, Philadelphia, Wolters Kluwer.
- Chae, Y.-J., Moon, J.-Y., Lee, M.-G., & Joe, H.-B. (2024). *A Comparison of Tracheal Intubation Using Direct Laryngoscope and Video Laryngoscope in the Sellick and Trendelenburg Position with That Using Direct Laryngoscope in the Supine Sniffing Position: A Randomized Controlled Trial*. *Journal of Clinical Medicine*, 13(15), 4482. <https://doi.org/10.3390/jcm13154482>
- Chun, E. H., Chung, M. H., Kim, J. E., Kim, K. M., Lee, H. S., Son, J. M., Park, J., & Jun, J. H. (2022). *Effects of head-elevated position on tracheal intubation using a McGrath MAC videolaryngoscope in patients with a simulated difficult airway: A prospective randomized crossover study*. *BMC Anesthesiology*, 22, 166. <https://doi.org/10.1186/s12871-022-01706-5>
- Chestnut, D. H., Wong, C. A., Tsen, L. C., Kee, W. D. N., Beilin, Y., & Mhyre, J. (2014). *Chestnut's Obstetric Anesthesia: Principles and Practice*. Elsevier Health Sciences.
- Collins, J. S., McHugh, L., Davis, P. J., & Johnson, J. (2021). *Modifikasiramped position in obese patients: Impact on intubation success*. *BMC Anesthesiology*. Tersedia di: <https://bmcanesthesiol.biomedcentral.com/articles/10.1186/s12871-021-01464-5> (Diakses: 10 Oktober 2024).
- Desai, D., Sompura, R., & Yadav, S. (2023). *Comparison of intubating conditions in supine (sniffing) and 25° back-up position using channelled and non-channelled video laryngoscopes—A randomised controlled study*. *Indian Journal of Anaesthesia*, 67(12), 1090–1095. https://doi.org/10.4103/ija.ija_662_23
- Dahlan, M. S. (2013). *Statistik untuk Kedokteran dan Kesehatan: Deskriptif, Bivariat, dan Multivariat dilengkapi aplikasi dengan SPSS*. Jakarta: Salemba Medika.
- Daryaswanti, P. I., Nurchayati, S., Patimah, S., & Lisnawati, K. (2024). *Buku Ajar*

- Keperawatan Medikal Bedah. PT. Sonpedia Publishing Indonesia.
- Dasari, V., Joffe, A. M., & Drover, D. R. (2015). *MRI-based comparison of head positions for intubation in awake volunteers*. European Archives of Oto-Rhino-Laryngology.
- Dobson, M. B. (1994). Penuntun Praktis Anestesi. ECG.
- Elisha, S., Nagelhout, J. J., & Plaus, K. (2013). *Nurse Anesthesia* - E-Book. Elsevier Health Sciences.
- Emik, E., Gümüs-Özcan, F., Demirgan, S., & Selcan, A. (2021). *Evaluation of the correlation between preoperative airway assessment tests, anthropometric measurements, and endotracheal intubation difficulty in obesity class III patients undergoing bariatric surgery*. *Medicine*, 100(36), e27188. <https://doi.org/10.1097/MD.00000000000027188>
- EMS Airway. (2023). *The importance of head positioning during endotracheal intubation*. Tersedia di: <https://emsairway.com> (Diakses: 10 Oktober 2024).
- Gropper, M. A. 2019. *Miller's Anesthesia*, Philadelphia, Elsevier.
- Gopalakrishnan, S. S., Rudingwa, P., Kuberan, A., Mishra, S. K., Panneerselvam, S., & Jha, A. K. (2023). *Comparison of retrograde transillumination and conventional technique for flexible videoscopes by novice anaesthesia residents: A randomised controlled trial*. *Indian Journal of Anaesthesia*, 67(2), 161–166. https://doi.org/10.4103/ija.ija_633_22
- Gudivada, K. K., Jonnavithula, N., Pasupuleti, S. L., Apparasu, C. P., Ayya, S. S., & Ramachandran, G. (2017). *Comparison of ease of intubation in sniffing position and further neck flexion*. *Journal of Anaesthesiology, Clinical Pharmacology*, 33(3), 342–347. https://doi.org/10.4103/joacp.JOACP_100_16
- Hagberg, C. 2018. *Hagberg And Benumof's Airway Management*, Philadelphia, Elsevier.
- Hasanin, A., Tarek, H., Mostafa, M. M. A., Arafa, A., Safina, A. G., Elsherbiny, M. H., Hosny, O., Gado, A. A., Almenesey, T., Hamden, G. A., Mahmoud, M., & Amin, S. (2020). *Modified-ramped position: A new position for intubation of obese females: A randomized controlled pilot study*. *BMC Anesthesiology*, 20(1), 1–7. <https://doi.org/10.1186/s12871-020-01070-2>
- Hellmann, R. von, Fuhr, N., Maia, I. W. A., Gerberi, D., Pedrollo, D., & Bellolio, F. (2024). *Effect of Bougie Use on First-Attempt Success in Tracheal Intubations: A Systematic Review and Meta-Analysis*. *Annals of Emergency Medicine*, 83(2), 132–144. <https://doi.org/https://doi.org/10.1016/j.annemergmed.2023.08.484>
- Heltty. (2023). *Buku Ajar Keperawatan Medikal Bedah*. PT Nasya Expanding Management.
- Hong, H. J., Yun, M., Kim, S. H., Hwang, J. W., & Lee, H. C. (2016). *A pillow of 8 cm height did not improve laryngeal view and alignment of airway axes but increased anaesthesiologist discomfort compared to a pillow of 4 cm height during tracheal intubation in adult patients*. *Korean Journal of Anesthesiology*, 69(2), 138–142. <https://doi.org/10.4097/kjae.2016.69.2.138>
- Ketireddy, T., Jayaram, K., Geetha, S., Pathy, A., & Durga, P. (2018). *Letter to Editor A rare case of masseter spasm after propofol*. 58–59.

- <https://doi.org/10.4103/TheIAForum.TheIAForum>
- Kim, J.-Y., Park, S., Oh, M., Choi, J.-B., John, H.-J., Lee, S.-K., & Choi, Y.-H. (2023). *Comparison of the McGRATH™ Video Laryngoscope and Macintosh Laryngoscope for Orotracheal Intubation in a Simulated Difficult Airway Scenario: An Open-Label, Randomized Clinical Trial*. *Medicina*, 59(2), 282. <https://doi.org/10.3390/medicina59020282>
- Kumari, M., Aastha, Kumari, A., Bathla, S., Sabharwal, N., & Das, A. K. (2022). *Comparative Evaluation of C-MAC Videolaryngoscope with Macintosh Direct Laryngoscope in Patients with Normal Airway Predictors*. *Anesthesia, Essays and Researches*, 16(3), 326–330. https://doi.org/10.4103/aer.aer_78_22
- Khandelwal, N., Sharma, A., Mehta, A., & Verma, R. (2021). *Impact of head elevation on first-pass intubation success: A randomized clinical trial*. *Journal of Airway Management*, 12(3), 175–181.
- Kumar, V. H., Janani, N., Indubala, M., & Jaya, V. (2020). *Patient Positioning and Glottic Visualisation: A Narrative Review*. *Airway*, 3(1), 13. https://doi.org/10.4103/arwy.arwy_3_20
- Liu, Z., Zhao, L., Ma, Z., Liu, M., Qi, X., Jia, Q., Liang, S., & Yang, X. (2021). *Effects of head positions on awake fiberoptic bronchoscope oral intubation: a randomized controlled trial*. *BMC Anesthesiology*, 21(1), 1–6. <https://doi.org/10.1186/s12871-021-01397-4>
- Law, J. A., Duggan, L. V., Asselin, M., Baker, P., Crosby, E., Downey, A., Hung, O. R., Kovacs, G., Lemay, F., Noppens, R., Parotto, M., Preston, R., Sowers, N., Sparrow, K., Turkstra, T. P., Wong, D. T., & Jones, P. M. (2021). *Canadian Airway Focus Group updated consensus-based recommendations for management of the difficult airway: Part 2. Planning and implementing safe management of the patient with an anticipated difficult airway*. *Canadian Journal of Anaesthesia*, 68(9), 1405–1436. <https://doi.org/10.1007/s12630-021-02008-z>
- Lotfi, S., Mohamadi, M. sepehr, Ahmadi, A., Rezvani, S., Sehat, M., & Tabaraii, R. (2023). *Success rates of endotracheal intubation using the standard method versus the modified-ramped position*. *Annals of Medicine and Surgery*, 85(11), 5491–5496. <https://doi.org/10.1097/MS9.0000000000001331>
- Margolis, G. S. (2004). *Paramedic, Airway Management*. Jones and Bartlett Publishers.
- Menon, G. D., George, M., & Vergis, S. (2021). *Comparison of Efficacy of External Laryngeal Manipulation (ELM) from Right Versus Left Side during Modified Bimanual Laryngoscopy-A Randomised Cross Over Trial*. *Turkish Journal of Anaesthesiology and Reanimation*, 49(4), 312–319. <https://doi.org/10.5152/TJAR.2021.1145>
- Mohta, M. (2018). *Head elevation beyond sniffing position – An aid to airway management*. *Journal of Anaesthesiology Clinical Pharmacology*, 34(2), 247–248. https://doi.org/10.4103/joacp.JOACP_173_17
- National Center for Biotechnology Information (NCBI). *Difficult airway management*. In: StatPearls [Internet]. Treasure Island (FL): StatPearls Publishing; 2022. Available from: <https://www.ncbi.nlm.nih.gov/books/NBK572134/>

- Narra, L. R., Udongwo, N., Dominic, J. L., Doreswamy, S., Bhasir, A., Elkherpitawy, I., & Ogedegbe, C. (2022). *Obesity and the Other Independent Predictors in Elective Endotracheal Tube Intubations: A Narrative Review*. *Journal of Clinical Medicine Research*, 14(5), 177–187. <https://doi.org/10.14740/jocmr4727>
- Nuridah. (2023). *Asuhan Keperawatan Sistem Pernafasan*. PT Nasya Expanding Management.
- Prakash, S., Rapsang, A. G., Mahajan, S., Bhattacharjee, S., Singh, R., & Gogia, A. R. (2011). *Comparative Evaluation of the Sniffing Position with Simple Head Extension for Laryngoscopic View and Intubation Difficulty in Adults Undergoing Elective Surgery*. *Anesthesiology Research and Practice*, 2011, 1–6. <https://doi.org/10.1155/2011/297913>
- Reddy R, Subramanian V, Choudhury S, Vempalli R. *Bed-up head-elevated position versus supine position during tracheal intubation in the emergency department*. *J Emerg Trauma Shock*. 2024;17(2):95–101. doi:10.4103/JETS.JETS_231_23.
- Rehatta, M. (2020). *Pedoman Keterampilan Medik 4*. Airlangga University Press.
- Rao, S., Paliwal, N., Saharan, S., Bihani, P., Jaju, R., Sharma, U. D., & Sharma, M. (2023). *A Comparative Study to Evaluate Difficult Intubation Using Ratio of Patient Height to Thyromental Distance, Ratio of Neck Circumference to Thyromental Distance, and Thyromental Height in Adult Patients in Tertiary Care Centre*. *Turkish Journal of Anaesthesiology and Reanimation*, 51(2), 90–96. <https://doi.org/10.5152/TJAR.2022.22077>
- Rehatta, N. M., Hanindito, E., & Tantri, A. R. (2019). *ANESTESIOLOGI DAN TERAPI INTENSIF: BUKU TEKS KATI-PERDATIN*. Gramedia Pustaka Utama.
- Sahoo, M., Tripathy, S., & Mishra, N. (2021). *Is there an optimal place to hold the endotracheal tube during direct laryngoscopy for patients undergoing surgery under general anesthesia? Protocol for a randomized controlled trial*. *Trials*, 22(1), 1–9. <https://doi.org/10.1186/s13063-021-05635-5>
- Semler, M. W., Janz, D. R., Lentz, R. J., Matthews, D. T., Norman, B. C., & Rice, T. W. (2017). *Comparison of sniffing and ramped positions for intubation of ICU patients: A randomized controlled trial*. *BMC Anesthesiology*.
- Shah, K., Thakkar, J., & Vaidya, D. (2020). *Comparison of glottis views with fixed-height pillow versus adjustable-pillow height by pressure infusion bag for successful intubation*. *Bali Journal of Anesthesiology*, 4(2), 35–38. https://doi.org/10.4103/BJOA.BJOA_1_20
- Samagh, N., Ahmed, M., Jangra, K., Sharma, J., & Paliwal, S. (2025). *Ramped versus sniffing position for videolaryngoscopy-guided tracheal intubation in adult patients: A systematic review and meta-analysis with trial sequential analysis*. *Indian Journal of Anaesthesia*, 69(12), 1274–1283. https://doi.org/10.4103/ija.ija_530_25
- Sharma, V., Yadav, H. P., Prakash, A., Yadav, N., Kumar, M., & Abbas, H. (2024). *Assessment of Different Indices as Predictors of Difficult Airway in Obese Patients*. *Cureus*, 16(2), e55005. <https://doi.org/10.7759/cureus.55005>
- Singh, N., Mohanty, C. R., Sahoo, S., Mund, M., & Raju, R. B. (2024). *Comparison*

- of McCoy, Macintosh, and Truview laryngoscope for bougie-aided naso-tracheal intubation: A randomized controlled study.* International Journal of Critical Illness and Injury Science, 14(1), 3–8. https://doi.org/10.4103/ijciis.ijciis_49_23
- Shrestha, A. (2022). *Head position for better visualization of glottis to improve first-pass intubation: A narrative review.* Journal of General Practice and Emergency Medicine of Nepal, 9(13), 34–39. <https://doi.org/10.59284/jgpeman47>
- Singh, A., Kaur, R., Singh, G., & Gupta, K. K. (2021). *Evaluation of Intubating Conditions during Direct Laryngoscopy using Sniffing Position and Simple Head Extension- A Randomised Clinical Trial.* Journal of Clinical and Diagnostic Research. <https://doi.org/10.7860/jcdr/2021/50579.15360>
- Tsan, S. E. H., Ng, K. T., Lau, J., Viknaswaran, N. L., & Wang, C. Y. (2020). *A comparison of ramping position and sniffing position during endotracheal intubation: A systematic review and meta-analysis.* Revista Brasileira de Anestesiologia, 70, 667–677. <https://doi.org/10.1016/j.bjane.2020.10.007>
- Vijayakumar, E. N., Ramachandran, S., Hiremath, V. R., Kuppusamy, S., Shanmugam, B., & Dhamodharan, D. B. (2022). *Evaluation of Glottic View and Intubation Conditions with Sniffing Position Using Three Different Pillow Heights during Direct Laryngoscopy.* Anesthesia Essays & Researches, 16(3), 412–415. https://doi.org/10.4103/aer.aer_130_22
- Wang, Y., Li, X., Chen, Z., & Zhang, H. (2020). *Evaluation of modified sniffing position in difficult airway intubation.* Journal of Airway Management, 12(3), 175–181.
- Won, D., Lee, J.-M., Lee, J., Chai, Y. J., Hwang, J.-Y., Kim, T. K., Chang, J.-E., Kim, H., Kim, M. J., & Min, S.-W. (2024). *Usefulness of video laryngoscopy in tracheal intubation at thyroid surgical position for intraoperative neuromonitoring.* Scientific Reports, 14, 4980. <https://doi.org/10.1038/s41598-024-55537-0>
- Whiting, H. (2023). *Optimal patient positioning for intubation and airway management.* The Anaesthesia Collective. Tersedia di: <https://www.anaesthesiacollective.com> (Diakses: 10 Oktober 2024).
- Xavier, N., James, T., N, A., & Hameed, I. (2025). *Ease of intubation using the Sniffing Position versus the modified ramped laryngoscopy position: A comparative study.* European Journal of Cardiovascular Medicine, 15, 265–270. <https://doi.org/10.5083/ejcm/25-02-33>
- Yadav, P., Kundu, S. B., & Bhattacharjee, D. P. (2019). *Comparison between Macintosh, Miller and McCoy laryngoscope blade size 2 in paediatric patients – A randomised controlled trial.* Indian Journal of Anaesthesia, 63(1), 15–20.
- Yashaswi, B., Sri, A. B., Dam, A. K., Jadhav, H., & Kumkum, U. (2024). *Comparision Of Sniffing Position And Modified Ramped Position For Endotracheal Intubation In Obese Patients Posted For Elective Surgery Under General Anesthesia ” Abstract- Introduction : 15(6), 3880–3888.*