

DAFTAR PUSTAKA

- Anonim. 1975. The Winged Bean a High Protein Crop for the Tropics. National Academic of Sciences. Washington DC.
- Anonim. 1981. The Winged Bean a High Protein Crop for the Tropics. 2nd ed. National Academy Press. Washington DC.
- Association of Official Analytical Chemists. 1975. Methods of Analysis. Washington DC.
- Blagrove, R.J. 1979. Plant Protein Research in the CISRO Division of Protein chemistry. Food Tech. in Australia 31 (11) : 492-496.
- Collins, J.L. and B.F Beaty. 1980. Heat Inactivation of Trypsin Inhibitor in Fresh Green Soybean and Physiological Responses of Rats Fed the Beans. J. Food Science 45 (2) : 542-546.
- deLumen, B.O and L.A Salamat. 1980. Trypsin Inhibitor Activity in Winged Bean (Psophocarpus tetragonolobus) and the Possible Role of Tannin. J. Agr. Food Chem. 28 (3) : 533-536.
- Gomez, K.A and A.A Gomez. 1984. Statistical Procedures for Agricultural Research. 2nd ed. John Wiley and Sons New York.
- Kakade, M.L. 1974. Biochemical Basis for the Differences in Plant Protein Utilization. J. Agr. Food Chem. 22 (4) : 550-555.
- Liener, I.E. 1979. Toxins in Legumes : Their Possible Nutritional Significance in the Diet of Man. In Post-harvest Biology and Biotechnology. Edited by Herbert O.H. and Max M. Food & Nutrition Press, Inc. Westport. Connecticut.



Martin, F.W. and H. Delphin, 1978. Vegetables for the Humid Tropic, Part I The Winged Bean (*Psophocarpus tetragonolobus*). Bulletin by US Departement of Agriculture, Southern Region.

Neurece, N.J., Conkerton E.J and Booth A.N. 1972. Effect of Heat on Peanut Proteins. II. Variation in Nutritional : Quality of the Meals. J. Agr. Food Chem. 20 (2) : 256-259.

Noor, Z. 1980. Effect of pH Manipulation During Aqueous Extraction of Peanut Protein. Ph.D. Thesis. Univ. of Ill. at Urbana-Champaign.

Noor, Z dan A.P Rahardjo. 1982. Pengaruh pH dan Panas pada Trypsin Inhibitor Biji Kecipir. Laporan Penelitian Proyek-PPT-UGM. Lembaga Penelitian. Universitas Gadjah Mada. Yogyakarta.

Obara, T. and Watanabe, Y. 1978. Heterogenity of Soybean Trypsin Inhibitor. II. Heat Inactivation. Cereal Chem. 48 (5) : 525

Okezie, B.O and F.W Martin. 1980. Chemical Composition of Dry Seeds and Fresh Leaves of Winged Beans Varieties Grown in the U.S. and Puerto Rico. J. Food Sci. 45 : 1045-1051.

Pellet, P.I and V.R Young. 1980. Nutritional Evaluation of Protein Foods. The United Nations University. Tokyo Japan.

Rackis, J.J. 1966. Soybean Trypsin Inhibitor : Their Inactivation During Meal Processing. J. Food Tech. 102 : 1482-1484.

Rackis, J.J. 1972. Biologically Active Components. In Soybeans Chemistry and Technology. Vol I. Edited by Allan K.S and Sidney, J.C. The AVI PUB. Co. Inc. Westport. Connecticut.



- Sathe, S.K and D.K Salunkhe. 1981. Investigations on Winged Bean (Psophocarpus tetragonolobus)(L) DC) Proteins and Antinutritional Factors. J. Food Sci. 46 : 1389-1393.
- Smith, J.B dan S. Mangkoewidjojo. 1988. Pemeliharaan, Pembiakan dan Penggunaan Hewan Percobaan di Daerah Tropis. Universitas Indonesia. Jakarta.
- Sudharmadji, S., B. Haryono dan Suhardi. 1984. Prosedur Analisa untuk Bahan Makanan dan Pertanian. Liberty. Yogyakarta.
- Sudihardjo, 1983. Pencampuran Tepung Biji Kecipir dengan Tepung Jagung Sebagai Salah Satu Usaha Meningkatkan Mutu Protein dan Penganekaragaman Bahan Pangan. Fak. TP PHP, UGM, Yogyakarta.
- Winarno, F.G., 1974. Protein, Sumber dan Peranannya. Departemen Teknologi Hasil Pertanian. Fatemeta, IPB, Bogor.
- Troung, V.D., L. Raymundo and E.M. Mendoza, 1981. Lipoxygenase Activity in Germinating Winged Bean Seed and Its Role in Beany Flavor Formation. Paper Presented at the 2nd International Seminar on Winged Bean, January 1981. Colombo, Sri Lanka.