

DAFTAR PUSTAKA

- Atashkhoei, S., Samudi, S., Abedini, N., Khoshmaram, N., & Minayi, M. (2019). Anatomical predicting factors of difficult spinal anesthesia in patients undergoing cesarean section: An observational study: Predicting Factors of Difficult Spinal Anesthesia. *Pakistan Journal of Medical Sciences*, 35(6). <https://doi.org/10.12669/pjms.35.6.1276>
- Bagle, A., Khatri, S., & Jain, R. (2024). Failed Spinal Anesthesia: Incidence and Associated Factors. *Cureus*. <https://doi.org/10.7759/cureus.76078>
- Barash, P. G., Cullen, B. F., Stoelting, R. K., Cahalan, M. K., Stock, M. C., Ortega, R., Sharar, S. R., Holt, N. F., & Ovid Technologies, Inc (Eds.). (2017). *Clinical anesthesia* (8th edition). Wolters Kluwer.
- Benzon, H. T., Raja, S., Liu, S. S., Fishman, S., & Cohen, S. P. (Eds.). (2018). *Essentials of pain medicine* (Fourth edition). Elseiver.
- Bhardwaj, D., Thakur, L., Sharma, S., Rana, S., Gupta, B., & Sharma, C. (2022). Comparative evaluation of three techniques for paramedian subarachnoid block: Point-of-care preprocedural ultrasound assisted, real-time ultrasound guided and landmark based. *Indian Journal of Anaesthesia*, 66(Suppl 2), S102–S107. https://doi.org/10.4103/ija.ija_373_21
- Bhorania, Y. C., Jethva, K. C., Dalvani, K. Y., Badheka, J. P., Mahadev, N. D., & Tejwani, I. G. (2025). A Comparative Study of Parallel Leg, Crossed Leg, and Traditional Sitting Position for Successful Spinal Puncture in Patients Undergoing Cesarean Section. *Journal of Obstetric Anaesthesia and Critical Care*, 15(1), 42–47. https://doi.org/10.4103/JOACC.JOACC_19_24
- Boezaart, A. P. (2016). *The Anatomical Foundations of Regional Anesthesia and Acute Pain Medicine*. Bentham Science Publishers.
- Butterworth, J. F. (with Mackey, D. C., & Wasnick, J. D.). (2018). *Morgan & Mikhail's Clinical Anesthesiology* (6th ed). McGraw-Hill Education LLC.
- Chestnut, D. H. (Ed.). (2020). *Chestnut's obstetric anesthesia: Principles and practice* (Sixth edition). Elsevier.
- Chin, K. J., Ramlogan, R., Arzola, C., Singh, M., & Chan, V. (2013). The Utility of Ultrasound Imaging in Predicting Ease of Performance of Spinal Anesthesia in an Orthopedic Patient Population: *Regional Anesthesia and Pain Medicine*, 38(1), 34–38. <https://doi.org/10.1097/AAP.0b013e3182734927>
- Dahlan, S. (2010). *Besar Sampel dalam Penelitian Kedokteran dan Kesehatan* (3rd ed.). Salemba Medika.
- Demilie, A. E., Denu, Z. A., Bizuneh, Y. B., & Gebremedhn, E. G. (2024). Incidence and factors associated with failed spinal anaesthesia among patients undergoing surgery: A multi- center prospective observational study. *BMC Anesthesiology*, 24(1), 129. <https://doi.org/10.1186/s12871-024-02484-y>
- Doelakeh, E. S., & Chandak, A. (2023). Risk Factors in Administering Spinal Anesthesia: A Comprehensive Review. *Cureus*. <https://doi.org/10.7759/cureus.49886>
- Farag, E., Mounir-Soliman, L., & Brown, D. L. (Eds.). (2021). *Brown's atlas of regional anesthesia* (Sixth edition). Elsevier.

- Fati, N., Fitiwi, G., Aynalem, A., & Muche, A. (2021). Depth of spinal needle insertion and its associated factors among patients who underwent surgery under spinal anesthesia. *Translational Research in Anatomy*, 25, 100143. <https://doi.org/10.1016/j.tria.2021.100143>
- Fettes, P. D. W., Jansson, J.-R., & Wildsmith, J. A. W. (2009). Failed spinal anaesthesia: Mechanisms, management, and prevention. *British Journal of Anaesthesia*, 102(6), 739–748. <https://doi.org/10.1093/bja/aep096>
- Fuzier, R., Bataille, B., Fuzier, V., Richez, A.-S., Maguès, J.-P., Choquet, O., Montastruc, J.-L., & Lapeyre-Mestre, M. (2011). Spinal Anesthesia Failure After Local Anesthetic Injection Into Cerebrospinal Fluid: A Multicenter Prospective Analysis of Its Incidence and Related Risk Factors in 1214 Patients. *Regional Anesthesia and Pain Medicine*, 36(4), 322–326. <https://doi.org/10.1097/AAP.0b013e318217a68e>
- Gambling, D. R., Douglas, M. J., & Lim, G. (Eds.). (2023). *Obstetric anesthesia and uncommon disorders* (Third edition). Cambridge University Press.
- Ghosh, S., Madjdpour, C., & Chin, K. (2016). Ultrasound-guided lumbar central neuraxial block. *BJA Education*, 16(7), 213–220. <https://doi.org/10.1093/bjaed/mkv048>
- Godha, S. S. S., Pratyusha, A. C., Ramachandran, G., Prasad, C. R. K., D'souza, A. S., & Jogi, S. (2023). Comparison of ultrasonographic anatomy of spine in traditional sitting position versus crossed leg position in term pregnancy: A prospective, observational, crossover study. *Indian Journal of Anaesthesia*, 67(11), 973–978. https://doi.org/10.4103/ija.ija_415_23
- Gray, H., Standring, S., & Anhand, N. (Eds.). (2021). *Gray's Anatomy: The anatomical basis of clinical practice* (42nd edition). Elsevier.
- Gropper, M. A. (Ed.). (2020). *Miller's anesthesia* (Ninth edition). Elsevier.
- Hadzic, A. & New York School of Regional Anesthesia (Eds.). (2017). *Hadzic's textbook of regional anesthesia and acute pain management* (Second edition). McGraw-Hill Education.
- Hart, J. R. (1951). PENCIL-POINT NEEDLE IN PREVENTION OF POSTSPINAL HEADACHE. *Journal of the American Medical Association*, 147(7), 657. <https://doi.org/10.1001/jama.1951.73670240021006k>
- Hermanides, J., Hollmann, M. W., Stevens, M. F., & Lirk, P. (2012). Failed epidural: Causes and management. *British Journal of Anaesthesia*, 109(2), 144–154. <https://doi.org/10.1093/bja/aes214>
- Kalra, N., Roberts, F., Prince, M., Orr, T., Wrench, I., Bonnet, P., & Colhoun, A. (2024). Landmark accuracy for spinal anaesthesia in obese obstetric patients: Should we use lumbar ultrasound routinely? *Obstetric – Free Papers* 2, A24–A25. <https://doi.org/10.1136/rapm-2024-ESRA.29>
- Kamimura, Y., Yamamoto, N., Shiroshita, A., Miura, T., Tsuji, T., Someko, H., Imai, E., Kimura, R., & Sobue, K. (2024). Comparative efficacy of ultrasound guidance or conventional anatomical landmarks for neuraxial puncture in adult patients: A systematic review and network meta-analysis. *British Journal of Anaesthesia*, 132(5), 1097–1111. <https://doi.org/10.1016/j.bja.2023.09.006>

- Konrad, C., Schupfer, G., Wietlisbach, M., & Gerber, H. (1998). Learning Manual Skills in Anesthesiology: Is There a Recommended Number of Cases for Anesthetic Procedures? *Anesthesia & Analgesia*, 86(3), 635–639. <https://doi.org/10.1213/00000539-199803000-00037>
- Kumar, H., Niranjani, N., Shanmugam, A., & Lakshmi, L. (2024). Comparison Of Successful Spinal Needle Placement Between Crossed-Leg Sitting Position and Traditional Sitting Position In Patients Undergoing Urology Surgery. 2024, 6(10), 11–20. <https://doi.org/10.33472/AFJBS.6.10.2024.11-20>
- Lessing, N. L., Edwards, C. C., Brown, C. H., Ledford, E. C., Dean, C. L., Lin, C., & Edwards, C. C. (2017). Spinal Anesthesia in Elderly Patients Undergoing Lumbar Spine Surgery. *Orthopedics*, 40(2). <https://doi.org/10.3928/01477447-20161219-01>
- Manggala, S. K., Tantri, A. R., & Satoto, D. (2016). Comparison of Successful Spinal Needle Placement Between Crossed-Leg Sitting Position and Traditional Sitting Position in Patients Undergoing Urology Surgery. *Anesthesiology and Pain Medicine*, 6(4). <https://doi.org/10.5812/aapm.39314>
- Margarido, C. B., Mikhael, R., Arzola, C., Balki, M., & Carvalho, J. C. A. (2011). The intercrystal line determined by palpation is not a reliable anatomical landmark for neuraxial anesthesia. *Canadian Journal of Anesthesia/Journal Canadien d'anesthésie*, 58(3), 262–266. <https://doi.org/10.1007/s12630-010-9432-z>
- Moore, K. L., Dalley, A. F., & Agur, A. (2019). *Clinically Oriented Anatomy* (9th ed.). Lippincott Williams & Wilkins.
- Paliwal, N., & Khan, I. A. (2025). Exploring Variability in Spinal Anesthesia Levels Achieved During Cesarean Section Deliveries: A Narrative Review. *Cureus*. <https://doi.org/10.7759/cureus.88429>
- Park, S.-K., Bae, J., Yoo, S., Kim, W. H., Lim, Y.-J., Bahk, J.-H., & Kim, J.-T. (2020). Ultrasound-Assisted Versus Landmark-Guided Spinal Anesthesia in Patients With Abnormal Spinal Anatomy: A Randomized Controlled Trial. *Anesthesia & Analgesia*, 130(3), 787–795. <https://doi.org/10.1213/ANE.00000000000004600>
- Perlas, A., Chaparro, L. E., & Chin, K. J. (2016). Lumbar Neuraxial Ultrasound for Spinal and Epidural Anesthesia: A Systematic Review and Meta-Analysis. *Regional Anesthesia and Pain Medicine*, 41(2), 251–260. <https://doi.org/10.1097/AAP.0000000000000184>
- Puthenveetil, N., Rahman, S., Achary, A. R., Nair, S., Kadapamannil, D., & Paul, J. (2024). Comparison of induction of spinal anesthesia in sitting position with legs parallel and crossed for cesarean section: A randomized controlled trial. *Journal of Anaesthesiology Clinical Pharmacology*, 40(1), 154–158. https://doi.org/10.4103/joacp.joacp_11_22
- Redai, I., & Flood, P. (2006). *Obstetric and Gynecologic Anesthesia*. Elsevier. <https://doi.org/10.1016/B978-0-323-02420-4.X5001-1>
- Sai Balaji, A., & Ladi, S. (2021). Comparison of Median and Paramedian Approach in Spinal Anaesthesia Using Whitacre Spinal Needle in Cesarean Surgery.

- Indian Journal of Anesthesia and Analgesia*, 8(1), 21–25.
<https://doi.org/10.21088/ijaa.2349.8471.8121.3>
- Sidiropoulou, T., Christodoulaki, K., & Siristatidis, C. (2021). Pre-Procedural Lumbar Neuraxial Ultrasound—A Systematic Review of Randomized Controlled Trials and Meta-Analysis. *Healthcare*, 9(4), 479.
<https://doi.org/10.3390/healthcare9040479>
- Sohail, B., Haq, I., Ameer, K., Iqbal, R., & Adnan, A. (2011). *Comparison of Median and Paramedian Techniques of Spinal Anaesthesia*. 61, 199–203.
- Soltani Mohammadi, S., Piri, M., & Khajehnasiri, A. (2017). Comparing Three Different Modified Sitting Positions for Ease of Spinal Needle Insertion in Patients Undergoing Spinal Anesthesia. *Anesthesiology and Pain Medicine*, 7(5). <https://doi.org/10.5812/aapm.55932>
- Sprung, J., Bourke, D. L., Grass, J., Hammel, J., Mascha, E., Thomas, P., & Tubin, I. (1999). Predicting the Difficult Neuraxial Block: A Prospective Study. *Anesthesia & Analgesia*, 89(2), 384–389.
<https://doi.org/10.1213/00000539-199908000-00025>
- Tichkule, S., & Jain, S. K. (2022). An evaluation of median and paramedian approach for spinal anaesthesia in caesarean delivery. *International Journal of Health Sciences*, 312–320. <https://doi.org/10.53730/ijhs.v6n7.10953>
- Weji, B. G., Obsa, M. S., Melese, K. G., & Azeze, G. A. (2020). Incidence and risk factors of postdural puncture headache: Prospective cohort study design. *Perioperative Medicine*, 9(1), 32. <https://doi.org/10.1186/s13741-020-00164-2>
- Yoshida, K., Hareyama, I., Noji, Y., Tanaka, S., Watanabe, K., & Inoue, S. (2023). The relationship between the orientation of the lateral decubitus position for spinal anesthesia and positioning pain in patients with a femoral neck fracture: Randomized non-inferiority trial. *JA Clinical Reports*, 9(1), 3. <https://doi.org/10.1186/s40981-023-00595-y>
- Yüksek, A., Miniksar, Ö. H., Honca, M., & Öz, H. (2020). Incidence and Causes of Failed Spinal Anesthesia. *Dubai Medical Journal*, 3(2), 50–54.
<https://doi.org/10.1159/000508837>
- Zegeye, S. T., Admassie, B. M., Aligaz, E. M., Dires, F. T., & Bayable, S. D. (2025). Incidence and predictors of failed spinal anesthesia: A systematic review and meta-analysis. *Patient Safety in Surgery*, 20(1), 1.
<https://doi.org/10.1186/s13037-025-00457-9>