

DAFTAR PUSTAKA

- Adams, H.P. *et al.* 2007, 'Guidelines for the early management of adults with ischemic stroke: A guideline from the American heart association/American stroke association stroke council, clinical cardiology council, cardiovascular radiology and intervention council, and the atheros', *Stroke*, **38(5)** : 1655–1711. Available at: <https://doi.org/10.1161/STROKEAHA.107.181486>.
- Alexander, L. *et al.* 2020, 'scoping reviews'. Available at: <https://doi.org/10.11124/JBIES-20-00167>.
- Arba, F. *et al.* 2021, 'Blood – Brain Barrier Disruption and Hemorrhagic Transformation in Acute Ischemic Stroke: Systematic Review and Meta-Analysis', **11**: 1–10. Available at: <https://doi.org/10.3389/fneur.2020.594613>.
- Brainer, J. *et al.* 2022, 'Predictors of hemorrhagic transformation differences between patients treated or not with reperfusion therapy', **101**: 9–15. Available at: <https://doi.org/10.1016/j.jocn.2022.04.030>.
- Breuer, L. *et al.* 2019, 'Heart Failure in Ischemic Stroke Relevance for Acute Care and Outcome', pp. 3051–3056. Available at: <https://doi.org/10.1161/STROKEAHA.119.026139>.
- Cai, B. *et al.* 2020, 'Sex Differences of Acute Stroke Treatment and in Hospital Outcomes After Intravenous Thrombolysis in Patients With Ischemic Stroke', *Frontiers in Neurology*, **11**: 1–6. Available at: <https://doi.org/10.3389/fneur.2020.545860>.
- Chandra, A. *et al.* 2023, 'Efficacy Outcomes of Tenecteplase versus Alteplase in Patients with Ischemic Stroke in Therapeutic Window : Experience from a Single Institution', pp. 3–8. Available at: <https://doi.org/10.4103/amhs.amhs>.
- Chen, J. *et al.* 2022, 'Determinants for a low dose of alteplase and its relationship to a lower intracerebral bleeding risk in acute ischemic stroke', 19. Available at: <https://doi.org/10.7150/ijms.76105>.
- Chen, N. *et al.* 2024, 'Stratifying by Blood Glucose Levels to Predict Hemorrhagic Transformation Risk Post-Rt-PA in Acute Ischemic Stroke', pp 1807–1818.
- Chen, X. 2023, 'Higher serum bilirubin levels are associated with hemorrhagic transformation after intravenous thrombolysis in acute ischemic Stroke', pp 1–8. Available at: <https://doi.org/10.3389/fnagi.2023.1159102>.
- Cheng, X. *et al.* 2024, 'Predictive Role of Pre-Thrombolytic Neutrophil-Platelet Ratio on Hemorrhagic Transformation After Intravenous Thrombolysis in Acute Ischemic Stroke'. Available at: <https://doi.org/10.1177/10760296231223192>.
- Couture, M. *et al.* 2021, 'Antiplatelet therapy increases symptomatic ICH risk after thrombolysis and thrombectomy', pp. 1–9. Available at: <https://doi.org/10.1111/ane.13468>.
- Cui, Y. and Wang, L. 2021, 'A clinical observation of intravenous thrombolysis in acute ischemic stroke with minor trauma', *Neuropsychiatric Disease and Treatment*, **17**: 1983–1987.
- Das, S. *et al.* 2020, 'Predictors of Postthrombolysis Outcome and Symptomatic

Postthrombolysis Hemorrhage following Intravenous Thrombolysis with Alteplase for Acute Ischemic Stroke’.

- Dewei, X. *et al.* 2018, ‘Ac ce pt cr t’, *International Journal of Neuroscience*, **0(0)**, p. 000. Available at: <https://doi.org/10.1080/00207454.2018.1536054>.
- Du, W., Zhao, X., Wang, Yilong, Pan, Y., Liu, G., Wang, A., Ji, R., Liu, L., Gu, H., Dong, K., *et al.* 2020, ‘Gastrointestinal bleeding during acute ischaemic stroke hospitalisation increases the risk of stroke recurrence’, *Stroke and Vascular Neurology*, **5(2)** : 116–120. Available at: <https://doi.org/10.1136/svn-2019-000314>.
- Fan, J. *et al.* 2023, ‘Global Burden , Risk Factor Analysis , and Prediction Study of Ischemic Stroke , 1990 – 2030’, 0. Available at: <https://doi.org/10.1212/WNL.0000000000207387>.
- Fekete, K.E. *et al.* 2022, ‘Predictors and long-term outcome of intracranial hemorrhage after thrombolytic therapy for acute ischemic stroke — A prospective single-center study’.
- Geibel, A. *et al.* 2007, ‘Possible Gender-Related Differences in the Risk-to-Benefit Ratio of Thrombolysis for Acute Submassive Pulmonary Embolism’, *American Journal of Cardiology*, **99(1)**: pp. 103–107. Available at: <https://doi.org/10.1016/j.amjcard.2006.07.072>.
- Hayakawa, M. 2016, ‘Reperfusion-Related Intracerebral Hemorrhage’, **37**: pp. 62–77. Available at: <https://doi.org/10.1159/000437114>.
- Héja, M. *et al.* 2021, ‘Experiences With Intravenous Thrombolysis in Acute Ischemic Stroke by Elderly Patients – A “ Real World Scenario ”’, pp. 1–10. Available at: <https://doi.org/10.3389/fneur.2021.721337>.
- Heldner, M.R. *et al.* 2014, ‘Thrombolysis in patients with prior stroke within the last 3 months’, pp. 1493–1499. Available at: <https://doi.org/10.1111/ene.12519>.
- Hicks, K.A. *et al.* 2011, ‘Bleeding academic research consortium consensus report: The food and drug administration perspective’, *Circulation*, **123(23)**: pp. 2664–2665. Available at: <https://doi.org/10.1161/CIRCULATIONAHA.111.032433>.
- Hoh, B.L. *et al.* 2023, *2023 Guideline for the Management of Patients With Aneurysmal Subarachnoid Hemorrhage: A Guideline From the American Heart Association/American Stroke Association*, *Stroke*. Available at: <https://doi.org/10.1161/STR.0000000000000436>.
- Huang, P. and Yi, X. 2023, ‘Predictive role of admission serum glucose , baseline NIHSS score , and fibrinogen on hemorrhagic transformation after intravenous thrombolysis with alteplase in acute ischemic stroke’, pp 9710–9720.
- Iancu, A. *et al.* 2023, ‘brain sciences Early Hemorrhagic Transformation after Reperfusion Therapy in Patients with Acute Ischemic Stroke : Analysis of Risk Factors and Predictors’.
- Id, C.T. *et al.* 2022, ‘Outcomes of asymptomatic recombinant tissue plasminogen activator associated intracranial hemorrhage’, pp 1–13. Available at: <https://doi.org/10.1371/journal.pone.0272257>.
- Johnston, K., Bruno, A. and Paul, Q. 2020, ‘Intensive vs. standard treatment of hyperglycemia



- and functional outcome in patients with acute ischemic stroke: The SHINE randomized clinical trial: Karen Johnston, Askiel Bruno, Qi Paul et al. JAMA. 2019;322(4):326–335.’, *Journal of Emergency Medicine*, **58(5)**: 851. Available at: <https://doi.org/10.1016/j.jemermed.2020.05.021>.
- Kamal, H. *et al.* 2021, ‘Journal of the Neurological Sciences Laboratory factors associated with symptomatic hemorrhagic conversion of acute stroke after systemic thrombolysis’, *Journal of the Neurological Sciences*, **420** p 117265. Available at: <https://doi.org/10.1016/j.jns.2020.117265>.
- Kerndt, C., Health, S. and Trainability, E. 2020, ‘Alteplase Alteplase’, pp 0–4.
- Khedr, E.M. and Nasreldein, A. 2024, ‘The Impact of Sex Differences on Stroke Risk Factors and 3- Month Outcomes in Patients Receiving Thrombolytic Therapy for Acute Ischemic Stroke’.
- Koh, Y.H. *et al.* 2022, ‘Predictive role of atrial fibrillation in cognitive decline : a systematic review and meta-analysis of 2 . 8 million individuals’, pp 1229–1239.
- Lee, S.H. *et al.* 2016, ‘Should we exclude acute stroke patients with previous intracerebral hemorrhage from receiving intravenous thrombolysis?’, *International Journal of Stroke*, **11(7)**: 783–790. Available at: <https://doi.org/10.1177/1747493016654289>.
- Lei, Y. *et al.* 2022, ‘Effect of intravenous thrombolysis in acute ischemic stroke patients with cerebral microbleeds and analysis of risk factors for hemorrhagic transformation’, pp 779–786.
- Lin, T. *et al.* 2018, ‘Serum lipid level is not associated with symptomatic intracerebral hemorrhage after intravenous thrombolysis for acute ischemic stroke’, pp 1–11. Available at: <https://doi.org/10.7717/peerj.6021>.
- Lin, X. *et al.* 2020, ‘Risk Factors for Early Intracerebral Hemorrhage after Intravenous Thrombolysis with Alteplase’, **(109)**: 1176–1182.
- Liu, M. *et al.* 2015, ‘Low-Dose Versus Standard-Dose Tissue Plasminogen Activator in Acute Ischemic Stroke in Asian Populations’, **94(52)**: 1–8. Available at: <https://doi.org/10.1097/MD.0000000000002412>.
- Liu, S. *et al.* 2024, ‘Impact of blood pressure variability on hemorrhagic transformation post-rt-PA thrombolysis in patients with acute ischemic stroke’, *SAGE Open Medicine*, **12(23)**. Available at: <https://doi.org/10.1177/20503121241283881>.
- Luo, S. *et al.* 2016, ‘Intravenous Thrombolysis for Acute Ischemic Stroke in Patients Receiving Antiplatelet Therapy: A Systematic Review and Meta-analysis of 19 Studies’, *Journal of the American Heart Association*, **5(5)**: pp 1–14. Available at: <https://doi.org/10.1161/JAHA.116.003242>.
- Mokin, M. *et al.* 2012, ‘Blood pressure management and evolution of thrombolysis-associated intracerebral hemorrhage in acute ischemic stroke’, *Journal of Stroke and Cerebrovascular Diseases*, **21(8)**:pp 852–859. Available at: <https://doi.org/10.1016/j.jstrokecerebrovasdis.2011.05.006>.
- Morten, O. *et al.* (2026) ‘Journal of Stroke and Cerebrovascular Diseases Association between blood pressure and outcome in patients with acute ischemic stroke treated with alteplase’ Available at: <https://doi.org/10.1016/j.jstrokecerebrovasdis.2025.108518>.



- Nassar, M.H. *et al.* 2024, 'Analysis of predictors of hemorrhagic transformation after reperfusion therapy with recombinant tissue plasminogen activator in patients with acute ischemic stroke: a single - center experience', *The Egyptian Journal of Neurology, Psychiatry and Neurosurgery* [Preprint]. Available at: <https://doi.org/10.1186/s41983-024-00885-x>.
- Kementerian Kesehatan Republik Indonesia. Pedoman Nasional Pelayanan Kedokteran (PNPK) Tata Laksana Stroke. Jakarta: Kementerian Kesehatan RI; 2019.
- Ntaios, G. 2020, 'Embollic Stroke of Undetermined Source: JACC Review Topic of the Week', *Journal of the American College of Cardiology*, **75(3)**: 333–340. Available at: <https://doi.org/10.1016/j.jacc.2019.11.024>.
- Ovbiagele, B. *et al.* 2014, 'Chronic Kidney Disease and Bleeding Complications After Intravenous Thrombolytic Therapy for Acute Ischemic Stroke', pp 929–935. Available at: <https://doi.org/10.1161/CIRCOUTCOMES.114.001144>.
- Page, M.J. *et al.* 2021, 'The PRISMA 2020 statement : an updated guideline for reporting systematic reviews Systematic reviews and Meta-Analyses'. Available at: <https://doi.org/10.1136/bmj.n71>.
- Palmela, I. *et al.* 2012, 'Time-dependent dual effects of high levels of unconjugated bilirubin on the human blood-brain barrier lining', pp 1–14. Available at: <https://doi.org/10.3389/fncel.2012.00022>.
- Palmer, S.J. 2023, 'Identification, care and prevention of stroke is possible', *British Journal of Healthcare Assistants*, **17(6)**: 236–239. Available at: <https://doi.org/10.12968/bjha.2023.17.6.236>.
- Pan, X. *et al.* 2015, 'Prior antiplatelet agent use and outcomes after intravenous thrombolysis with recombinant tissue plasminogen activator in acute ischemic stroke: A meta-analysis of cohort studies and randomized controlled trials', *International Journal of Stroke*, **10(3)**: 317–323. Available at: <https://doi.org/10.1111/ijis.12431>.
- Powers, W.J. *et al.* 2019, *Guidelines for the early management of patients with acute ischemic stroke: 2019 update to the 2018 guidelines for the early management of acute ischemic stroke a guideline for healthcare professionals from the American Heart Association/American Stroke Association*, *Stroke*. Available at: <https://doi.org/10.1161/STR.0000000000000211>.
- Rahimi, F. *et al.* 2025, 'for acute ischemic stroke : a retrospective cohort study of safety and efficacy in an Iranian population'.
- Restikasari, N.T. *et al.* 2022, 'Characteristics and Risk Factors of Patients with Acute Ischemic Stroke in Dr . Hasan Sadikin General Hospital Bandung , Indonesia', **9(4)**: 218–222.
- Romano, J.G. *et al.* 2015, 'Outcomes in Mild Acute Ischemic Stroke Treated With Intravenous Thrombolysis A Retrospective Analysis of the Get With the Guidelines–Stroke Registry', **33136(4)**: 423–431. Available at: <https://doi.org/10.1001/jamaneurol.2014.4354>.
- Rusanen, H., Saarinen, T. and Sillanpää, N. 2015, 'The Association of Blood Pressure and Collateral Circulation in Hyperacute Ischemic Stroke Patients Treated with Intravenous Thrombolysis', pp 130–137. Available at: <https://doi.org/10.1159/000371339>.



- Sacco, R.L. *et al.* 2013, 'An updated definition of stroke for the 21st century: A statement for healthcare professionals from the American heart association/American stroke association', *Stroke*, **44(7)**: 2064–2089. Available at: <https://doi.org/10.1161/STR.0b013e318296aeca>.
- Salaudeen, M.A., Allan, S. and Pinteaux, E. 2024, 'Hypoxia and interleukin-1-primed mesenchymal stem/stromal cells as novel therapy for stroke', *Human Cell*, **37(1)**: 154–166. Available at: <https://doi.org/10.1007/s13577-023-00997-1>.
- Samai, A.A. and Martin-schild, S. 2015, 'Sex differences in predictors of ischemic stroke : current perspectives', pp. 427–436.
- Saposnik, G. *et al.* 2012, 'Predicting Response to Thrombolysis and Clinical Outcomes', pp 99–104. Available at: <https://doi.org/10.1161/STROKEAHA.112.676551>.
- Schulman, S. and Kearon, C. 2005, 'Definition of major bleeding in clinical investigations of antihemostatic medicinal products in non-surgical patients', *Journal of Thrombosis and Haemostasis*, **3(4)**: 692–694. Available at: <https://doi.org/10.1111/j.1538-7836.2005.01204.x>.
- Sharma, D., Spring, K.J. and Bhaskar, S.M.M. 2022, 'Role of Neutrophil-Lymphocyte Ratio in the Prognosis of Acute Ischaemic Stroke After Reperfusion Therapy: A Systematic Review and Meta-analysis', *Journal of Central Nervous System Disease*, **14**. Available at: <https://doi.org/10.1177/11795735221092518>.
- Sun, F. *et al.* 2020, 'Predictive Factors of Hemorrhage After Thrombolysis in Patients With Acute Ischemic Stroke', pp 1–6. Available at: <https://doi.org/10.3389/fneur.2020.551157>.
- Tapuwa, D. *et al.* 2015, 'Diagnosis and Management of Acute Ischemic Stroke: Speed is Critical', *Cmaj*, **187(12)**: 887–93. Available at: <https://pubmed.ncbi.nlm.nih.gov/26243819/>.
- 'The qualitative content analysis process' 2007, (Cole 1988), pp 107–115. Available at: <https://doi.org/10.1111/j.1365-2648.2007.04569.x>.
- Therapy, A. *et al.* 2025, 'Relative Hyperglycemia and In-Hospital Bleeding Across Glycemic Status in Patients on High-Intensity Antithrombotic Therapy', **89(August)**, pp 1228–1237. Available at: <https://doi.org/10.1253/circj.CJ-25-0017>.
- Tong, D. *et al.* 2012, 'Times from symptom onset to hospital arrival in the get with the guidelines-stroke program 2002 to 2009: Temporal trends and implications', *Stroke*, **43(7)**: 1912–1917. Available at: <https://doi.org/10.1161/STROKEAHA.111.644963>.
- Tu, H.T.H. *et al.* 2015, 'hypoperfusion , infarct growth , and hemorrhagic transformation', pp 534–540. Available at: <https://doi.org/10.1111/ijs.12007>.
- Uyttenboogaart, M. *et al.* 2008, 'ORIGINAL COMMUNICATION Lipid profile , statin use , and outcome after intravenous thrombolysis for acute ischaemic stroke', pp 875–880. Available at: <https://doi.org/10.1007/s00415-008-0797-7>.
- Wang, R. *et al.* 2019, 'Risk factors of hemorrhagic transformation after intravenous thrombolysis with rt-PA in acute cerebral infarction', *QJM: An International Journal of Medicine* , **112(5)**: 323–326. Available at: <https://doi.org/10.1093/qjmed/hcy292>.



- Wang, Y. *et al.* 2023, 'Blood glucose level affects prognosis of patients who received intravenous thrombolysis after acute ischemic stroke? A meta-analysis', pp 1–9. Available at: <https://doi.org/10.3389/fendo.2023.1120779>.
- Wang, Yilong *et al.* 2009, 'Hospital resources for urokinase/recombinant tissue-type plasminogen activator therapy for acute stroke in Beijing', *Surgical Neurology*, 72(SUPPL. 1), pp S2–S7. Available at: <https://doi.org/10.1016/j.surneu.2007.12.028>.
- Wells BG, Dipiro JT, Dipiro CV, Schwinghammer TL .2009, *Pharmacotherapy Handbook*.
- Wisniewska, M. *et al.* 2020, 'Sex-related differences among ischaemic stroke patients treated with intravenous thrombolysis in Poland', **54(3)**: 272–276. Available at: <https://doi.org/10.5603/PJNNS.a2020.0040>.
- Xu, T. *et al.* 2023, 'High ratio of C-reactive protein to albumin is associated with hemorrhagic transformation and poor functional outcomes in acute ischemic stroke patients after thrombolysis', pp 1–8. Available at: <https://doi.org/10.3389/fnagi.2023.1109144>.
- Xu, Y. *et al.* 2024, 'Journal of Stroke and Cerebrovascular Diseases Thrombocytopenia and In-hospital outcomes in patients with acute ischemic stroke undergoing intravenous thrombolysis : Findings from a nationwide registry study in China', *Journal of Stroke and Cerebrovascular Diseases*, **33(8)**: 107805. Available at: <https://doi.org/10.1016/j.jstrokecerebrovasdis.2024.107805>.
- Xue, X. *et al.* 2024, 'A scoping review on the methodological and reporting quality of scoping reviews in China', pp 1–11.
- Xue, Y. *et al.* 2022, 'Predictors for symptomatic intracranial hemorrhage after intravenous thrombolysis with acute ischemic stroke within 6 h in northern China : a multicenter , retrospective study', *BMC Neurology*, pp 1–7. Available at: <https://doi.org/10.1186/s12883-021-02534-9>.
- Ye, L. *et al.* 2015, 'Reduction of the systemic inflammatory induced by acute cerebral infarction through ultra - early thrombolytic therapy', pp 1493–1498. Available at: <https://doi.org/10.3892/etm.2015.2672>.
- Yuan, Q. *et al.* 2024, 'Sex difference in the association between triglyceride and intracerebral bleeding risk after intravenous thrombolysis for acute ischemic stroke , a multi-center retrospective study'. Available at: <https://doi.org/10.7717/peerj.17558>.
- Zeinhom, M.G. *et al.* 2024, 'Predictors of the unfavorable outcomes in acute ischemic stroke patients treated with alteplase, a multi-center randomized trial', *Scientific Reports*, **14(1)**: 1–9. Available at: <https://doi.org/10.1038/s41598-024-56067-5>.
- Zhang, X. *et al.* 2021, 'The risk factors of early hemorrhage after emergency intravenous thrombolysis in patients with acute ischemic stroke', *Annals of Palliative Medicine*, **10(5)** : 5706–5713. Available at: <https://doi.org/10.21037/apm-21-1200>.
- Zhang, Y. *et al.* 2024, 'Safety of alteplase intravenous thrombolysis and influencing factors of clinical outcome in elderly patients with acute ischemic stroke', *BMC neurology*, **24(1)**: 464. Available at: <https://doi.org/10.1186/s12883-024-03973-w>.
- Zinkstok, S.M. *et al.* 2014, 'Early deterioration after thrombolysis plus aspirin in acute stroke: A post hoc analysis of the antiplatelet therapy in combination with recombinant t-PA thrombolysis in ischemic stroke trial', *Stroke*, **45(10)**: 3080–3082. Available at:



UNIVERSITAS
GADJAH MADA

Faktor Risiko Kejadian Perdarahan Penggunaan Alteplase pada Pasien Stroke Iskemik Akut
Thariqa Haya Razak, Dr. apt. Fita Rahmawati, Sp. FRS ; Prof. apt. Agung Endro Nugroho, M.Si., Ph.D.
Universitas Gadjah Mada, 2026 | Diunduh dari <http://etd.repository.ugm.ac.id/>

<https://doi.org/10.1161/STROKEAHA.114.006268>.