

DAFTAR PUSTAKA

- Abino, A. C., Castillo, J. A. A., & Lee, Y. J. (2014). Species diversity, biomass, and carbon stock assessments of a natural mangrove forest in Palawan, Philippines. *Pak. J. Bot*, 46(6), 1955-1962.
- Adame, M. F., Brown, C. J., Bejarano, M., Herrera-Silveira, J. A., Ezcurra, P., Kauffman, J. B., & Birdsey, R. (2018). The undervalued contribution of mangrove protection in Mexico to carbon emission targets. *Conservation Letters*, 11(4), e12445. <https://doi.org/10.1111/conl.12445>
- Adame, M. F., N. Cormier, P. Taillardat, N. Iram, A. Rovai, T. M. Sloey, E. S. Yando, et al. (2024). “Deconstructing the Mangrove Carbon Cycle: Gains, Transformation, and Losses.” *Ecosphere* 15(3): e4806. <https://doi.org/10.1002/ecs2.4806>
- Allen, D. E., Dalal, R. C., Rennenberg, H., Meyer, R. L., Reeves, S., & Schmidt, S. (2007). Spatial and temporal variation of nitrous oxide and methane flux between subtropical mangrove sediments and the atmosphere. *Soil Biology and Biochemistry*, 39(2), 622-631. <https://doi.org/10.1016/j.soilbio.2006.09.013>
- Alongi, D. M. (2014). Carbon cycling and storage in mangrove forests. *Annual Review Marine Science*. 6: 195-219. <https://doi.org/10.1146/annurev-marine-010213-135020>
- Alongi, D. M. (2015). The impact of climate change on mangrove forests. *Current Climate Change Reports*, 1(1), 30–39. <https://link.springer.com/article/10.1007/s40641-015-0002-x>
- Alongi, D. M. (2020). Global Significance of Mangrove Blue Carbon in Climate Change Mitigation. *Sci*, 2(3), 67. <https://doi.org/10.3390/sci2030067>
- Alongi, D.M. (2009) *The Energetic of Mangrove Forest*. Springer, New York, 1-125.
- Alongi, D.M. (2022). Impacts of climate change on blue carbon stocks and fluxes in mangrove forests. *Forests*. 13 (2), 149. <https://doi.org/10.3390/f13020149>.
- Alviana, D., Anggraini, R., Hidayati, J. R., Karlina, I., Lestari, F., Apdillah, D., & Sihite, D. (2023). Estimasi cadangan karbon pada ekosistem mangrove di desa pengudang kecamatan teluk sebong kabupaten bintan. *Jurnal Kelautan Tropis*, 26(3), 464-472. <https://doi.org/10.14710/jkt.v26i3.18326>
- Ardhani, T.S.P., Murdiyarso, D., Kusmana, C. (2020). Effects of permeable barriers on total ecosystem carbon stocks of mangrove forests and abandoned ponds in Demak District, Central Java, Indonesia. *Biodiversitas*. 21 (11), 5298–5307. <https://doi.org/10.13057/biodiv/d211134>
- Arifanti VB, Kauffman JB, Subarno, Ilman M, Tosiani A, Novita N. (2022) Contributions of mangrove conservation and restoration to climate change

mitigation in Indonesia. *Glob Chang Biol.* 28(15) : 4523–38. <https://doi.org/10.1111/gcb.16216>

Arifanti, V. B., Candra, R. A., Putra, C. A. S., Asyhari, A., Gangga, A., Ritonga, R. P., & Novita, N. (2024). Greenhouse gas fluxes of different land uses in mangrove ecosystem of East Kalimantan, Indonesia. *Carbon Balance and Management*, 19(1), 17. <https://doi.org/10.1186/s13021-024-00263-3>

Asadi, M. A., Al-kareem, A. S. B., Aprilianto, R. Y., Sartimbul, A., Yamindago, A., Saputra, D. K., & Riyadi, A. (2024). Assessment of mangrove structures and biomass on islands along the Java Sea: a case study on Bawean Islands and Karimunjawa Islands. *Frontiers in Ecology and Evolution*, 12, 1422749. <https://doi.org/10.3389/fevo.2024.1422749>

Atwood TB, Connolly RM, Almahasheer H, Carnell PE, Duarte CM, Ewers Lewis CJ, Irigoien X, Kelleway JJ, Lavery PS, Macreadie PI, Serrano O. (2017). Global patterns in mangrove soil carbon stocks and losses. *Nature Climate Change*. 7(7): 523-528. <https://doi.org/10.1038/nclimate3326>

Badan Pusat Statistik Provinsi Jawa Tengah. (25 Februari 2022). *Provinsi Jawa Tengah Dalam Angka 2022*. Diakses pada 12 September 2025, dari <https://jateng.bps.go.id/id/publication/2022/02/25/431f4f4bbe02b47866b357cc/provinsi-jawa-tengah-dalam-angka-2022.html>

Breavington, J., Steckbauer, A., Fu, C., Ennasri, M., & Duarte, C. M. (2025). Dynamics of CO₂ and CH₄ fluxes in Red Sea mangrove soils. *Biogeosciences*, 22(1), 117-134. <https://doi.org/10.5194/bg-22-117-2025>

Bunting, P., Rosenqvist, A., Lucas, R. M., Rebelo, L.-M., Hilarides, L., Thomas, N., Hardy, A., Itoh, T., Shimada, M., & Finlayson, C. M. (2018). The Global Mangrove Watch—A New 2010 Global Baseline of Mangrove Extent. *Remote Sensing*, 10(10), 1669. <https://doi.org/10.3390/rs10101669>

Cabezas A, Mitsch WJ, MacDonnell C, Zhang L, Bydalek F, Lasso A. 2018. Methane emissions from mangrove soils in hydrologically disturbed and reference mangrove tidal creeks in southwest Florida. *Ecological engineering*. 114: 57-65. <https://doi.org/10.1016/j.ecoleng.2017.08.041>

Cabral, A., Yau, Y. Y., Reithmaier, G. M., Cotovicz Jr, L. C., Barreira, J., Broström, G., ... & Santos, I. R. (2024). Tidally driven porewater exchange and diel cycles control CO₂ fluxes in mangroves on local and global scales. *Geochimica et cosmochimica acta*, 374, 121-135. <https://doi.org/10.1016/j.gca.2024.04.020>

Cameron, C., Hutley, L. B., Friess, D. A., & Brown, B. (2019). High greenhouse gas emissions mitigation benefits from mangrove rehabilitation in Sulawesi, Indonesia. *Ecosystem Services*. <https://doi.org/10.1016/j.ecoser.2019.101035>

Castellón, S. E. M., Cattanio, J. H., Berrêdo, J. F., Rollnic, M., Ruivo, M. D. L., & Noriega, C. (2022). Greenhouse gas fluxes in mangrove forest soil in an

Amazon estuary. *Biogeosciences*, 19(23), 5483-5497.
<https://doi.org/10.5194/bg-19-5483-2022>

Castillo JAA, Apan AA, Maraseni TN, Salmo SG. (2017). Soil greenhouse gas fluxes in tropical mangrove forests and in land uses on deforested mangrove lands. *Catena*. 159: 60–69. <https://doi.org/10.1016/j.catena.2017.08.005>

Ceanturi, A., Tuahatu, J. W., Lokollo, F. F., Supusepa, J., Hulopi, M., Permatahati, Y. I., ... & Wardiatno, Y. (2024). Mangrove ecosystems in Southeast Asia region: Mangrove extent, blue carbon potential and CO₂ emissions in 1996–2020. *Science of the Total Environment*, 915, 170052. <https://doi.org/10.1016/j.scitotenv.2024.170052>

Chen GC, Ulumuddin YI, Pramudji S, Chen SY, Chen B, Ye Y, Ou DY, Ma ZY, Huang H, Wang JK. (2014). Rich soil carbon and nitrogen but low atmospheric greenhouse gas fluxes from North Sulawesi mangrove swamps in Indonesia. *Science of the Total Environment*. 487: 91-96. <https://doi.org/10.1016/j.scitotenv.2014.03.140>

Chen S. (2016). Soil greenhouse gas emissions reduce the contribution of mangrove plants to the atmospheric cooling effect. *Environmental Research Letters*. [10.1088/1748-9326/11/12/124019](https://doi.org/10.1088/1748-9326/11/12/124019)

Chen, G. C., Tam, N. F. Y., & Ye, Y. (2010). Summer fluxes of atmospheric greenhouse gases N₂O, CH₄ and CO₂ from mangrove soil in South China. *Science of the Total Environment*, 408(13), 2761-2767. <https://doi.org/10.1016/j.scitotenv.2010.03.007>

Chen, Y., Chen, G., & Ye, Y. (2015). Coastal vegetation invasion increases greenhouse gas emission from wetland soils but also increases soil carbon accumulation. *Science of the Total Environment*, 526, 19-28. <https://doi.org/10.1016/j.scitotenv.2015.04.077>

Chmura, G. L., Anisfeld, S. C., Cahoon, D. R., & Lynch, J. C. (2003). Global carbon sequestration in tidal, saline wetland soils. *Global biogeochemical cycles*, 17(4). <https://doi.org/10.1029/2002GB001917>

Conroy, B. M., Hamylton, S. M., Kelleway, J. J., Asbridge, E. F., Woodroffe, C. D., & Rogers, K. (2025). Mangrove Above-Ground Biomass and Production Are Related to Forest Age at Low Isles, Great Barrier Reef. *Ecology and evolution*, 15(9), e72048. <https://doi.org/10.1002/ece3.72048>

Dangan-Galon, F., Dolorosa, R. G., Sespene, J. S., & Mendoza, N. I. (2016). Diversity and structural complexity of mangrove forest along Puerto Princesa Bay, Palawan Island, Philippines. *Journal of Marine and Island Cultures*, 5(2), 118-125. <https://doi.org/10.1016/j.imic.2016.09.001>

Dharmawan, I. W. E., & Siregar, C. A. (2008). Karbon tanah dan pendugaan karbon tegakan *Avicennia marina*. *Forsk) Vierth. Ciasem. Purwakarta*.

- Donato DC, Kauffman JB, Mackenzie RA, Ainsworth A, Pflieger AZ. (2012). Whole-island carbon stock in tropical pasific: Implications for mangrove conservation and upland restoration. *Journal of Enviromental Management*. 97:89-96. <https://doi.org/10.1016/j.jenvman.2011.12.004>
- Donato, D. C., Kauffman, J. B., Murdiyarso, D., Kurnianto, S., Stidham, M., & Kanninen, M. (2011). Mangroves among the most carbon-rich forests in the tropics. *Nature Geoscience*, 4(5), 293–297. <https://doi.org/10.1038/ngeo1123>
- Duarte, C. M. (2020). Rebuilding marine life. *Nature*, 580(7801), 39–51. <https://doi.org/10.1038/s41586-020-2146-7>
- Duke, N. C., Ball, M. C., & Ellison, J. C. (1998). Factors influencing biodiversity and distributional gradients in mangroves. *Global Ecology and Biogeography Letters*, 7(1), 27–47. <https://doi.org/10.2307/2997695>
- Eid, E. M., & Shaltout, K. H. (2016). Distribution of soil organic carbon in the mangrove *Avicennia marina* (Forssk.) Vierh. along the Egyptian Red Sea Coast. *Regional Studies in Marine Science*, 3, 76-82. <https://doi.org/10.1016/j.rsma.2015.05.006>
- FAO. (2007). *The world's mangroves 1980–2005*. FAO Forestry Paper 153. Food and Agriculture Organization of the United Nations. <https://www.fao.org/3/a1427e/a1427e.pdf>
- Fernandes, S. O., Bharathi, P. A., Bonin, P. C., & Michotey, V. D. (2010). Denitrification: an important pathway for nitrous oxide production in tropical mangrove sediments (Goa, India). *Journal of environmental quality*, 39(4), 1507–1516. <https://doi.org/10.2134/jeq2009.0477>
- Friess, D. A., Rogers, K., Lovelock, C. E., Krauss, K. W., Hamilton, S. E., Lee, S. Y., ... Shi, S. (2019). The state of the world's mangrove forests. *Annual Review of Environment and Resources*, 44, 89–115. <https://www.annualreviews.org/doi/10.1146/annurev-environ-101718-033302>
- Friess, D. A., Thompson, B. S., Brown, B., Amir, A. A., Cameron, C., Koldewey, H. J., Sasmito, S. D., & Sidik, F. (2016). Policy challenges and approaches for the conservation of mangrove forests in Southeast Asia. *Conservation Biology*, 30(5), 933–949. <http://www.jstor.org/stable/24760894>
- Fu, C., Shen, Z., Tang, S., Li, F., Quan, X., Wang, Y., ... & Tan, E. (2025). Tidal-driven N₂O emission is a stronger resister than CH₄ to offset annual carbon sequestration in mangrove ecosystems. *Science of the Total Environment*, 964, 178568. <https://doi.org/10.1016/j.scitotenv.2025.178568>
- Halim, M.A.R., Rahmila, Y.I., Muhammad, F., Safitri, Y., 2018. The Effect on Mangrove Density with Sediment Rate in Coastal Pasar Banggi of Rembang Regency. *E3S Web Confences*. <https://doi.org/10.1051/e3sconf/201873040>.
- Hanggara, B.B., Murdiyarso, D., Ginting, Y.R., Widha, Y.L., Panjaitan, G.Y., Lubis, A.A., 2021. Effects of diverse mangrove management practices on forest

structure, carbon dynamics and sedimentation in North Sumatra, Indonesia.
Estuarine Coastal and Shelf Sci. 259, 107467
<https://doi.org/10.1016/j.ecss.2021.107467>.

Harishma, K.M., Sandeep, S., Sreekumar, V.B., 2020. Biomass and carbon stocks in mangrove ecosystems of Kerala, southwest coast of India. *Ecological Processes*. 9 (1). <https://doi.org/10.1186/s13717-020-00227-8>.

Hayati, A. N., Afiati, N., Supriharyono, & Helmi, M. (2023). Carbon Sequestration of Above Ground Biomass Approach in the Rehabilitated Mangrove Stand at Jepara Regency, Central Java, Indonesia. *Jurnal Ilmiah Perikanan dan Kelautan*, 15(1):224-235. <http://doi.org/10.20473/jipk.v15i1.35318>

Hershey, N.R., Nandan, S.B., Vasu, K.N....(2021). Anthropogenic nutrient loads and season variability drive high atmospheric N₂O fluxes in a fragmented mangrove system. *Sci Rep.* 11, 6930. <https://doi.org/10.1038/s41598-021-85847-6>

Hidayah, F. N., Subagiyo, S., & Santoso, A. (2023). Nilai Simpanan dan Harga Karbon Ekosistem Mangrove Desa Pasar Banggi, Rembang, Jawa Tengah. *Journal of Marine Research*, 12(2), 187-195.

IPCC. (2006). *IPCC Guidelines for National Greenhouse Gas Inventories*. Prepared by the National Greenhouse Gas Inventories Programme.

IPCC. (2019). *Refinement to the 2006 IPCC Guidelines for National Greenhouse Gas Inventories*. Switzerland.

IPCC. (2023). *Climate Change 2023: Synthesis Report*. Intergovernmental Panel on Climate Change.

Kamruzzaman, Md., Ahmed, S., Paul, S., Rahman, Md. M., & Osawa, A. (2018). Stand structure and carbon storage in the oligohaline zone of the Sundarbans mangrove forest, Bangladesh. *Forest Science and Technology*, 14(1), 23–28. <https://doi.org/10.1080/21580103.2017.1417920>

Kanti, H. M., Supriharyono, S., & Rahman, A. (2019). The Content of N and P Results of Decomposition of Litter of Mangrove Leaves in Sediments at Maron Mangrove Edu Park, Semarang. *Management of Aquatic Resources Journal (MAQUARES)*, 8(3), 226-233. <https://doi.org/10.14710/marj.v8i3.24260>

Kauffman JB, Donato DC. 2012. *Protocols for the measurement, monitoring and reporting of structure, biomass and carbon stocks in mangrove forests* (Vol. 86). Cifor, Bogor.

Kementrian Lingkungan Hidup dan Kehutanan, (2021), *Strategi Implementasi Nationally Determined Contribution*, Jakarta.

Pemerintah Provinsi Jawa Tengah. (2020). *Keputusan Gubernur Jawa Tengah Nomor 522.52/31 Tahun 2020 tentang Penetapan Kawasan Ekosistem*

Esensial dan Pengelolaan Kawasan Ekosistem Esensial Lahan Basah Mangrove di Jawa Tengah.

- Komiyama A, Sasitorn, Pounparn. (2005). Common Allometric Equation for Estimating The Tree Weight Mangroves. *Journal of Tropical Ecology*. Cambridge University Press
- Komiyama, A., Ong, J. E., & Pounparn, S. (2008). Allometry, biomass, and productivity of mangrove forests: A review. *Aquatic Botany*, 89(2), 128–137. <https://doi.org/10.1016/j.aquabot.2007.12.006>
- Konnerup D, Betancourt-Portela JM, Villamil C, Parra JP. (2014). Nitrous oxide and methane emissions from the restored mangrove ecosystem of the Ciénaga Grande de Santa Marta, Colombia. *Estuarine, Coastal and Shelf Science*. 140: 43-51. <https://doi.org/10.1016/j.ecss.2014.01.006>
- Krauss, K. W., Lovelock, C. E., McKee, K. L., López-Hoffman, L., Ewe, S. M. L., & Sousa, W. P. (2008). Environmental drivers in mangrove establishment and early development: A review. *Aquatic Botany*, 89(2), 105–127. <https://doi.org/10.1016/j.aquabot.2007.12.014>
- Kristensen, E., Bouillon, S., Dittmar, T., & Marchand, C. (2008). Organic carbon dynamics in mangrove ecosystems: A review. *Aquatic Botany*, 89(2), 201–219. <https://doi.org/10.1016/j.aquabot.2007.12.005>
- Kweku, D. W., Bismark, O., Maxwell, A., Desmond, K. A., Danso, K. B., Oti-Mensah, E. A., Quachie, A. T., & Adormaa, B. B. (2018). Greenhouse Effect: Greenhouse Gases and Their Impact on Global Warming. *Journal of Scientific Research and Reports*, 17(6), 1–9. <https://doi.org/10.9734/JSRR/2017/39630>
- Lewis, R. R. (2005). Ecological engineering for successful management and restoration of mangrove forests. *Ecological Engineering*, 24(4), 403–418. <https://doi.org/10.1016/j.ecoleng.2004.10.003>
- Li, S., Wei, X., Lin, W., & Li, P. A Novel Light Use Efficiency Model Incorporating Stand Age to Improve Monitoring of Mangrove Productivity and Biomass Accumulation. *Frontiers in Forests and Global Change*, 8, 1701038. <https://doi.org/10.3389/ffgc.2025.1701038>
- Lin, C. W., Lin, W. J., Ho, C. W., Kao, Y. C., Yong, Z. J., & Lin, H. J. (2024). Flushing emissions of methane and carbon dioxide from mangrove soils during tidal cycles. *The Science of the total environment*, 919, 170768. <https://doi.org/10.1016/j.scitotenv.2024.170768>
- Maher, D. T., Santos, I. R., Golsby-Smith, L., Gleeson, J., & Eyre, B. D. (2013). Groundwater-derived dissolved inorganic and organic carbon exports from a mangrove tidal creek: The missing mangrove carbon sink? *Limnology and Oceanography*, 58(2), 475–488. <https://doi.org/10.4319/lo.2013.58.2.0475>
- Mao, F., Ullah, S., Gorelick, S. M., Hannah, D. M., & Krause, S. (2021). Increasing nutrient inputs risk a surge of nitrous oxide emissions from global mangrove

ecosystems. *One Earth*, 4(5), 742–748.
<https://doi.org/10.1016/j.oneear.2021.04.007>

Mardiyah, R., Ario, R., & Pribadi, R. (2019). Estimasi simpanan karbon pada ekosistem mangrove di desa pasar banggi dan tireman, kecamatan rembang kabupaten rembang. *Journal of Marine Research*, 8(1), 62-68.
<https://doi.org/10.14710/jmr.v8i1.24330>

Martin, R. M., Wigand, C., Oczkowski, A., Hanson, A., Balogh, S., Branoff, B., ... & Huertas, E. (2020). Greenhouse gas fluxes of mangrove soils and adjacent coastal waters in an urban, subtropical estuary. *Wetlands*, 40(5), 1469-1480.v.
doi: [10.1007/s13157-020-01300-w](https://doi.org/10.1007/s13157-020-01300-w)

Massa, Y. N., Ahmad, R., Regista, R., Iman, A. N., & Iqram, M. (2023). *Monitoring rehabilitasi mangrove*. Yayasan Blue Forest.

Mcleod, E., Chmura, G. L., Bouillon, S., Salm, R., Björk, M., Duarte, C. M., Lovelock, C. E., Schlesinger, W. H., & Silliman, B. R. (2011). A blueprint for blue carbon: Toward an improved understanding of the role of vegetated coastal habitats in sequestering CO₂. *Frontiers in Ecology and the Environment*, 9(10), 552–560. <https://doi.org/10.1890/110004>

Meng, Y., Bai, J., Gou, R., Cui, X., Feng, J., Dai, Z., ... & Lin, G. (2021). Relationships between above-and below-ground carbon stocks in mangrove forests facilitate better estimation of total mangrove blue carbon. *Carbon balance and management*, 16(1), 8. <https://doi.org/10.1186/s13021-021-00172-9>

Menteri Negara Lingkungan Hidup. (2004). Keputusan Menteri Negara Lingkungan Hidup Nomor 201 tentang Kriteria Baku dan Pedoman Penentuan Kerusakan Mangrove. Jakarta: MENLH

Montzka, S., Dlugokencky, E. & Butler, J. (2011). Non-CO₂ greenhouse gases and climate change. *Nature*. 476, 43–50. <https://doi.org/10.1038/nature10322>

Murdiyarso, D., Purbopuspito, J., Kauffman, J. B., Warren, M., Sasmito, S. D., Donato, D. C., ... & Kurnianto, S. (2015). The potential of Indonesian mangrove forests for global climate change mitigation. *Nature Climate Change*, 5(12), 1089–1092. <https://doi.org/10.1038/nclimate2734>

Murray, R. H., Erler, D. V., & Eyre, B. D. (2015). Nitrous oxide fluxes in estuarine environments: Response to global change. *Global Change Biology*, 21(9), 3219–3245. <https://doi.org/10.1111/gcb.12923>

Murray, R., Erler, D., Rosentreter, J., Maher, D., & Eyre, B. (2018). A seasonal source and sink of nitrous oxide in mangroves: Insights from concentration, isotope, and isotopomer measurements. *Geochimica et Cosmochimica Acta*, 238, 169-192. <https://doi.org/10.1016/j.gca.2018.07.003>

Nehren, U., Wicaksono, P., 2018. Mapping soil carbon stocks in an oceanic mangrove ecosystem in Karimunjawa Islands, Indonesia. *Estuari Coast Shelf Sci.* 214, 185–193. <https://doi.org/10.1016/j.ecss.2018.09.022>.

- Panda, M., Dash, B.R. & Sahu, S.C. Ecosystem carbon stock variation along forest stand ages: insight from eastern coast mangrove ecosystem of India. *Ecol Process* 14, 14 (2025). <https://doi.org/10.1186/s13717-025-00580-6>
- Parkin, T.B. and Venterea, R.T. (2010) *Chamber-Based Trace Gas Flux Measurements*. In: Follet, R.F., Ed., Sampling Protocols, USDA-ARS, Washington DC, 3.1-3.39. <http://www.ars.usda.gov/research/GRACEnet>
- Pham, V.H., Luu, V.D., Nguyen, T.T., Koji, O., 2017. Will restored mangrove forests enhance sediment organic carbon and ecosystem carbon storage? *Reg. Stud. Mar. Sci.* 14, 43–52. <https://doi.org/10.1016/j.rsma.2017.05.003>.
- Primavera JH, Savaris JD, Bajoyo B, Coching JD, Curnick DJ, Golbeque R, Guzman AT, Henderin JQ, Joven RV, Loma RA & Koldewey HJ. (2012). *Manual on community-based mangrove rehabilitation – Mangrove Manual Series No. 1*. London, UK: ZSL. viii + 240 p
- Primavera, J.H., Esteban, J.M.A. (2008). A review of mangrove rehabilitation in the Philippines: successes, failures and future prospects. *Wetlands Ecol Manage* 16, 345–358. <https://doi.org/10.1007/s11273-008-9101-y>
- Qiao, P., Chen, L., Krauss, K. W., Guo, X., Xu, L., Gu, X., & Dong, Y. (2025). Rising sea level reduces carbon sequestration and CO₂ and N₂O fluxes while promoting CH₄ flux from mangroves. *Cell Reports Sustainability*, 2(9). [10.1016/j.crsus.2025.100520](https://doi.org/10.1016/j.crsus.2025.100520)
- Ouyang, X. and Lee, S. Y. (2014). Updated estimates of carbon accumulation rates in coastal marsh sediments. *Biogeosciences*. 11. 5057–5071. <https://doi.org/10.5194/bg-11-5057-2014>
- Rahman, 2020, Pengelolaan Ekosistem Mangrove Berbasis Dinamika Stok Karbon Dan Fluks Gas Rumah Kaca Di Pesisir Kabupaten Muna Barat, Tesis: IPB University
- Rahman, Ceanturi, A., Tuahatu, J. W., Lokollo, F. F., Supusepa, J., Hulopi, M., Permatahati, Y. I., Lewerissa, Y. A., & Wardiatno, Y. (2024). Mangrove ecosystems in Southeast Asia region: Mangrove extent, blue carbon potential and CO₂ emissions in 1996-2020. *The Science of the total environment*, 915, 170052. <https://doi.org/10.1016/j.scitotenv.2024.170052>
- Rahman, R., Wardiatno, Y., Yulianda, F., Effendi, H., & Rusmana, I. (2018). Fluks Gas Rumah Kaca CO₂, CH₄ Dan N₂O Pada Lahan Ekosistem Mangrove Di Sungai Tallo. Makassar. *Jurnal Biologi Tropis*, doi:[10.29303/jbt.v18i2.755](https://doi.org/10.29303/jbt.v18i2.755).
- Ray, K., Basak, S.K., Giri, C.K. (2024). Ecological restoration at pilot-scale employing site-specific rationales for small-patch degraded mangroves in Indian Sundarbans. *Sci Rep*. <https://doi.org/10.1038/s41598-024-63281-8>
- Reef, R., Feller, I. C., & Lovelock, C. E. (2010). Nutrition of mangroves. *Tree Physiology*, 30(9), 1148–1160. <https://doi.org/10.1093/treephys/tpq048>

- Richards, D. R., & Friess, D. A. (2016). Rates and drivers of mangrove deforestation in Southeast Asia. *Proceedings of the National Academy of Sciences*, 113(2), 344–349.
<https://www.pnas.org/doi/10.1073/pnas.1510272113>
- Romero-Urbe HM, López-Portillo J, Reverchon F, Hernández ME. (2022). Effect of degradation of a black mangrove forest on seasonal greenhouse gas emissions. *Environmental Science and Pollution Research*. 29:
<https://doi.org/10.1007/s11356-021-16597-1>
- Rosentreter, J. A., Maher, D. T., Erler, D. V., Murray, R., Gatland, J. R., Eyre, B. D., & Jeffrey, L. C. (2018). Methane emissions partially offset “blue carbon” burial in mangroves. *Science Advances*. 4(6)..
<https://doi.org/10.1126/sciadv.aao4985>
- Rosentreter, J. A., Maher, D. T., Ho, D. T., Call, M., Barr, J. G., Troxler, T., ... Eyre, B. D. (2021). Half of global methane emissions come from highly variable aquatic ecosystem sources. *Nature Geoscience*, 14(4), 225–230.
<https://doi.org/10.1038/s41561-021-00715-2>
- Rosentreter, J.A., Borges, A.V., Deemer, B.R. (2021). Half of global methane emissions come from highly variable aquatic ecosystem sources. *Nat. Geosci.* 14, 225–230 <https://doi.org/10.1038/s41561-021-00715-2>
- Royna, M. (2023). Dinamika Karbon dan Elevasi Permukaan Tanah Ekosistem Mangrove di Cagar Alam Pulau Dua dan Pertambakan di Sekitarnya. Tesis: IPB University.
- Sasmito, S. D., Taillardat, P., Clendenning, J. N., Cameron, C., Friess, D. A., Murdiyarso, D., Hutley, L. B., & Lovelock, C. E. (2020). Mangrove blue carbon stocks and dynamics are controlled by hydrogeomorphic settings and land-use change. *Global Change Biology*, 26(5), 3028–3039.
<https://doi.org/10.1111/gcb.15056>
- Setyawan, A. D., & Winarno, K. (2006). Conservation problems of mangrove ecosystem in coastal area of Rembang Regency, Central Java. *Biodiversitas Journal of Biological Diversity*, 7(2).
<https://doi.org/10.13057/biodiv/d070214>
- Soeprbowati, T.R., Purnaweni, P.S., Sudarno, 2020. Pengelolaan ekosistem mangrove Desa Pasarbanggi Rembang menuju desa ekowisata. Seminar Nasional Pengabdian Kepada Masyarakat 369–375, 339-1473-1-E (<http://proceedings.undip.ac.id/index.php/semnasppm2019/article/viewFile/339/213>).
- Standar Nasional Indonesia. (2011). *Pengukuran dan Perhitungan Cadangan Karbon dan Pengukuran Lapangan Untuk Penaksiran Cadangan Karbon Hutan (Ground Based Forest Carbon Accounting)*. Jakarta : Badan Standarisasi Nasional.

- Su, G., Guo, Z., Hu, Y., Zheng, Q., Zopfi, J., Lehmann, M. F., & Jiao, N. (2024). Tidal control on aerobic methane oxidation and mitigation of methane emissions from coastal mangrove sediments. *Environmental research*, 263(Pt 1), 120049. <https://doi.org/10.1016/j.envres.2024.120049>
- Sugiana, I. P. (2024). Emisi Gas Rumah Kaca (CO₂, CH₄, N₂O) dan Serapan Karbon Vegetasi Mangrove di Teluk Benoa, Bali. Tesis: IPB University
- Sugiana, I. P., Faiqoh, E., Adame, M. F., Indrawan, G. S., Andiani, A. A. E., Dewi, I. G. A. I. P., & Dharmawan, I. W. E. (2023). Soil greenhouse gas fluxes to the atmosphere during the wet season across mangrove zones in Benoa Bay, Indonesia. *Asian Journal of Atmospheric Environment*, 17(1), 13. <https://doi.org/10.1007/s44273-023-00014-9>
- Sulistyorini, I. S., Edwin, M., & Imanuddin, I. (2020). Estimasi stok karbon tanah organik pada mangrove di teluk kaba dan muara teluk pandan taman nasional kutai. *Agrifor*, 19(2), 293. <https://doi.org/10.31293/af.v19i2.4771>
- Surtiningsih, W. (2021). Estimasi Serapan Karbon Mangrove di Desa Pasar Banggi. Rembang, Jawa Tengah. Skripsi:IPB University
- Tae, M., Kim, M., & Chon, J. (2026). Spatiotemporal analysis of mangrove vegetation changes in Cà Mau, Vietnam. *Marine Pollution Bulletin*, 224, 119108. <https://doi.org/10.1016/j.marpolbul.2025.119108>
- Tomotsune, M., Yoshitake, S., Iimura, Y., Kida, M., Fujitake, N., Koizumi, H., & Ohtsuka, T. (2018). Effects of soil temperature and tidal condition on variation in carbon dioxide flux from soil sediment in a subtropical mangrove forest. *Journal of Tropical Ecology*, 34(4), 268–275. <https://doi:10.1017/S026646741800024X>
- Uthbah Z, Sudiana E, Yani E. (2017). Analisis Biomassa dan Cadangan Karbon pada Berbagai Umur Tegakan Damar (*Aghatis dammara* (Lamb) Rich) di KPH Banyumas Timur. *Jurnal Biologi*. 4(2) : 119-124. [10.20884/1.sb.2017.4.2.404](https://doi.org/10.20884/1.sb.2017.4.2.404)
- Verisandria, R., Schadu, J. N. W., Sondak, C. F. A., Ompi, M., Rumengan, A. P., & Rangan, J. K. (2018). Estimasi potensi karbon pada sedimen ekosistem mangrove di pesisir taman nasional bunaken bagian utara. *Jurnal Pesisir Dan Laut Tropis*. 6(1). 81. <https://doi.org/10.35800/jplt.6.1.2018.20567>
- Yong, Z. J., Lin, W. J., Lin, C. W., & Lin, H. J. (2024). Tidal influence on carbon dioxide and methane fluxes from tree stems and soils in mangrove forests. *Biogeosciences*, 21(22), 5247-5260. <https://doi.org/10.5194/bg-21-5247-2024>
- Zakiah, U., Andani, T. D., Siregar, U. J., Erintika, D., Rizki, M., Kinanti, A. S., ... & Al Zamzami, I. M. (2025). The Relationship of Tree Stand Structure Parameters with Aboveground Carbon as an Estimation Carbon Storage in

Pancer Cengkong Mangrove, Trenggalek, East Java. *Egyptian Journal of Aquatic Biology and Fisheries*, 29(4), 1657-1676.

Zhang, C. J., Hou, J., Zhou, J., Zou, D., Zhang, H., Ma, Q., & Li, M. (2025). Methane cycling microorganisms drive seasonal variation of methane emission in mangrove ecosystems. *Environmental Microbiome*, 20(1), 149. <https://doi.org/10.1186/s40793-025-00801-7>

Zhongkui., et al. (2001). Comparison of species composition and stand structure between planted and natural mangrove forests in Shenzhen Bay, South China. *Journal of Plant Ecology*. <https://academic.oup.com/jpe/article/3/3/165/959602>