UNIVERSITAS
GADJAH MADA
Sintesis dan Karakterisasi Nanopartikel Gadolinium dalam Medium Gliserol sebagai Kandidat Agen Kontras Magnetic Resonance Imaging (MRI)
Yulianda Aurely, Dr. apt. Hilda Ismail, M.Si.; Herlan Setiawan, S.Si., M.Eng.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

DAFTAR PUSTAKA

Abriyani, E., Nissa, A. K., Nurcahyani, I., Haniatin, K., & Andriyani, N. (2024). Analisis Hasil Penentuan Struktur Kimia Senyawa Asam Askorbat Dengan Metode Spektrofotometri UV-VIS Sebagai Bahan Ajar Kimia Analitik. *Jurnal Ilmiah Wahana Pendidikan*, *10*(11), 134–138. https://doi.org/https://doi.org/10.5281/zenodo.12563929

Ahmad, Md. W., Xu, W., Kim, S. J., Baeck, J. S., Chang, Y., Bae, J. E., Chae, K. S., Park, J. A., Kim, T. J., & Lee, G. H. (2015). Potential dual imaging nanoparticle: Gd2O3 nanoparticle. *Scientific Reports*, *5*(1), 8549. https://doi.org/10.1038/srep08549

Ashby, K., Adams, B. N., & Shetty, M. (2025). *Appropriate Magnetic Resonance Imaging Ordering*.

Barge, A., Cravotto, G., Gianolio, E., & Fedeli, F. (2006). How to determine free Gd and free ligand in solution of Gd chelates. A technical note. *Contrast Media & Molecular Imaging*, *1*(5), 184–188. https://doi.org/10.1002/cmmi.110

Belleza, O. J. V., & Villaraza, A. J. L. (2014). Ion charge density governs selectivity in the formation of metal–Xylenol Orange (M–XO) complexes. *Inorganic Chemistry Communications*, *47*, 87–92. https://doi.org/10.1016/j.inoche.2014.07.024

Carr, M. W., & Grey, M. L. (2002). Magnetic Resonance Imaging. *AJN, American Journal of Nursing*, *102*(12), 26–33. https://doi.org/10.1097/00000446-200212000-00012

Carroll, K. J., Reveles, J. U., Shultz, M. D., Khanna, S. N., & Carpenter, E. E. (2011). Preparation of Elemental Cu and Ni Nanoparticles by the Polyol Method: An Experimental and Theoretical Approach. *The Journal of Physical Chemistry C*, *115*(6), 2656–2664. https://doi.org/10.1021/jp1104196

CAS Common Chemistry. (t.t.). *Gadolinia*. CAS, a division of the American Chemical Society.

Chaudhary, S., Kumar, S., Kumar, S., Chaudhary, G. R., Mehta, S. K., & Umar, A. (2019). Ethylene Glycol Functionalized Gadolinium Oxide Nanoparticles as a Potential Electrochemical Sensing Platform for Hydrazine and p-Nitrophenol. *Coatings*, *9*(10), 633. https://doi.org/10.3390/coatings9100633

Cheong, B. Y. C., Wilson, J. M., Preventza, O. A., & Muthupillai, R. (2022). Gadolinium-Based Contrast Agents: Updates and Answers to Typical Questions Regarding Gadolinium Use. *Texas Heart Institute Journal*, *49*(3). https://doi.org/10.14503/THIJ-21-7680

Coates, J. (2000). Interpretation of Infrared Spectra, A Practical Approach. Dalam R. A. Meyers (Ed.), *Encyclopedia of Analytical Chemistry* (hlm. 10815–10837). John Wiley & Sons Ltd.

UNIVERSITAS
GADJAH MADA
Sintesis dan Karakterisasi Nanopartikel Gadolinium dalam Medium Gliserol sebagai Kandidat Agen Kontras Magnetic Resonance Imaging (MRI)
Yulianda Aurely, Dr. apt. Hilda Ismail, M.Si.; Herlan Setiawan, S.Si., M.Eng.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Cristino, A. F., Matias, I. A. S., Bastos, D. E. N., Galhano dos Santos, R., Ribeiro, A. P. C., & Martins, L. M. D. R. S. (2020). Glycerol Role in Nano Oxides Synthesis and Catalysis. *Catalysts*, *10*(12), 1406. https://doi.org/10.3390/catal10121406

Davies, J., Siebenhandl-Wolff, P., Tranquart, F., Jones, P., & Evans, P. (2022). Gadolinium: pharmacokinetics and toxicity in humans and laboratory animals following contrast agent administration. *Archives of Toxicology*, *96*(2), 403–429. https://doi.org/10.1007/s00204-021-03189-8

Dumas, S., Jacques, V., Sun, W.-C., Troughton, J. S., Welch, J. T., Chasse, J. M., Schmitt-Willich, H., & Caravan, P. (2010). High Relaxivity Magnetic Resonance Imaging Contrast Agents Part 1. *Investigative Radiology*, *45*(10), 600–612. https://doi.org/10.1097/RLI.0b013e3181ee5a9e

Duxbury, D. Faye. (1993). The photochemistry and photophysics of triphenylmethane dyes in solid and liquid media. *Chemical Reviews*, *93*(1), 381–433. https://doi.org/10.1021/cr00017a018

Edogun, O., Nguyen, N. H., & Halim, M. (2016). Fluorescent single-stranded DNA-based assay for detecting unchelated Gadolinium(III) ions in aqueous solution. *Analytical and bioanalytical chemistry*, *408*(15), 4121–4131. https://doi.org/10.1007/s00216-016-9503-2

Elshan, N. G. R. D., Patek, R., Vagner, J., & Mash, E. A. (2014). Spectrophotometric determination and removal of unchelated europium ions from solutions containing Eu-diethylenetriaminepentaacetic acid chelate–peptide conjugates. *Analytical Biochemistry*, *464*, 24–29. https://doi.org/10.1016/j.ab.2014.07.009

Fauzia, R. P., Mahendra, A. N., Ishmayana, S., Anggraeni, A., Hardianto, A., & Bahti, H. H. (2024). Polyol synthesis of gadolinium nanoparticles: A preliminary study. *International Journal of Chemical and Biochemical Sciences*, *25*(14), 109–115.

Fernandes, F., Oliveira, A. I., Delerue-Matos, C., & Grosso, C. (2025). Influence of Dispersant and Surfactant on nZVI Characterization by Dynamic Light Scattering. *ASEC 2024*, 33. https://doi.org/10.3390/engproc2025087033

Fiévet, F., Ammar-Merah, S., Brayner, R., Chau, F., Giraud, M., Mammeri, F., Peron, J., Piquemal, J.-Y., Sicard, L., & Viau, G. (2018). The polyol process: a unique method for easy access to metal nanoparticles with tailored sizes, shapes and compositions. *Chemical Society Reviews*, *47*(14), 5187–5233. https://doi.org/10.1039/C7CS00777A

Fievet, F., Lagier, J. P., & Figlarz, M. (1989). Preparing Monodisperse Metal Powders in Micrometer and Submicrometer Sizes by the Polyol Process. *MRS Bulletin*, *14*(12), 29–34. https://doi.org/10.1557/S0883769400060930

UNIVERSITAS
GADJAH MADA
Sintesis dan Karakterisasi Nanopartikel Gadolinium dalam Medium Gliserol sebagai Kandidat Agen Kontras Magnetic Resonance Imaging (MRI)
Yulianda Aurely, Dr. apt. Hilda Ismail, M.Si.; Herlan Setiawan, S.Si., M.Eng.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Filippov, S. K., Khusnutdinov, R., Murmiliuk, A., Inam, W., Zakharova, L. Ya., Zhang, H., & Khutoryanskiy, V. V. (2023). Dynamic light scattering and transmission electron microscopy in drug delivery: a roadmap for correct characterization of nanoparticles and interpretation of results. *Materials Horizons*, *10*(12), 5354–5370. https://doi.org/10.1039/D3MH00717K

Gallo-Bernal, S., Patino-Jaramillo, N., Calixto, C. A., Higuera, S. A., Forero, J. F., Lara Fernandes, J., Góngora, C., Gee, M. S., Ghoshhajra, B., & Medina, H. M. (2022). Nephrogenic Systemic Fibrosis in Patients with Chronic Kidney Disease after the Use of Gadolinium-Based Contrast Agents: A Review for the Cardiovascular Imager. *Diagnostics (Basel, Switzerland)*, *12*(8). https://doi.org/10.3390/diagnostics12081816

Gayathri, T., Sundaram, N. M., & Kumar, R. A. (2015). Gadolinium Oxide Nanoparticles for Magnetic Resonance Imaging and Cancer Theranostics. *Journal of Bionanoscience*, *9*(6), 409–423. https://doi.org/10.1166/jbns.2015.1325

Gizzatov, A., Key, J., Aryal, S., Ananta, J., Cervadoro, A., Palange, A. L., Fasano, M., Stigliano, C., Zhong, M., Di Mascolo, D., Guven, A., Chiavazzo, E., Asinari, P., Liu, X., Ferrari, M., Wilson, L. J., & Decuzzi, P. (2014). Hierarchically Structured Magnetic Nanoconstructs with Enhanced Relaxivity and Cooperative Tumor Accumulation. *Advanced Functional Materials*, *24*(29), 4584–4594. https://doi.org/10.1002/adfm.201400653

Gojmerac Ivšić, A., Jović, O., Matešić-Puač, R., & Hrenar, T. (2009). Spectroscopic studies of interaction between xylenol orange and cationic surfactant in aqueous solution. *Journal of Molecular Structure*, *929*(1–3), 149–153. https://doi.org/10.1016/j.molstruc.2009.04.020

Grobner, T. (2006). Gadolinium – a specific trigger for the development of nephrogenic fibrosing dermopathy and nephrogenic systemic fibrosis? *Nephrology Dialysis Transplantation*, *21*(4), 1104–1108. https://doi.org/10.1093/ndt/gfk062

Guleria, A., Pranjali, P., Meher, M. K., Chaturvedi, A., Chakraborti, S., Raj, R., Poluri, K. M., & Kumar, D. (2019). Effect of Polyol Chain Length on Proton Relaxivity of Gadolinium Oxide Nanoparticles for Enhanced Magnetic Resonance Imaging Contrast. *The Journal of Physical Chemistry C*, *123*(29), 18061–18070. https://doi.org/10.1021/acs.jpcc.9b04089

Hao, D., Ai, T., Goerner, F., Hu, X., Runge, V. M., & Tweedle, M. (2012). MRI contrast agents: Basic chemistry and safety. *Journal of Magnetic Resonance Imaging*, *36*(5), 1060–1071. https://doi.org/10.1002/jmri.23725

Hojreh, A., Peyrl, A., Bundalo, A., & Szepfalusi, Z. (2020). Subsequent MRI of pediatric patients after an adverse reaction to Gadolinium-based contrast

UNIVERSITAS
GADJAH MADA
Sintesis dan Karakterisasi Nanopartikel Gadolinium dalam Medium Gliserol sebagai Kandidat Agen Kontras Magnetic Resonance Imaging (MRI)
Yulianda Aurely, Dr. apt. Hilda Ismail, M.Si.; Herlan Setiawan, S.Si., M.Eng.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

agents. *PLOS ONE*, *15*(4), e0230781. https://doi.org/10.1371/journal.pone.0230781

Iyad, N., S.Ahmad, M., Alkhatib, S. G., & Hjouj, M. (2023). Gadolinium contrast agents- challenges and opportunities of a multidisciplinary approach: Literature review. *European Journal of Radiology Open*, *11*, 100503. https://doi.org/10.1016/j.ejro.2023.100503

Kataoka, Y., Kitadai, N., Hisatomi, O., & Nakashima, S. (2011). Nature of Hydrogen Bonding of Water Molecules in Aqueous Solutions of Glycerol by Attenuated Total Reflection (ATR) Infrared Spectroscopy. *Applied Spectroscopy*, *65*(4), 436–441. https://doi.org/10.1366/10-06183

Kobayashi, H., Watanabe, R., & Choyke, P. L. (2014). Improving Conventional Enhanced Permeability and Retention (EPR) Effects; What Is the Appropriate Target? *Theranostics*, *4*(1), 81–89. https://doi.org/10.7150/thno.7193

Komenan, Y. (2024). The Role of Magnetic Resonance Imaging in Early Detection of Cancer: Present and Prospective Challenges for Future Research. *Journal of Cancer and Tumor International*, *14*(1), 40–50. https://doi.org/10.9734/jcti/2024/v14i1249

Kustomo. (2020). Uji Karakterisasi dan Mapping Magnetit Nanopartikel Terlapisi Asam Humat dengan Scanning Electron Microscope - Energy Dispersive X-Ray(SEM-EDX). Dalam *Indonesian Journal of Chemical Science* (Vol. 9, Nomor 3, hlm. 148–153).

Langevin, D., Raspaud, E., Mariot, S., Knyazev, A., Stocco, A., Salonen, A., Luch, A., Haase, A., Trouiller, B., Relier, C., Lozano, O., Thomas, S., Salvati, A., & Dawson, K. (2018). Towards reproducible measurement of nanoparticle size using dynamic light scattering: Important controls and considerations. *NanoImpact*, *10*, 161–167. https://doi.org/10.1016/j.impact.2018.04.002

Liu, T., Baek, D. R., Kim, J. S., Joo, S.-W., & Lim, J. K. (2020). Green Synthesis of Silver Nanoparticles with Size Distribution Depending on Reducing Species in Glycerol at Ambient pH and Temperatures. *ACS Omega*, *5*(26), 16246–16254. https://doi.org/10.1021/acsomega.0c02066

Lv, J., Roy, S., Xie, M., Yang, X., & Guo, B. (2023). Contrast Agents of Magnetic Resonance Imaging and Future Perspective. *Nanomaterials (Basel, Switzerland)*, *13*(13). https://doi.org/10.3390/nano13132003

Maguire, C. M., Rösslein, M., Wick, P., & Prina-Mello, A. (2018). Characterisation of particles in solution – a perspective on light scattering and comparative technologies. *Science and Technology of Advanced Materials*, *19*(1), 732–745. https://doi.org/10.1080/14686996.2018.1517587

Marasini, R., Thanh Nguyen, T. D., & Aryal, S. (2020). Integration of gadolinium in nanostructure for contrast enhanced-magnetic resonance imaging. *WIREs*

UNIVERSITAS
GADJAH MADA
Sintesis dan Karakterisasi Nanopartikel Gadolinium dalam Medium Gliserol sebagai Kandidat Agen Kontras Magnetic Resonance Imaging (MRI)
Yulianda Aurely, Dr. apt. Hilda Ismail, M.Si.; Herlan Setiawan, S.Si., M.Eng.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Nanomedicine and Nanobiotechnology, *12*(1). https://doi.org/10.1002/wnan.1580

Martínez-Del-Río-Ortega, R., Civit-Masot, J., Luna-Perejón, F., & Domínguez-Morales, M. (2024). Brain Tumor Detection Using Magnetic Resonance Imaging and Convolutional Neural Networks. *Big Data and Cognitive Computing*, *8*(9), 123. https://doi.org/10.3390/bdcc8090123

Mazayen, Z. M., Ghoneim, A. M., Elbatanony, R. S., Basalious, E. B., & Bendas, E. R. (2022). Pharmaceutical nanotechnology: from the bench to the market. *Future Journal of Pharmaceutical Sciences*, *8*(1), 12. https://doi.org/10.1186/s43094-022-00400-0

Mignani, S., Rodrigues, J., Tomas, H., Caminade, A.-M., Laurent, R., Shi, X., & Majoral, J.-P. (2018). Recent therapeutic applications of the theranostic principle with dendrimers in oncology. *Science China Materials*, *61*(11), 1367–1386. https://doi.org/10.1007/s40843-018-9244-5

Mulugeta, E., Tegafaw, T., Liu, Y., Zhao, D., Chen, X., Baek, A., Kim, J., Chang, Y., & Lee, G. H. (2025). Current Status and Future Aspects of Gadolinium Oxide Nanoparticles as Positive Magnetic Resonance Imaging Contrast Agents. *Nanomaterials*, *15*(17), 1340. https://doi.org/10.3390/nano15171340

Munir, I., & Yesiloz, G. (2023). Novel Size-Tunable and Straightforward Ultra-Small Nanoparticle Synthesis in a Varying Concentration Range of Glycerol as a Green Reducing Solvent. *ACS Omega*, *8*(31), 28456–28466. https://doi.org/10.1021/acsomega.3c02697

Nalawade, P., Mukherjee, T., & Kapoor, S. (2013). Green Synthesis of Gold Nanoparticles Using Glycerol as a Reducing Agent. *Advances in Nanoparticles*, *02*(02), 78–86. https://doi.org/10.4236/anp.2013.22014

National Center for Biotechnology Information. (2025). *PubChem Compound Summary for CID 753, Glycerol*. National Center for Biotechnology Information. https://pubchem.ncbi.nlm.nih.gov/compound/Glycerol

National Center for Biotechnology Information. (2026). *Gadolinia*. PubChem Compound Summary for CID 159427.

Nguyen, V.-H., Lam, H.-H., Nguyen, M.-T. K., Do, T.-A.-S., Phan, H.-P., & Dang-Bao, T. (2025). A clear-cut synthesis of silver nanoparticles using glycerol as a multipurpose medium toward catalytic hydrogenation and antibacterial. *JCIS Open*, *19*, 100141. https://doi.org/10.1016/j.jciso.2025.100141

Pasieczna-Patkowska, S., Cichy, M., & Flieger, J. (2025). Application of Fourier Transform Infrared (FTIR) Spectroscopy in Characterization of Green Synthesized Nanoparticles. *Molecules (Basel, Switzerland)*, *30*(3). https://doi.org/10.3390/molecules30030684

Preuksarattanawut, T., Asavavisithchai, S., & Nisaratanaporn, E. (2011). Fabrication of silver hollow microspheres by sodium hydroxide in glycerol

UNIVERSITAS
GADJAH MADA
Sintesis dan Karakterisasi Nanopartikel Gadolinium dalam Medium Gliserol sebagai Kandidat Agen Kontras Magnetic Resonance Imaging (MRI)
Yulianda Aurely, Dr. apt. Hilda Ismail, M.Si.; Herlan Setiawan, S.Si., M.Eng.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

solution. *Materials Chemistry and Physics*, *130*(1–2), 481–486. https://doi.org/10.1016/j.matchemphys.2011.07.013

Ramos, A. P. (2017). Dynamic Light Scattering Applied to Nanoparticle Characterization. Dalam *Nanocharacterization Techniques* (hlm. 99–110). Elsevier. https://doi.org/10.1016/B978-0-323-49778-7.00004-7

Riyahi-Alam, S., Haghgoo, S., Gorji, E., & Riyahi-Alam, N. (2015). Size reproducibility of gadolinium oxide based nanomagnetic particles for cellular magnetic resonance imaging: effects of functionalization, chemisorption and reaction conditions. *Iranian journal of pharmaceutical research : IJPR*, *14*(1), 3–14.

Rogosnitzky, M., & Branch, S. (2016). Gadolinium-based contrast agent toxicity: a review of known and proposed mechanisms. *Biometals : an international journal on the role of metal ions in biology, biochemistry, and medicine*, *29*(3), 365–376. https://doi.org/10.1007/s10534-016-9931-7

Rowe, R. C. ., Sheskey, P. J. ., & Quinn, M. E. . (2010). *Handbook of pharmaceutical excipients* (6 ed.). The Pharmaceutical Press.

Scarciglia, A., Papi, C., Romiti, C., Leone, A., Di Gregorio, E., & Ferrauto, G. (2025). Gadolinium-Based Contrast Agents (GBCAs) for MRI: A Benefit–Risk Balance Analysis from a Chemical, Biomedical, and Environmental Point of View. *Global Challenges*, *9*(3). https://doi.org/10.1002/gch2.202400269

Septiano, A. F., Susilo, & Setyaningsih, N. E. (2021). Analisis Citra Hasil Scanning Electron Microscopy Energy Dispersive X-Ray (SEM EDX) Komposit Resin Timbal dengan Metode Contrast to Noise Ratio (CNR). *Indonesian Journal of Mathematics and Natural Sciences*, *44*(2), 81–85.

Setiawan, H., Triyatna, F., Nurmanjaya, A., Subechi, M., Sarwono, D. A., Billah, A. A., & Rindiyantono, F. (2022). Synthesis and characterization of gadolinium nanoparticles using polyol method as a candidate for MRI Contrast Agent. *Journal of Physics: Conference Series*, *2193*(1), 012010. https://doi.org/10.1088/1742-6596/2193/1/012010

Sherry, A. D., Caravan, P., & Lenkinski, R. E. (2009). Primer on gadolinium chemistry. *Journal of Magnetic Resonance Imaging*, *30*(6), 1240–1248. https://doi.org/10.1002/jmri.21966

Smith, B. C. . (2011). *Fundamentals of Fourier transform infrared spectroscopy*. CRC Press.

Subhan, M. A., Parveen, F., Filipczak, N., Yalamarty, S. S. K., & Torchilin, V. P. (2023). Approaches to Improve EPR-Based Drug Delivery for Cancer Therapy and Diagnosis. *Journal of Personalized Medicine*, *13*(3), 389. https://doi.org/10.3390/jpm13030389

Tegafaw, T., Liu, S., Ahmad, M. Y., Saidi, A. K. A. Al, Zhao, D., Liu, Y., Nam, S.-W., Chang, Y., & Lee, G. H. (2023). Magnetic Nanoparticle-Based High-

UNIVERSITAS
GADJAH MADA
Sintesis dan Karakterisasi Nanopartikel Gadolinium dalam Medium Gliserol sebagai Kandidat Agen Kontras Magnetic Resonance Imaging (MRI)
Yulianda Aurely, Dr. apt. Hilda Ismail, M.Si.; Herlan Setiawan, S.Si., M.Eng.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Performance Positive and Negative Magnetic Resonance Imaging Contrast Agents. *Pharmaceutics*, *15*(6), 1745. https://doi.org/10.3390/pharmaceutics15061745

Thi Thuy Khue, N., Thi Thanh Tam, L., Thanh Dung, N., Thi Ngoc Linh, N., Tuan Dung, N., The Tam, L., & Trong Lu, L. (2024). Synthesis and characterization of PVP coated gadolinium oxide nanoparticles for imaging applications. *Vietnam Journal of Science and Technology*, *62*(1), 68–77. https://doi.org/10.15625/2525-2518/17349

Tomaszewska, E., Soliwoda, K., Kadziola, K., Tkacz-Szczesna, B., Celichowski, G., Cichomski, M., Szmaja, W., & Grobelny, J. (2013). Detection Limits of DLS and UV-Vis Spectroscopy in Characterization of Polydisperse Nanoparticles Colloids. *Journal of Nanomaterials*, *2013*(1). https://doi.org/10.1155/2013/313081

Vladár, A. E., & Hodoroaba, V.-D. (2020). Characterization of nanoparticles by scanning electron microscopy. Dalam *Characterization of Nanoparticles* (hlm. 7–27). Elsevier. https://doi.org/10.1016/B978-0-12-814182-3.00002-X

Xiao, Y.-D., Paudel, R., Liu, J., Ma, C., Zhang, Z.-S., & Zhou, S.-K. (2016). MRI contrast agents: Classification and application (Review). *International Journal of Molecular Medicine*, *38*(5), 1319–1326. https://doi.org/10.3892/ijmm.2016.2744

Zhou, W., Su, M., & Cai, X. (2017). Advances in Nanoparticle Sizing in Suspensions: Dynamic Light Scattering and Ultrasonic Attenuation Spectroscopy. *KONA Powder and Particle Journal*, *34*(0), 2017022. https://doi.org/10.14356/kona.2017022