

DAFTAR PUSTAKA

- Adesehinwa, A.O.K., A.B. Omojola, and O.K. Fadele. 2005. Nutritive value of fish industry waste as a replacement for imported fishmeal in broiler finisher diets in Nigeria. *Tropical and Subtropical Agroecosystems*. 5: 129 – 133.
- Adeyemo, G.O. and O.G. Longe. 2007. Effect of graded level of cottonseed-cake on performance, haematological and carcass characteristic of broilers fed from day old to 8 weeks of age. *Afr. J. Biotechnol.* 6: 1064 – 1071.
- AOAC. 2005. *Official Methods of Analysis of the Association of Official Analytical Chemists*. Maryland, USA.
- Agus, A. 2008. *Panduan Bahan Pakan Ternak Ruminansia*. Edisi 1. Ardana Media. Yogyakarta.
- Ardiansyah, K.G. Wiryawan, and P.D.M.H. Karti. 2016. Silage quality of sorghum harvested at different times and its combination with mixed legumes or concentrate evaluated *in vitro*. *Media Peternakan*. 39: 53 – 60.
- Arrigoni, M.B.D., C.L. Martins, and M.A. Factori. 2016. Lipid metabolism in the rumen. In: Millen, D.D., M.D.B. Arrigoni, and R.D.L. Pacheco eds. *Rumenology 1st Edition* pp. 103 – 126.. Springer International Publishing, Switzerland.
- Arroquy, J.I., R.C. Cochran, M. Villarreal, T.A. Wickersham, D.A. Llewellyn, E.C. Titgemeyer, T.G. Nagaraja, D.E. Johnson, and D. Gnad. 2004. Effect of level of rumen degradable protein and type of supplemental non-fiber carbohydrate on intake and digestion of low-quality grass hay by beef cattle. *Anim. Feed Sci. Technol.* 115: 83 – 99.
- Arroyo, E.T., M.C. Salazar, L.M.C. Diaz, A.Z.M. Salem, A.E. Kholif, M.M.M.Y. Elghandour, N. D Lorenzo, and B.C. Lagunas. 2015. Diet inclusion of devil fish (*Plecostomus* spp.) silage and its impacts on ruminal fermentation and growth performance of growing lambs in hot region of Mexico. *Trop. Anim. Health Prod.* 47: 861 – 866.
- Atasoglu, C. and R. J. Wallace. Metabolism and *De Novo* Synthesis of Amino Acids by Rumen Microbes. In: D'mello, J.P.F eds. *Amino Acids in Animal Nutrition 2nd edition* pp. 265 – 290. CABI Publishing, Wallingford.
- Bach, A., S. Calsamiglia, and M.D. Stern. 2005. Nitrogen metabolism in the rumen. *American Dairy Science*. 88: 9 – 21.
- Bach, A., M.R. Moreno, M. Thrune, and M.D. Stern. 2008. Evaluation of the fermentation dynamics of soluble crude protein from three protein source in continous culture fermenter. *J. Anim. Sci.* 86: 1364 – 1371.
- Bargo, F., L. D. Muller, J. E. Delahoy, and T. W. Cassidy. 2002a. Performance of high producing dairy cows with three different feeding systems combining pasture and total mixed rations. *J. Dairy Sci.* 85: 2960 – 2975.
- Bargo, F., L.D. Muller, G.A. Varga, J.E. Delahoy, and T.W. Cassidy. 2002b. Ruminal digestion and fermentation of high-producing dairy cows with three different feeding system combining pasture and total mixed ration. *J. Dairy Sci.* 85: 2964 – 2973.

- Barlow, S.M and M.L. Windsor. 1983. Fishery by-products. In: M. Rechcigi, Jr. ed. CRC Handbook of Nutritional Supplement: Volume II, Agricultural Use pp. 253 – 272. CRC Press, Inc., Boca Raton, FL.
- Brookes, G. 2001. The European Union Animal Feed Sector: Protein Ingredient Use and Implications of the Ban On Use of Meat and Bonemeal. Canterbury.
- Cameron, M.R., T.H. Klusmeyer, G.L. Lynch, and J.H. Clark. 1991. Effects of urea and starch on rumen fermentation, nutrient passage to the duodenum, and performance of cows. J. Dairy Sci. 74: 1321 – 1336.
- Chahine, M. 2004. Forage in total mixed rations. Proceedings of Idaho Alfalfa and Forage Conference, Idaho.
- Chalupa, W. and C.J. Sniffen. 1994. Carbohydrate, Protein and Amino Acid Nutrition of Dairy Cows. In: Garnsworthy, P.C. and D.J.A. Cole. Recent Advances in Animal Nutrition pp. 265 – 275. University of Nottingham Press. Nottingham.
- Chesworth, J. 1992. Ruminant Nutrition. Macmillan Education Ltd. London. 101 – 103.
- Chiou, P.W.S., K.S. Chen, K.S. Kuo, J.C. Hsu, and B. Yu. 1995. Studies on the protein degradabilities of feedstuffs in Taiwan. Anim. Feed Sci. Technol. 55: 215 – 226.
- Chumpawadee, S., K. Sommart, T. Vongpralub, and V. Pattarajinda. 2005. In sacco degradation characteristic of protein feed source in Brahman-Thai native crossbred streers. Walailak J. Sci. Tech. 2: 219 – 229.
- Dawson, J.M., C.I. Bruce, P.J. Buttery, M. Gill and D.E. Beever. 1988. Protein metabolism in the rumen of silage-fed stems: effect of fishmeal supplementation. Br. J. Nutr. 60: 339 – 353.
- Denton, J., C. Coon, J. Pettigrew, and C. Parsons. 2005. Historical and scientific prospective of same species feeding of animal by-product. J. Appl. Poult. Res. 14: 325 – 361.
- Departemen Perindustrian. 2009. *Roadmap* Pengembangan Industri Pengolahan Hasil Laut. Direktorat Jenderal Industri Agro dan Kimia, Departemen Perindustrian. Jakarta.
- Erliana. 2012. Eksistensi industri tepung ikan di kota Tegal, Jawa Tengah. Media Akuakultur 7: 39 – 43.
- Esteban, M.B., A.J. Garcia, P. Ramos, and M.C. Marquez. 2007. Evaluation of fruit-vegetable and fish wastes as alternative feedstuffs in pig diets. Waste Manage. 27: 193 – 200.
- Firkins, J.L. and Z. Yu. 2015. How to use data on the rumen microbiome to improve our understanding of ruminant nutrition. J. Anim. Sci. 93:1450 – 1470.
- Folador, J.F., L.K. Karr-Lilienthal, C.M. Parsons, L.L. Bauer, P.L. Utterback, C.S. Schasteen, P.J. Bechtel, and G.C. Fahey Jr. 2006. Fish meals, fish components, and fish protein hydrolysates as potential ingredients in pet foods. J. Anim. Sci. 84: 2752 – 2765.

- France, J. and J. Dijkstra. 2005. Volatile fatty acid production. In: Dijkstra, J., J.M. Forbes, and J. France eds. Quantitative Aspects of Ruminant Digestion and Metabolism 2nd edition pp. 157 – 206. CABI Publishing, Wallingford.
- Friedman, K. 1996. Nutritional value of proteins from different food sources: A review. J. Agr. Food Chem. 44: 6-29.
- Gillespie, J.R. and F.B. Flanders. 2010. Modern Livestock and Poultry Production 8th edition. Delmar Cengage Learning. New York.
- Ha, J.K. and J.J. Kennelly. 1984. In situ dry matter and protein degradation of various protein sources in dairy cattle. Can. J. Anim. Sci. 64: 443 – 452.
- Habib, G., M. Ali, M. Bezabih, and N.A. Khan. 2013. In situ Assessment of ruminal dry matter degradation kinetics and effective rumen degradability of feedstuffs originated from agro-industrial by-products. Pakistan Vet. J. 33 (4): 466 – 470.
- Haris, L.E., L.C. Kearl, and P.V. Fonnesbeck. 1972. Use of regresion equations in predicting availability of energy and protein. J. Anim. Sci. 35 (3): 658 – 680.
- Hartadi, H., S. Reksohadiprojo, dan A.D. Tillman. 2005. Tabel Komposisi Pakan Untuk Indonesia. Gadjah Mada University Press. Yogyakarta.
- Hermon, Suryahadi, K.G. Wiryawan, and S. Hardjosoewignjo. 2008. Nisbah sinkronisasi suplai N-protein dan energi dalam rumen sebagai basis formulasi ransum ternak ruminansia. Media Peternakan. 31: 186 – 194.
- Hidayah, N., S. Suharti, and K.G. Wiryawan. 2014. *In vitro* fermentation of ration supplemented with protected vegetable oils. Media Peternakan. 37: 129 – 135.
- Hoover, W.H. and S.R. Stokes. 1991. Balancing carbohydrates and proteins for optimum rumen microbial yield. J. Dairy Sci. 74: 3630 – 3644.
- Hussain, M., B. Chowdhury, A. Siddiqua, C.K. Routh, and M. Saadullah. 1993. A comparative study of the protection of dhainca (*Sesbania acuelata*) seed meal and fish meal from rumen degradation using nylon bag technique. Asian-Australas. J. Anim. Sci. 6 (2): 197 – 203.
- Jayanegara, A., S.P. Dewi, N. Layli, E.B. Laconi, Nahrowi, and M. Ridla. 2016. Determination of cell wall protein from selected feedstuffs and its relationship with ruminal protein digestibility *in vitro*. Media Peternakan. 39: 134 – 140.
- Jelantik, I.G.N., M.R. Weibsjerg, and J. Madsen. 2012. Intake, rumen degradation, and utilisation of urea-ammoniated grass hay by Kacang goat as affected by supplementation of sun-dried or fish meal. Animal Production. 14: 77 – 86.
- Jenkins, T. 1991. The Benefits and Limitations of Fat In Dairy Rations. Department of Animal and Veterinary Sciences. Clemson University.
- Johnson, K.A., and D.E. Johnson. 1995. Methane emissions from cattle. J. Anim. Sci. 73: 2483 – 2492.

- Kamalak, A., O. Canbolat, Y. Gurbuz, and O. Ozay. 2005. *In situ* ruminal dry matter and crude protein degradability of plant- and animal-derived protein source in Southern Turkey. *Small Rum. Res.* 58: 135 – 141.
- Karimizadeh, E., M. Chaji, and T. Mohammadabadi. 2017. Effect of physical form of diet on nutrient digestibility, rumen fermentation, rumination, growth performance, and protozoa population of finishing lambs. *Animal Nutrition.* 3: 139 – 144.
- Kaufmann, W. and W. Luppig. 1982. Protected proteins and protected amino acids for ruminants. In: E. L. Miller, I. H. Pike and AJH. Van Es eds. *Protein Contribution of Feedstuffs for Ruminants: Application to Feed Formulation.* pp 36 - 75. Butterworths, London.
- Kawas, J.R., O. Mahgoub, and C.D. Lu. 2012. Nutrition of Meat Goat. In: Mahgoub, O., I.T. Kadim, and E.C. Webb. eds. *Goat Meat Production and Quality* 1st edition pp. 169. CABI Publishing. Wallingford.
- Kementrian Kelautan dan Perikanan. 2016. Produksi perikanan tangkap. <http://statistik.kkp.go.id/sidatik-dev/2.php?x=2>. (Diakses tanggal 8 Desember 2017).
- Kim, E.J., P.L. Utterback, and C.M. Parsons. 2012. Comparison of amino acid digestibility coefficients for soybean meal, canola meal, fish meal, and meat bone meal among 3 different bioassays. *Poultry Sci.* 91: 1350 – 1355.
- Kim, S.K. and E. Mendis. 2005. Bioactive compounds from marine processing byproducts – A review. *Food Res.* 39: 383-393.
- Kitessa, S., P.C. Flinn, and G.G. Irish. 1999. Comparison of methods used to predict the *in vivo* digestibility of feeds in ruminants. *Aus. J. Agric. Res.* 50: 825 – 841.
- Kristinsson, H.G. and B.A. Rasco. 2000. Fish protein hydrolysates: production, biochemical, and functional properties. *Crit. Rev. Food Sci.* 40: 43-81.
- Kusrina, R. 2011. Analisis kelayakan usaha pengolahan kerupuk perusahaan kerupuk Cap Dua Gajah Indramayu, Jawa Barat. Skripsi Sarjana Ekonomi. Departemen Agribisnis, Fakultas Ekonomi dan Manajemen Institut Pertanian Bogor. Bogor.
- Lee, Y.H., F. Ahmadi, D.Y. Choi, and W.S. Kwak. 2016. *In situ* ruminal degradation characteristics of dry matter and crude protein from dried corn, high-protein corn, and wheat distillers grains. *J. Anim. Sci. Technol.* 58: 1 – 7.
- Leng, R.A., 1991. Application of biotechnology to nutrition of animals in developing countries. *FAO Animal Production and Health paper.* 90: 146.
- Li, X., R. Rezaei, P. Li, and G. Wu. 2011. Composition of amino acids in feed ingredients for animal diets. *Amino Acids.* 40: 1159 – 1168.
- Liu, Y.F., F.F. Sun, F.C. Wan, H.B. Zhao, X.M. Liu, W. You, H.J. Cheng, G.F. Liu, X.W. Tan, and E.L. Song. 2016. Effect of three feeding systems on production performance, rumen fermentation and rumen digesta particle of beef cattle. *Asian Australas. J. Anim. Sci.* 29: 659 – 665.

- Lopez, S. 2005. In Vitro and In Situ Techniques for Estimating Digestibility. In: Dijkstra, J., J.M. Forbes, and J. France eds. Quantitative Aspects of Ruminant Digestion and Metabolism pp. 98 - 99. CABI Publishing. Wallingford.
- Lowry, O.H., N.R. Rosebrough, A.L. Farr. 1951. Protein measurement with the folin phenol reagent. J. Biol. Chem. 193: 265 – 275.
- Malleson, E.R., R. Meeske, L.J. Erasmus, W.A. Van Niekerk, and R.J. Coertze. 2008. Fish meal supplementation to early lactation Jersey cow grazing ryegrass pasture. South African Journal of Animal Science. 38: 331 – 341.
- Marco, O.N.Di, M.A. Ressia, S. Arias, M.S. Aello, and M. Arzadun. 2009. Digestibility of forage silages from grain, sweet and bmr sorghum types: Comparison of in vivo, in situ and in vitro data. Anim. Feed Sci. And Technol. 153: 161 – 168.
- Marghazani, I.B., M.A. Jabbar, T.N. Pasha, and M. Abdullah. 2013. Ruminant degradability characteristics in animal protein sources of Pakistan. The Journal of Animal and Plant Science. 23: 1264 – 1267.
- Marichamy, G., M.A.B. Haq, R.Vignesh, V.Sedhuraman, and A.R. Nazar. 2012. Assessment of proximate and mineral composition of twenty edible fishes of parangipettai coastal waters. Int. J. Pharma Bio Sci. 3: 54 – 64.
- Mcdonald, P. R.A. Edwards, J.F.D. Greenhalgh, C.A. Morgan, L.A. Sinclair, and R.G. Wilkinson. 2011. Animal Nutrition seventh edition. Pearson Education Limited. Harlow. 580 – 583.
- Miller, E.L., I.H. Pike, and A.J.H. Van Es. 1982. Protein Contribution of Feedstuffs for Ruminants. Butterworth Scientific. London.
- Mohamed, R. and A.S. Chaudhry. 2008. Method to study degradation of ruminant feed. Nutrition Research Review. 21: 68 – 81.
- Nagaraja, T.G. 2016. Microbiology of The Rumen. In: Millen, D.D., M.D.B. Arrigoni, and R.D.L. Pacheco eds. Rumenology pp. 39 – 61. Springer. New York.
- National Research Council. 2006. Nutrient Requirement of Small Ruminant. The National academic Press. Washington. 315 - 316.
- Nielsen, B.L., I.C. de Jong, and T.J. DeVries. 2016. The Use of Feeding Behaviour in the Assessment of Animal Welfare. In: Phillips, C.J.C. eds. Nutrition and the Welfare of Farm Animals 1st edition pp. 62. Springer International Publishing. Basel.
- Nhiem, D.V., J. Berg, N.P. Kjos, N.X. Trach, B.Q. Tuan. 2013. Effect of replacing fish meal with soy cake in a diet based on urea-treated rice straw on performance of growing Laisind beef cattle. Trop. Anim. Health Prod. 45: 901 – 909.
- Nolan, J.V. and R.C. Dobos. 2005. Nitrogen transactions in ruminants. In: Dijkstra, J., J.M. Forbes, and J. France eds. Quantitative Aspects of Ruminant Digestion and Metabolism 2nd edition pp. 177 - 206. CABI Publishing. Wallingford, UK.

- Norton, B.W. and D.P. Poppi. 1995. Composition and nutritional attributes of pasture legumes. In: D'Mello, J.P.F. and C. Devendra eds. Tropical Legumes in Animal Nutrition pp. 37 – 38. CABI Publishing. Wallingford, UK.
- Nurjana, D.J., S. Suharti, and Suharyadi. 2016. Improvement of napier grass silage nutritive value by using inoculant and crude protein enzymes from *Trichoderma reesei* and its effect on *in vitro* rumen fermentation. Media Peternakan. 39: 46 – 52.
- Oba, M. and M. Allen. 2005. *In vitro* digestibility of forages. Proceeding Tri-State Dairy Nutrition Conference. 81 – 91.
- O'mara, F.P., J.J. Murphy, and M. Rath. 1998. Effect of amount of dietary supplement and source of protein on milk production, ruminal fermentation, and nutrient flow dairy cows. J. Dairy Sci. 81: 2430 – 2439.
- Ortega, M.E., M.D. Stern and L.D. Satter. 1979. The effect of rumen ammonia concentration on dry matter disappearance *in situ*. J. Dairy Sci. 62: 76 (Suppl.).
- Ouellet, D.R., J.R. Seoane, D.M. Veira, and J.G. Proulx. 1997. Effect of supplementation with fish meal or fish protein hydrolysate on growth, nutrient digestibility and rumen fermentation of growing cattle fed grass silage. Anim. Feed Sci. Technol. 68: 307 – 326.
- Palizdar, M.H., H. Sadeghipanah, H. Amanlou, K.N. Adl, and A. Mirhadi. 2011. *In vitro* organic matter digestibility and gas production of fish-meal coated with fat. Afc. J. Biotech. 10 (13): 2548 – 2555.
- Pathak, A.K. Various factors affecting microbial protein synthesis in the rumen. Veterinary World. 6: 186 – 189.
- Pavan, E. and F.J. Santini. 2002. Use of sunflower meal of fish meal as protein supplement for high quality fresh forage diet: ruminal fermentation, microbial protein synthesis and sites of digestion. Anim. Feed Sci. Technol. 101: 61 – 72.
- Pieperbrink, M.S and D.J. Scingoethe. 1998. Ruminal degradation, amino acid composition, and estimated intestinal digestibilities of four protein supplements. J. Dairy Sci. 81: 454 – 461.
- Pilachai, R., J. Th. Schonewille, C. Thamrongyoswittayakul, S. Aiumlamai, C. Wachirapakorn, H. Evert and W. H. Hendriks. 2011. The effects of high levels of rumen degradable protein on rumen pH and histamine concentration in dairy cows. J. Anim. Physiol. Anim. Nutr. 96: 206 – 213.
- Playne, M.J. 1985. Determination of ethanol, volatile fatty acids, lactic an succinic acid in fermentation liquids by gas chromatography. J. Sci. Food Agric. 36: 638 – 644.
- Poedjiadi, A. 2005. Dasar-dasar Biokimia edisi revisi. UI Press. Jakarta.
- Pond, W. G., D.C. Church, and K.R. Pond. Basic Animal Nutrition and Feeding. 4th edition. John Wiley and Sons. Canada. 54 – 56.

- Prayitno, C.H., Suwarno, D. Sarwanto, D. Hidayatun, and M. Solihah. 2016. Supplementation red betel leaf (*Piper crocatum*) in dairy cattle feed on fermentation characteristics by *in vitro*. *Animal Production*. 18: 66 – 74.
- Retnani, Y. 2011. Proses Produksi Pakan Ternak. Ghalia Indonesia. Bogor.
- Rodriguez, R., A. Sosa, and Y. Rodriguez. 2007. Microbial protein in rumen and its importance to ruminants. *Cuban J. Agric. Sci*. 41: 287 – 294.
- Salah, A.A.I. 2015. Rumen Physiology Under High Salt Stress. In: Shaer, H.M.E. and V.R. Squires eds. *Halophytic and Salt-Tolerant Feedstuffs: Impacts on Nutrition, Physiology, and Reproduction of Livestock* pp. 348 – 357. CRC Press, Inc., Boca Raton, FL.
- Satter, L.D and L.L. Slyter. 1974. Effect of ammonia concentration on rumen microbial protein production *in vitro*. *Br. J. Nutr.* 32: 199 – 208.
- Scanes, C. 2010. *Fundamentals of Animal Science* 1st edition pp. 279. Delmar Cengage Learning. New York.
- Schor, A. and G.A. Gagliostro. 2001. Undegradable protein supplementation to early-lactation dairy cows in grazing condition. *J. Dairy Sci.* 84: 1597 – 1606.
- Seoane, J.R. and J.E. Moore. 1969. Effect of fish meal on nutrient digestibility and rumen fermentation of high-roughage ration for cattle. *J. Anim. Sci.* 29: 972 – 976.
- Sitompul, S. 2004. Analisis asam amino dalam tepung ikan dan bungkil kedelai. *Buletin Teknik Pertanian*. 9: 33 – 37.
- Slyter, L.L., L.D. Satter, and D.A. Dinius. 1979. Effect of ruminal ammonia concentration on nitrogen utilization by steers. *J. Anim. Sci.* 48: 906 - 912.
- Standar Nasional Indonesia.1996. Tepung Ikan Bahan Baku Pakan. SNI 01-2715-1996/Rev.92.
- Standar Nasional Indonesia. 1996. Bungkil Kelapa Bahan Baku Pakan. SNI 01-2904-1996/Rev.92.
- Stern, M.D., A. Bach, S. Calsamiglia. 1997. Alternative techniques for measuring nutrient digestion in ruminants. *J. Anim. Sci.* 75: 2256 – 2276.
- Suharti, S., A. Kurniawati, D.A. Astuti, and E. Wina. 2010. Microbial population and fermentation characteristic in response to *Sapindus rarak* mineral block supplementation. *Media Peternakan*. 33: 150 – 154.
- Suharti, S., A.R. Nasution, and K.G. Wiryawan. 2017. *In vitro* rumen fermentation characteristics and fatty acid profiles added with calcium soap of canola/flaxseed oil. *Media Peternakan*. 40: 171 – 177.
- Sulistiyowati, E., A. Sudarman, K.G. Wiryawan, and T. Toharmat. 2014. *In vitro* goat fermentation of PUFA-diet supplemented with yeast and *Curcuma xanthorrhiza* roxb. *Media Peternakan*. 37: 175 – 181.
- Tejeda-Arroyo, E, M. Cipriano-Salazar, L.M. Camacho-Diaz, A.Z.M. Salem, A.E. Kholif, M.M.M.Y. Elghandour, N. DiLorenzo, and B. Cruz-Lagunas. 2015. Diet inclusion of devil fish (*Plecostomus spp.*) silage and its impacts on ruminal fermentation and growth performance of growing lambs in hot regions of Mexico. *Trop. Anim. Health Prod.* 47: 861 – 866.

- Tilley, J.M. and R.A. Terry. 1963. A two-stage technique for the *in vitro* digestion of forage crops. *Grass Forage Sci.* 18: 104 – 111.
- Timothy, J.H. and J.L. Firkins. 2015. Maximizing efficiency of rumen microbial protein production. *Frontiers in Microbiology.* 6: 1 – 16.
- Torodov, N., M. Simenonov, and E. Yildiz. 2016. Rumen degradability of dry matter and protein in four protein source and their relationship with milk yield in dairy cows. *Bulg. J. Agric. Sci.* 22 (2): 278 – 285.
- Tisch, D. A. 2006. *Animal Feeds, Feeding, and Nutrition, and Ration Evaluation With CD-ROM* pp. 53 – 57. Delmar, Cengage Learning. New York.
- Umucalilar, H.D., B. Coskun, N. Gülsen, E.S. Polat, and F. Inal. 2003. Determination of protein ruminal degradabilities of some protein source. *Revue Méd. Vét.* 154 (7): 477 – 482.
- Urbaniak, M. 1995. Effect of blood meal, fish meal, soybean meal, or casein on rumen protein metabolism in lambs. *Small Ruminant Research.* 18: 207 – 212.
- Utomo, R. 2001. *Penggunaan Jerami Padi Sebagai Pakan Basal: Suplementasi Sumber Enerdi dan Protein Terhadap Transit Partikel Pakan, Sintesis Protein Mikroba, Kecernaan, dan Kinerja Sapi Potong*. Disertasi. Fakultas Peternakan Universitas Gadjah Mada. Yogyakarta.
- Utomo, R. 2012. *Evaluasi Pakan Dengan Metode Non Invasif*. Cetakan Pertama. PT. Citra Aji Parama. Yogyakarta.
- Van Kessel, J.S., and J.B. Russell. 1996. The effect of pH on ruminal methanogenesis. *FEMS Microbiol. Ecol.* 20: 205 – 210.
- Venugopal, V., S.P. Chawla, and P.M. Nair. 1996. Spray dried protein powder from threadfin bream: preparation, properties and comparison with FPC type-B. *J. Muscle Foods* 7: 55-71.
- Vanzant, E.S., R.C. Cochran, E.C. Titgemeyer, S.D. Stafford, K.C. Olson, and D.E. Johnson. 1996. In vivo and in situ measurements of forage protein degradation in beef cattle. *J Anim. Sci.* 74: 2773 – 2784.
- Vogel, K.P., J.F. Pedersen, S.D. Masterson, and J.J. Toy. 1999. Evaluation of a filter bag system for NDF, ADF, and IVDMD forage analysis. *Crop Sci.* 39: 276 – 279.
- Wallace, R.J. 1994. Amino Acid and Protein Synthesis, Turnover, and Breakdown by Rumen Microorganisms. In: J.M. Asplund eds. *Principles of Protein Metabolism in Ruminants*. pp. 71–111. CRC Press. Boca Raton, Florida.
- Wallace, R.J., R. Onodera, and M.A. Cotta. 1997. Metabolism of nitrogen-containing compounds. In: P.N. Hobson and C.S. Stewart eds. *The Rumen Microbial Ecosystem* pp. 283 – 328. Blackie Academic and Professional. London.
- Waltz, D.M., Stern, M.D., Illg, D.J., 1989. Effect of ruminal protein degradation of blood meal and feather meal on the intestinal amino acid supply to lacting cows. *J. Dairy Sci.* 72: 1509 – 1518.

- Ween, O., J.K. Stangeland, T.S. Fylling, and G.H. Aas. 2017. Nutritional and functional properties of fishmeal produced from fresh by-products of cod (*Gadus morhua* L.) and saithe (*Pollachius virens*). 1 – 17.
- Wheaterburn, M.W. 1967. Fenol-hypoclorite reaction for determination of ammonia. Anal. Chem. 39: 971 – 974.
- Widyobroto, B.P., S.P.S. Budhi, A. Agus, and B. Santosa. 2002. Effect of rumen undegraded protein level on nutrient digestibility and rumen fermentation parameters of dairy cow. Buletin Peternakan. 26: 57 – 63.
- Widyobroto, B.P., S.P.S. Budhi, dan A. Agus. 2007. Pengaruh aras undegraded protein dan energi terhadap kinetik fermentasi rumen dan sintesis protein mikrobial pada sapi. J. Indon.Trop. Anim. Agric. 32: 194 – 200.
- Willman, Dr.D. and A. Adesogan. 2000. A comparison of filter bag methods with conventional tube methods of determining the in vitro digestibility forages. Anim. Feed Sci. And Technol. 84: 33 – 47.
- Wina, E. and D. Abdurrohman. 2005. The formation of ruminal bypass protein (in vitro) by adding tannins isolated from *Caliandra calothyrsus* leaves for formaldehyde. Jurnal Ilmu Ternak dan Veteriner. 10: 274 – 280.
- Wright, T. and R. Lackey. 2012. Definitions of feed manufacturing and livestock nutrition terms. <http://www.omafra.gov.on.ca/english/livestock/dairy/facts/08-039.htm>. (Diakses tanggal 28 Januari 2016).
- Yamin, A.A., A. Sudarman, and D. Evvyernie. 2013. *In vitro* fermentation and anti mastitis bacterial activity of diet containing betel leaf meal (*Piper betle* L.). Media Peternakan. 36: 137 – 142.
- Zenobi, M.G., H.A. Lardner, P.G. Jefferson, and J.J. McKinnon. 2015. Effect of feeding strategically blended feed pellets on rumen fermentation and nutrient digestion. Can. J. Anim. Sci. 95: 243 – 254.
- Zhou, X., Z. Yang, L. Chen, and L. Han. 2016. Visualization of amino acid composition differences between processed protein from different animal species by self-organizing feature maps. Front. Agr. Sci. Eng. 3: 171 – 179.