

DAFTAR PUSTAKA

- Ai, J.-W. *et al.* (2017) “The effectiveness of pressure therapy (15–25 mmHg) for hypertrophic burn scars: A systematic review and meta-analysis,” *Scientific Reports*, 7(1), p. 40185. Available at: <https://doi.org/10.1038/srep40185>.
- Akinci, A. and Burgu, B. (2024) “Tips and Tricks in Post-hypospadias Repair Dressing,” *Video Atlas of Hypospadias Surgery*. Singapore: Springer Nature Singapore, pp. 335–344. Available at: https://doi.org/10.1007/978-981-99-0795-3_39.
- Anttila, A. *et al.* (2024) “Cumulative re-operation rates during follow-up after hypospadias repair,” *BJU International*, 134(6), pp. 960–966. Available at: <https://doi.org/10.1111/bju.16519>.
- Barbagli, G. *et al.* (2012) “Surgical Repair of Late Complications in Patients Having Undergone Primary Hypospadias Repair during Childhood: A New Perspective.,” *Advances in urology*, 2012, p. 705212. Available at: <https://doi.org/10.1155/2012/705212>.
- Baskin, L.S. and Ebbers, M.B. (2006) “Hypospadias: anatomy, etiology, and technique,” *Journal of Pediatric Surgery*, 41(3), pp. 463–472. Available at: <https://doi.org/10.1016/j.jpedsurg.2005.11.059>.
- Bhat, A., Chakravarthy, P. and Takvani, A. (2022) *Hypospadiology*. Edited by A. Bhat. Singapore: Springer Singapore. Available at: <https://doi.org/10.1007/978-981-16-8395-4>.
- Bhat, A. and Mandal, A.K. (2008) “Acute postoperative complications of hypospadias repair,” *Indian journal of urology : IJU : journal of the Urological Society of India*, 24(2), pp. 241–8. Available at: <https://doi.org/10.4103/0970-1591.40622>.
- Cimador, M. *et al.* (2013) “Failed hypospadias in paediatric patients,” *Nature Reviews Urology*, 10(11), pp. 657–666. Available at: <https://doi.org/10.1038/nrurol.2013.164>.

- Cousin, I. *et al.* (2022) "Complication rates of proximal hypospadias: meta-analyses of four surgical repairs," *Journal of Pediatric Urology*, 18(5), pp. 587–597. Available at: <https://doi.org/10.1016/j.jpuro.2022.08.005>.
- Duckett, J.W. (1980) "Transverse Preputial Island *Flap* Technique for Repair of Severe Hypospadias," *Urologic Clinics of North America*, 7(2), pp. 423–430. Available at: [https://doi.org/10.1016/S0094-0143\(21\)01243-X](https://doi.org/10.1016/S0094-0143(21)01243-X).
- Duckett, J.W. (1981) "MAGPI (meatoplasty and glanuloplasty): a procedure for subcoronal hypospadias.," *The Urologic clinics of North America*, 8(3), pp. 513–9.
- Duckett, J.W. and Snyder, H.M. (1992) "Meatal Advancement And Glanuloplasty Hypospadias Repair After 1,000 Cases: Avoidance of Meatal Stenosis And Regression," *Journal of Urology*, 147(3 Part 1), pp. 665–669. Available at: [https://doi.org/10.1016/S0022-5347\(17\)37341-X](https://doi.org/10.1016/S0022-5347(17)37341-X).
- Eltahawy, E.A. *et al.* (2007) "Long-Term Followup for Excision and Primary Anastomosis for Anterior Urethral Strictures," *Journal of Urology*, 177(5), pp. 1803–1806. Available at: <https://doi.org/10.1016/j.juro.2007.01.033>.
- Escolino, M. *et al.* (2023) "The Role of Postoperative Dressing in Hypospadias Surgery: A Systematic Review and Meta-analysis of the Pediatric Literature," *European Journal of Pediatric Surgery*, 33(06), pp. 441–453. Available at: <https://doi.org/10.1055/a-2048-7486>.
- Esposito, C. *et al.* (2021) "Evaluation of efficacy of oxygen-enriched oil-based gel dressing in patients who underwent surgical repair of distal hypospadias: a prospective randomised clinical trial," *World Journal of Urology*, 39(6), pp. 2205–2215. Available at: <https://doi.org/10.1007/s00345-020-03419-1>.
- Gabra, A. *et al.* (2024) "Outcomes of Hypospadias Repair Based on Surgical Techniques: A 4-Year Retrospective Study," *Research and Reports in Urology*, Volume 16, pp. 79–87. Available at: <https://doi.org/10.2147/RRU.S451552>.

- Greenfield, S.P., Sadler, B.T. and Wan, J. (1994) "Two-Stage Repair for Severe Hypospadias," *Journal of Urology*, 152(2 Part 1), pp. 498–501. Available at: [https://doi.org/10.1016/S0022-5347\(17\)32781-7](https://doi.org/10.1016/S0022-5347(17)32781-7).
- Grobbelaar, A.O. *et al.* (1996) "Hypospadias repair: the influence of postoperative care and a patient factor on surgical morbidity.," *Annals of plastic surgery*, 37(6), pp. 612–7.
- Guo, Y., Ma, G. and Ge, Z. (2004) "Comparison of the Mathieu and the Snodgrass urethroplasty in distal hypospadias repair," *Zhonghua nan ke xue = National journal of andrology*, 10(12), pp. 916–8.
- Ibrahim, H. *et al.* (2025) "Self-Adherent Dressing versus No Dressing after Distal Hypospadias Repair: A Randomized Clinical Trial," *Pediatric Sciences Journal*, 5(2), pp. 86–94. Available at: <https://doi.org/10.21608/cupsj.2025.371894.1160>.
- Imamoglu, M.A. and Bakırtaş, H. (2003) "Comparison of Two Methods – Mathieu and Snodgrass – in Hypospadias Repair," *Urologia Internationalis*, 71(3), pp. 251–254. Available at: <https://doi.org/10.1159/000072674>.
- Indriasari, V. *et al.* (2024) "Outcomes of a 3-day transparent film dressing protocol after hypospadias repair," *Scientific Reports*, 14(1), p. 24192. Available at: <https://doi.org/10.1038/s41598-024-68059-6>.
- Jayanthi, V.R. (2003) "The Modified Snodgrass Hypospadias Repair: Reducing the Risk of Fistula and Meatal Stenosis," *Journal of Urology*, 170(4 Part 2), pp. 1603–1605. Available at: <https://doi.org/10.1097/01.ju.0000085260.52825.73>.
- Karakaya, A.E., Güler, A.G. and Doğan, A.B. (2021) "Dressing or Not after Tubularized Incised Plate Urethroplasty," *Urologia Internationalis*, 105(11–12), pp. 1029–1033. Available at: <https://doi.org/10.1159/000516682>.

- Kaya, C. *et al.* (2023) “Post-operative Dressing for Paediatric Hypospadias Repair,” *European Medical Journal* [Preprint]. Available at: <https://doi.org/10.33590/emj/10300906>.
- Keays, M.A. and Dave, S. (2017) “Current hypospadias management: Diagnosis, surgical management, and long-term patient-centred outcomes,” *Canadian Urological Association Journal*, 11(1-2S), p. 48. Available at: <https://doi.org/10.5489/cuaj.4386>.
- Kumar, A. and Ram Dhayal, I. (2022) “A Comparative Study on the Outcomes of Hypospadias Surgery Following Early Versus Late Bladder Catheter Removal,” *Cureus*, 14(6), p. e26104. Available at: <https://doi.org/10.7759/cureus.26104>.
- Lawo, K. *et al.* (2025) “A prospective randomized clinical trial to evaluate wound healing, cosmetic and functional results as well as postoperative adverse events comparing two types of dressing technique after hypospadias repair,” *Pediatric Surgery International*, 41(1), p. 176. Available at: <https://doi.org/10.1007/s00383-025-06063-1>.
- McLorie, G. *et al.* (2001) “A prospective randomized clinical trial to evaluate methods of postoperative care of hypospadias,” *The Journal of urology*, 165(5), pp. 1669–72.
- Mohammed, M. *et al.* (2020a) “Long-Term Complications of Hypospadias Repair: A Ten-Year Experience from Northern Zone of Tanzania,” *Research and Reports in Urology*, Volume 12, pp. 463–469. Available at: <https://doi.org/10.2147/RRU.S270248>.
- Mohammed, M. *et al.* (2020b) “Long-Term Complications of Hypospadias Repair: A Ten-Year Experience from Northern Zone of Tanzania,” *Research and Reports in Urology*, Volume 12, pp. 463–469. Available at: <https://doi.org/10.2147/RRU.S270248>.
- Nakonechnyy, R.A. and Nakonechnyi, A.Y. (2022) “OPTIMIZATION OF SURGICAL WOUND CARE AFTER URETHROPLASTY IN

CHILDREN WITH HYPOSPADIA,” *Novosti Khirurgii*, 30(1), pp. 46–53. Available at: <https://doi.org/10.18484/2305-0047.2022.1.46>.

Ndiaye, M. *et al.* (2021) “Hypospadias treatment by tubulated pedicled preputial island *flap* according to the DUCKETT technique: single-center experience in sub-Saharan Africa,” *African Journal of Urology*, 27(1), p. 156. Available at: <https://doi.org/10.1186/s12301-021-00260-9>.

Sarhan, O. *et al.* (2009) “Effect of Suturing Technique and Urethral Plate Characteristics on Complication Rate Following Hypospadias Repair: A Prospective Randomized Study,” *Journal of Urology*, 182(2), pp. 682–686. Available at: <https://doi.org/10.1016/j.juro.2009.04.034>.

Van Savage, J.G., Palanca, L.G. and Slaughenhop, B.L. (2000) “A PROSPECTIVE RANDOMIZED TRIAL OF DRESSINGS VERSUS NO DRESSINGS FOR HYPOSPADIAS REPAIR,” *The Journal of Urology*, pp. 981–983. Available at: <https://doi.org/10.1097/00005392-200009020-00015>.

Smith, E.D. (1981) “Durham Smith repair of hypospadias,” *The Urologic clinics of North America*, 8(3), pp. 451–5.

Snodgrass, W. and Bush, N. (2015) “Surgery for Primary Proximal Hypospadias with Ventral Curvature >30°,” *Current Urology Reports*, 16(10), p. 69. Available at: <https://doi.org/10.1007/s11934-015-0543-5>.

Snodgrass, W.T., Bush, N. and Cost, N. (2010) “Tubularized incised plate hypospadias repair for distal hypospadias,” *Journal of Pediatric Urology*, 6(4), pp. 408–413. Available at: <https://doi.org/10.1016/j.jpuro.2009.09.010>.

Wang, C.-X., Zhang, W.-P. and Song, H.-C. (2019) “Complications of proximal hypospadias repair with transverse preputial island *flap* urethroplasty: a 15-year experience with long-term follow-up,” *Asian journal of andrology*, 21(3), pp. 300–303. Available at: https://doi.org/10.4103/aja.aja_115_18.

Wu, Y. *et al.* (2020) "Complications Following Primary Repair of Non-proximal Hypospadias in Children: A Systematic Review and Meta-Analysis," *Frontiers in Pediatrics*, 8. Available at: <https://doi.org/10.3389/fped.2020.579364>.