UNIVERSITAS
GADJAH MADA
PENGEMBANGAN TEKNIK PEMETAAN FLUKS NEUTRON TERMAL FASILITAS IRADIASI REAKTOR RSG-GAS MENGGUNAKAN SMFC CFUZ53
Ranji Gusman, Dr. Ir. Alexander Agung, S.T., M.Sc., IPU; Dr. R. Mohammad Subekti
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

DAFTAR PUSTAKA

[1] S. Pinem *et al.*, "Review on the fuel management strategy of the RSG-GAS equilibrium core," *Ann. Nucl. Energy*, vol. 213, p. 111180, 2025, doi: https://doi.org/10.1016/j.anucene.2024.111180.

[2] M. Aitkulov *et al.*, "Measurement of the spatial-energy distribution of neutrons in the irradiation channel of the critical facility," *J. Phys. Conf. Ser.*, vol. 2155, p. 12021, Jan. 2022, doi: 10.1088/1742-6596/2155/1/012021.

[3] S. Pinem and T. M. Sembiring, "Accuracy of Batan-3DIFF and MCNP6 codes for thermal neutron flux distribution at the irradiation position of RSG-GAS reactor," *International Journal of Nuclear Energy Science and Technology*, vol. 13, no. 4, pp. 295–312, Jan. 2019, doi: 10.1504/IJNEST.2019.106050.

[4] L. Barbot *et al.*, "Online neutron flux mapping in fuel coolant channels of a research reactor," in *2013 3rd International Conference on Advancements in Nuclear Instrumentation, Measurement Methods and their Applications (ANIMMA)*, 2013, pp. 1–5. doi: 10.1109/ANIMMA.2013.6727951.

[5] K. R. Prasad and V. Balagi, "Uranium-233 fission detectors for neutron flux measurement in reactors," *Review of Scientific Instruments*, vol. 67, no. 6, pp. 2197–2201, Jun. 1996, doi: 10.1063/1.1147036.

[6] O. Poujade and A. Lebrun, "Modeling of the saturation current of a fission chamber taking into account the distorsion of electric field due to space charge effects," *Nucl. Instrum. Methods Phys. Res. A*, vol. 433, no. 3, pp. 673–682, 1999, doi: https://doi.org/10.1016/S0168-9002(99)00386-1.

[7] B. Geslot *et al.*, "Development and manufacturing of special fission chambers for in-core measurement requirements in nuclear reactors," in *2009 1st International Conference on Advancements in Nuclear Instrumentation, Measurement Methods and their Applications*, 2009, pp. 1–4. doi: 10.1109/ANIMMA.2009.5503816.

[8] S. P. Chabod, "Saturation current of miniaturized fission chambers," *Nucl. Instrum. Methods Phys. Res. A*, vol. 598, no. 2, pp. 578–590, Jan. 2009, doi: 10.1016/j.nima.2008.09.051.

[9] Z.-P. Wu, X.-B. Jiang, W.-S. Zhang, C.-L. Su, Y.-G. Zhang-Sun, and L.-H. Bao, "Monte Carlo simulation of neutron sensitivity of microfission

PENGEMBANGAN TEKNIK PEMETAAN FLUKS NEUTRON TERMAL FASILITAS IRADIASI REAKTOR RSG-GAS MENGGUNAKAN SMFC CFUZ53
Ranji Gusman, Dr. Ir. Alexander Agung, S.T., M.Sc., IPU; Dr. R. Mohammad Subekti
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

chamber in neutron flux measurement," *Nuclear Science and Techniques*, vol. 33, p. 78, Jun. 2022, doi: 10.1007/s41365-022-01062-6.

[10] R. S. A. Kuswandrata, A. Agung, S. Syarip, A. R. Antariksawan, U. S. Hidayat, and A. S. Wicaksono, "Performance Test of SPND Neutron Detector and Neutron Flux Mapping of Kartini Reactor Core," in *AIP Conference Proceedings*, American Institute of Physics Inc., Feb. 2024. doi: 10.1063/5.0193149.

[11] W. Karsono, A. Agung, Antariksawan. Anhar Riza, and U. S. Hidayat, "Characterization of FC Detector Output on Logarithmic Power Channel NLW-2 at Kartini Reactor," *Jurnal Sains dan Teknologi Nuklir Indonesia*, vol. 25, pp. 20–27, Jul. 2024, doi: 10.17146/jstni.2024.25.1.3.

[12] S. Bakhri, "Sistem Deteksi Radiasi Koinsiden Untuk Penentuan Fluks Neutron Termal Fasilitas Iradiasi Reaktor Penelitian RSG-GAS," in *Prosiding Seminar Hasil Penelitian P2TRR*, Tangerang Selatan: P2TRR - BATAN, 2002. Accessed: Sep. 21, 2025. [Online]. Available: https://inis.iaea.org/collection/NCLCollectionStore/_Public/38/115/38115334.pdf

[13] I. B. Radiyanti, A. Hamzah, and S. Pinem, "Analisis Faktor Koreksi Keping Aktivasi dan Pengaruh Pengabaiannya pada Pengukuran Fluks dan Spektrum Neutron," in *Pertemuan dan Presentasi Ilmiah Penelitian Dasar Ilmu Pengetahuan Teknologi Nuklir*, Yogyakarta: Yogyakarta Nuclear Research Center, National Nuclear Energy Agency, Apr. 1996, pp. 194–200. Accessed: Sep. 21, 2025. [Online]. Available: https://inis.iaea.org/records/1h39c-0as51

[14] D. Fourmentel *et al.*, "Comparison of Thermal Neutron Flux Measured by U-235 Fission Chamber and Rhodium Self-Powered Neutron Detector in MTR," *IEEE Trans. Nucl. Sci.*, vol. 61, no. 4, pp. 2285–2290, 2014, doi: 10.1109/TNS.2014.2300634.

[15] A. Agung, *Diktat Kuliah Analisis Reaktor Nuklir*. Yogyakarta: Universitas Gadjah Mada, 2017.

[16] P. H. Liem and T. M. Sembiring, "Design of transition cores of RSG GAS (MPR-30) with higher loading silicide fuel," *Nuclear Engineering and Design*, vol. 240, no. 6, pp. 1433–1442, 2010, doi: https://doi.org/10.1016/j.nucengdes.2010.01.028.

[17] T. Sembiring, T. Surbakti, S. Pinem, and Febrianto, "NEUTRONIC DESIGN OF MIXED OXIDE-SILICIDE CORES FOR THE CORE CONVERSION OF RSG-GAS REACTOR," Jul. 2001.

UNIVERSITAS
GADJAH MADA
PENGEMBANGAN TEKNIK PEMETAAN FLUKS NEUTRON TERMAL FASILITAS IRADIASI REAKTOR RSG-GAS MENGGUNAKAN SMFC CFUZ53
Ranji Gusman, Dr. Ir. Alexander Agung, S.T., M.Sc., IPU; Dr. R. Mohammad Subekti
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

[18] BATAN, "Multipurpose Reaktor G.A. Siwabessy Safety Analysis Report," Jakarta, 2011.

[19] S. Pinem, W. Luthfi, P. H. Liem, and D. Hartanto, "Evaluation of neutronics parameters during RSG-GAS commissioning by using Monte Carlo code," *Nuclear Engineering and Technology*, vol. 55, no. 5, pp. 1775–1782, 2023, doi: https://doi.org/10.1016/j.net.2023.01.008.

[20] S. Pinem, T. Sembiring, and L. Hong, "Neutronic and Thermal-Hydraulic Safety Analysis for the Optimization of the Uranium Foil Target in the RSG-GAS Reactor," *Atom Indonesia*, vol. 42, p. 123, Dec. 2016, doi: 10.17146/aij.2016.532.

[21] G. de Izarra, "COSICAF, a fission chamber simulation tool for academic purposes," *EPJ Nuclear Sciences & Technologies*, vol. 6, p. 49, 2020, doi: 10.1051/epjn/2020011.

[22] A. Antolínez and D. Rapisarda, "Fission chambers designer based on Monte Carlo techniques working in current mode and operated in saturation regime," Jul. 21, 2016, *Elsevier B.V.* doi: 10.1016/j.nima.2016.03.050.

[23] J. Coburn, S. M. Luker, E. J. Parma, and K. R. DePriest, "Modeling, Calibration, and Verification of a Fission Chamber for ACRR Experimenters," in *EPJ Web of Conferences*, EDP Sciences, Feb. 2016. doi: 10.1051/epjconf/201610605001.

[24] Photonis, "Data Sheet CFUZ53," 2017, *Photonis*.

[25] Tektronix, "2450 SourceMeter SMU Instrument Datasheet," *Tektronix*.

[26] A. Borio di Tigliole *et al.*, "TRIGA reactor absolute neutron flux measurement using activated isotopes," *Progress in Nuclear Energy*, vol. 70, pp. 249–255, 2014, doi: https://doi.org/10.1016/j.pnucene.2013.10.001.

[27] T. Kimeridze and T. Nguyen, "Neutron Flux Measurement in TRIGA Reactor using Gold Foil Activation Method," *GEORGIAN SCIENTISTS*, vol. 5, Sep. 2023, doi: 10.52340/2023.05.03.20.

[28] L. Hong, "Validation of Batan's Standard 3-D Diffusion Code, Batan-3DIFF, on the First Core of RSG GAS," *Atom Indonesia*, vol. 25, Jan. 1999.

[29] T. A. Budiono and A. Hamzah, "Validasi Paket Program Difusi 3 Dimensi Batan-3DIFF Untuk Aspek Perhitungan Fluks Neutron," *Prosidiing Seminar Hasil Penelitian PRSG Tahun 1997/1998*, Serpong, pp. 234–244, Jun. 09, 1998.

UNIVERSITAS
GADJAH MADA
PENGEMBANGAN TEKNIK PEMETAAN FLUKS NEUTRON TERMAL FASILITAS IRADIASI REAKTOR RSG-GAS MENGGUNAKAN SMFC CFUZ53
Ranji Gusman, Dr. Ir. Alexander Agung, S.T., M.Sc., IPU; Dr. R. Mohammad Subekti
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

[30] J. Leppänen, M. Pusa, T. Viitanen, V. Valtavirta, and T. Kaltiaisenaho, "The Serpent Monte Carlo code: Status, development and applications in 2013," *Ann. Nucl. Energy*, vol. 82, pp. 142–150, 2015, doi: https://doi.org/10.1016/j.anucene.2014.08.024.

[31] S. Pinem, D. Hartanto, L. Hong, and W. Luthfi, "Improvement of Few-Group Homogenized Cross-Sections for RSG-GAS In-Core Fuel Management Code Batan-FUEL," *Journal of Nuclear Engineering and Radiation Science*, vol. 9, pp. 1–36, Jan. 2023, doi: 10.1115/1.4056603.

[32] IAEA, *Neutron Fluence Measurements*, TR Series No. 107. Vienna: IAEA, 1970.

[33] I. Nabillah and I. Ranggadara, "Mean Absolute Percentage Error untuk Evaluasi Hasil Prediksi Komoditas Laut," *JOINS (Journal of Information System)*, vol. 5, pp. 250–255, Nov. 2020, doi: 10.33633/joins.v5i2.3900.

[34] DPFK - BRIN, "Laporan Operasi Reaktor RSG-GAS Teras 109," Tangerang Selatan, 2025.