

DAFTAR PUSTAKA

- Billah, A. (2016). *Investigation of multiferroic and photocatalytic properties of Li doped BiFeO₃ nanoparticles prepared by ultrasonication*. <https://doi.org/10.13140/RG.2.2.23988.76166>
- Boateng, E., & Chen, A. (2020). Recent advances in nanomaterial-based solid-state hydrogen storage. *Materials Today Advances*, 6. <https://doi.org/10.1016/j.mtadv.2019.100022>
- Borghei, S. A., Zare, M. H., Ahmadi, M., Sadeghi, M. H., Marjani, A., Shirazian, S., & Ghadiri, M. (2021). Synthesis of multi-application activated carbon from oak seeds by KOH activation for methylene blue adsorption and electrochemical supercapacitor electrode. *Arabian Journal of Chemistry*, 14(2). <https://doi.org/10.1016/j.arabjc.2020.102958>
- Broom, D. P., Webb, C. J., Fanourgakis, G. S., Froudakis, G. E., Trikalitis, P. N., & Hirscher, M. (2019). Concepts for improving hydrogen storage in nanoporous materials. *International Journal of Hydrogen Energy*, 44(15), 7768–7779. <https://doi.org/10.1016/j.ijhydene.2019.01.224>
- Cheng, S., Cheng, X., Tahir, M. H., Wang, Z., & Zhang, J. (2024). Synthesis of rice husk activated carbon by fermentation osmotic activation method for hydrogen storage at room temperature. *International Journal of Hydrogen Energy*, 62, 443–450. <https://doi.org/10.1016/j.ijhydene.2024.03.092>
- Deng, L., Zhao, Y., Sun, S., Feng, D., & Zhang, W. (2024a). Preparation of corn straw-based carbon by “carbonization-KOH activation” two-step method: Gas–solid product characteristics, activation mechanism and hydrogen storage potential. *Fuel*, 358. <https://doi.org/10.1016/j.fuel.2023.130134>
- Deng, L., Zhao, Y., Sun, S., Feng, D., & Zhang, W. (2024b). Preparation of corn straw-based carbon by “carbonization-KOH activation” two-step method: Gas–solid product characteristics, activation mechanism and hydrogen storage potential. *Fuel*, 358. <https://doi.org/10.1016/j.fuel.2023.130134>
- Doğan, M., Sabaz, P., Bicil, Z., Koçer Kizilduman, B., & Turhan, Y. (2020). Activated carbon synthesis from tangerine peel and its use in hydrogen storage. *Journal of the Energy Institute*, 93(6), 2176–2185. <https://doi.org/10.1016/j.joei.2020.05.011>
- Duran-Jimenez, G., Rodriguez, J., Stevens, L., Altarawneh, S., Batchelor, A., Jiang, L., & Dodds, C. (2024). Single-step preparation of activated carbons from pine wood, olive stones and nutshells by KOH and microwaves: Influence of ultra-microporous for high CO₂ capture. *Chemical Engineering Journal*, 499. <https://doi.org/10.1016/j.cej.2024.156135>

- Fang, X., Li, G., Li, J., Jin, H., Li, J., Jegatheesan, V., Shu, L., Wang, H. Bin, & Yang, M. (2017). Bamboo charcoal derived high-performance activated carbon via microwave irradiation and KOH activation: Application as hydrogen storage and super-capacitor. *Desalination and Water Treatment*, 96, 120–127. <https://doi.org/10.5004/dwt.2017.21528>
- Frank Rosillo-Calle, P. de G. S. L. H. and J. W. (2007). *The Biomass Assessment Handbook*.
- Geng, Z., Zhang, C., Wang, D., Zhou, X., & Cai, M. (2015). Pore size effects of nanoporous carbons with ultra-high surface area on high-pressure hydrogen storage. *Journal of Energy Chemistry*, 24(1), 1–8. [https://doi.org/10.1016/S2095-4956\(15\)60277-7](https://doi.org/10.1016/S2095-4956(15)60277-7)
- González-Navarro, M. F., Giraldo, L., & Moreno-Piraján, J. C. (2014). Preparation and characterization of activated carbon for hydrogen storage from waste African oil-palm by microwave-induced LiOH basic activation. *Journal of Analytical and Applied Pyrolysis*, 107, 82–86. <https://doi.org/10.1016/j.jaap.2014.02.006>
- Gray, E. (2008). Reliably measuring hydrogen uptake in storage materials. In *Solid-State Hydrogen Storage: Materials and Chemistry* (pp. 174–204). Elsevier Inc. <https://doi.org/10.1533/9781845694944.2.174>
- Gray, E. M. A., & Webb, C. J. (2022). Performance analysis of a Sieverts apparatus for measuring hydrogen uptake. *International Journal of Hydrogen Energy*, 47(32), 14628–14636. <https://doi.org/10.1016/j.ijhydene.2022.02.196>
- Han, Z., Yu, H., Li, C., & Zhou, S. (2021). Mulch-assisted ambient-air synthesis of oxygen-rich activated carbon for hydrogen storage: A combined experimental and theoretical case study. *Applied Surface Science*, 544. <https://doi.org/10.1016/j.apsusc.2021.148963>
- Hirscher, M. (n.d.). *Handbook of Hydrogen Storage: New Materials for Future Energy Storage*.
- Hirscher, M., Yartys, V. A., Baricco, M., Bellosta von Colbe, J., Blanchard, D., Bowman, R. C., Broom, D. P., Buckley, C. E., Chang, F., Chen, P., Cho, Y. W., Crivello, J. C., Cuevas, F., David, W. I. F., de Jongh, P. E., Denys, R. V., Dornheim, M., Felderhoff, M., Filinchuk, Y., ... Zlotea, C. (2020). Materials for hydrogen-based energy storage – past, recent progress and future outlook. *Journal of Alloys and Compounds*, 827. <https://doi.org/10.1016/j.jallcom.2019.153548>
- John W. Sheffield, & Çigdem Sheffield. (2007). *Assessment of Hydrogen Energy for Sustainable Development*. Springer. <http://www.nato.int/science>

- Klebanoff, L. (2005). *Contributors include members of the three Materials Centers of Excellence and the Department of Energy Hydrogen Storage Team in the Office of Energy Efficiency and Renewable Energy's Fuel Cell Technologies Program. 4 Contents.*
- Lamata-Bermejo, I., Alba, M. D., & Ramírez-Rico, J. (2024). Influence of the chemical activation with KOH/KNO₃ on the CO₂ adsorption capacity of activated carbons from pyrolysis of cellulose. *Journal of Environmental Chemical Engineering*, 12(6). <https://doi.org/10.1016/j.jece.2024.114288>
- Lang, C., & Yao, X. (2025). Enhancing hydrogen storage performance of magnesium-based materials: A review on nanostructuring and catalytic modification. In *Journal of Magnesium and Alloys*. KeAi Communications Co. <https://doi.org/10.1016/j.jma.2025.01.015>
- Li, L., Zhong, X., Yu, F., Zhao, J., & Ma, J. (2025). Concentrated biogas slurry-derived porous carbon activated by KOH for high-performance capacitive deionization. *Separation and Purification Technology*, 364. <https://doi.org/10.1016/j.seppur.2025.132641>
- Lionetti, V., Poselle Bonaventura, C., Conte, G., De Luca, O., Policicchio, A., Caruso, T., Desiderio, G., Papagno, M., & Agostino, R. G. (2024). Production and physical-chemical characterization of walnut shell-derived activated carbons for hydrogen storage application. *International Journal of Hydrogen Energy*, 61, 639–649. <https://doi.org/10.1016/j.ijhydene.2024.02.213>
- Li, X., Ding, Y., Zhang, H., He, T., Hao, J., Wu, J., Wu, Y., & Bai, H. (2024). Pine sawdust derived ultra-high specific surface area activated carbon: Towards high-performance hydrogen storage and supercapacitors. In *International Journal of Hydrogen Energy* (Vol. 84, pp. 623–633). Elsevier Ltd. <https://doi.org/10.1016/j.ijhydene.2024.08.225>
- Li, X., Tian, H., Yan, S., Shi, H., Wu, J., Sun, Y., Xing, Y., Bai, H., & Zhang, H. (2024). Micropores enriched ultra-high specific surface area activated carbon derived from waste peanut shells boosting performance of hydrogen storage. *International Journal of Hydrogen Energy*, 50, 324–336. <https://doi.org/10.1016/j.ijhydene.2023.07.094>
- Li, Y., Guo, Q., Ding, Z., Jiang, H., Yang, H., Du, W., Zheng, Y., Huo, K., & Shaw, L. L. (2024). MOFs-Bbased Materials for Solid-State Hydrogen Storage: Strategies and Perspectives. In *Chemical Engineering Journal* (Vol. 485). Elsevier B.V. <https://doi.org/10.1016/j.cej.2024.149665>
- Lowell, S., Shields, J. E., Thomas, M. A., & Thommes, M. (2004). *Characterization of Porous Solids and Powders: Surface Area, Pore Size and*

Density (Vol. 16). Springer Netherlands. <https://doi.org/10.1007/978-1-4020-2303-3>

- Luo, Y., Gong, J., Yang, Z., Liu, Z., Chen, Y., Huang, S., Su, R., Ma, X., & Yan, W. (2025). The impact of neglected potassium in KOH-activated porous carbon on CO₂ capture and CO₂/N₂ selectivity: Experimental and molecular simulation studies. *Applied Surface Science*, 681. <https://doi.org/10.1016/j.apsusc.2024.161571>
- Md Arshad, S. H., Ngadi, N., Aziz, A. A., Amin, N. S., Jusoh, M., & Wong, S. (2016). Preparation of activated carbon from empty fruit bunch for hydrogen storage. *Journal of Energy Storage*, 8, 257–261. <https://doi.org/10.1016/j.est.2016.10.001>
- Microtac. (2018). *Analysis Software BELMaster TM User's Manual*. <http://www.nist.gov/srd/nist23.cfm>
- Mistar, E. M., Alfatah, T., & Supardan, M. D. (2020). Synthesis and characterization of activated carbon from *Bambusa vulgaris striata* using two-step KOH activation. *Journal of Materials Research and Technology*, 9(3), 6278–6286. <https://doi.org/10.1016/j.jmrt.2020.03.041>
- M Z Sidek dkk (2018). *Effect of Impregnated Activated Carbon on Carbon Dioxide Adsorption Performance for Biohydrogen Purification*. <https://doi.org/10.1088/2053>
- Nazir, G., Rehman, A., Hussain, S., Aftab, S., Heo, K., Ikram, M., Patil, S. A., & Aizaz Ud Din, M. (2022). Recent Advances and Reliable Assessment of Solid-State Materials for Hydrogen Storage: A Step Forward toward a Sustainable H₂ Economy. In *Advanced Sustainable Systems* (Vol. 6, Issue 11). John Wiley and Sons Inc. <https://doi.org/10.1002/adsu.202200276>
- Oginni, O., Singh, K., Oporto, G., Dawson-Andoh, B., McDonald, L., & Sabolsky, E. (2019). Influence of one-step and two-step KOH activation on activated carbon characteristics. *Bioresource Technology Reports*, 7. <https://doi.org/10.1016/j.biteb.2019.100266>
- Pistidda, C. (2021). Solid-State Hydrogen Storage for a Decarbonized Society. In *Hydrogen (Switzerland)* (Vol. 2, Issue 4, pp. 428–443). Multidisciplinary Digital Publishing Institute (MDPI). <https://doi.org/10.3390/hydrogen2040024>
- Pohlmann, C., Röntzsch, L., Heubner, F., Weißgärber, T., & Kieback, B. (2013). Solid-state hydrogen storage in Hydralloy-graphite composites. *Journal of Power Sources*, 231, 97–105. <https://doi.org/10.1016/j.jpowsour.2012.12.044>

- Quanhui Hou dkk (2025). Sustainable synthesis of CoC nanocomposites from biomass for advanced. *Journal of Power Sources*, 640.
- Racero-Galaraga, D., Rhenals-Julio, J. D., Sofan-German, S., Mendoza, J. M., & Bula-Silvera, A. (2024). Proximate analysis in biomass: Standards, applications and key characteristics. In *Results in Chemistry* (Vol. 12). Elsevier B.V. <https://doi.org/10.1016/j.rechem.2024.101886>
- Raymundo-Piñero, E., Azaïs, P., Cacciaguerra, T., Cazorla-Amorós, D., Linares-Solano, A., & Béguin, F. (2005). KOH and NaOH activation mechanisms of multiwalled carbon nanotubes with different structural organisation. *Carbon*, 43(4), 786–795. <https://doi.org/10.1016/j.carbon.2004.11.005>
- Saidur, R., Abdelaziz, E. A., Demirbas, A., Hossain, M. S., & Mekhilef, S. (2011). A review on biomass as a fuel for boilers. In *Renewable and Sustainable Energy Reviews* (Vol. 15, Issue 5, pp. 2262–2289). <https://doi.org/10.1016/j.rser.2011.02.015>
- Sdanghi, G., Canevesi, R. L. S., Celzard, A., Thommes, M., & Fierro, V. (2020). Characterization of Carbon Materials for Hydrogen Storage and Compression. *C*, 6(3), 46. <https://doi.org/10.3390/c6030046>
- Shao, L., Lin, X., Bian, L., Wang, Y., Hu, S., Han, Y., Huang, K., Zhang, N., Zhang, J., & Zou, J. (2024). Engineering control strategy of hydrogen gas direct-heating type Mg-based solid state hydrogen storage tanks: A simulation investigation. *Applied Energy*, 375. <https://doi.org/10.1016/j.apenergy.2024.124134>
- Ströbel, R., Garche, J., Moseley, P. T., Jörisen, L., & Wolf, G. (2006). Hydrogen storage by carbon materials. In *Journal of Power Sources* (Vol. 159, Issue 2, pp. 781–801). <https://doi.org/10.1016/j.jpowsour.2006.03.047>
- Subramanian, A., & Rodriguez-Saona, L. (2009). Fourier Transform Infrared (FTIR) Spectroscopy. In *Infrared Spectroscopy for Food Quality Analysis and Control* (pp. 145–178). Elsevier. <https://doi.org/10.1016/B978-0-12-374136-3.00007-9>
- Sundmacher, Kai. (2007). *Hydrogen as a Future Energy Carrier*. Wiley-VCH ; [John Wiley, distributor].
- Szczurek, A., Amaral-Labat, G., Fierro, V., Pizzi, A., & Celzard, A. (2014). Chemical activation of tannin-based hydrogels by soaking in KOH and NaOH solutions. *Microporous and Mesoporous Materials*, 196, 8–17. <https://doi.org/10.1016/j.micromeso.2014.04.051>
- Tellez-Juárez, M. C., Fierro, V., Zhao, W., Fernández-Huerta, N., Izquierdo, M. T., Reguera, E., & Celzard, A. (2014). Hydrogen storage in activated carbons

produced from coals of different ranks: Effect of oxygen content. *International Journal of Hydrogen Energy*, 39(10), 4996–5002. <https://doi.org/10.1016/j.ijhydene.2014.01.071>

Wang, G., Luo, Z., Desta, H. G., Chen, M., Dong, Y., & Lin, B. (2024). AI-driven development of high-performance solid-state hydrogen storage. *Energy Reviews*, 100106. <https://doi.org/10.1016/j.enrev.2024.100106>

Wang, S., Lee, Y. R., Won, Y., Kim, H., Jeong, S. E., Wook Hwang, B., Ra Cho, A., Kim, J. Y., Cheol Park, Y., Nam, H., Lee, D. H., Kim, H., & Jo, S. H. (2022). Development of high-performance adsorbent using KOH-impregnated rice husk-based activated carbon for indoor CO₂ adsorption. *Chemical Engineering Journal*, 437. <https://doi.org/10.1016/j.cej.2022.135378>

Xia, K., Hu, J., & Jiang, J. (2014). Enhanced room-temperature hydrogen storage in super-activated carbons: The role of porosity development by activation. *Applied Surface Science*, 315(1), 261–267. <https://doi.org/10.1016/j.apsusc.2014.07.144>

Xia, Y., Yang, Z., & Zhu, Y. (2013). Porous carbon-based materials for hydrogen storage: Advancement and challenges. *Journal of Materials Chemistry A*, 1(33), 9365–9381. <https://doi.org/10.1039/c3ta10583k>

Xu, Y., Zhou, Y., Li, Y., & Ding, Z. (2024). Carbon-based materials for Mg-based solid-state hydrogen storage strategies. In *International Journal of Hydrogen Energy* (Vol. 69, pp. 645–659). Elsevier Ltd. <https://doi.org/10.1016/j.ijhydene.2024.05.044>

Zhang, W., Bao, W., Chen, F., Li, J., Yu, L., Liu, R., Chi, C., Yu, J., Zhao, X., & Zhu, B. (2024). Non-noble metalbased catalysts with hydrogen spillover mechanism for carbon-based hydrogen storage materials. In *International Journal of Hydrogen Energy* (Vol. 88, pp. 945–955). Elsevier Ltd. <https://doi.org/10.1016/j.ijhydene.2024.09.215>