UNIVERSITAS
GADJAH MADA
HUBUNGAN ANTARA TINGKAT STRES DENGAN KADAR KORTISOL SALIVA PADA ANAK BRUXISM USIA 10-12 TAHUN
Sekar Sri Suseta Pujaningrum, Dr. drg. Indra Bramanti, M.Sc., Sp. KGA (K); drg. Shoimah Alfa Makmur, MDSc., Sp.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

DAFTAR PUSTAKA

Aguilera, S. B., Brown, L., & Perico, V. A. (2017). Aesthetic Treatment of Bruxism. *J Clin Aesthet Dermatol*, *10*(5), 49–55.

Allen, A. P., Kennedy, P. J., Cryan, J. F., Dinan, T. G., & Clarke, G. (2014). Neuroscience and Biobehavioral Reviews Biological and psychological markers of stress in humans : Focus on the Trier Social Stress Test. *Neuroscience and Biobehavioral Reviews*, *38*, 94–124.

Alvarez, G. G., Najera, R. I., Cuevas, R. P., Erosa, R. A. C., Ceniceros, F. G. A., Enriquez, S. N., & Tovar, Sergio Ignacio Lopez, Soto, J. M. S. (2022). Sleep bruxism in children: An overview and current update. *International Journal of Applied Dental Sciences*, *8*(2), 11–15.

Aulia, Y., Wibowo, D., Azizah, A., Setyawardhana, R. H. D., & Dewi, N. (2023). Gambaran Kebiasaan Buruk Rongga Mulut Dan Kejadian Maloklusi Pada Siswa Usia 10-12 Tahun. *Dentin*, *7*(3), 125–130.

Azevedo, C. B., Valentim Bitencourt, F., Sabadin, N., Chami, V. de O., Roxo-Gonçalves, M., & Bottezini, P. A. (2020). Clinical management of childhood sleeps bruxism. *Journal of Dental Health, Oral Disorders & Therapy*, *11*(2), 50–52.

Bach, S. de L., Moreira, F. P., Goettems, M. L., Brancher, L. C., Oses, J. P., da Silva, R. A., & Jansen, K. (2019). Salivary cortisol levels and biological rhythm in schoolchildren with sleep bruxism. *Sleep Medicine*, *54*, 48–52.

Beddis, H., Pemberton, M., & Davies, S. (2018). Sleep bruxism: An overview for clinicians. *British Dental Journal*, *225*(6), 497–501.

Black, L., Mansfield, R., & Panayiotou, M. (2020). *Age Appropriateness of the Self-Report Strengths and Difficulties Questionnaire*.

BPS Sleman. (2023). *Kabupaten Depok dalam Angka 2023*.

Budala, D. G., Luchian, I., Virvescu, D. I., Tudorici, T., Constantin, V., Surlari, Z., Butnaru, O., Bosinceanu, D. N., Bida, C., & Hancianu, M. (2025). *Salivary Biomarkers as a Predictive Factor in Anxiety , Depression , and Stress*. *6*(Mdd), 1–21.

Bulanda, S., Ilczuk-Rypuła, D., Nitecka-Buchta, A., Nowak, Z., Baron, S., & Postek-Stefańska, L. (2021). Sleep bruxism in children: Etiology, diagnosis and treatment—a literature review. *International Journal of Environmental Research and Public Health*, *18*(18).

UNIVERSITAS
GADJAH MADA
HUBUNGAN ANTARA TINGKAT STRES DENGAN KADAR KORTISOL SALIVA PADA ANAK BRUXISM USIA 10-12 TAHUN
Sekar Sri Suseta Pujaningrum, Dr. drg. Indra Bramanti, M.Sc., Sp. KGA (K); drg. Shoimah Alfa Makmur, MDSc., Sp.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Castelo, P. M., Barbosa, T. S., Pereira, L.J., Fonseca, F. L. A., Gavião, M. B. D. (2012). Awakening salivary cortisol levels of children with sleep bruxism. *Clinical Biochemistry*, *45*(9), 651–654.

Cerovac, M., & Keane, T. (2025). Early insights into Piaget ' s cognitive development model through the lens of the Technologies curriculum. *International Journal of Technology and Design Education*, *35*(1), 61–81.

Chemelo, S., Gecy, Y., Né, D. S., Frazão, D. R., Souza-rodrigues, R. D. De, Carolina, N., Fagundes, F., Magno, M. B., Maria, C., Maia, L. C., & Lima, R. R. (2020). *Is There Association Between Stress and Bruxism ? A Systematic Review and Meta-Analysis*. *11*(December).

Cohen, S., Schwartz, J. E., Epel, E., Kirschbaum, C., Sidney, S., & Seeman, T. (2006). Socioeconomic status, race, and diurnal cortisol decline in the Coronary Artery Risk Development in Young Adults (CARDIA) Study. *Psychosomatic Medicine*, *68*(1), 41–50.

Contrada, R. J., & Baum, A. (2010). *The Handbook of Stress Science: Biology, Psychology, and Health.itle*. springer.

Crăciun, A. E., Cerghizan, D., Jánosi, K. M., Popșor, S., & Bica, C. I. (2023). Study Regarding the Monitoring of Nocturnal Bruxism in Children and Adolescents Using Bruxoff Device. *Diagnostics*, *13*(20).

Davis, S. L., & Soistmann, H. C. (2023). *Child's perceived stress: A concept analysis*. 15–26.

de Bruin, E. I., Sieh, D. S., Zijlstra, B. J. H., & Meijer, A. M. (2018). Chronic Childhood Stress: Psychometric Properties of the Chronic Stress Questionnaire for Children and Adolescents (CSQ-CA) in Three Independent Samples. *Child Indicators Research*, *11*(4), 1389–1406.

Dewi, A., & Shita, P. (2010). Bruxism Pada Anak-Anak Dan Perawatannya. *Stomatognatic (J.K.G. Unej)*, *7*(1), 17–21.

Farhanaz, F., Yashoda, R., & Puranik, M. P. (2016). *Psychosocial Factors and Bruxism - A Review*. *6*(September), 435–442.

Fatmala, I. K., Pitoyo, A. J., & Alfana, M. A. F. (2023). Mobilitas Masuk Non Permanen Di Kecamatan Depok Tak Terbendung : Kajian Karakteristik Pelaku. *GEOGRAPHY : Jurnal Kajian, Penelitian Dan Pengembangan Pendidikan*, *11*(2), 252.

Fluerașu, M. I., Bocsan, I. C., Buduru, S. (2019). The correlation between sleep

UNIVERSITAS
GADJAH MADA
HUBUNGAN ANTARA TINGKAT STRES DENGAN KADAR KORTISOL SALIVA PADA ANAK BRUXISM USIA 10-12 TAHUN
Sekar Sri Suseta Pujaningrum, Dr. drg. Indra Bramanti, M.Sc., Sp. KGA (K); drg. Shoimah Alfa Makmur, MDSc., Sp.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

bruxism, salivary cortisol, and psychological status in young, Caucasian healthy adults. *The Journal of Craniomandibular Practice*, *39*(3), 218–224.

Fluerașu, M. I., Bocsan, I. C., Buduru, S., Pop, R. M., Vesa, S. C., Zaharia, A., Negucioiu, M., & Iacob, S. M. (2021). The correlation between sleep bruxism, salivary cortisol, and psychological status in young, Caucasian healthy adults. *Cranio - Journal of Craniomandibular Practice*, *39*(3), 218–224.

Furlan, Mbd, G., Ts, B., & Castelo, N. J. (2012). *Salivary Cortisol , Alpha-Amylase and Heart Rate Variation in Response to Dental Treatment in Children*. *37*(1), 83–88.

Goodman, R. (1997). *The Strengths and Difficulties Questionnaire : A Research Note*. 581–586.

Goodman, R. (2001). *Psychometric Properties of the Strengths and Difficulties Questionnaire*. *40*(11), 1337–1345.

Gordis, E. B., Granger, D. A., Susman, E. J., & Trickett, P. K. (2006). Asymmetry between salivary cortisol and α-amylase reactivity to stress: Relation to aggressive behavior in adolescents. *Psychoneuroendocrinology*, *31*(8), 976–987.

Guaita, M., & Högl, B. (2016). Current Treatments of Bruxism. *Current Treatment Options in Neurology*, *18*(2), 1–15.

Gunnar, M., & Quevedo, K. (2007). The Neurobiology of Stress and Development. *Annu. Rev. Psychol*, *58*, 145–173.

Guo, H., Wang, T., Niu, X., Wang, H., Yang, W., Qiu, J., & Yang, L. (2018). Archives of Oral Biology The risk factors related to bruxism in children : A systematic review and. *Archives of Oral Biology*, *86*(143), 18–34.

Gurunathan, D., Varadarajan, S., & Balaji, T. M. (2024). *Knowledge , Attitude , and Awareness of Parents on Bruxism in Children : A questionnaire Study*. *January 2023*.

Hellhammer, D.H., Wu, S., Kudielka, B. M. (2009). Salivary cortisol as a biomarker in stress research. *Psychoneuroendocrinology*, *34*(2), 163–171.

Hellhammer, D. H., Wüst, S., & Kudielka, B. M. (2009). Salivary cortisol as a biomarker in stress research. *Psychoneuroendocrinology*, *34*(2), 163–171.

Kakti, A. (2018). Bruxism and Children-A Review. *International Journal of Preventive and Clinical Dental Research*, *5*(2), 58–62.

UNIVERSITAS
GADJAH MADA
HUBUNGAN ANTARA TINGKAT STRES DENGAN KADAR KORTISOL SALIVA PADA ANAK BRUXISM USIA 10-12 TAHUN
Sekar Sri Suseta Pujaningrum, Dr. drg. Indra Bramanti, M.Sc., Sp. KGA (K); drg. Shoimah Alfa Makmur, MDSc., Sp.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Karakoulaki, S., Tortopidis, D., Andreadis, D., & Koidis, P. (2015). Relationship Between Sleep Bruxism and Stress Determined by Saliva Biomarkers. *The International Journal of Prosthodontics*, *28*(5), 467–474.

Khayamzadeh, M., Mirzaii-dizgah, I., Aghababainejad, P., Habibzadeh, S., & Kharazifard, M. J. (2019). *Frontiers in Dentistry Relationship between Parafunctional Habits and Salivary Biomarkers*.

Kirschbaum C, Hellhammer, D. (2007). *Encyclopedia of Stress*. Academic Press.

Kobayashi, F. Y., Furlan, N. F., Barbosa, T. S., Castelo, P. M., & Gavião, M. B. D. (2012). Evaluation of masticatory performance and bite force in children with sleep bruxism. *Journal of Oral Rehabilitation*, *39*(10), 776–784.

Kudielka, B. M., & Kirschbaum, C. (2005). *Sex differences in HPA axis responses to stress : a review*. *69*(1), 113–132.

Leardi, S., Pietroletti, R., Angeloni, G., Necozione, S., Ranalletta, G., Gusto, B. Del. (2007). Randomized Clinical Trial Examining The Effect of Music Therapy in Stress Response to Day Surgery. *Br. J. Surg*, *65*, 943–947.

Lee, D. Y., Kim, E., & Choi, M. H. (2015). Technical and clinical aspects of cortisol as a biochemical marker of chronic stress. *BMB Reports*, *48*(4), 209–216.

Leuwol, F. S., Ramdan Yusuf, Eko Wahyudi, & Nunung Suryana Jamin. (2023). Pengaruh Kualitas Lingkungan Terhadap Kesejahteraan Psikologis Individu di Kota Metropolitan. *Jurnal Multidisiplin West Science*, *2*(08), 714–720.

Lupien, S. J. (2013). *How To Measure Stress In Human*. CSHS.

McCarthy, A.M., Hanrahan, K., Kleiber, C., Zimmerman, M.B., Lutgendorf, S., Tsalikian, E. (2009). Normative Salivary Cortisol Values And Responsivity in Children. *Appl. Nurs. Res.*, *22*, 54–62.

Melmed, S., Polonsky, K. S., Larsen, P. R., Kroneberg, H. M. (2011). *Williams Textbook of Endocrinology* (12th ed.). Elsevier Saunders.

Melo, G., Duarte, J., Pauletto, P., Porporatti, A. L., Stuginski-Barbosa, J., Winocur, E., Flores-Mir, C., & De Luca Canto, G. (2019). Bruxism: An umbrella review of systematic reviews. *Journal of Oral Rehabilitation*, *46*(7), 666–690.

Muris, P. (2003). *The Strengths and Difficulties Questionnaire (SDQ) Further evidence for its reliability and validity in a community sample of Dutch children and adolescents*. *8*, 1–8.

UNIVERSITAS
GADJAH MADA
HUBUNGAN ANTARA TINGKAT STRES DENGAN KADAR KORTISOL SALIVA PADA ANAK BRUXISM USIA 10-12 TAHUN
Sekar Sri Suseta Pujaningrum, Dr. drg. Indra Bramanti, M.Sc., Sp. KGA (K); drg. Shoimah Alfa Makmur, MDSc., Sp.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Nater, U. M., Hoppmann, C. A., Scott, S. B. (2013). Diurnal profiles of salivary cortisol and alpha-amylase change across the adult lifespan: Evidence from repeated daily life assessments. *Psychoneuroendocrinology.*, *38*(12), 1–8.

Nicolson, N. A. (2008). *Measurement of Cortisol*. Sage Pub.

Notoatmodjo, S. (2010). *Metodologi penelitian kesehatan (Edisi revisi)*. Rineka Cipta.

Patalay, P., Hayes, D., & Wolpert, M. (2018). *Assessing the readability of the self-reported Strengths and Difficulties Questionnaire*. 55–57.

Pavlou, I. A., & Spandidos, D. A. (2024). *Neurobiology of bruxism : The impact of stress (Review)*. 1–10.

Restrepo-serna, C., & Winocur, E. (2023). Sleep bruxism in children, from evidence to the clinic. A systematic review. *Front. Oral. Health*, *May*, 1–14.

Restrepo, C., Manfredini, D., Manrique, R., & Lobbezoo, F. (2017). *Association of dietary habits and parental- reported sleep tooth grinding with tooth wear in children with mixed dentition*. 1–9.

Romeo, R. D. (2010). Frontiers in Neuroendocrinology Pubertal maturation and programming of hypothalamic – pituitary – adrenal reactivity. *Frontiers in Neuroendocrinology*, *31*(2), 232–240.

Rosmalen, J. G. M., Oldehinkel, A. J., Ormel, J., & Winter, A. F. De. (2005). *Determinants of salivary cortisol levels in 10 – 12 year old children ; a population-based study of individual differences*. 483–495.

Schumacher, S., Kirschbaum, C., Fydrich, T., & Ströhle, A. (2013). Is salivary alpha-amylase an indicator of autonomic nervous system dysregulations in mental disorders?-A review of preliminary findings and the interactions with cortisol. *Psychoneuroendocrinology*, *38*(6), 729–743.

Seaward, B. L. (2006). *Managing Stress: Principles and Strategies for Health and Wellbeing* (5th ed.). Jones and Bartlett Publishers.

Shahab, A. (2017). *Dasar-Dasar Endokrinologi* (1st ed.). Rayyana Komunikasindo.

Sherwood, L. (2012). *Fundamental of Human Physiology* (4th ed.). Belmont.

shirtcliff, E. A., Dahl, R. E., pollak., S. . (2009). *Pubertal Development: Correspondence between hormonal and physical development*. *80*(2), 327–337.

Sriharsha, P., Gujjari, A. K., Dhakshaini, M.R., Prashant, A. (2018). Comparative

UNIVERSITAS
GADJAH MADA
HUBUNGAN ANTARA TINGKAT STRES DENGAN KADAR KORTISOL SALIVA PADA ANAK BRUXISM USIA 10-12 TAHUN
Sekar Sri Suseta Pujaningrum, Dr. drg. Indra Bramanti, M.Sc., Sp. KGA (K); drg. Shoimah Alfa Makhrur, MDSc., Sp.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Evaluation of Salivary Cortisol Levels in Bruxism Patients Before and After Using Soft Occlusal Splint : An in vivo Study. *Contemporary Clinical Dentistry*, *9*(2), 182–187.

Stone, L. L., & Otten, R. (2010). *Psychometric Properties of the Parent and Teacher Versions of the Strengths and Difficulties Questionnaire for 4- to 12-Year-Olds : A Review*. 254–274.

Sukmadinata, N. S. (2011). *Metode penelitian pendidikan*. Remaja Rosdakarya.

Thayer, M. L. T., & Ali, R. (2022). The dental demolition derby: bruxism and its impact - part 3: repair and reconstruction. *British Dental Journal*, *232*(11), 775–782.

Williams, G.H., Dluhy, R. G. (2010). *Disorders of Adrenal Cortex* (J. L. Jameson (ed.)). Mc Graw Hills.