

BIBLIOGRAPHY

- Abdelwahab, M., Salah, M., Ela, W. A., Salem, A., Ragab, A. A., Shouman, A. M. and Abdelghany, M. (2025). 'Rate of suture material absorption does not impact short term outcome of tubularized incised plate repair of distal penile hypospadias in children: a randomized controlled surgery', *Pediatric Sciences Journal*, 5(1), pp.42–48.
- Alaraby, S. O . M . A., Abdeljaleel, I. A., Hamza, A. A. and Elhassan, A. E. E. (2021). 'A comparative study of polydioxanone (PDS®) and polyglactin (Vicryl®) in hypospadias repair', *African Journal of Paediatric Surgery*, 18(1), pp.53–57.
- Anttila, A., Lahdes-Vasama, T., Pakkasjärvi, N., & Taskinen, S. (2024). Cumulative re-operation rates during follow-up after hypospadias repair. *BJU International*, 134(6), 960–966. <https://doi.org/10.1111/bju.16519>
- Baskin, L. S. and Ebbers, M. B. (2006). 'Hypospadias: anatomy, etiology, and technique', *Journal of Pediatric Surgery*, 41(3), pp.463-472.
- Bhat, A. (2008). 'General considerations in hypospadias surgery', *Indian Journal of Urology*, 24(2), p.188.
- Bhat, A., Chakravarthy, P., & Takvani, A. (2022). *Hypospadiology* (A. Bhat, Ed.). Springer Singapore. <https://doi.org/10.1007/978-981-16-8395-4>
- Bracka, A. (1995) 'A versatile two-stage hypospadias repair', *British Journal of Plastic Surgery*, 48(6), pp. 345-352.
- Brouwers, M. M., Feitz, W. F. J., Roelofs, L. A. J., Kiemeny, L. A. L. M., de Gier, R. P. E. and Roeleveld, N. (2007). 'Risk factors for hypospadias', *European Journal of Pediatrics*, 166(7), pp.671-678.
- Caione, P. (2009). 'Prevalence of hypospadias in european countries: is it increasing?', *European Urology*, 55(5), pp.1027-1029.
- Carmichael, S. L., Shaw, G. M. and Lammer, E. J. (2012). 'Environmental and genetic contributors to hypospadias: a review of the epidemiologic evidence', *Birth Defects Research Part A: Clinical and Molecular Teratology*, 94(7), pp.499-510.

- Chang, J., Wang, S. and Zheng, Z. (2020). 'Etiology of hypospadias: a comparative review of genetic factors and developmental processes between human and animal models', *Research and Reports in Urology*, 12, pp.673-686.
- Charan, J. and Biswas, T. (2013). 'How to calculate sample size for different study designs in medical research?', *Indian Journal of Psychological Medicine*, 35(2), pp.121-126.
- Cimador, M., Vallasciani, S., Manzoni, G., Rigamonti, W., De Grazia, E., & Castagnetti, M. (2013). Failed hypospadias in paediatric patients. *Nature Reviews Urology*, 10(11), 657–666. <https://doi.org/10.1038/nrurol.2013.164>
- Gabra, A., Beyari, B., AlNuwaiser, S., Allaf, S., Alghanmi, R., Alrayiqi, R., Mosaad, F., & Kurdi, M. (2024). Outcomes of Hypospadias Repair Based on Surgical Techniques: A 4-Year Retrospective Study. *Research and Reports in Urology, Volume 16*, 79–87. <https://doi.org/10.2147/RRU.S451552>
- Grobbelaar, A. O., Laing, J. H., Harrison, D. H., & Sanders, R. (1996). Hypospadias repair: the influence of postoperative care and a patient factor on surgical morbidity. *Annals of Plastic Surgery*, 37(6), 612–617.
- Guo, Y., Ma, G., & Ge, Z. (2004). Comparison of the Mathieu and the Snodgrass urethroplasty in distal hypospadias repair. *Zhonghua Nan Ke Xue = National Journal of Andrology*, 10(12), 916–918.
- Hadidi, A. T. (2022). 'Classification and assessment of hypospadias', in Hadidi, A. T. (ed.) *Hypospadias Surgery*. Singapore: Springer, pp.237-248.
- Imamoglu, M. A., & Bakırtaş, H. (2003). Comparison of Two Methods – Mathieu and Snodgrass – in Hypospadias Repair. *Urologia Internationalis*, 71(3), 251–254. <https://doi.org/10.1159/000072674>
- Jayanthi, V. R. (2003). The Modified Snodgrass Hypospadias Repair: Reducing the Risk of Fistula and Meatal Stenosis. *Journal of Urology*, 170(4 Part 2), 1603–1605. <https://doi.org/10.1097/01.ju.0000085260.52825.73>
- Kalfa, N., Philibert, P. and Sultan, C. (2009). 'Is hypospadias a genetic, endocrine or environmental disease, or still an unexplained malformation?', *International Journal of Andrology*, 32(3), pp.187-197.

- Kudur, M., Pai, S., Sripathi, H. and Prabhu, S. (2009). 'Sutures and suturing techniques in skin closure', *Indian Journal of Dermatology, Venereology and Leprology*, 75(4), p.425.
- Kumar, A., & Ram Dhayal, I. (2022). A Comparative Study on the Outcomes of Hypospadias Surgery Following Early Versus Late Bladder Catheter Removal. *Cureus*, 14(6), e26104. <https://doi.org/10.7759/cureus.26104>
- Lucas, T., Hines, J. Z., Samuelson, J., Hargreave, T., Davis, S. M., Fellows, I., Prainito, A., Watts, D. H., Kiggundu, V., Thomas, A. G., Ntsuape, O. C., Dare, K., Odoyo-June, E., Soo, L., Toti-Mokoteli, L., Manda, R., Kapito, M., Msungama, W., Odek, J. and Come, J. (2021). 'Urethrocutaneous fistulas after voluntary medical male circumcision for HIV prevention-15 African Countries, 2015–2019', *BMC Urology*, 21(1), p. 23.
- Madhok, N., Scharbach, K. and Shahid-Saless, S. (2009). 'Hypospadias', *Pediatrics in Review*, 30(6), pp.235-237.
- Moscardi, P. R. M., Gosalbez, R. and Castellan, M. A. (2017). 'Management of high-grade penile curvature associated with hypospadias in children', *Frontiers in Pediatrics*, 5, p.189.
- Moy, R. L., Waldman, B. and Hein, D. W. (1992). 'A review of sutures and suturing techniques', *The Journal of Dermatologic Surgery and Oncology*, 18(9), pp.785-795.
- Nordenvall, A. S., Norrby, C., Butwicka, A., Frisén, L., Nordenström, A., Almqvist, C. and Nordenskjöld, A. (2017). 'Psychosocial outcomes in adult men born with hypospadias: a register-based study', *PLoS ONE*, 12(4), p.e0174923.
- Radmayr, C., Bogaert, G., Bujons, A., Burgu, B., Castagnetti, L. A., O' Kelly, t Hoen., Pakkasjärvi, N. A., Quaedackers, J., Rawashdeh, Y. F. H., Silay, M. S., Kennedy, U. K., Gnech, M., Skott, M., van Uitert, A. and Darraugh, J. A. (2025). 'Hypospadias' and 'Congenital Penile Curvature', *EAU Guidelines on Paediatric Urology 2025*, Arnhem: EAU Guidelines Office, pp.30-38.
- Rocheleau, C. M., Romitti, P. A. and Dennis, L. K. (2009). 'Pesticides and hypospadias: a meta-analysis', *Journal of Pediatric Urology*, 5(1), pp.17-24.

- Sarhan, O. M., El-Hefnawy, A. S., Hafez, A. T., Elsherbiny, M. T., Dawaba, M. E. and Ghali, A. M. (2009). 'Factors affecting outcome of tubularized incised plate (TIP) urethroplasty: single-center experience with 500 cases', *Journal of Pediatric Urology*, 5(5), pp.378-382.
- Seguier-Lipszyc, E., Shumaker, A., Stav, K., Itshak, A. and Neheman, A. (2024). 'The introduction of a mid-urethral stent for hypospadias surgery in toilet-trained children', *Pediatric Surgery International*, 40(1), pp.254-254.
- Schönbucher, V. B., Weber, D. M. and Landolt, M. A. (2008). 'Psychosocial adjustment, health-related quality of life, and psychosexual development of boys with hypospadias: a systematic review', *Journal of Pediatric Psychology*, 33(5), pp.520-535.
- Shirazi, M., Haghpanah, A., Dehghani, A., Haghpanah, S., Ghahartars, M. and Rahmanian, M. (2022). 'Comparison of post-urethroplasty complication rates in pediatric cases with hypospadias using vicryl® or polydioxanone sutures', *Asian journal of urology*, 9(2), pp.165-169.
- Snodgrass, W. (1994) 'Tubularized, incised plate urethroplasty for distal hypospadias', *The Journal of Urology*, 151(2), pp. 464-465.
- Snodgrass, W. T. and Nguyen, M. T. (2002) 'Current technique of tubularized incised plate hypospadias repair', *Urology*, 60(1), pp. 157-162.
- Sparks, T.N. (2021). 'Hypospadias', *American Journal of Obstetrics and Gynecology*, 225(5), pp.B18-B20.
- Springer, A., van den Heijkant, M. and Baumann, S. (2016). 'Worldwide prevalence of hypospadias', *Journal of Pediatric Urology*, 12(3), pp.152.e1-152.e7.
- Stein, R. (2012) 'Hypospadias', *European Urology Supplements*, 11(2), pp. 33-45.
- Subramaniam, R., Spinoit, A. F. and Hoebeke, P. (2011) 'Hypospadias Repair: An Overview of the Actual Techniques', *Seminars in Plastic Surgery*, 25(3), pp. 206-212.
- Sutcliffe, P., Dixon, S., Akehurst, R., Wilkinson, A. V., Shippam, A., White, S. N., Richards, R. G. and Caddy, C. M. (2009). 'Evaluation of surgical procedures for

- sex reassignment: a systematic review', *Journal of Plastic Reconstructive and Aesthetic Surgery*, 62(3), pp.294-306.
- Ulman, I., Erikçi, V., Avanoğlu, A. and Gökdemir, A. (1997). 'The effect of suturing technique and material on complication rate following hypospadias repair', *European Journal of Pediatric Surgery*, 7(3), pp.156-157.
- van der Zanden, L. F. M., van Rooij, I. A. L. M., Feitz, W. F. J., Franke, B., Knoers, N. V. A. M. and Roeleveld, N. (2012). 'Aetiology of hypospadias: a systematic review of genes and environment', *Human Reproduction Update*, 18(3), pp.260- 283.
- van Rooij, I. A. L. M., van der Zanden, L. F. M., Brouwers, M. M., Knoers, N. V. A. M., Feitz, W. F. J. and Roeleveld, N. (2013). 'Risk factors for different phenotypes of hypospadias: results from a Dutch case-control study', *BJU International*, 112(1), pp.121-128.
- Wang, C.-X., Zhang, W.-P., & Song, H.-C. (2019). Complications of proximal hypospadias repair with transverse preputial island flap urethroplasty: a 15-year experience with long-term follow-up. *Asian Journal of Andrology*, 21(3), 300–303. https://doi.org/10.4103/aja.aja_115_18
- Wu, Y., Wang, J., Zhao, T., Wei, Y., Han, L., Liu, X., Lin, T., Wei, G., & Wu, S. (2020). Complications Following Primary Repair of Non-proximal Hypospadias in Children: A Systematic Review and Meta-Analysis. *Frontiers in Pediatrics*, 8. <https://doi.org/10.3389/fped.2020.579364>
- Yag-Howard, C. (2014). 'Sutures, needles, and tissue adhesives', *Dermatologic Surgery*, 40, pp.S3-S15.
- Yuri, P., Gunadi, G., Lestari, R. P., Fardilla, F. P., Setyaningsih, W. A. W., Arfian, N. and Dachlan, I. (2020). 'The impact of COL1A1 and COL6A1 expression on hypospadias and penile curvature severity', *BMC Urology*, 20(1), p.189.