

DAFTAR PUSTAKA

- Allen, T.M., 2002, Ligand-targeted Therapeutics in Anticancer Therap, *Nature Reviews Cancer*, **2**: 750–763.
- Anonim, 2014, *Farmakope Indonesia*, Edisi V, Departemen Kesehatan Republik Indonesia, Jakarta, hal: 639-640.
- Banker, G.S. and Anderson, N.R., 1986, "Tablet" in *The Theory and Practice of Industrial Pharmacy 3rd ed.*, Lea and Febiger, Philadelphia.
- Baldwin, N. and Saltzman, M.W., 1998, Materials for Protein Delivery in Tissue Engineering. *Advanced Drug Delivery Reviews*, **33**: 71–86.
- Banakar, U.V., 1991, *Pharmaceutical Dissolution Testing*, Taylor & Francis.
- Bayliss, C.E. and Houston, A.P., 1986, Degradation of Guar Gum by Faecal Bacteria, *Applied Environmental Microbiology*, **39**: 121–135.
- Bhatia, H., Gupta P.K., and Soni, P.L., 2013, Extraction, Purification, and Characterization of a Galactomannan from *Prosopis Juliflora* (SW) DC. Seed Polysaccharides, *International Journal of Science and Technology*, **2**(4): 708–724.
- Bloch, D.R., 2006, *Organic Chemistry Demystified: A Self-Teaching Guide*, The McGraw-Hill, pp. 447.
- Bolton, S. and Bon, C., 2009, *Pharmaceutical Statistics: Practical and Clinical Applications, Fifth Edition*. CRC Press.
- Boffo, E.F., Tavares, L.A., Tobias, A.C.T., Ferreira, M.M.C., and Ferreira, A.G., 2012, Identification of Components of Brazilian Honey by ¹H NMR and Classification of Its Botanical Origin by Chemometric Methods, *LWT - Food Science and Technology*, **49**: 55-63.
- Bhowmik, D., Gopinath, H., Kumar, B., Duraivel, S., Kumar, K. P. S., 2012, Controlled Release Drug Delivery Systems, *The Pharma Journal*, **1**(10) : 24-32.
- Caykara, T., Ozyurek, C., Kantoglu, O., and Guven, O., 2000, Equilibrium Swelling Behavior of pH and Temperature-Sensitive Poly(N-Vinyl 2-pyrrolidone-g-Citric Acid) Polyelectrolyte hydrogels. *Journal of Polymer Science Part B: Polymer Physics*, **38**: 2063–2071.

- Campo, G., Berregi, I., Caracena, R., and Santos J.I., 2006, Quantitative Analysis of Malic and Citric Acids in Fruit Juices using Proton Nuclear Magnetic Resonance Spectroscopy, *Analytica Chimica Acta*, **556**: 462–468.
- Chacon, D., Hsieh, Y.L., Kurth, M.J., and Krochta, J.M., 2000, Swelling and Protein Adsorption/Desorption of Thermo-sensitive Lactitol-based Polyether Polyol Hydrogels. *Polymer*, **41**: 8257–8262.
- Chaudhari, P.D., Phatak, A.A., and Desai, U., 2012, A Review: Coprocessed Excipients-An Alternative to Novel Chemical Entities. *International Journal of Pharmaceutical and Chemical Sciences*, **3**: 2025–2030.
- Coates, J., 2000, Interpretation of Infrared Spectra, A Practical Approach, in Meyers, R.A. (Ed), *Encyclopedia of Analytical Chemistry*, John Wiley & Sons Ltd, Chichester.
- Collett, J. and Moreton, C., 2002. Modified-release peroral dosage forms. In: Aulton, M.E. (Ed.), *Pharmaceutics: The science of dosage form design*, 2nd ed., Churchill Livingstone, Edinburgh, pp.289-302
- Costa, P dan Lobo, J.M.S., 2001, Modeling and Comparison of Dissolution Profiles, *European Journal of Pharmaceutical Sciences*, **13**: 123–133.
- Dash, S., Murthy, P.N., Nath, L., and Chowdhury, P., 2010. Kinetic Modeling on Drug Release from Controlled Drug Delivery Systems, *Acta Poloniae Pharmaceutica*, **67**: 217–223.
- Dey, P., Maiti, S., and Sa, B., 2013, Novel Etherified Locust Bean Gum-Alginate Hydrogels for Controlled Release of Glipizide, *Journal of Biomaterials Science, Polymer Edition*, **24**: 663–683.
- Englyst, H.N. and Cummings, J.H., 1988, Improved Method for Measurement of Dietary Fiber as Non-starch Polysaccharides in Plant Foods, *Journal - Association of Official Analytical Chemists*, **71**: 808–814.
- Furst, D.E., Ulrich, R.W., and Altamirano, C.V., 2009, Nonsteroidal Anti-Inflammatory Drugs Disease-Modifying Antirheumatic Drugs, Nonopioid Analgesics, and Drugs Used in Gout, *Basic and Clinical Pharmacology Eleventh Edition*, Mc Graw Hill Medical.
- Gillet, S., Aguedo, M., Blecker, C., Jacquet, N., and Richel, A., 2014, Use of ¹³C-NMR in Structural Elucidation of Polysaccharides: Case of Locust Bean Gum, *Poster of Young Belgium Magnetic Resonance Scientist 2014*.
- Gulrez, S.K.H., Phillips, G.O., and Al-Assaf, S., 2011, *Hydrogels: Methods of Preparation, Characterisation and Applications*, INTECH Open Access Publisher, pp. 117-150.

- Gyawali, D., Nair, P., Zhang, Y., Tran, R.T., Zhang, C., and Samchukov, M., 2010, Citric Acid-Derived in Situ Crosslinkable Biodegradable Polymers for Cell Delivery, *Biomaterials*, **31**: 9092–9105.
- Harris, J.M. and Chess, R.B., 2003, Effect of Pegylation on Pharmaceuticals. *Nature Reviews Drug Discovery*, **2**: 214–221.
- Johnson, W., 2012, *On the Safety Assessment of Galactomannans As Used in Cosmetics*, Final Report of Cosmetic Ingredient Review, Washington D.C., pp. 1-44.
- Kaity, S. and Ghosh, A., 2013, Carboxymethylation of Locust Bean Gum: Application in Interpenetrating Polymer Network Microspheres for Controlled Drug Delivery, *Industrial & Engineering Chemistry Research*, **52**: 10033–10045.
- Kaity, S., Isaac, J., Kumar, P.M., Bose, A., Wong, T.W., and Ghosh, A., 2013, Microwave Assisted Synthesis of Acrylamide Grafted Locust Bean Gum and Its Application in Drug Delivery, *Carbohydrate Polymers*, **98**: 1083–1094.
- Kalsi, P.S., 2004, *Spectroscopy of Organic Compounds 6rd ed*, New Age International (P) Limited, Publisher, New Delhi, 244-245.
- Karadag, E., Saraydin, D., Sahiner, N., dan Güven, O., 2001, Radiation Induced Acrylamide/Citric Acid Hydrogels and Their Swelling Behaviors, *Journal of Macromolecular Science, Part A*, **38**: 1105–1121.
- Kumar, A., Singh, K., and Ahuja, M., 2009, Xanthan-g-Poly(acrylamide): Microwave-assisted Synthesis, Characterization and in Vitro Release behavior, *Carbohydrate Polymers*, **76**: 261–267.
- Kurecic, M., Smole, M.S., and Kleinschek, 2012, UV Polymerization of Poly(N-Isopropylacrylamide) Hydrogel, *Material and Technology*, **1**: 87–91.
- Larry, L.A., Lieberman, H., and Schwartz, J.B., 1990, *Pharmaceutical Dosage Forms: Tablets*, Second Edition, Volume 3, Taylor & Francis.
- Lundin, L. and Hermansson, A.-M., 1995, Supermolecular Aspects of Xanthan-Locust Bean Gum Gels Based on Rheology and Electron Microscopy, *Carbohydrate Polymers*, **26**: 129–140.
- Martin, A.N. and Bustamante, P., 1993, *Physical Pharmacy: Physical Chemical Principles in the Pharmaceutical Sciences*, Lea & Febiger, pp. 330-337.
- Mathur, A.M., Moorjani, S.K., and Scranton, A.B., 1996, Methods for Synthesis of Hydrogel Networks: A Review. *Journal of Macromolecular Science, Part C: Polymer Reviews*, **36**: 405–430.

- Mundargi, R.C., Patil, S.A., and Aminabhavi, T.M., 2007, Evaluation of Acrylamide-Grafted-Xanthan Gum Copolymer Matrix Tablets for Oral Controlled Delivery of Antihypertensive Drugs, *Carbohydrate Polymers*, **69**: 130–141.
- Narla, S.K., Nageswara Reddy, M.V.V., and Chandrasekhara R., G., 2010, Formulation and Evaluation of Sustained Release Metoprolol Succinate Matrix Tablets by Direct Compression Process by Using Kollidon SR, *Intenational Journal Chemical Technology Research*, **2**: 1153–1155.
- Nissan, R. Merwin, L. Fischer, J., Smith, J., Maurice, J., Nickell, R., and Lusk, L., *An Investigation of the Chemistry of Citric Acid in Military Soldering Applications*, 1995, NAWCWPNS TP 8199, 1-28.
- Palit, S.R., 2009, Some Recent Results of End Group Analysis of Dye Techniques. *Pure and Applied Chemistry*, **12**: 451–462.
- Pandey, S. and Maheshwari, R.K., 2010, A Novel Spectroscopic Method for the Estimation of Ketoprofen in Tablet Dosage Form Using Hydrotropic Solubilization Phenomenon, *World Applied Sciences Journal*, **11**(12) : 1563-1566.
- Radiman, C.L., 2004, Kimia Polimer, Departemen Kimia ITB, hal. 62-69.
- Rannard, S.P., Rogers, S. H., and Hunter, R., 2006, Synthesis of Well-Defined Locust Bean Gum-graft-Copolymers Using Ambient Aqueous Atom Transfer Radical Polymerisation, Supplementary Material (ESI) for Chemical Communications, *The Royal Society of Chemistry*, 1-6.
- Reddy, G., Mohan, K., Satla, S., and Gaikwad, S., 2011, Natural Polysaccharides: Versatile Excipients for Controlled Drug Delivery Systems, *Asian Journal of Pharmaceutical Sciences*, **6**: 275–286.
- Ritschel, W.A. and Kearns, G.I., 2004, Appendix Pharmacokinetic Parameters of Important Drug, *Handbook of Basic Pharmacokinetics Including Clinical Application Sixth Edition*, American Pharmacists Association.
- Ritalal, D.A., Priti, D.G., Vidyadhar, H.B., and Sunil, P., 2011, A Review on: Sustained Released Technology, *International Journal of Reserch in Ayurveda and Pharmacy*, **2**: 1701–1708.
- Rosiak, J.M. dan Yoshii, F., 1999, Hydrogels and Their Medical Applications. *Nuclear Instruments and Methods in Physics Research Section B: Beam Interactions with Materials and Atoms*, **151**: 56–64.

- Rowe, R.C., Sheskey, P.J., and Quinn, M.E., 2009, *Handbook of Pharmaceutical Excipients*, Pharmaceutical Press, pp.66-68.
- Saifuddin, N., Nur, Y.A., and Abdullah, S.F., 2011, Microwave Enhanced Synthesis of Chitosan-Graft-polyacrylamide Molecular Imprinting Polymer for Selective Removal of 17 β estradiol at Trace Concentration, *Asian Journal of Biochemistry*, **6**: 38–54.
- Saeio, K., Pongpaibul, Y., Viernstein, H., and Okonogi, S., 2017, Factors Influencing Drug Dissolution Characteristic from Hydrophilic Polymer Matrix Tablet, *Scientia Pharmaceutica*. **75**: 147-163 (2007)147-163.
- Samavati, V., Razavi, S.H., and Rezaei, K.A., 2007, Intrinsic Viscosity of Locust Bean Gum and Sweeteners Mixture in Dilute Solutions, *Electronic Journal of Environmental, Agricultural and Food Chemistry*, **6**: 1879–1889.
- Saptono, R., 2008, Polimer, Departemen Metalurgi and Material Fakultas Teknik UI, hal. 91-122.
- Sen, G., Singh, R.P., and Pal, S., 2010, Microwave-initiated Synthesis of Polyacrylamide Grafted Sodium Alginate: Synthesis and characterization, *Journal of Applied Polymer Science*, **115**, 63–71.
- Shah, N., Mahoney, R.R., and Pellett, P.L., 1986, Effect of Guar Gum, Lignin and Pectin on Proteolytic Enzyme Levels in The Gastrointestinal Tract of the rat: a time-based study, *The Journal of Nutrition*, **116**: 786–794.
- Shargel, 2003, *Applied Biopharmaceutics and Pharmacokinetics*. McGraw-Hill Education, .
- Singh, A.V., Nath, L.K., and Guha, M., 2011, Microwave Assisted Synthesis and Characterization of Phaseolus Aconitifolius Starch-g-Acrylamide, *Carbohydrate Polymers*, **86**: 872–876.
- Staniforth, J.N., 1988, "Partikel Size Separation" in Aulton, M.E., *Pharmaceutics: The Science of Dosage Form Design*, Churchill Livingstone, New York, pp. 591-613.
- Stawarski, T., Sieradzki, E., Galecka, E., and Binek, K., 2016, Kinetics Study on Ketoprofen Release from Mini Tablet and Multi-Compartment System, *Acta Poloniae Pharmaceutica-Drug Research*, **73** (3): 731-737
- Tamaki, Y., Teruya, T., and Tako, M., 2010, The Chemical Structure of Galactomanan Isolated from Seed of Delonix, *Bioscience Biotechnology Biochemistry*, **74**(5): 1110-1112.

- Tomolein, J., Taylor, J.S., and Read, N.W., 1989, The Effect of Mixed Faecal Bacteria on A Selection of Various Polysaccharides In vitro, *Nutrition Reports International*, **39**: 121–135.
- Wells, J.I. and Aulton, M.E., 1988, "Preformulation" in Aulton, M.E., *Pharmaceutics: The Science of Dosage Form Design*, Churchill Livingstone, New York, pp. 247-248.
- Vijan, V., Kaity, S., Biswas, S., Isaac, J., and Ghosh, A., 2012, Microwave Assisted Synthesis and Characterization of Acrylamide Grafted Gellan, application in drug delivery, *Carbohydrate Polymers*, **90**: 496–506.
- Voigt, R., 1995, *Buku Pelajaran Teknologi Farmasi*. (Noerono, S. dan Reksohardiprojo, M.S., penerjemah), Gajah Mada University Press, Yogyakarta.