UNIVERSITAS
GADJAH MADA
Hubungan Sarkopenia terhadap 6-Minute Walking Test pada Pasien Gagal Jantung Usia Lanjut
Octi Guchiani, dr. Hasanah Mumpuni, SpPD-KKV, SpJP (K).; Dr. dr. Probosuseno, SpPD KGer, SE, MM, FINASIM
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

DAFTAR PUSTAKA

Abdullatif, N., Rizvi, A. and Narayanan, S.N. (2021) 'Analysis of Factors Influencing Hand Grip Strength and Acute Effect of Grip Strength Test on Blood Pressure in Young Adults', *Journal of Clinical and Diagnostic Research* [Preprint]. Available at: https://doi.org/10.7860/jcdr/2021/51087.15709.

Ambike, S. *et al.* (2014) 'Factors affecting grip force: anatomy, mechanics, and referent configurations', *Experimental Brain Research*, 232(4), pp. 1219–1231. Available at: https://doi.org/10.1007/s00221-014-3838-8.

Apriza, R. *et al.* (2021) 'Six Minute Walking Test As Predictor For Mortality and Rehospitalization Within 3 Months In Post Coronary Bypass Surgery Patients', *ACI (Acta Cardiologia Indonesiana)*, 7(1), pp. 24–30. Available at: https://doi.org/10.22146/jaci.v7i1.1118.

Awotidebe, T.O. *et al.* (2016) 'Effects of Cardiac Rehabilitation Exercise Protocols on Physical Function in Patients with Chronic Heart Failure: An Experience from a Resource Constraint Nation', *International Journal of Clinical Medicine*, 07(08), pp. 547–557. Available at: https://doi.org/10.4236/ijcm.2016.78060.

Baert, A. *et al.* (2018) 'Factors associated with health-related quality of life in stable ambulatory congestive heart failure patients: Systematic review', *European Journal of Preventive Cardiology*, 25(5), pp. 472–481. Available at: https://doi.org/10.1177/2047487318755795.

Basuni, D.T. and Fitria, F. (2023a) 'Six-Minute Walking Test as Prognosis Indicator in Stable Chronic CHF Patients in Second Phase Cardiac Rehabilitation', *Journal Of The Indonesian Medical Association*, 73(2), pp. 97–101. Available at: https://doi.org/10.47830/jinma-vol.73.2-2023-786.

Basuni, D.T. and Fitria, F. (2023b) 'Six-Minute Walking Test as Prognosis Indicator in Stable Chronic CHF Patients in Second Phase Cardiac Rehabilitation', *Journal Of The Indonesian Medical Association*, 73(2), pp. 97–101. Available at: https://doi.org/10.47830/jinma-vol.73.2-2023-786.

Beck, J. *et al.* (2007) 'Low serum selenium concentrations are associated with poor grip strength among older women living in the community', *BioFactors*, 29(1), pp. 37–44. Available at: https://doi.org/10.1002/biof.5520290104.

Bekfani, T. *et al.* (2016) 'Sarcopenia in patients with heart failure with preserved ejection fraction: Impact on muscle strength, exercise capacity and quality of life', *International Journal of Cardiology*, 222, pp. 41–46. Available at: https://doi.org/10.1016/j.ijcard.2016.07.135.

Bielecka-Dabrowa, A.M. *et al.* (2023) 'The role of nutraceuticals in heart failure muscle wasting as a result of inflammatory activity. The International Lipid Expert Panel (ILEP) Position Paper.', *Archives of Medical Science* [Preprint]. Available at: https://doi.org/10.5114/aoms/167799.

Bosnak-Guclu, M. *et al.* (2012) 'Exercise Capacity, Peripheral Muscle Strength, and Inactivity in Diabetic Patients With Heart Failure', *Topics in Geriatric*

UNIVERSITAS
GADJAH MADA
Hubungan Sarkopenia terhadap 6-Minute Walking Test pada Pasien Gagal Jantung Usia Lanjut
Octi Guchiani, dr. Hasanah Mumpuni, SpPD-KKV, SpJP (K).; Dr. dr. Probosuseno, SpPD K-Ger, SE, MM, FINASIM
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Rehabilitation, 28(1), pp. 54–59. Available at: https://doi.org/10.1097/TGR.0b013e31823632d9.

Cannataro, R. *et al.* (2021) 'Sarcopenia: Etiology, Nutritional Approaches, and miRNAs', *International Journal of Molecular Sciences*, 22(18), p. 9724. Available at: https://doi.org/10.3390/ijms22189724.

Cerfoglio, S. *et al.* (2023) 'Inertial-based Six-Minute Walking Test Assessment in Post-Covid Patients: Preliminary Results', in *IEEE EUROCON 2023 - 20th International Conference on Smart Technologies*. IEEE, pp. 520–524. Available at: https://doi.org/10.1109/EUROCON56442.2023.10199042.

Chandrashekhar Iyer, L., Vaishali, K. and Babu, A.S. (2023) 'Prevalence of sarcopenia in heart failure: A systematic review', *Indian Heart Journal*, 75(1), pp. 36–42. Available at: https://doi.org/10.1016/j.ihj.2022.12.004.

Charkiewicz, M. *et al.* (2023) 'Association of Chronic Heart Failure with Frailty, Malnutrition, and Sarcopenia Parameters in Older Patients—A Cross-Sectional Study in a Geriatric Ward', *Journal of Clinical Medicine*, 12(6), p. 2305. Available at: https://doi.org/10.3390/jcm12062305.

Chen, F. *et al.* (2020) 'Risk Factors for Sarcopenia in the Elderly with Type 2 Diabetes Mellitus and the Effect of Metformin', *Journal of Diabetes Research*, 2020, pp. 1–10. Available at: https://doi.org/10.1155/2020/3950404.

Chen, L.-K. *et al.* (2020) 'Asian Working Group for Sarcopenia: 2019 Consensus Update on Sarcopenia Diagnosis and Treatment', *Journal of the American Medical Directors Association*, 21(3), pp. 300-307.e2. Available at: https://doi.org/10.1016/j.jamda.2019.12.012.

Cho, J. *et al.* (2020) 'Exercise as a Therapeutic Strategy for Sarcopenia in Heart Failure: Insights into Underlying Mechanisms', *Cells*, 9(10), p. 2284. Available at: https://doi.org/10.3390/cells9102284.

Cho, M.R., Lee, S. and Song, S.K. (2022) 'A Review of Sarcopenia Pathophysiology, Diagnosis, Treatment and Future Direction', *Journal of Korean Medical Science*, 37(18). Available at: https://doi.org/10.3346/jkms.2022.37.e146.

Chrysant, S.G. and Chrysant, G.S. (2022) 'The pathophysiology and management of diuretic resistance in patients with heart failure', *Hospital Practice*, 50(2), pp. 93–101. Available at: https://doi.org/10.1080/21548331.2021.1893065.

Cruz-Jentoft, A.J. *et al.* (2019) 'Sarcopenia: revised European consensus on definition and diagnosis', *Age and Ageing*, 48(1), pp. 16–31. Available at: https://doi.org/10.1093/ageing/afy169.

Dai, K.Z. *et al.* (2023) 'Hand Grip Strength Predicts Mortality And Quality Of Life In Heart Failure: Insights From The Singapore Cohort Of Patients With Advanced Heart Failure', *Journal of Cardiac Failure*, 29(4), p. 640. Available at: https://doi.org/10.1016/j.cardfail.2022.10.230.

Dechman, G. (2005) 'Research Corner Outcome Measures in Cardiopulmonary Physical Therapy: Focus on the Shuttle Walk Test', *Cardiopulmonary Physical Therapy Journal*, 16(2), pp. 21–23. Available at: https://doi.org/10.1097/01823246-200516020-00004.

UNIVERSITAS
GADJAH MADA
Hubungan Sarkopenia terhadap 6-Minute Walking Test pada Pasien Gagal Jantung Usia Lanjut
Octi Guchiani, dr. Hasanah Mumpuni, SpPD-KKV, SpJP (K).; Dr. dr. Probosuseno, SpPD K-Ger, SE, MM, FINASIM
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Devarakonda, P. kumar *et al.* (2022) 'Abstract 14592: Impact of Sodium Abnormalities: Hypernatremia vs Hyponatremia on Inpatient Hospital Congestive Heart Failure Outcomes: A National Inpatient Sample Data Analysis', *Circulation*, 146(Suppl_1). Available at: https://doi.org/10.1161/circ.146.suppl_1.14592.

Dewaswala, N. *et al.* (2022) 'Pathophysiology and Management of Heart Failure in the Elderly', *International Journal of Angiology*, 31(04), pp. 251–259. Available at: https://doi.org/10.1055/s-0042-1758357.

Díez-Villanueva, P., Jiménez-Méndez, C. and Alfonso, F. (2021) 'Heart failure in the elderly.', *Journal of geriatric cardiology : JGC*, 18(3), pp. 219–232. Available at: https://doi.org/10.11909/j.issn.1671-5411.2021.03.009.

Emami, A. *et al.* (2018) 'Comparison of sarcopenia and cachexia in men with chronic heart failure: results from the Studies Investigating Co- morbidities Aggravating Heart Failure (SICA- HF)', *European Journal of Heart Failure*, 20(11), pp. 1580–1587. Available at: https://doi.org/10.1002/ejhf.1304.

Fisher, A.L. (2004) 'Of Worms and Women: Sarcopenia and its Role in Disability and Mortality', *Journal of the American Geriatrics Society*, 52(7), pp. 1185–1190. Available at: https://doi.org/10.1111/j.1532-5415.2004.52320.x.

Fujimoto, Y. *et al.* (2023) 'Prognostic implications of six-minute walking distance in patients with heart failure with preserved ejection fraction', *International Journal of Cardiology*, 379, pp. 76–81. Available at: https://doi.org/10.1016/j.ijcard.2023.03.025.

Gafner, S.C. *et al.* (2017) 'Hip muscle and hand-grip strength to differentiate between older fallers and non-fallers: a cross-sectional validity study', *Clinical Interventions in Aging*, Volume 13, pp. 1–8. Available at: https://doi.org/10.2147/CIA.S146834.

Gang, M. and Han, S. (2023) 'Factors Influencing Grip Strength of Depressed Patients: Using Data from the National Health and Nutrition Examination Survey (2018~2019)', *Journal of Korean Academy of Psychiatric and Mental Health Nursing*, 32(1), pp. 92–100. Available at: https://doi.org/10.12934/jkpmhn.2023.32.1.92.

Gazewood, J.D. and Turner, P.L. (2017) 'Heart Failure with Preserved Ejection Fraction: Diagnosis and Management.', *American family physician*, 96(9), pp. 582–588.

Geller, D. *et al.* (2022) 'Home mirror therapy: a randomized controlled pilot study comparing unimanual and bimanual mirror therapy for improved arm and hand function post-stroke', *Disability and Rehabilitation*, 44(22), pp. 6766–6774. Available at: https://doi.org/10.1080/09638288.2021.1973121.

Goberdhan, C. *et al.* (2022) 'Using the 6-minute walking test to evaluate the effect of high-intensity interval training on the functional capacity in heart failure patients: a systematic review and meta-analysis', *European Heart Journal*, 43(Supplement_2). Available at: https://doi.org/10.1093/eurheartj/ehac544.989.

Gorodeski, E.Z. *et al.* (2018) 'Domain Management Approach to Heart Failure in the Geriatric Patient', *Journal of the American College of Cardiology*, 71(17), pp. 1921–1936. Available at: https://doi.org/10.1016/j.jacc.2018.02.059.

UNIVERSITAS
GADJAH MADA
Hubungan Sarkopenia terhadap 6-Minute Walking Test pada Pasien Gagal Jantung Usia Lanjut
Octi Guchiani, dr. Hasanah Mumpuni, SpPD-KKV, SpJP (K).; Dr. dr. Probosuseno, SpPD K-GEH, SE, MM, FINASIM
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Hambir, S. and Satralkar, A. (2023) 'Effectiveness of Movement Based Mirror Therapy Versus Task Based Mirror Therapy on Upper Limb Function, Muscle Tone and Grip Strength in Patients with Stroke: A Comparative Study', *International Journal of Health Sciences and Research*, 13(6), pp. 69–80. Available at: https://doi.org/10.52403/ijhsr.20230613.

Hamdani, R. and Florencia Leona, D. (2023) 'Relationship Between Handgrip Strength with the 6-Minute Walking Test Distance in Heart Failure Patients', *INSOLOGI: Jurnal Sains dan Teknologi*, 2(4), pp. 834–841. Available at: https://doi.org/10.55123/insologi.v2i4.2323.

Han, P. *et al.* (2022) 'Both Short and Long Sleep Durations are Risk Factors for Sarcopenia in Suburban-Dwelling Older Chinese Individuals: A 3-Year Longitudinal Study', *Nature and Science of Sleep*, Volume 14, pp. 1089–1096. Available at: https://doi.org/10.2147/NSS.S361925.

He, H. *et al.* (2023) 'Normative values of hand grip strength in a large unselected Chinese population: Evidence from the China National Health Survey', *Journal of Cachexia, Sarcopenia and Muscle*, 14(3), pp. 1312–1321. Available at: https://doi.org/10.1002/jcsm.13223.

Höglund, J., Boström, C. and Sundh, J. (2022) 'Six-Minute Walking Test and 30 Seconds Chair-Stand-Test as Predictors of Mortality in COPD – A Cohort Study', *International Journal of COPD*, 17, pp. 2461–2469. Available at: https://doi.org/10.2147/COPD.S373272.

Hong-bo, H. (2008) 'Effects of Erythropoietin on Cardiac Structure and Function and B-Type Natriuretic Peptide in Patients with Congestive Heart Failure'.

Hui-jiu, W. (2011) 'Clinical Study on Valsartan Combined with Carvedilol in the Treatment of Chronic Heart Failure'.

Hwang, J. and Park, S. (2022) 'Gender-Specific Risk Factors and Prevalence for Sarcopenia among Community-Dwelling Young-Old Adults', *International Journal of Environmental Research and Public Health*, 19(12), p. 7232. Available at: https://doi.org/10.3390/ijerph19127232.

Ismael, H. and Habeeb, M. (2022) 'Impact of iron replacement therapy on six minutes walking test (functional state) in patients with heart failure with reduced ejection fraction and iron deficiency', *Zanco Journal of Medical Sciences*, 26(2), pp. 137–147. Available at: https://doi.org/10.15218/zjms.2022.015.

J. M, Anjankumar. and Shashikala, L. (2023) 'Association Between Blood Pressure and Hand Grip Strength Among Adult Population Visiting a Tertiary Care Centre – a Cross-Sectional Study', *Indian Journal of Applied Research*, pp. 37–41. Available at: https://doi.org/10.36106/ijar/6101241.

Jin, U. *et al.* (2023) 'Association between frailty and physical performance in older patients with heart failure', *Clinical Cardiology*, 46(12), pp. 1530–1537. Available at: https://doi.org/10.1002/clc.24142.

KAMAŞAK, B. *et al.* (2023) 'The Effects of Bioimpedance Analysis Results and Upper Extremity Anthropometric Measurements on Grip Strength in Young Adults', *Düzce Tıp Fakültesi Dergisi*, 25(1), pp. 62–67. Available at: https://doi.org/10.18678/dtfd.1224576.

UNIVERSITAS
GADJAH MADA
Hubungan Sarkopenia terhadap 6-Minute Walking Test pada Pasien Gagal Jantung Usia Lanjut
Octi Guchiani, dr. Hasanah Mumpuni, SpPD-KKV, SpJP (K).; Dr. dr. Probosuseno, SpPD K-Ger, SE, MM, FINASIM
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Kandah, F. *et al.* (2022) 'Invasive versus non-invasive hemodynamic monitoring of heart failure patients and their outcomes', *Journal of Geriatric Cardiology*. Science Press, pp. 315–318. Available at: https://doi.org/10.11909/j.issn.1671-5411.2022.04.004.

Karima, A.S. *et al.* (2023) 'Six Minutes Walking Test as Assessment in Determining Fitness to Work After Spinal Tuberculosis Post Stabilization and Comprehensive Rehabilitation: A Case Report', *Indonesian Journal of Physical Medicine and Rehabilitation*, 12(02), pp. 155–163. Available at: https://doi.org/10.36803/indojpmr.v12i02.390.

Katchamart, W. *et al.* (2023) 'Risk Factors for Sarcopenia in Thai Patients with Rheumatoid Arthritis', *Discovery Medicine*, 35(176), p. 436. Available at: https://doi.org/10.24976/Discov.Med.202335176.44.

Khalil, S., Mohktar, M. and Ibrahim, F. (2014) 'The Theory and Fundamentals of Bioimpedance Analysis in Clinical Status Monitoring and Diagnosis of Diseases', *Sensors*, 14(6), pp. 10895–10928. Available at: https://doi.org/10.3390/s140610895.

Kim, T.N. *et al.* (2010) 'Prevalence and Determinant Factors of Sarcopenia in Patients With Type 2 Diabetes', *Diabetes Care*, 33(7), pp. 1497–1499. Available at: https://doi.org/10.2337/dc09-2310.

Kono, Y. *et al.* (2020) 'The difference in determinant factor of six-minute walking distance between sarcopenic and non-sarcopenic elderly patients with heart failure', *Journal of Cardiology*, 75(1), pp. 42–46. Available at: https://doi.org/10.1016/j.jjcc.2019.07.002.

Kubota, Y. *et al.* (2015) 'Impact of β-blocker selectivity on long-term outcomes in congestive heart failure patients with chronic obstructive pulmonary disease', *International Journal of Chronic Obstructive Pulmonary Disease*, p. 515. Available at: https://doi.org/10.2147/COPD.S79942.

Lacerda, L.L.M. de *et al.* (2023) 'Enteral nutrition and congestive heart failure: a systematic review', *International Journal of Nutrology*, 16(2). Available at: https://doi.org/10.54448/ijn23206.

Laksmi, P.W. *et al.* (2019) *The Need for a New Cut-off Value to Increase Diagnostic Performance of Bioelectrical Impedance Analysis Compared with Dual-Energy X-ray Absorptiometry to Measure Muscle Mass in Indonesian Elderly*, *Acta Med Indones-Indones J Intern Med* •.

Lee, J. *et al.* (2020) 'Long-term risk of congestive heart failure in younger breast cancer survivors: A nationwide study by the SMARTSHIP group', *Cancer*, 126(1), pp. 181–188. Available at: https://doi.org/10.1002/cncr.32485.

Li, R. *et al.* (2023) 'Effectiveness of robotic-assisted gait training on cardiopulmonary fitness and exercise capacity for incomplete spinal cord injury: A systematic review and meta-analysis of randomized controlled trials', *Clinical Rehabilitation*, 37(3), pp. 312–329. Available at: https://doi.org/10.1177/02692155221133474.

Li, R.-M. *et al.* (2023) 'Association between handgrip strength and heart failure in adults aged 45 years and older from NHANES 2011–2014', *Scientific Reports*, 13(1), p. 4551. Available at: https://doi.org/10.1038/s41598-023-31578-9.

UNIVERSITAS
GADJAH MADA
Hubungan Sarkopenia terhadap 6-Minute Walking Test pada Pasien Gagal Jantung Usia Lanjut
Octi Guchiani, dr. Hasanah Mumpuni, SpPD-KKV, SpJP (K).; Dr. dr. Probosuseno, SpPD K-Ger, SE, MM, FINASIM
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Lima, A. *et al.* (2024) 'A pilot observational study to identify reference values for the 6-minute walk test in Brazilian people with hypertension', *Fisioterapia em Movimento*, 37. Available at: https://doi.org/10.1590/fm.2024.37108.

Lin, Y.H. *et al.* (2021) 'Using hand grip strength to detect slow walking speed in older adults: the Yilan study', *BMC Geriatrics*, 21(1). Available at: https://doi.org/10.1186/s12877-021-02361-0.

López, J.L. and Vásquez-Coronel, J.A. (2023) 'Congestive Heart Failure Category Classification Using Neural Networks in Short-Term Series', *Applied Sciences*, 13(24), p. 13211. Available at: https://doi.org/10.3390/app132413211.

Loprinzi, P.D. (2016) 'Brief Walking Test and Cognitive Function among Congestive Heart Failure Patients: Effect Modification by Duration of Congestive Heart Failure', *International Cardiovascular Forum Journal*, 6. Available at: https://doi.org/10.17987/icfj.v6i0.193.

Maeda, D. *et al.* (2024) 'Frailty, Sarcopenia, Cachexia, and Malnutrition in Heart Failure', *Korean Circulation Journal*, 54(7), p. 363. Available at: https://doi.org/10.4070/kcj.2024.0089.

Mappangara, I. *et al.* (2020) 'Six-minute walking test distance predicts readmission in hospitalized heart failure patient in integrated cardiac centre, Makassar, Indonesia', *International Journal of Research in Medical Sciences*, 8(12), p. 4360. Available at: https://doi.org/10.18203/2320-6012.ijrms20205305.

Martinelli, E. *et al.* (2023) 'Heart Failure in Elderly People: From Pathophysiology to Diagnosis and Management', *OBM Geriatrics*, 07(03), pp. 1–26. Available at: https://doi.org/10.21926/obm.geriatr.2303250.

Maurizio Volterrani, G.C. (2013) 'Lack of Benefits of Endurance Training in Patients with Chronic Heart Failure: Role of Asymptomatic Peripheral Artery Disease', *International Journal of Physical Medicine & Rehabilitation*, 04(07). Available at: https://doi.org/10.4172/2329-9096.1000156.

McDonagh, T.A. *et al.* (2021) '2021 ESC Guidelines for the diagnosis and treatment of acute and chronic heart failure', *European Heart Journal*, 42(36), pp. 3599–3726. Available at: https://doi.org/10.1093/eurheartj/ehab368.

Meghashri, V. *et al.* (2023) 'Correlation of Six Minute Walking Test, Sit to Stand Test and Pulmonary Function Test in Patients with Chronic Obstructive Pulmonary Disease', *JOURNAL OF CLINICAL AND DIAGNOSTIC RESEARCH* [Preprint]. Available at: https://doi.org/10.7860/JCDR/2023/58723.17229.

Mendorf, S. *et al.* (2023) 'Prospective associations between hand grip strength and subsequent depressive symptoms in men and women aged 50 years and older: insights from the Survey of Health, Aging, and Retirement in Europe', *Frontiers in Medicine*, 10. Available at: https://doi.org/10.3389/fmed.2023.1260371.

Mikhailovskaya, T. V. *et al.* (2021) 'Methods of Evaluation of Tolerance yo Physical Activity Based on Six-Minute Walking Test During Outpatient Rehabilitation of Patients with Ischemic Heart Disease', *Physical and rehabilitation medicine, medical rehabilitation*, 3(1), pp. 4–10. Available at: https://doi.org/10.36425/rehab64360.

UNIVERSITAS
GADJAH MADA
Hubungan Sarkopenia terhadap 6-Minute Walking Test pada Pasien Gagal Jantung Usia Lanjut
Octi Guchiani, dr. Hasanah Mumpuni, SpPD-KKV, SpJP (K).; Dr. dr. Probosuseno, SpPD K[illegible], SE, MM, FINASIM
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Morris, J.H. and Chen, L. (2019) 'Exercise Training and Heart Failure: A Review of the Literature', *Cardiac Failure Review*, 5(1), pp. 57–61. Available at: https://doi.org/10.15420/cfr.2018.31.1.

Mostovov, A. *et al.* (2023) 'Test-retest reliability of the six-minute walking distance measurements using FeetMe insoles by completely unassisted healthy adults in their homes', *PLOS Digital Health*, 2(11), p. e0000262. Available at: https://doi.org/10.1371/journal.pdig.0000262.

Nakayama, M. *et al.* (2023) 'Association between sarcopenia and exercise capacity in patients with pulmonary hypertension without left heart disease', *International Journal of Cardiology*, 387. Available at: https://doi.org/10.1016/j.ijcard.2023.06.006.

Nishikawa, H. *et al.* (2021) 'Pathophysiology and mechanisms of primary sarcopenia (Review)', *International Journal of Molecular Medicine*, 48(2), p. 156. Available at: https://doi.org/10.3892/ijmm.2021.4989.

Prokopidis, K. *et al.* (2022) 'Exercise and nutritional interventions on sarcopenia and frailty in heart failure: a narrative review of systematic reviews and meta-analyses', *ESC Heart Failure*, 9(5), pp. 2787–2799. Available at: https://doi.org/10.1002/ehf2.14052.

Prokopidis, K. *et al.* (2023) 'Are sarcopenia and its individual components linked to all-cause mortality in heart failure? A systematic review and meta-analysis', *Clinical Research in Cardiology* [Preprint]. Available at: https://doi.org/10.1007/s00392-023-02360-8.

Saied, S. *et al.* (2024) 'Is sarcopenia an associated factor of increased administration of specific medications in patients with heart failure? A systematic review and meta-analysis', *Frontiers in Cardiovascular Medicine*, 11. Available at: https://doi.org/10.3389/fcvm.2024.1293537.

Savas, S. *et al.* (2023) 'Comparison of Grip Strength Measurements by Widely Used Three Dynamometers in Outpatients Aged 60 Years and Over', *Journal of Clinical Medicine*, 12(13), p. 4260. Available at: https://doi.org/10.3390/jcm12134260.

Sellayah, R. and Boden, I. (2023) 'OGC P32 Preoperative hand grip strength is associated with postoperative pulmonary complications after major abdominal surgery: a prospective multi-centre international cohort study', *British Journal of Surgery*, 110(Supplement_8). Available at: https://doi.org/10.1093/bjs/znad348.230.

Shahim, B. *et al.* (2023) 'Global Public Health Burden of Heart Failure: An Updated Review', *Cardiac Failure Review*, 9. Available at: https://doi.org/10.15420/cfr.2023.05.

da Silva Santos, M.L. *et al.* (2024) 'Muscle strength during pregnancy and postpartum in adolescents and adults', *PLoS ONE*, 19(3 March). Available at: https://doi.org/10.1371/journal.pone.0300062.

Silva-Santos, T. *et al.* (2024) 'Hand Grip Force–Time Curve Indicators Evaluated by Dynamometer: A Systematic Review', *Nutrients*, 16(12), p. 1951. Available at: https://doi.org/10.3390/nu16121951.

UNIVERSITAS
GADJAH MADA
Hubungan Sarkopenia terhadap 6-Minute Walking Test pada Pasien Gagal Jantung Usia Lanjut
Octi Guchiani, dr. Hasanah Mumpuni, SpPD-KKV, SpJP (K).; Dr. dr. Probosuseno, SpPD K-Ger, SE, MM, FINASIM
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Singh, B. *et al.* (2024) 'Proactive approaches in congestive heart failure: the significance of early goals of care discussion and palliative care', *Future Cardiology*, 20(11–12), pp. 661–668. Available at: https://doi.org/10.1080/14796678.2024.2404323.

Sopek Merkaš, I., Slišković, A.M. and Lakušić, N. (2021) 'Current concept in the diagnosis, treatment and rehabilitation of patients with congestive heart failure', *World Journal of Cardiology*, 13(7), pp. 183–203. Available at: https://doi.org/10.4330/wjc.v13.i7.183.

Squercioni, B. *et al.* (2022) 'POS0587 TRAJECTORIES AND FACTORS INFLUENCING THE EVOLUTION OF HAND GRIP AMONG PATIENTS WITH RHEUMATOID ARTHRITIS', *Annals of the Rheumatic Diseases*, 81(Suppl 1), pp. 560.1-561. Available at: https://doi.org/10.1136/annrheumdis-2022-eular.1104.

Tabara, Y. *et al.* (2023) 'Associations between adiponectin and leptin levels and skeletal muscle mass and myosteatosis in older adults: The Shimanami Health Promoting Program study', *Geriatrics & Gerontology International*, 23(6), pp. 444–449. Available at: https://doi.org/10.1111/ggi.14582.

Tae Nyun Kim and Kyung Mook Choi (2013) 'Sarcopenia: Definition, Epidemiology, and Pathophysiology', *Journal of Bone Metabolism*, 20, pp. 1–10.

Torres- Castro, R., Gimeno- Santos, E. and Blanco, I. (2022) 'Use of six- minute walking test to predict peak oxygen consumption in pulmonary vascular disease', *Pulmonary Circulation*, 12(4). Available at: https://doi.org/10.1002/pul2.12129.

Triposkiadis, F. *et al.* (2022) 'Pathogenesis of chronic heart failure: cardiovascular aging, risk factors, comorbidities, and disease modifiers', *Heart Failure Reviews*, 27(1), pp. 337–344. Available at: https://doi.org/10.1007/s10741-020-09987-z.

Troosters, T., Gosselink, R. and Decramer, M. (1999) 'Six minute walking distance in healthy elderly subjects', *European Respiratory Journal*, 14(2), pp. 270–274. Available at: https://doi.org/10.1034/j.1399-3003.1999.14b06.x.

Umehara, T. *et al.* (2022) 'Association of muscle mass and quality with hand grip strength in elderly patients with heart failure', *Heart and Vessels*, 37(8), pp. 1380–1386. Available at: https://doi.org/10.1007/s00380-022-02046-7.

Upadhya, B. and Kitzman, D.W. (2020) 'Heart failure with preserved ejection fraction: New approaches to diagnosis and management', *Clinical Cardiology*, 43(2), pp. 145–155. Available at: https://doi.org/10.1002/clc.23321.

Wang, H. *et al.* (2021) 'Prevalence and Incidence of Heart Failure Among Urban Patients in China: A National Population-Based Analysis', *Circulation: Heart Failure*, 14(10). Available at: https://doi.org/10.1161/CIRCHEARTFAILURE.121.008406.

Wang, Y. *et al.* (2023) 'Handgrip strength and the prognosis of patients with heart failure: A meta- analysis', *Clinical Cardiology*, 46(10), pp. 1173–1184. Available at: https://doi.org/10.1002/clc.24063.

Wei, L. *et al.* (2022) 'An Intelligent Cardiopulmonary Training System and Adherence to Training Intensity: A Feasibility Study', *International Journal of Environmental Research and Public Health*, 19(14), p. 8335. Available at: https://doi.org/10.3390/ijerph19148335.

UNIVERSITAS
GADJAH MADA
Hubungan Sarkopenia terhadap 6-Minute Walking Test pada Pasien Gagal Jantung Usia Lanjut
Octi Guchiani, dr. Hasanah Mumpuni, SpPD-KKV, SpJP (K).; Dr. dr. Probosuseno, SpPD K[illegible], SE, MM, FINASIM
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Wiersinga, J.H.I. *et al.* (2021) 'Managing older patients with heart failure calls for a holistic approach.', *ESC heart failure*, 8(3), pp. 2111–2119. Available at: https://doi.org/10.1002/ehf2.13292.

Wu, M.-F. *et al.* (2022) 'A Pervasive Pulmonary Function Estimation System with Six-Minute Walking Test', *Biosensors*, 12(10), p. 824. Available at: https://doi.org/10.3390/bios12100824.

Xu, D. *et al.* (2002) 'The effects of exercise training on plasma tumor necrosis factor-alpha, blood leucocyte and its components in congestive heart failure patients', *Zhonghua nei ke za zhi [Chinese journal of internal medicine]*, 41(4), pp. 237–240.

Yang, S. *et al.* (2021) 'Low urine <scp>pH</scp> is a risk factor for low muscle mass: A new way to predict sarcopenia', *Geriatrics & Gerontology International*, 21(10), pp. 944–949. Available at: https://doi.org/10.1111/ggi.14269.

Zainuldin, R., Mackey, M.G. and Alison, J.A. (2015) 'Prescription of Walking Exercise Intensity From the 6-Minute Walk Test in People With Chronic Obstructive Pulmonary Disease', *Journal of Cardiopulmonary Rehabilitation and Prevention*, 35(1), pp. 65–69. Available at: https://doi.org/10.1097/HCR.0000000000000074.

Zhang, Q. *et al.* (2017) '6MWT Performance and its Correlations with VO2 and Handgrip Strength in Home-Dwelling Mid-Aged and Older Chinese', *International Journal of Environmental Research and Public Health*, 14(5), p. 473. Available at: https://doi.org/10.3390/ijerph14050473.

Zhang, Y. *et al.* (2021) 'Sarcopenia in heart failure: a systematic review and meta-analysis', *ESC Heart Failure*, 8(2), pp. 1007–1017. Available at: https://doi.org/10.1002/ehf2.13255.

Zhang, Y. *et al.* (2024) 'A Novel Method for Identifying Frailty and Quantifying Muscle Strength Using the Six-Minute Walking Test', *Sensors*, 24(14), p. 4489. Available at: https://doi.org/10.3390/s24144489.

Zilberberg, M.D. *et al.* (2023) 'Descriptive Epidemiology and Outcomes of Patients with Short Stay Hospitalizations for the Treatment of Congestive Heart Failure in the US', *ClinicoEconomics and Outcomes Research*, 15, pp. 139–149. Available at: https://doi.org/10.2147/CEOR.S400882.