

DAFTAR PUSTAKA

- Abdel-Raouf, M. dan Hussein, H.A., 2015. Effect of long-term testosterone propionate or human chorionic gonadotrophin administration on reproductive glands in adult male rabbits. *Andrologia*, **47**: 455–463.
- Adhirajan, N., Ravi Kumar, T., Shanmugasundaram, N., dan Babu, M., 2003. In vivo and in vitro evaluation of hair growth potential of *Hibiscus rosa-sinensis* Linn. *Journal of Ethnopharmacology*, **88**: 235–239.
- Agrahari, Vibhuti. Agrahari, V. dan Mitra, A.K., 2016. Nanocarrier fabrication and macromolecule drug delivery: challenges and opportunities. *Future Science. Therapeutic Delivery*, **7**: 257-278
- Albratty, M., Bajawi, A.A.M., Marei, T.M.H., Shamsheer Alam, M., Alhazmi, H.A., Najmi, A., dkk., 2021. Spectral analysis and antibacterial potential of bioactive principles of *Sargassum crassifolium* J. Agardh from Red sea of Jazan origin. *Saudi Journal of Biological Sciences*, **28**: 5745–5753.
- Ale, M.T. dan Meyer, A.S., 2013. Fucoidans from brown seaweeds: An update on structures, extraction techniques and use of enzymes as tools for structural elucidation. *RSC Advances*, **3**: 8131–8141.
- Ale, M.T., Mikkelsen, J.D., dan Meyer, A.S., 2011. Important determinants for fucoidan bioactivity: A critical review of structure-function relations and extraction methods for fucose-containing sulfated polysaccharides from brown seaweeds. *Marine Drugs*, **9**: 2106–2130.
- Alfutaimani, A.S., Alharbi, N.K., S. Alahmari, A., A. Alqabbani, A., dan Aldayel, A.M., 2024. Exploring the landscape of Lipid Nanoparticles (LNPs): A comprehensive review of LNPs types and biological sources of lipids. *International Journal of Pharmaceutics: X*, **8**: 100305.
- Amnuaykan, P., Anantaworasakul, P., Lueadnakrob, K., Kunkul, P., Chokrungrasrid, W., Thummanuwong, A., dkk., 2025. Nanostructured Lipid Carriers for Sustained Release and Enhanced Delivery of Vanda coerulea Protocorm Extract. *Pharmaceutics*, **17**: 1–24.
- Andl, T., Reddy, S.T., Gaddapara, T., dan Millar, S.E., 2002. WNT signals are required for the initiation of hair follicle development. *Developmental Cell*, **2**: 643–653.
- Anggadiredja, J.T., Zatnika, A., Purwato, H., Istini, S., 2008. RUMPUT LAUT: Pembudidayaan, Pengelolaan Dan Pemasaran Komoditas Perikanan Potensial. Penebar Swadaya, Jakarta.

- Annisa, R., Hendradi, E., dan Melani, D., 2016. Pengembangan Sistem *Nanostructured Lipid Carriers* (NLC) Meloxicam dengan Lipid Monostearin dan Miglyol 808 Menggunakan Metode Emulsifikasi. *Journal of Tropical Pharmacy and Chemistry*, **3**: 156–169.
- Annisa, R., Farah, N.A., Mahmudi, K. L., Alfarizi, F. A., dan Firdaus, M. R. M., 2025. Formulation and Physicochemical Characterization of a Nanostructured Lipid Carrier (NLC) Gel Combining Minoxidil and Finasteride for the Treatment of Alopecia in Prospective Hajj Pilgrims. *Jurnal Sains dan Teknologi Farmasi Indonesia*, 14(1): 53-61
- Ansel, H.C., 2014. *Pharmaceutical Dosage Forms and Drug Delivery Systems*, Tenth Edition. Lippincott Williams & Wilkins, a Wolters Kluwer business., Philadelphia.
- Antonisamy, A.J. dan Rajendran, K., 2024. Comparative study on the extraction methods, characterization, and bioactivity of crude fucoidan, a polysaccharide derived from *Sargassum ilicifolium*. *Biochemical Engineering Journal*, **209**: 109398.
- AOAC, 2007. How to Meet ISO 17025 Requirements for Method Verification How to Meet ISO 17025 Requirements for Method Verification, dalam: *AOAC*. hal. 1–10.
- Arlov, Ø., Nøkling-Eide, K., Aarstad, O.A., Jacobsen, S.S., Langeng, A.M., Borrero-Santiago, A.R., dkk., 2024. Variations in the chemical composition of Norwegian cultivated brown algae *Saccharina latissima* and *Alaria esculenta* based on deployment and harvest times. *Algal Research*, **78**: 1–11.
- Asfour, L., Cranwell, W., dan Sinclair, R., 2023. Male Androgenetic Alopecia, dalam: *National Library of Medicine*.
- Atashrazm, F., Lowenthal, R.M., Woods, G.M., Holloway, A.F., dan Dickinson, J.L., 2015. Fucoidan and cancer: A multifunctional molecule with anti-tumor potential. *Marine Drugs*, **13**: 2327–2346.
- Atmadja, W. S., A. Kadi, Sulistijo, Satari, R., 1996. *Pengenalan Jenis-Jenis Rumput Laut Indonesia*. Puslitbang Oseanologi LIPI, Jakarta.
- Azhar, S.N.A.S., Ashari, S.E., Zainuddin, N., dan Hassan, M., 2022. Nanostructured Lipid Carriers-Hydrogels System for Drug Delivery: Nanohybrid Technology Perspective. *Molecules*, **27**: 1-22.
- Aziza, F.N., Sulaiman, T.N.S., Primasari, F.S., Syazwina, Z., dan Suwardjo, W.P., 2025. Optimization of HPMC and Carbopol 940 as Gelling Agents on The Physical Properties and Stability in Anti-Acne Gel of Binahong Leaves

(*Anredera cordifolia* (Ten.) Steenis Extract. *Indonesian Journal of Pharmacy*, **36**: 479–488.

Babazadeh, A., Ghanbarzadeh, B., dan Hamishehkar, H., 2017. Formulation of food grade nanostructured lipid carrier (NLC) for potential applications in medicinal-functional foods. *Journal of Drug Delivery Science and Technology*, **39**: 50–58.

Badan Standarisasi Nasional (BSN), 2015. *SNI 2690:2015 Rumput Laut Kering*.

Bahari, L.A.S. dan Hamishehkar, H., 2016. The impact of variables on particle size of solid lipid nanoparticles and nanostructured lipid carriers: A comparative literature review. *Advanced Pharmaceutical Bulletin*, **6**: 143–151.

Balaji dan Goudanavar, P., 2025. Advancing topical drug delivery: NLC innovations in dermatological therapeutics. *Nano Trends*, **10**: 100108.

Balboa, E.M., Conde, E., Moure, A., Falqué, E., dan Domínguez, H., 2013. In vitro antioxidant properties of crude extracts and compounds from brown algae. *Food Chemistry*, **138**: 1764–1785.

Barbosa, A.I., Costa Lima, S.A., dan Reis, S., 2019a. Application of pH-responsive fucoidan/chitosan nanoparticles to improve oral quercetin delivery. *Molecules*, **24**: 1–14.

Beloqui, A., Solinís, M.Á., Rodríguez-gascón, A., Almeida, A.J., dan Préat, V., 2016. Nanostructured lipid carriers: Promising drug delivery systems for future clinics. *Nanomedicine: Nanotechnology, Biology, and Medicine*, **12**: 143–161.

Bhiri, N., Masquelez, N., Nasri, M., Nasri, R., Hajji, M., dan Li, S., 2025. Synthesis, Characterization, and Stability Study of Selenium Nanoparticles Coated with Purified Polysaccharides from *Ononis natrix*. *Nanomaterials*, **15**: 1–17.

Bilgen Erdoğan, 2017. *Anatomy and Physiology of Hair*, Intech Open Science.

Biswas, B., Kumar, A., Fernandes, A.C., Saini, K., Negi, S., Muraleedharan, U.D., dkk., 2020. Solid base catalytic hydrothermal liquefaction of macroalgae: Effects of process parameter on product yield and characterization. *Bioresource Technology*, **307**: 123232.

Bolton, S., 2009. *Pharmaceutical Statistics Practical and Clinical Applications*. 4th Edition, London.

BPOM, 2011. Badan Pengawas Obat Dan Makanan Republik Indonesia Persyaratan Cemarkan Mikroba Dan Logam Berat Dalam Kosmetik.

BPOM, 2019. Peraturan Badan Pengawas Obat Dan Makanan Nomor 13 Tahun 2019 Tentang Batas Maksimal Cemaran Mikroba Dalam Pangan Olahan.

BPOM, 2022. BPOM NO.10 Tahun 2022 Uji Toksisitas Praktinik Secara in Vivo.

BPOM, 2025. Per BPOM No. 6 Tahun 2025 tentang Pedoman Uji Stabilitas, dalam: Peraturan Badan Pengawas Obat Dan Makanan Nomor 6 Tahun 2025 Tentang Pedoman Uji Stabilitas Suplemen Kesehatan.

Brown, C.K., Friedel, H.D., Barker, A.R., Buhse, L.F., Keitel, S., Cecil, T.L., dkk., 2011. 'FIP/AAPS joint workshop report: dissolution/in vitro release testing of novel/special dosage forms', AAPS PharmSciTech.

BSN, 2009. SNI 7387:2009. Batas Maksimum Cemaran Logam Berat dalam Pangan, dalam: *Standar Nasional Indonesia*.

Cai, H., Yong, F., Li, R., Chen, J., Liu, X., Song, B., dkk., 2024. Development of a pH-Sensitive Nanoparticle via Self-Assembly of Fucoïdan and Protamine for the Oral Delivery of Insulin. *Pharmaceutics*, **16**: 2–16.

Cao, R.A., Lee, Y.J., dan You, S.G., 2014. Water soluble sulfated-fucans with immune-enhancing properties from *Ecklonia cava*. *International Journal of Biological Macromolecules*, **67**: 303–311.

Cao, S., Wang, Y., Wang, M., Yang, X., Tang, Y., Pang, M., dkk., 2021. Microneedles mediated bioinspired lipid nanocarriers for targeted treatment of alopecia. *Journal of Controlled Release*, **329**: 1–15.

Catarino, M.D. dan Silva, A.M.S., 2018. Phycochemical Constituents and Biological Activities. *Marine Drugs*, **16**: 249.

Chadwick, M., Carvalho, L.G., Vanegas, C., dan Dimartino, S., 2025. A Comparative Review of Alternative Fucoïdan Extraction Techniques from Seaweed. *Marine Drugs*, **23**: 1–36.

Chandra, D., 2019. Pengujian Penetrasi In Vitro Sedian Gel, Krim, Gel-Krim Ekstrak Biji Kopi (*Coffea arabica* L.) Sebagai Antiselulit. *JIFI (Jurnal Ilmiah Farmasi Imelda)*, **3**: 14–21.

Chauhan, I., Yasir, M., Verma, M., dan Singh, A.P., 2020. Nanostructured lipid carriers: A groundbreaking approach for transdermal drug delivery. *Advanced Pharmaceutical Bulletin*, **10**: 150–165.

Chettupalli, A.K., Kakkerla, A., Jadi, R.K., Uppu, P., Ghazwani, M., Hani, U., dkk., 2025. Design, development, and preclinical evaluation of pirfenidone-loaded

nanostructured lipid carriers for pulmonary delivery. *Scientific Reports*, **15**: 1–23.

Connan, S., Deslandes, E., dan Gall, E.A., 2007. Influence of day-night and tidal cycles on phenol content and antioxidant capacity in three temperate intertidal brown seaweeds. *Journal of Experimental Marine Biology and Ecology*, **349**: 359–369.

Dachriyanus, 2004. *Analisis Struktur Senyawa Organik Secara Spektroskopi*. Lembaga Pengembangan Teknologi Infomasi dan Komunikasi LPTIK Univ, Padang.

Danaei, M., Dehghankhold, M., Ataei, S., Hasanzadeh Davarani, F., Javanmard, R., Dokhani, A., dkk., 2018. Impact of particle size and polydispersity index on the clinical applications of lipidic nanocarrier systems. *Pharmaceutics*, **10**: 1–17.

de Barros, D.P.C., Reed, P., Alves, M., Santos, R., dan Oliva, A., 2021. Biocompatibility and antimicrobial activity of nanostructured lipid carriers for topical applications are affected by type of oils used in their composition. *Pharmaceutics*, **13**: 1–23.

Depkes, 1994. Persyaratan Obat Tradisional, Keputusan Menteri Kesehatan Republik Indonesia Nomor: 661/MENKES/SK/VII/1994 Tentang Persyaratan Obat Tradisional

Dodgson, K.S. dan Price, R.G., 1962. A note on the determination of the ester sulphate content of sulphated polysaccharides. *The Biochemical journal*, **84**: 106–110.

Duarte, M.E.R., Cardoso, M.A., Nosedá, M.D., dan Cerezo, A.S., 2001. Structural studies on fucoidans from the brown seaweed. *Carbohydrate Research*, **333**: 281–293.

Dubois, M., Gilles, K., Hamilton, J.K., Rebers, P.A., dan Smith, F., 1956. *A Colorimetric Method for the Determination of Sugars*, Nature.

Dwijayanto, A., Al-Yousefi, A.M.A.A., Puspasari, I., dan Markom, M., 2025. Comparative Study on the Extraction of Crude Fucoidan from Brown Seaweed using Conventional, Microwave, and Ultrasound-Assisted Methods. *AJARCDE (Asian Journal of Applied Research for Community Development and Empowerment)*, **9**: 1–6.

Efrianti, D.M., 2025. Uji Sifat Fisik dan Aktivitas Antibakteri Krim Ekstrak Daun Kersen. *Jurnal Penelitian Kesehatan Suara Forikes*, **16**: 33–37.

- Egerton, R.F., 2005. *Physical Principles of Electron Microscopy*, second edition, Materials Today.
- El-sheekh, M.M., Ward, F., Deyab, M.A., Al-zahrani, M., dan Touliabah, H.E., 2023. Fucoidan from the Brown Alga *Dictyota dichotoma*. *Molecules*, **28**: 1–16.
- Elder DE, 2015. *Lever's Histopathology of the Skin*, 11 th. ed. Wolters Kluwer, Philadelphia.
- Erdoğan. B, 2017. *Anatomy and Physiology of Hair*, Intech Open Science. 13-27.
- Fathi, M., Varshosaz, J., Mohebbi, M., dan Shahidi, F., 2013. Hesperetin-Loaded Solid Lipid Nanoparticles and Nanostructure Lipid Carriers for Food Fortification: Preparation, Characterization, and Modeling. *Food and Bioprocess Technology*, **6**: 1464–1475.
- Feng, S.Y., Tian, J., Sheng, J., Yu, Y., Lin, K., Hileuskaya, A. dkk, 2024. Enhancing high-temperature stability of limonene-loaded. *Food Bioengineering*, **3**: 323–336.
- Ferdinand, D.N.P, dan Hindriani, R.N.L., 2025. Review Artikel : Uji Stabilitas Pada Sediaan Gel Berdasarkan Formulasi Dan Bahan Aktif. *Sains Medisina*, **3**: 433–440.
- Ferawati, E., Widyartini, D.S., dan Insan, I., 2014. Studi Komunitas Rumput Laut Pada Berbagai Substrat Di Perairan Pantai Permisan Kabupaten Cilacap. *Scripta Biologica*, **1**: 57.
- Ferreira, K.C.B., Valle, A.B.C.D.S., Paes, C.Q., Tavares, G.D., dan Pittella, F., 2021. Nanostructured lipid carriers for the formulation of topical anti-inflammatory nanomedicines based on natural substances. *Pharmaceutics*, **13**: 1–22.
- Fikri.M, Ariel, Safitri, N.A, Asmayanti, Liani, T., 2023. Potensi dan Pemanfaatan Bahan Aktif Alga Coklat (*Phaeophyceae*). *Octopus*, **5**: 488–498.
- Filisetti-Cozzi, T.M.C.C. dan Carpita, N.C., 1991. Measurement of uronic acids without interference from neutral sugars. *Analytical Biochemistry*, **197**: 157–162.
- Fitton, J.H., 2011. Therapies from fucoidan; multifunctional marine polymers. *Marine Drugs*, **9**: 1731–1760.
- Fitton, J.H., Stringer, D.N., Park, A.Y., dan Karpiniec, S.S., 2019. Therapies from fucoidan: New developments. *Marine Drugs*, **17**: 1–15.

- Florence, A. T., & Siepmann, J. Eds., 2009. *Modern Pharmaceutics Volume 1: Basic Principles and Systems*. CRCP.
- Fresta, M., Mancuso, A., Cristiano, M.C., Urbanek, K., Cilurzo, F., Cosco, D., dkk., 2020. Targeting of the pilosebaceous follicle by liquid crystal nanocarriers: In vitro and in vivo effects of the entrapped minoxidil. *Pharmaceutics*, **12**: 1–22.
- Galvão, J.G., Santos, R.L., Lira, A.A.M., Kaminski, R., Sarmento, V.H., Severino, P., dkk., 2020. Stearic acid, beeswax and carnauba wax as green raw materials for the loading of carvacrol into nanostructured lipid carriers. *Applied Sciences (Switzerland)*, **10**: 1–13.
- Ganesan, P. dan Narayanasamy, D., 2017. Lipid nanoparticles: Different preparation techniques, characterization, hurdles, and strategies for the production of solid lipid nanoparticles and nanostructured lipid carriers for oral drug delivery. *Sustainable Chemistry and Pharmacy*, **6**: 37–56.
- Garcia-perez, P., Lourenço-lopes, C., Silva, A., Pereira, A.G., Fraga-corral, M., Zhao, C., dkk., 2022. Pigment Composition of Nine Brown Algae from the Iberian Northwestern Coastline : Influence of the Extraction Solvent. *marine drugs*, **20**: 1–17.
- Garcia, M.L., Souto, E.B., Doktorovová, S., dan Kovac, A.B., 2016. Preclinical safety of solid lipid nanoparticles and nanostructured lipid carriers : Current evidence from in vitro and in vivo evaluation evic. *European Journal of Pharmaceutics and Biopharmaceutics*, **108**: 235–252.
- Garg, A., Aggarwal, D., Garg, S., dan Singla, A.K., 2002. Spreading of semisolid formulations: An update, dalam: *Pharmaceutical Technology North America*.
- Garg, J., Pathania, K., Sah, S.P., dan Pawar, S. V., 2022. Nanostructured lipid carriers: a promising drug carrier for targeting brain tumours. *Future Journal of Pharmaceutical Sciences*, **8**: 1–31.
- George E, M., 2014. Formulation and Evaluation of Topical Gel Containing Hair Growth Promoters for the Treatment of Androgenic Alopecia. *Bulletin of Pharmaceutical Research*, **4**: 1–8.
- Gharti, K.P., Thapa, P., Budhathoki, U., dan Bhargava, A., 2012. Formulation and in vitro evaluation of floating tablets of hydroxypropyl methylcellulose and polyethylene oxide using ranitidine hydrochloride as a model drug. *Journal of Young Pharmacists*, **4**: 201–208.
- Guerrero-Higareda, S. dan Carrillo-Nieves, D., 2025. Green extraction cascade of UV-absorbing compounds, alginate, and fucoidan from *Sargassum* using ethanol and natural deep eutectic solvents. *Heliyon*, **11**: e41810.

- Guideline, A., 2013. Asean Guidelines on Stability Study and Shelf-Life of Health Supplements, dalam: *Asean Guidelines on Stability Study of Drug Product*. Yogyakarta, Indonesia.
- Guttoff, M., Saberi, A.H., dan McClements, D.J., 2015. Formation of vitamin D nanoemulsion-based delivery systems by spontaneous emulsification: Factors affecting particle size and stability. *Food Chemistry*, **171**: 117–122.
- Haggag, Y.A., Abd Elrahman, A.A., Ulber, R., dan Zayed, A., 2023. Fucoidan in Pharmaceutical Formulations: A Comprehensive Review for Smart Drug Delivery Systems. *Marine Drugs*, **21**: 1–23.
- Hahn, T., Lang, S., Ulber, R., dan Muffler, K., 2012. Novel procedures for the extraction of fucoidan from brown algae. *Process Biochemistry*, **47**: 1691–1698.
- Haider, M., Abdin, S.M., Kamal, L., dan Orive, G., 2020. Nanostructured lipid carriers for delivery of chemotherapeutics: A review. *Pharmaceutics*, **12**: 1–26.
- Hajrin, W., Subaidah, W.A., Juliantoni, Y., dan Wirasisya, D.G., 2021. Application of Simplex Lattice Design Method on The Optimisation of Deodorant Roll-on Formula of Ashitaba (*Angelica keiskei*). *Jurnal Biologi Tropis*, **21**: 501–509.
- Handayani, S.A., Purwanti, T., dan Erawati, T., 2012. Pelepasan Na-Diklofenak Sistem Niosom Span 20-Kolesterol dalam Basis Gel HPMC. *Pharmascientia*, **1**: 21–28.
- Hanna, P.A., Ghorab, M.M., dan Gad, S., 2018. Development of Betamethasone Dipropionate-Loaded Nanostructured Lipid Carriers for Topical and Transdermal Delivery. *Anti-Inflammatory & Anti-Allergy Agents in Medicinal Chemistry*, **18**: 26–44.
- Harmita, 2004. Petunjuk Pelaksanaan Validasi dan Cara Penggunaannya. *Majalah Ilmu Kefarmasian*, **1**: 117–135.
- Hasanah, S., Kiromah, N.Z.W., dan Fitriyati, L., 2023. Uji Angka Lempeng Total (ALT) Dan Angka Kapang Khamir (AKK) Pada Jamu Gendong Di Pasar Tradisional Wonokriyo, Kecamatan Gombong Kabupaten Kebumen. *Jurnal Farmasi Sains dan Terapan*, **10**: 51–56.
- Hibino, T. dan Nishiyama, T., 2004. Role of TGF- β 2 in the human hair cycle. *Journal of Dermatological Science*, **5**: 9–18.
- Hidayat, I.R., Zuhrotun, A., dan Sopyan, I., 2021. Design-Expert Software sebagai

Alat Optimasi Formulasi Sediaan Farmasi. *Majalah Farmasetika*, **6**: 99–120.

Hifney, A.F., Fawzy, M.A., Abdel-Gawad, K.M., dan Gomaa, M., 2016. Industrial optimization of fucoidan extraction from *Sargassum* sp. and its potential antioxidant and emulsifying activities. *Food Hydrocolloids*, **54**: 77–88.

Ho, C. H., Sood, T., & Zito, P.M., 2021. Androgenetic Alopecia, dalam: *StatPearls Publishing*.

Ho C. H., Sood T., dan Zito, P.M., 2022. *Androgenetic Alopecia*. In: StatPearls.Treasure Island (FL): StatPearls Publishing; 2022 Januari.

Honary, S. dan Zahir, F., 2013. Effect of zeta potential on the properties of nano-drug delivery systems - A review (Part 1). *Tropical Journal of Pharmaceutical Research*, **12**: 255–264.

Horwitz, William, George W. Latimer, J., 2006. *Official Methods of Analysis of AOAC INTERNATIONAL*, 18 th. ed, Aoac. AOAC International, North Frederick Avenue, Gaithersburg, Maryland 20877-2417, USA.

Hu, F.Q., Jiang, S.P., Du, Y.Z., Yuan, H., Ye, Y.Q., dan Zeng, S., 2005. Preparation and characterization of stearic acid nanostructured lipid carriers by solvent diffusion method in an aqueous system. *Colloids and Surfaces B: Biointerfaces*, **45**: 167–173.

Hu, F.Q., Jiang, S.P., Du, Y.Z., Yuan, H., Ye, Y.Q., dan Zeng, S., 2006. Preparation and characteristics of monostearin nanostructured lipid carriers. *International Journal of Pharmaceutics*, **314**: 83–89.

Huang, Chih Yu, Huang, Chien Yen, Yang, C.C., Lee, T.M., dan Chang, J.S., 2022. Hair growth-promoting effects of *Sargassum glaucescens* oligosaccharide extracts. *Journal of the Taiwan Institute of Chemical Engineers*, **134**: 104307.

Hung, L.C., Basri, M., Tejo, B.A., Ismail, R., Nang, H.L.L., Hassan, H.A., dkk., 2011. An improved method for the preparation of nanostructured lipid carriers containing heat-sensitive bioactives. *Colloids and Surfaces B: Biointerfaces*, **87**: 180–186.

Hurt, M.A., 2013. Sperling LC, Cowper SE, Knopp EA. An Atlas of Hair Pathology with Clinical Correlations. Second edition. New York & London: Informa Healthcare, 2012. *Dermatology Practical & Conceptual*, **3**: 47–50.

Husni, A., Izmi, N., Ayunani, F.Z., Kartini, A., Husnayain, N., dan Isnansetyo, A., 2022. Characteristics and Antioxidant Activity of Fucoidan from *Sargassum hystrix*: Effect of Extraction Method. *International Journal of Food Science*, **2022**: 1–9.

- Hussain, A., Samad, A., Singh, S.K., Ahsan, M.N., Haque, M.W., Faruk, A., dkk., 2016. Nanoemulsion gel-based topical delivery of an antifungal drug: In vitro activity and in vivo evaluation. *Drug Delivery*, **23**: 652–667.
- ICH Harmonised Tripartite Guideline, 2003. Stability Testing of New drug Substances and Products Q1A(R2), dalam: *ICH Harmonised Tripartite Guideline*. US Federal Register.
- Inui, S. dan Itami, S., 2013. Androgen actions on the human hair follicle: Perspectives. *Experimental Dermatology*, **22**: 168–171.
- Irfanah, L., Mochammad Yuwono, dan Riesta Primaharinastiti, 2023. Optimization and Prevalidation of TLC-Densitometry Method for Fucoidan Analysis in *Sargassum* sp. Aqueous Extract. *Jurnal Farmasi Dan Ilmu Kefarmasian Indonesia*, **10**: 210–216.
- Jafar, G., Adiyati, I., dan Kartanagara, F.F., 2017. Pengembangan Formula dan Karakterisasi Nanoemulsi Ekstrak Kombinasi Daun Teh dan Mangkakan Yang Diinkorporasikan ke dalam Spray Sebagai Penumbuh Rambut. *Jurnal Pharmascience*, **4**: 155–166.
- Jafar, G., Pebriawati, S., Latifah, Z.A., Pratama, R., dan Muhsinin, S., 2025. Development of Nanostructured Lipid Carriers for the Treatment of Alopecia. *Indonesian Journal of Pharmaceutical Science and Technology*, **12**: 119–128.
- Javed, S., Mangla, B., Almoshari, Y., Sultan, M.H., dan Ahsan, W., 2022. Nanostructured lipid carrier system: A compendium of their formulation development approaches, optimization strategies by quality by design, and recent applications in drug delivery. *Nanotechnology Reviews*, **11**: 1744–1777.
- Jayawardena, T.U., Nagahawatta, D.P., Fernando, I.P.S., Kim, Y.T., Kim, J.S., Kim, W.S., dkk., 2022. A Review on Fucoidan Structure, Extraction Techniques, and Its Role as an Immunomodulatory Agent. *Marine Drugs*, **20**: 1–19.
- Jeitler, R., Glader, C., König, G., Kaplan, J., Tetyczka, C., Remmelgas, J., dkk., 2024. On the Structure, Stability, and Cell Uptake of Nanostructured Lipid Carriers for Drug Delivery. *Molecular Pharmaceutics*, **21**: 3674–3683.
- Jenning, V., Schäfer-Korting, M., dan Gohla, S., 2000. Vitamin A-loaded solid lipid nanoparticles for topical use: Drug release properties. *Journal of Controlled Release*, **66**: 115–126.
- Joe, S., Mustapha, W., Aida, W., Schiehser, S., Rosenau, T., dan Böhmendorfer, S., 2019. Structural elucidation of fucoidan from *Cladosiphon okamuranus* (

Okinawa mozuku). *Food Chemistry*, **272**: 222–226.

Jumarti Suhaela, Mirfaidah Nadjamuddin, M.I.A., 2023. Formulasi dan Uji Aktivitas Antioksidan dan SPF (*Sun Protection Factor*) Serum Ekstrak Etanol Kulit Pisang Raja (*Musa paradisiaca* L). *Jurnal Sains dan Kesehatan (J. Sains Kes.)*, **5**: 915–924.

Kalariya, P.D., Namdev, D., Srinivas, R., dan Gananadhamu, S., 2014. Application of experimental design and response surface technique for selecting the optimum RP-HPLC conditions for the determination of moxifloxacin HCl and ketorolac tromethamine in eye drops. *Journal Of Saudi Chemical Society*.

Kaliyadan, F., Nambiar, A., dan Vijayaraghavan, S., 2013. Androgenetic alopecia: An update. *Indian Journal of Dermatology, Venereology and Leprology*, **79**: 613–625.

Kanawade, D. dan Gowekar, N., 2021. Review: Topical Drug Delivery System. *International Journal of Pharmaceutical Research and Applications*, **6**: 514.

Kang, J., Kim, E., Kim, M., Jeon, Y., dan Kang, S., 2013. The Promoting Effect of *Ishige sinicola* on Hair Growth. *Marine Drugs*, **11**: 1783–1799.

Karamkar, P.G., Agrawal, A., dan Chatap, V.K., 2023. A Review Article: Formulation of Topical Gel by QbD Approach. *Advances in Pharmacology and Pharmacy*, **11**: 90–101.

Kaufman, K.D., 1996. Androgen metabolism as it affects hair growth in androgenetic alopecia. *Dermatologic Clinics*, **14**: 697–711.

Kaufman, K.D., 2002. Androgens and alopecia. *Molecular and Cellular Endocrinology*, **198**: 89–95.

Khafid, A., Wiraputra, M.D., Putra, A.C., Khoirunnisa, N., Putri, A.A.K., Suedy, S.W.A., dkk., 2023. Uji Kualitatif Metabolit Sekunder pada Beberapa Tanaman yang Berkhasiat sebagai Obat Tradisional. *Buletin Anatomi dan Fisiologi*, **8**: 61–70.

Khan, R.T., Bhuiya, S., Anil, A., Logheeswaran, J., Prathiviraj, R., Selvin, J., dkk., 2025. Fucoidan prebiotic from the seaweed *Sargassum christaeefolium* and its effects on the sensorial, textural and rheological properties of yogurt. *Food Bioscience*, **71**: 107159.

Khan, S., Sharma, A., dan Jain, V., 2023. An overview of nanostructured lipid carriers and its application in drug delivery through different routes. *Advanced Pharmaceutical Bulletin*, **13**: 446–460.

- Kharat, M. dan McClements, D.J., 2019. Fabrication and characterization of nanostructured lipid carriers (NLC) using a plant-based emulsifier: Quillaja saponin. *Food Research International*, **126**: 108601.
- Khosa, A., Reddi, S., dan Saha, R.N., 2018. Nanostructured lipid carriers for site-specific drug delivery. *Biomedicine and Pharmacotherapy*, **103**: 598–613.
- Khurana, S., Jain, N.K., dan Bedi, P.M.S., 2013. Development and characterization of a novel controlled release drug delivery system based on nanostructured lipid carriers gel for meloxicam. *Life Sciences*, **93**: 763–772.
- Kim, H.T., Lee, S., Lee, D., Kim, H.S., Bang, W.G., Kim, K.H., dkk., 2010. Overexpression and molecular characterization of Aga50D from *Saccharophagus degradans* 2-40: An exo-type β -agarase producing neoagarobiose. *Applied Microbiology and Biotechnology*, **86**: 227–234.
- Kim, S.-K., 2012. *Handbook of Marine Macroalgae*, Handbook of Marine Macroalgae. Wiley Online Library, New Delhi, India.
- Kim, W. J., Kim, S. M., Kim, H. G., Oh, H. R., Lee, K. B., Lee, Y. K., dkk., 2007. Purification and Anticoagulant Activity of a Fucoidan from Korean *Undaria pinnatifida* Sporophyll. *Algae*, **22**: 247–252.
- Kolivras, A. dan Thompson, C., 2017. Primary scalp alopecia: new histopathological tools, new concepts and a practical guide to diagnosis. *Journal of Cutaneous Pathology*, **44**: 53–69.
- Komaiko, J.S. dan McClements, D.J., 2016. Formation of Food-Grade Nanoemulsions Using Low-Energy Preparation Methods: A Review of Available Methods. *Comprehensive Reviews in Food Science and Food Safety*, **15**: 331–352.
- Kopplin, G., Rokstad, A.M., Mérida, H., Bulone, V., Skjåk-Bræk, G., dan Aachmann, F.L., 2018. Structural Characterization of Fucoidan from *Laminaria hyperborea*: Assessment of Coagulation and Inflammatory Properties and Their Structure-Function Relationship. *ACS Applied Bio Materials*, **1**: 1880–1892.
- Kumar, Y., Tarafdar, A., dan Badgujar, P.C., 2021. Seaweed as a Source of Natural Antioxidants: Therapeutic Activity and Food Applications. *Journal of Food Quality*, **2021**: 1–17.
- Kurnia, D.F., Isa, A.F.A., Putri, S.N., dan Ismail, I., 2023. Pengaruh Penggunaan Surfaktan Non Ionik Dan Metode Terhadap Karakteristik Sistem Niosom. *Jurnal Farmasi Sains dan Obat Tradisional*, **2**: 207–222.
- Kusaykin, M., Bakunina, I., Sovo, V., Ermakova, S., Kuznetsova, T., Besednova,

- N., dkk., 2008. Structure, biological activity, and enzymatic transformation of fucoidans from the brown seaweeds. *Biotechnology Journal*, **3**: 904–915.
- Lachman, L. dan Lieberman, Herbert A., J.L.K., 1991. *The Theory and Practice of Industrial Pharmacy*.
- Latifah, L., Hendradi, E., dan Isadiartuti, D., 2024. Effect ratio of stearic acid and oleic acid on characteristics of diclofenac sodium nanostructured lipid carrier. *Pharmacy Education*, **24**: 336–342.
- Lee, J.H., 2017. Wnt Signaling in Hair Follicle Development. *Asian J Beauty Cosmetol*, **15**: 242–246.
- Lee, P.I., 1984. Effect of Initially Non-Uniform Concentration Distribution on the Kinetics of Drug Release From Glassy Polymers. *Polymeric Materials Science and Engineering, Proceedings of the ACS Division of Polymeric Material*, **51**: 43–46.
- Lee, Y.K., Lim, D., Lee, Y., dan Park, Y., 2006. Variation in Fucoidan Contents and Monosaccharide Compositions of Korean *Undaria pinnatifida* (Harvey) Suringar (*Phaeophyta*) **21**: 157–160.
- Li, B., Lu, F., Wei, X., dan Zhao, R., 2008. Fucoidan: Structure and bioactivity. *Molecules*, **13**: 1671–1695.
- Li, Q., Cai, T., Huang, Y., Xia, X., Cole, S.P.C., dan Cai, Y., 2017. A review of the structure, preparation, and application of NLCs, PNPs, and PLNs. *Nanomaterials*, **7**: 1–25.
- Li, Y., Zheng, Y., Zhang, Y., Yang, Y., Wang, P., Imre, B., dkk., 2021. Brown algae carbohydrates: Structures, pharmaceutical properties, and research challenges. *Marine Drugs*, **19**: 1–21.
- Liao, B. dan Wang, X., 2023. Histological characteristics of hair follicles at different hair cycle and in vitro modeling of hair follicle-associated cells of yak (*Bos grunniens*). *Frontiers in Veterinary Science*, 1–14.
- Lim, S.J. dan Wan Aida, W.M., 2017. Extraction of Sulfated Polysaccharides (Fucoidan) From Brown Seaweed, dalam: *Seaweed Polysaccharides: Isolation, Biological and Biomedical Applications*. Elsevier Inc., hal. 27–46.
- Lim, S.J., Wan Aida, W.M., Maskat, M.Y., Mamot, S., Ropien, J., dan Mazita Mohd, D., 2014. Isolation and antioxidant capacity of fucoidan from selected Malaysian seaweeds. *Food Hydrocolloids*, **42**: 280–288.
- Lin, X., Zhu, L., dan He, J., 2022. Morphogenesis, Growth Cycle and Molecular

Regulation of Hair Follicles. *Frontiers in Cell and Developmental Biology*, **10**: 1–11.

- Lin, Y.K., Al-Suwayeh, S.A., Leu, Y.L., Shen, F.M., dan Fang, J.Y., 2013. Squalene-containing nanostructured lipid carriers promote percutaneous absorption and hair follicle targeting of diphencyprone for treating alopecia areata. *Pharmaceutical Research*, **30**: 435–446.
- Listiyana, A., Mutiah, R., Suyadinata, A., dan Salsabilla, F.R., 2020. Pengembangan Sistem Nanostructured Lipid Carrier (NLC) Daun *Chrysanthemum cinerariifolium* (Trev.) Vis Dengan Variasi Konsentrasi Lipid. *Journal of Islamic Medicine*, **4**: 86–97.
- Liu, J., Luthuli, S., Wu, Q., Wu, M., Choi, J. Il, dan Tong, H., 2020. Pharmaceutical and Nutraceutical Potential Applications of *Sargassum fulvellum*. *BioMed Research International*, **2020**: 13–15.
- Liu, X., Liu, B., Wei, X.L., Sun, Z.L., dan Wang, C.Y., 2016. Extraction, fractionation, and chemical characterisation of fucoidans from the brown seaweed *Sargassum pallidum*. *Czech Journal of Food Sciences*, **34**: 406–413.
- Liu, Y., Tosti, A., Wang, E.C.E., Heilmann-heimbach, S., dan Aguh, C., 2025. Androgenetic alopecia. *Nature Reviews Disease Primers*, **11**: 1–19.
- Liu, Y., Wang, L., Zhao, Y., He, M., Zhang, X., Niu, M., dkk., 2014. Nanostructured lipid carriers versus microemulsions for delivery of the poorly water-soluble drug luteolin. *International Journal of Pharmaceutics*, **476**: 169–177.
- Lolli, F., Pallotti, F., Rossi, A., Fortuna, M.C., Caro, G., Lenzi, A., dkk., 2017. Androgenetic alopecia: a review. *Endocrine*, **57**: 9–17.
- Loo, C.H., Basri, M., Ismail, R., Lau, H.L.N., Tejo, B.A., Kanthimathi, M.S., dkk., 2013. Effect of compositions in nanostructured lipid carriers (NLC) on skin hydration and occlusion. *International Journal of Nanomedicine*, **8**: 13–22.
- López, K.L., Ravasio, A., González-Aramundiz, J.V., dan Zacconi, F.C., 2023. Solid Lipid Nanoparticles (SLN) and Nanostructured Lipid Carriers (NLC) Prepared by Microwave and Ultrasound-Assisted Synthesis: Promising Green Strategies for the Nanoworld. *Pharmaceutics*, **15**: 2–26.
- Løvda, T., Lunestad, B.T., Myrmel, M., Rosnes, J.T., dan Skipnes, D., 2021. Microbiological food safety of seaweeds. *Foods*, **10**: 1–22.
- Lüdtke, F.L., Silva, T.J., da Silva, M.G., Hashimoto, J.C., dan Ribeiro, A.P.B., 2025. Lipid Nanoparticles: Formulation, Production Methods and

Characterization Protocols. *Foods*, **14**: .

- Luisa Lüttke, F., Aparecida Stahl, M., Grimaldi, R., Bruno Soares Forte, M., Lúcia Gigante, M., dan Paula Badan Ribeiro, A., 2022. Optimization of high pressure homogenization conditions to produce nanostructured lipid carriers using natural and synthetic emulsifiers. *Food Research International*, **160**: 111746.
- Lullung A, S., 2012. Pengaruh Surfaktan Terhadap Diameter Partikel, Viskositas dan Indeks polidispersitas pada Pembuatan SLN Dari Lemak Kakao. *Jurnal Riset Teknologi Industri*, **6**: 149–156.
- Luo, X., Zhou, Y., Bai, L., Liu, F., Deng, Y., dan McClements, D.J., 2017. Fabrication of β -carotene nanoemulsion-based delivery systems using dual-channel microfluidization: Physical and chemical stability. *Journal of Colloid and Interface Science*, **490**: 328–335.
- Luthuli, S., Wu, S., Cheng, Y., Zheng, X., Wu, M., dan Tong, H., 2019. marine drugs Therapeutic Effects of Fucoidan : A Review on Recent Studies. *Marine Drugs*, **17**: 15.
- Mabate, B., Daub, C.D., Malgas, S., dan Pletschke, B.I., 2025. Characterisation of *Sargassum elegans* fucoidans extracted using different technologies: Linking their structure to α -glucosidase inhibition. *Algal Research*, **85**: 1-12.
- Madania, M.N., Mardiana, D., Andayani, U., Devi, A.F., dan Ningsih, Z., 2025. The Effect of Surfactant on the Characteristics of Curcumin-Loaded Nanostructured Lipid Carriers: Fluorescence and Stability Study. *The Journal of Pure and Applied Chemistry Research*, **14**: 1–12.
- Mak, W., Hamid, N., Liu, T., Lu, J., dan White, W.L., 2013. Fucoidan from New Zealand *Undaria pinnatifida*: Monthly variations and determination of antioxidant activities. *Carbohydrate Polymers*, **95**: 606–614.
- Mak, W.W., 2012. 'Extraction, Characterization and Antioxidant Activity of Fucoidan from New Zealand *Undaria pinnatifida* (Harvey) Suringar. Thesis. University of Technology Auckland.
- Malekmohammadi, M., Ghanbarzadeh, B., Hanifian, S., Samadi Kafil, H., Gharekhani, M., dan Falcone, P.M., 2023. The Gelatin-Coated Nanostructured Lipid Carrier (NLC) Containing *Salvia officinalis* Extract: Optimization by Combined D-Optimal Design and Its Application to Improve the Quality Parameters of Beef Burger. *Foods*, **12**: 1-25.
- Mall, J., Naseem, N., Haider, M.F., Rahman, M.A., Khan, S., dan Siddiqui, S.N., 2025. Nanostructured lipid carriers as a drug delivery system: A comprehensive review with therapeutic applications. *Intelligent Pharmacy*, **3**:

243–255.

Marinda, W.S., 2012. 'Formulasi dan Uji Stabilitas Fisik Gel Liposom yang Mengandung Fraksinasi Ekstrak Metanol Kulit Manggis (*Garcinia mangostana* L.) sebagai Antioksidan'. Universitas Indonesia. Jakarta.

Martins, S., Tho, I., Ferreira, D.C., Souto, E.B., dan Brandl, M., 2011. Physicochemical properties of lipid nanoparticles: Effect of lipid and surfactant composition. *Drug Development and Industrial Pharmacy*, **37**: 815–824.

McClements, D.J., 2017. The future of food colloids: Next-generation nanoparticle delivery systems. *Current Opinion in Colloid and Interface Science*, **28**: 7–14.

McClements, D.J. dan Rao, J., 2011. Food-Grade nanoemulsions: Formulation, fabrication, properties, performance, Biological fate, and Potential Toxicity. *Critical Reviews in Food Science and Nutrition*, **51**: 285–330.

McHugh, D.J., 2003. *Seaweeds Uses as Human Foods*, Australia. ed, A Guide to the Seaweed Industry. School of Chemistry, University College, University of New South Wales, and Australian Defence Force Academy, Canberra, Canberra Australia.

Mendes, I.T., Ruela, A.L.M., Carvalho, F.C., Freitas, J.T.J., Bonfilio, R., dan Pereira, G.R., 2019. Development and characterization of nanostructured lipid carrier-based gels for the transdermal delivery of donepezil. *Colloids and Surfaces B: Biointerfaces*, **177**: 274–281.

Merino De Paz, N., Martín-González, C., dan Fumero Arteaga, M., 2020. Psychological impact of alopecia. *Alopecia: Risk Factors, Treatment and Impact on Quality of Life*, 1–20.

MK, S., GC, S., dan SK, P., 2012. Nanostructured Lipid Carrier: The Second Generation of Solid Lipid Nanoparticle. *International Journal for Pharmaceutical Research Scholars*, **1**: 224–227.

Montgomery, D.C., 2017. *Design and Analysis of Experiments Ninth Edition*, Ninth. Wiley.

Mortazavi, S.A. dan Smart, J.D., 1995. An investigation of some factors influencing the in vitro assessment of mucoadhesion. *International Journal of Pharmaceutics*, **116**: 223–230.

Motawea, A., Borg, T., dan Abd El-Gawad, A.E.G.H., 2018. Topical phenytoin nanostructured lipid carriers: design and development. *Drug Development and Industrial Pharmacy*, **44**: 144–157.

- Muliana, M. dan Alatas, F., 2024. Nanostructure Lipid Carrier Technology in Drug Delivery: Route of Administration, Preparation Method, Characterization, and Application for Anti-Aging. *Medical Sains : Jurnal Ilmiah Kefarmasian*, **9**: 837–848.
- Müller, R. H., Radtke, M., & Wissing, S.A., 2002. Nanostructured lipid matrices for improved microencapsulation of drugs. *International Journal of Pharmaceutics*, **242**: 121–128.
- Müller, R.H., Petersen, R.D., Hommoss, A., dan Pardeike, J., 2007. Nanostructured lipid carriers (NLC) in cosmetic dermal products. *Advanced Drug Delivery Reviews*, **59**: 522–530.
- Musdalifah, N., Rakhma, N.D., dan Najih, A.Y.Y., 2023. Kajian Pengaruh Penggunaan Surfaktan Non Ionik Terhadap Efisiensi Penjerapan. *Journal Of Pharmacy Science And Technology*, **3**: 244–253.
- Musielak, E., Feliczak-Guzik, A., dan Nowak, I., 2022. Synthesis and Potential Applications of Lipid Nanoparticles in Medicine. *Materials*, **15**: 15–28.
- Mustarichie, R., Hasanah, A.N., Wilar, G., Gozali, D., dan Saptarini, N.M., 2022. New Hair Growth Cream Formulation with Cocoa Pod Peel (*Theobroma cacao* L.). *Scientific World Journal*, **2022**: 1–7.
- Myers RH, Montgomery DC, A.-C.C., 2016. *Response Surface Methodology: Process and Product Optimization Using Designed Experiments*, 4th edition. Wiley-VCH Verlag GmbH & Co. KGaA.
- Nagaich, U. dan Gulati, N., 2016. Nanostructured lipid carriers (NLC) based controlled release topical gel of clobetasol propionate: design and in vivo characterization. *Drug Delivery and Translational Research*, **6**: 289–298.
- Nahdhia, N., Rijal, M.A.S., Hendradi, E., dan Widodo, R.T., 2024. Application of the Simplex Lattice Design Method to Determine the Optimal Formula of Diclofenac Sodium Nanoemulsion. *Jurnal Farmasi Dan Ilmu Kefarmasian Indonesia*, **11**: 137–146.
- Nelson D.L. dan Cox, M.M., 1993. *Lehninger Principles of Biochemistry Fourth Edition*, 1-1119
- Nesterova, A. dan Yuryev, A., 2017. Androgenic Alopecia: Cross-Talk Between Cell Signal Transduction Pathways, dalam: *Hair and Scalp Disorders*. intech, hal. 142–174.
- Nguyen, A.N., Van Ngo, Q., Quach, T.T.M., Ueda, S., Yuguchi, Y., Matsumoto,

- Y., dkk., 2024. Fucoidan from brown seaweed *Tubinaria decurrens*: Structure and structure - anticancer activity relationship. *International Journal of Biological Macromolecules*, **259**: 129326.
- Ntshingila, S., Oputu, O., Arowolo, A.T., dan Khumalo, N.P., 2023. Androgenetic alopecia: An update. *JAAD International*, **13**: 150–158.
- Obluchinskaya, E.D., Pozharitskaya, O.N., Gorshenina, E. V., Zakharov, D. V., Flisyuk, E. V., Terninko, I.I., dkk., 2023. Arctic Edible Brown Alga *Fucus distichus* L.: Biochemical Composition, Antiradical Potential and Human Health Risk. *Plants*, **12**: 1–18.
- Ofosu, E., Nabayire, O., Kumar, P., dan Adadi, P., 2023. Marine fucoidans: Structural, extraction, biological activities and their applications in the food industry. *Food Hydrocolloids*, **142**: 108784.
- Pakidi, C.S. dan Suwoyo, H.S., 2017. Potensi dan Pemanfaatan Bahan Aktif Alga Coklat *Sargassum* sp. *Octopus : Jurnal Ilmu Perikanan*, **6**: 551–562.
- Palmieri, S., Pittella, M.G., Tavares, F., Silva, G.D., dkk, 2024. Novel natural lipids based NLC containing finasteride improved androgenetic alopecia treatment in rats. *International Journal of Pharmaceutics*, **666**: 1-10.
- Pan, Y., Tikekar, R. V., dan Nitin, N., 2016. Distribution of a model bioactive within solid lipid nanoparticles and nanostructured lipid carriers influences its loading efficiency and oxidative stability. *International Journal of Pharmaceutics*, **511**: 322–330.
- Pandurangan, D., Bodagala, P., Palanirajan, V., dan Govindaraj, S., 2016. Formulation and evaluation of voriconazole ophthalmic solid lipid nanoparticles in situ gel. *International Journal of Pharmaceutical Investigation*, **6**: 56.
- Panjaitan, R.S. dan Natalia, L., 2021. Ekstraksi Polisakarida Sulfat dari *Sargassum polycystum* dengan Metode *Microwave Assisted Extraction* dan Uji Toksisitasnya. *Jurnal Pascapenen dan Bioteknologi Kelautan dan Perikanan*, **16**: 23–32.
- Panwar, P., Kumar, S., Chand, P., Chauhan, A.S., dan Jakhmola, V., 2025. Nanostructured Lipid Carriers (NLCs): A Comprehensive Review of Drug Delivery Advancements. *Journal of Applied Pharmaceutical Research*, **13**: 20–38.
- Pardeike, J., Hommoss, A., dan Müller, R.H., 2009. Lipid nanoparticles (SLN , NLC) in cosmetic and pharmaceutical dermal products. *International Journal of Pharmaceutics*, **366**: 170–184.

- Parvi Saxena, K.K., 2025. Nanostructured lipid Carriers: An Advanced Drug Delivery Approach. *Journal of Molecular Science*, 35: 346–354.
- Pashkovskaya, A.A., Vazdar, M., Zimmermann, L., Jovanovic, O., Pohl, P., dan Pohl, E.E., 2018. Mechanism of Long-Chain Free Fatty Acid Protonation at the Membrane-Water Interface. *Biophysj*, **114**: 2142–2151.
- Patil, T.S., Gujarathi, N.A., Aher, A.A., Pachpande, H.E., Sharma, C., Ojha, S., dkk., 2023. Recent Advancements in Topical Anti-Psoriatic Nanostructured Lipid Carrier-Based Drug Delivery. *International Journal of Molecular Sciences*, **24**: 1–23.
- Paus, R. dan Cotsarelis, G., 1999. The Biology of Hair Follicles. *New England Journal of Medicine*, **341**: 491–497.
- Payghami, N., Jamili, S., Rustaiyan, A., Saeidnia, S., Nikan, M., dan Gohari, A.R., 2015. Alpha-amylase inhibitory activity and sterol composition of the marine algae, *Sargassum glaucescens*. *Pharmacognosy Research*, **7**: 314–321.
- Peppas, N.A. dan Sahlin, J.J., 1996. Hydrogels as mucoadhesive and bioadhesive materials: A review. *Biomaterials*, **17**: 1553–1561.
- Perera E, S.R., 2014. Androgenetic Alopecia, dalam: *Textbook of Trichology*. hal. 314–324.
- Perez-robles, S., Carotenuto, C., dan Minale, M., 2022. HPMC Hydrogel Formation Mechanisms Unveiled by the Evaluation of the Activation Energy. *Polymers*, **14**: 1–12.
- Pérez, M.J., Falqué, E., dan Domínguez, H., 2016. Antimicrobial action of compounds from marine seaweed. *Marine Drugs*, **14**: 1–38.
- Pizzol, C.D., Filippin-Monteiro, B., Alexander, J., dan Restrepo, S., 2014. Influence of Surfactant and Lipid Type on the Physicochemical Properties and Biocompatibility of Solid Lipid Nanoparticles. *International Journal of Environmental Research and Public Health*, **11**: 8581–8596.
- Pornputtapitak, W., Thiangjit, Y., dan Tantirungrotechai, Y., 2024. Effect of Functional Groups in Lipid Molecules on the Stability of Nanostructured Lipid Carriers: Experimental and Computational Investigations. *ACS Omega*, **9**: 11012–11024.
- Prabahar, K., Udhumasha, U., Elsherbiny, N., dan Qushawy, M., 2022. Microneedle mediated transdermal delivery of β -sitosterol loaded nlc. *Drug Delivery*, **29**(1): 3022-3034.

- Priyanka Raj G, Aishwarya K S, Ananya M S, dan Anjana N K, 2024. A Review on Topical Gels as Drug Delivery System. *GSC Biological and Pharmaceutical Science*, **28**: 285–296.
- Puspa Dwi Pratiwi, D.L.A., 2024. Aplikasi *Simplex Lattice Design* untuk Optimasi Emulgator dalam Krim Minyak Atsiri Kulit Jeruk Manis. *Jurnal Famasi Klinis dan Sains Bahan Alam*, **4**: 85–93.
- Puspantari, W., Kusnandar, F., Nuryani Lioe, H., dan Laily, N., 2020. Penghambatan fraksi fukoidan rumput laut cokelat (*Sargassum polycystum* dan *Turbinaria conoides*) terhadap α -amilase dan α -glukosidase. *Jurnal Pengolahan Hasil Perikanan Indonesia*, **23**: 122–136.
- Qian, C., Decker, E.A., Xiao, H., dan McClements, D.J., 2012. Solid lipid nanoparticles: Effect of carrier oil and emulsifier type on phase behavior and physical stability. *JAOCs, Journal of the American Oil Chemists' Society*, **89**: 17–28.
- Queiroz, M. de C.V. dan Muehlmann, L.A., 2024. Characteristics and Preparation of Solid Lipid Nanoparticles and Nanostructured Lipid Carriers. *Journal of Nanotheranostics*, **5**: 188–211.
- Ramos-de-la-Peña, A.M., Contreras-Esquivel, J.C., Aguilar, O., dan González-Valdez, J., 2022. Structural and bioactive roles of fucoidan in nanogel delivery systems. A review. *Carbohydrate Polymer Technologies and Applications*, **4**: 1–21.
- Rancan, F. dan Vogt, A., 2014. Getting under the skin: What is the potential of the transfollicular route in drug delivery? *Therapeutic Delivery*, **5**: 875–877.
- Ramkar, S., Suresh, P. K., 2022. Finasteride-loaded nano-lipidic carriers for follicular drug delivery: preformulation screening and Box-Behnken experimental design for optimization of variables. *Heliyon*, **8(8)**: 1-10
- Ribeiro, L., Linhares, P., Florenc, V., Valeria, M., Pinheiro, B., dan Mendonc, M., 2025. Male androgenetic alopecia. *Anais Brasileiros de Dermatologia*, **100**: 308-321.
- Richards, J.B., Yuan, X., Geller, F., Waterworth, D., Bataille, V., Glass, D., dkk., 2009. Male-pattern baldness susceptibility locus at 20p11. *Europe PMC Funders Group*, **40**: 1282–1284.
- Rizikiyan, Y., Sugihartini, N., dan Rais, I.R., 2025. Nanostructured lipid carrier (NLC) in topical preparations: a narrative review of components, manufacturing methods, characteristics and activities. *Jurnal Ilmu*

Kefarmasian Indonesia, **23**: 138.

- Rohmah, M., Raharjo, S., Hidayat, C., dan Martien, R., 2019. Formulasi dan Stabilitas *Nanostructured Lipid Carrier* dari Campuran Fraksi Stearin dan Olein Minyak Kelapa Sawit. *Jurnal Aplikasi Teknologi Pangan*, **8**: 23–30.
- Rowe dkk, 2009. *Handbook of Pharmaceutical Excipients, Sixth Edition*. Pharmaceutical Press and American Pharmacists Association, Washington.
- Roy, D., Sobuj, M.K.A., Islam, M.S., Haque, M.M., Islam, M.A., Islam, M.M., dkk., 2024. Compositional, structural, and functional characterization of fucoidan extracted from *Sargassum polycystum* collected from Saint Martin's Island, Bangladesh. *Algal Research*, **80**: 103542.
- Rupérez, P., Ahrazem, O., dan Leal, J.A., 2002. Potential antioxidant capacity of sulfated polysaccharides from the edible marine brown seaweed *Fucus vesiculosus*. *Journal of Agricultural and Food Chemistry*, **50**: 840–845.
- Saba Sultana, S.M., 2018. A Review on Stability Studies of Pharmaceutical Products. *Journal of Pharmaceutical and Scientific Innovation*, **7**: 28–49.
- Saifullah, N.T., Fudholi, A., dan Nugroho, A., 2011. Pengaruh Medium Disolusi Pada Profil Disolusi Ranitidin HCL dari Sediaan Gastroretentive. *Majalah Farmaseutik*, **7**: 100–107.
- Salvi, V.R. dan Pawar, P., 2019. Nanostructured lipid carriers (NLC) system: A novel drug targeting carrier. *Journal of Drug Delivery Science and Technology*, **51**: 255–267.
- Sanger, G., Dotulong, V., dan Damongilala, L.J., 2022. Isolation of Fatty Acid and Pigment Content of *Sargassum crassifolium* as A Source of Natural Antioxidant. *Jurnal Pengolahan Hasil Perikanan Indonesia*, **25**: 475–493.
- Santos, A.C., Pereira-Silva, M., Guerra, C., Costa, D., Peixoto, D., Pereira, I., dkk., 2020. Topical minoxidil-loaded nanotechnology strategies for alopecia. *Cosmetics*, **7**: 1–25.
- Saputro, M.R., Windhu Wardhana, Y., dan Wathoni, N., 2021. Pengujian dan Peningkatan Stabilitas Sediaan Hidrogel dalam Sistem Penghantaran Obat. *Majalah Farmasetika*, **6**: 421–435.
- Saraswati, Giantina, G., Giriwono, P.E., Faridah, D.N., Iskandriati, D., dan Andarwulan, N., 2020. Water and lipid-soluble component profile of *Sargassum cristaefolium* from different coastal areas in indonesia with potential for developing functional ingredient. *Journal of Oleo Science*, **69**:

1517–1528.

- Sathe, P., Saka, R., Kommineni, N., Raza, K., dan Khan, W., 2019. Dithranol-loaded nanostructured lipid carrier-based gel ameliorates psoriasis in imiquimod-induced mice psoriatic plaque model. *Drug Development and Industrial Pharmacy*, **45**: 826–838.
- Satish, M., Saugat, A., dan A, D.A., 2012. Application of Simplex Lattice Design in Formulation and Development of Buoyant Matrices of Dipyridamole. *Journal of Applied Pharmaceutical Science*, **2**: 107–111.
- Sedjati, S., Supriyantini, E., Ridlo, A., Soenardjo, N., dan Santi, V.Y., 2018. Kandungan Pigmen, Total Fenolik Dan Aktivitas Antioksidan *Sargassum* sp. *Jurnal Kelautan Tropis*, **21**: 137.
- Senthilkumar, K., Manivasagan, P., Venkatesan, J., dan Kim, S.K., 2013. Brown seaweed fucoidan: Biological activity and apoptosis, growth signaling mechanism in cancer. *International Journal of Biological Macromolecules*, **60**: 366–374.
- Seok, J.K., Tae, S. K., Hyun, J. L., Sung, P. K., Myung, H. K., Beom, J. K., dan Myeung, N., 2015. Efficacy of *Cistanche Tubulosa* and *Laminaria Japonica* Extracts (MK-R7) Supplement in Preventing Patterned Hair Loss and Promoting Scalp Health. *Clinical nutrition research*, **4**: 124-131.
- Shah, N. V., Seth, A.K., Balaraman, R., Aundhia, C.J., Maheshwari, R.A., dan Parmar, G.R., 2016. Nanostructured lipid carriers for oral bioavailability enhancement of raloxifene: Design and in vivo study. *Journal of Advanced Research*, **7**: 423–434.
- Sharma, M.U., Arjariya, S., Chouksey, R., dan Sharma, N., 2022. A Review: Formulation And Evaluation Of Pharmaceutical Gel. *Journal of Pharmaceutical Negative Results*, **13**: 1344–1362.
- Shen, X., He, L., Cui, Y., Lin, Z., Jafari, S.M., dan Tan, C., 2025. Co-encapsulation of bioactive compounds in liposomal delivery systems for synergistic effects. *Food Bioscience*, **68**: 106306.
- Shin, D.W., 2022. The Molecular Mechanism of Natural Products Activating Wnt/ β -Catenin Signaling Pathway for Improving Hair Loss. *Life*, **12**: 1856.
- Shoviantari, F., Liziarnezilia, Z., Bahing, A., dan Agustina, L., 2020. Uji Aktivitas Tonik Rambut Nanoemulsi Minyak Kemiri (*Aleurites moluccana* L.). *Jurnal Farmasi Dan Ilmu Kefarmasian Indonesia*, **6**: 69.
- Shrotriya, S., Ranpise, N., Satpute, P., dan Vidhate, B., 2018. Skin targeting of

curcumin solid lipid nanoparticles-engrossed topical gel for the treatment of pigmentation and irritant contact dermatitis. *Artificial Cells, Nanomedicine and Biotechnology*, **46**: 1471–1482.

Sinko. P. J, 2011. *Martin's Physical Pharmacy and Pharmaceutical Sciences, 6th Edition*. Lippincott Williams & Wilkins, a Wolters Kluwer business.

Sinurat, E. dan Kusumawati, R., 2017. Optimasi Metode Ekstraksi Fukoidan dari Rumpun Laut Cokelat *Sargassum binderi* Sonder. *Jurnal Pascapanen dan Bioteknologi Kelautan dan Perikanan*, **12**: 125–134.

Sinurat, E. dan Maulida, N.N., 2018. Effect of fucoidan hydrolysis on its activity as an antioxidant. *Jurnal Pascapanen dan Bioteknologi Kelautan dan Perikanan*, **13**: 123–130.

Sinurat, E., Peranginangin, R., dan Saefudin, E., 2011. Ekstraksi dan Uji Aktivitas Fukoidan dari Rumpun Laut Cokelat (*Sargassum crassifolium*) sebagai Antikoagulan. *Jurnal Pascapanen dan Bioteknologi Kelautan dan Perikanan*.

Sinurat, E., Peranginangin, R., dan Saepudin, E., 2015. Purification and Characterization of Fucoidan from the Brown Seaweed *Sargassum binderi* Sonder. *Squalen Bulletin of Marine and Fisheries Postharvest and Biotechnology*, **10**: 79.

Sista Satyarsa, A.B., Arta Suryantari, S.A., Arya Gumilang, P.G., dan Ayu Dewi, N.N., 2019. Potensi FuMA stem cells, kombinasi fukoidan dan Bone Marrow Stem Cells (BMSCs), sebagai penatalaksanaan mutakhir pada Infark Miokard Akut. *Intisari Sains Medis*, **10**: 174–180.

Skriptsova, A. V., Shevchenko, N.M., Zvyagintseva, T.N., dan Imbs, T.I., 2010. Monthly changes in the content and monosaccharide composition of fucoidan from *Undaria pinnatifida* (Laminariales, Phaeophyta). *Journal of Applied Phycology*, **22**: 79–86.

SNI, 1998. *SNI 16-4955-1998 Lotio Tonik Rambut*. BSN, Jakarta.

Souto, E.B. dan Doktorovová, S., 2009. Solid Lipid Nanoparticle Formulations. Pharmacokinetic and Biopharmaceutical Aspects in Drug Delivery, dalam: *Methods in Enzymology*. Institute of Biotechnology and Bioengineering, Centre of Genetics and Biotechnology, University of Trás-os-Montes and Alto Douro (CGB-UTAD/IBB), Vila Real, Portugal, Portugal, hal. 105–129.

Souto, E.B. dan Müller, R.H., 2008. Cosmetic features and applications of lipid nanoparticles (SLN®, NLC®). *International Journal of Cosmetic Science*, **30**: 157–165.

Squeo, G., De Angelis, D., Leardi, R., Summo, C., dan Caponio, F., 2021.

Background, applications and issues of the experimental designs for mixture in the food sector. *Foods*, **10**: 1–30.

Stefanov, S., Gugleva, V., dan Andonova, V., 2023. Technological strategies for the preparation of lipid nanoparticles: an updated review. *Pharmacia*, **70**: 449–463.

Stenn, K. S., & Paus, R., 2025. Controls of Hair Follicle Cycling. *Physiological Reviews*, **81**: 449–494.

Suhaela, J., Nadjamuddin, M., dan Amar, M.M.I., 2023. Formulasi dan Uji Aktivitas Antioksidan dan SPF (*Sun Protection Factor*) Serum Ekstrak Etanol Kulit Pisang Raja (*Musa paradisiaca* L). *Jurnal Sains dan Kesehatan (J. Sains Kes.)*, **5(6)**: 22-28.

Suryani, Andi Nafisah, S.M., 2017. Optimasi Formula Gel Antioksidan Ekstrak Etanol Buah Bligo (*Benincasa hispida*) dengan Metode Simplex Lattice Design (SLD). *Jurnal Farmasi Galenika (Galenika Journal of Pharmacy)*, **3**: 150–156.

Suyuti A, Hendradi E, P.T., 2023. Effect of Different Lipid Ratios on Physicochemical Stability and Drug Release of Nanostructured Lipid Carriers Loaded Coenzyme Q10. *Jurnal Farmasi Dan Ilmu Kefarmasian Indonesia*, **10**: 44–53.

Syafirah, I.N.R., Raharjo, S., dan Setiowati, A.D., 2025. Preparation and Characterization of Nanostructured Lipid Carriers (NLCs) Formulated with Palm Kernel Stearin and Rice Bran Oil as Squalene Carriers Via Ultrasonication. *Indonesian Journal of Pharmacy*, **36**: 254–262.

Tamjidi, F., Shahedi, M., Varshosaz, J., dan Nasirpour, A., 2013. Nanostructured lipid carriers (NLC): A potential delivery system for bioactive food molecules. *Innovative Food Science and Emerging Technologies*, **19**: 29–43.

Tapeinos, C., Battaglini, M., dan Ciofani, G., 2017. Advances in the design of solid lipid nanoparticles and nanostructured lipid carriers for targeting brain diseases. *Journal of Controlled Release*, **264**: 306–332.

Tekade, A.R., Mittha, P.S., dan Pisal, C.S., 2022. Nanostructured Lipid Carriers for Nose to Brain Delivery Targeting CNS: Diversified Role of Liquid Lipids for Synergistic Action. *Advanced Pharmaceutical Bulletin*, **12**: 763–771.

Thang, N.H., Chien, T.B., dan Cuong, D.X., 2023. Polymer-Based Hydrogels Applied in Drug Delivery: An Overview. *Gels*, **9**: 1–38.

Tirmiara, N., Arianto, A., dan Bangun, H., 2018. Formulasi Dan Evaluasi Sediaan

Nanoemulsi Gel Vitamin E (Alfa Tokoferol) Sebagai Anti-Aging kulit.
Talanta Conference Series: Tropical Medicine (TM), **1**: 099–105.

Topics, R., 2014. *The Fitness for Purpose of Analytical Methods*, Second edition. Eurachem.

Trüeb, R.M., 2002. Molecular mechanisms of androgenetic alopecia. *Experimental Gerontology*, **37**: 981–990.

Tsou, M.H., Lee, C.C., Wu, Z.Y., Lee, Z.H., dan Lin, H.M., 2022. Bioactivity of crude fucoidan extracted from *Sargassum ilicifolium* (Turner) C. Agardh. *Scientific Reports*, **12**: 1–10.

Ullah, N., Aman Qazi, R., Ullah, S., dan Khan, S., 2022. Application and Importance of Scanning and Transmission electron Microscopes in Science and Technology. *Contributions, Section of Natural, Mathematical and Biotechnical Sciences*, **43**: 27–37.

Utami, H., Sari, Z.S.M., Hanif, M., Darni, Y., Br Ginting, S., dan Purba, E., 2023. Experimental study of isolation fucoidan from seaweed of *Sargassum binderi* Sonder: The effect of temperature and extraction time. *Jurnal Teknik Kimia*, **29**: 79–86.

Venkatesan, J., Subramanian, S., dan Hun, G., 2022. Fucoidan-based nanoparticles: Preparations and applications. *International Journal of Biological Macromolecules*, **217**: 652–667.

Viegas, C., Patrício, A.B., Prata, J.M., Nadhman, A., Chintamaneni, P.K., dan Fonte, P., 2023. Solid Lipid Nanoparticles vs. Nanostructured Lipid Carriers: A Comparative Review. *Pharmaceutics*, **15**: 1–34.

Vo, C.L., Park, C., dan Lee, B., 2013. Current trends and future perspectives of solid dispersions containing poorly water-soluble drugs. *European Journal of Pharmaceutics and Biopharmaceutics*, **85**: 799–813.

Wan, H., Zhang, Y.X., Gao, Z.C., Shan, G.Y., Liu, F., dan Li, H.J., 2025. Exploring the potential of Fucoidan from *Laminaria japonica*: A comprehensive review of its biological activities and benefits for human. *International Journal of Biological Macromolecules*, **307**: 142297.

Wang, C.-Y. dan Chen, Y.-C., 2016. Extraction and characterization of fucoidan from six brown macroalgae. *Journal of Marine Science and Technology (Taiwan)*, **24**: 319–328.

Wang, H.M.D., Chen, C.C., Huynh, P., dan Chang, J.S., 2015. Exploring the potential of using algae in cosmetics. *Bioresource Technology*, **184**: 355–362.