

DAFTAR PUSTAKA

- Andriyani, T., 2024, DDR Madeena, Alat Radiografi digital Hasil Inovasi Peneliti UGM Siap Diproduksi Massal, <https://ugm.ac.id/id/berita/ddr-madeena-alat-radiografi-digital-digital-hasil-inovasi-peneliti-ugm-siap-diproduksi-massal/>, diakses 26 November 2025.
- Attix, F. H., 2004, *Introduction to Radiological Physics and Radiation Dosimetry*, University of Wisconsin Medical School, Madison.
- Badan Gizi Nasional, 2025, Petunjuk Teknis Standar, Penyediaan dan Distribusi Susu pada Program MBG, <https://www.bgn.go.id/>, diakses 12 September 2025.
- Bankhead, P., 2014, *Analyzing fluorescence microscopy images with ImageJ*, Queen's University Belfast, Belfast.
- Bushberg, J. T., Seibert, J. A., Leidholdt, E. M., dan Boone, J. M., 2012, *The Essential Physics of Medical Imaging*, Lippincott Williams & Wilkins, Philadelphia.
- Cavallo, F., Mohn, A., Chiarelli, F., dan Giannini, C., 2021, Evaluation of bone age in children: A mini-review, *Pediatr. Radiol.*, 51, 12, 2134-2141.
- Chung, J. H., Baek, H. J., dan Lee, Y. J., 2019, Radiation dose optimization in veterinary digital radiography, *J. Vet. Sci.*, 20, 5, e47.
- Dias, I. E., Viegas, C. A., Requicha, J. F., Saavedra, M. J., Azevedo, J. M., Carvalho, P. P., dan Dias, I. R., 2022, Mesenchymal Stem Cell Studies in the Goat Model for Biomedical Research—A Review of the Scientific Literature, *Biology*, 11, 9, 1276.
- Ferreira, T. dan Rasband, W., 2012, *ImageJ User Guide (1.43 ed.)*, <https://ImageJ.net/ij/docs/guide/user-guide>, diakses 29 November 2025.
- Hardinsyah, Damayanti, E., dan Zulianti, W., 2008, HUBUNGAN KONSUMSI SUSU DAN KALSIUM DENGAN DENSITAS TULANG DAN TINGGI BADAN REMAJA, *J. Gizi Pangan*, 3, 1, 43-48.
- Hasnudi, Ginting, N., Patriani, P., dan Hasanah, U., 2018, *PENGELOLAAN TERNAK KAMBING DAN DOMBA*, Yayasan Al Hayat, Medan.
- Herrmann, T., 2008, Computed Radiography and Digital Radiography: A Comparison of Technology, Functionality, Patient Dose, and Image Quality, <https://www.eradimaging.com>, diakses 12 September 2025.

ICRP, 2013, *INTERNATIONAL COMMISSION ON RADIOLOGICAL PROTECTION*, www.icrp.org, diakses 29 November 2025.

Kato, T., Ichikawa, H., Sawane, Y., Ono, T., Kato, T., Ito, S., dan Shimada, H., 2024, Investigation of Imaging Conditions Using Human Body Equivalent Phantom and Neonatal Phantom in Portable Chest Radiography of Newborns, *Nihon Hoshasen Gijutsu Gakkai Zasshi*, 80, 11, 1184-1190.

Kroemer Elbert, K. E., Kroemer, A. D., dan Kroemer Hoffman, A. D., 2018, The Spinal Column, *Ergonomics*, Edisi 3, ScienceDirect, Amsterdam.

Lancaster, J. dan Hasegawa, B., 2020, *Fundamental Mathematics and Physics of Medical Imaging*, Taylor and Francis Group, Florida.

Leung, K. S., Siu, W. S., Cheung, N. M., Lui, P. Y., Chow, D. H. K., James, A., dan Qin, L., 2001, Goats as an Osteopenic Animal Model, *J. Bone Miner. Res.*, 16, 12, 2348-2355.

Lill, C. A., Fluegel, A. K., dan Schneider, E., 2014, Effect of Ovariectomy, Malnutrition and Glucocorticoid Application on Bone Properties in Sheep: A Pilot Study, *Osteoporosis Int.*, 13, 480-486.

Mahesh, M., 2013, The Essential Physics of Medical Imaging, Third Edition, *Med. Phys.*, 40, 7, 077001.

Pamungkas, F. A., Batubara, A., Doloksaribu, M., dan Sihite, E., 2008, Petunjuk Teknis POTENSI BEBERAPA PLASMA NUTFAH KAMBING LOKAL INDONESIA, <https://pertanian.go.id>, diakses 29 November 2025.

Pemerintah Republik Indonesia, 2025, *Izin Edar Alat Kesehatan Dalam Negeri (PB-UMKU: 912010690027500050002)*, Jakarta.

PT Madeena Karya Indonesia, 2025, *Petunjuk Penggunaan, Materi Pelatihan dan Petunjuk Pemasangan serta Pemeliharaan DDR Madeena*, Yogyakarta.

Rajappa, R., Nazal, M. R., Stelzer, J. W., Hsu, H. P., Conaway, W. K., Rokkapanavar, S., Niu, W., Upadhyaya, S., Alpaugh, K., Spector, M., dan Martin, S. D., 2020, Translational relevance of the goat as a preclinical model of the human labrum and chondrolabral junction-histological study, *J. Orthop. Res.*, 38, 12, 2651-2661.

Shah, D. J., Sachs, R. K., dan Wilson, D. J., 2020, Radiation exposure from medical imaging: A review of risks and guidelines, *Radiology*, 295, 3, 590–604.

- Simon, S., Fischer, B., Rinner, A., Hummer, A., Frank, B. J. H., Mitterer, J. A., Huber, S., Aichamair, A., Schwarz, G. M., dan Hofstaetter, J. G., 2023, Body height estimation from automated length measurements on standing long leg radiographs using artificial intelligence, *Sci. Rep.*, 13, 11245.
- Socorro, M., Dong, X., Trbojevic, S., Chung, W., Brown, B. N., dan Almarza, A., 2025, The goat as a model for temporomandibular joint replacement: Techniques for scaffold fixation, *Sci. Direct*, 63, 91-97.
- Sodiq, A., Priyono, A., dan Tawfik, E. S., 2010, Assessment of the Kid Production Traits of Kacang Goat under Smallholders Production System, *Anim. Prod.*, 12, 2, 111-117.
- Specker, B., 2004, Nutrition Influences Bone Development from Infancy through Toddler Years, *J. Nutr.*, 134, 3, 691-695.
- UNSCEAR, 2010, *Sources and Effects of Ionizing Radiation*, United Nations Scientific Committee on the Effects of Atomic Radiation, New York.
- Weidauer, L., Wey, H., Slater, H., Moyer-Mileur, L., dan Specker, B., 2014, Estimation of length or height in infants and young children using ulnar and lower leg length with dual-energy X-ray absorptiometry validation, *Dev. Med. Child Neurol.*, 56, 8, 795-800.
- Williams, J. P., Brown, S. L., Georges, G. E., Hauer-Jensen, M., Hill, R. P., Huser, A. K., Kirsch, D. G., MacVittie, T. J., Mason, K. A., Medhora, M. M., Moulder, J. E., Okunieff, P., Otterson, M. F., Robbins, M. E., Schae, D., Sehgal, C. M., Shahar, S. F., Stewart, F. A., Tofilon, P. J., Vujaskovic, Z., dan Wong, R. S., 2016, Animal models for medical countermeasures to radiation exposure, *Radiat. Res.*, 186, 1, 1-27.
- Zulfita, A. S., 2021, PEMANFAATAN RADIOGRAFI DIGITAL SINAR-X FLUORESENS DIGITAL UNTUK MENGAMATI KERANGKA TIKUS, *Tesis*, Fakultas Matematika dan Ilmu Pengetahuan Alam, Universitas Gadjah Mada, Yogyakarta.