

DAFTAR PUSTAKA

- Abidin, H.Z., Andreas, H., Kao, T., Ito, T., Meilano, I., Kimata, F., Natawidjaya, D.H., dan Harjono, H., 2009, Crustal Deformation Studies in Java (Indonesia) Using GPS, *Journal of Earthquake and Tsunami*, 3, 2, 77–88.
- Akbar, K.A., 2017, Analisis Data Mikrotremor dengan Metode Horizontal-to-Vertical Spectral Ratio (HVSR) untuk Mendukung Rencana Tata Ruang dan Wilayah Kabupaten Bantul, *Skripsi*, Departemen Fisika FMIPA UGM, Yogyakarta.
- Akkaya, İ, 2020, Availability of Seismic Vulnerability Index (K_g) in the Assessment of Building Damage in Van, Eastern Turkey, *Earthquake Engineering and Engineering Vibration*, 19, 189–204.
- Albarello, D. dan Lunedei, E., 2013, Combining Horizontal Ambient Vibration Components for H/V Spectral Ratio Estimates, *Geophysical Journal International*, 194, 2, 936–951.
- Arai, H. dan Tokimatsu, K., 2000, Effects of Rayleigh and Love Waves on Microtremor H/V Spectra, *Proceedings of the 12th World Conference on Earthquake Engineering*, Auckland.
- Arifin, S.S., Mulyatno, B.S., Marjiyono, dan Setianegara, R., 2014, Penentuan Zona Rawan Guncangan Bencana Gempa Bumi Berdasarkan Analisis Nilai Amplifikasi HVSR Mikrotremor dan Analisis Periode Dominan Daerah Liwa dan Sekitarnya, *JGE (Jurnal Geofisika Eksplorasi)*, 2, 1, 30–40.
- BAPPEDA Kabupaten Bantul, 2023, *Buku Satu Data Pembangunan Daerah Tahun 2023*, Badan Perencanaan Pembangunan Daerah Kabupaten Bantul, Bantul.
- BAPPENAS, 2006, *Preliminary Damage and Loss Assessment, Yogyakarta and Central Java Natural Disaster: A Joint Report of BAPPENAS, the Provincial and Local Governments of D. I. Yogyakarta, the Provincial and Local Governments of Central Java, and International Partners*, The 15th Meeting of the Consultative Group on Indonesia (CGI), Jakarta.
- Bayrak, E., 2022, Investigation of Soil Dynamic Properties Using Horizontal-to-Vertical Spectral Ratio for Eastern Pontides, Northeast Turkey, *Environmental Earth Sciences*, 81, 21, 514.
- Beroya, M.A.A., Aydin, A., Tiglao, R., dan Lasala, M., 2009, Use of Microtremor in Liquefaction Hazard Mapping, *Engineering Geology*, 107, 3–4, 140–153.
- Burrough, P.A. dan McDonnell, R.A., 1998, *Principles of Geographical Information Systems*, Oxford University Press, Oxford.

- Bonnefoy-Claudet, S., Cornou, C., Bard, P.Y., Cotton, F., Moczo, P., Kristek, J., dan Fäh, D., 2006a, H/V Ratio: A Tool for Site Effects Evaluation. Results From 1-D Noise Simulations, *Geophysical Journal International*, 167, 2, 827–837.
- Bonnefoy-Claudet, S., Cotton, F., dan Bard, P.Y., 2006b, The Nature of Noise Wavefield and Its Applications for Site Effects Studies: A Literature Review, *Earth-Science Reviews*, 79, 3–4, 205–227.
- BSN, 2019, *SNI 1726:2019 Tata Cara Perencanaan Ketahanan Gempa untuk Struktur Bangunan Gedung dan Nongedung*, BSN, Jakarta.
- Burtin, A., Hovius, N., dan Turowski, J.M., 2016, Seismic Monitoring of Torrential and Fluvial Processes, *Earth Surface Dynamics*, 4, 2, 285–307.
- Castro, R.R., Mucciarelli, M., Pacor, F., dan Petrungaro, C., 1997, S-Wave Site-Response Estimates Using Horizontal-to-Vertical Spectral Ratios, *Bulletin of the Seismological Society of America*, 87, 1, 256–260.
- Chopra, A.K., 2012, *Dynamics of Structures: Theory and Applications to Earthquake Engineering*, 4th ed., Prentice Hall, Upper Saddle River.
- Darmawan, C.J., Pranata, B., Sutrisno, dan Anggun, E., 2023, Identification of Soil Characteristics in the Central Java Region Using the HVSR (Horizontal to Vertical Spectral Ratio) Inversion Method, *E3S Web of Conferences*, EDP Sciences, Yogyakarta.
- Farduwin, A., Nugraha, P.N., Styawan, Y., Lestari, E.Y.P., dan TR, D.P.J., 2025, Site Effects Identification Using HVSR Method in Cisarua Hot Spring Area, *JGE (Jurnal Geofisika Eksplorasi)*, 11, 2, 151–162.
- FEMA, 2006, *Designing for Earthquakes: A Manual for Architects*, Risk Management Series FEMA 454, Federal Emergency Management Agency, Washington, D.C.
- Foti, S., Lai, C. G., Rix, G. J., dan Strobbia, C., 2015, *Surface Wave Methods for Near-Surface Site Characterization*, CRC Press, Boca Raton.
- Gadallah, M., dan Fisher, R., 2009, *Exploration Geophysics: An Introduction*, Springer, Berlin.
- Gosar, A., 2009, A Microtremor HVSR Study of the Seismic Site Effects in the Area of the Town of Brežice (SE Slovenia), *Acta Geotechnica Slovenica*, 6, 2, 31–45.
- Gosar, A., Rošar, J., Motnikar, B.Š., dan Zupančič, P., 2010, Microtremor Study of Site Effects and Soil-Structure Resonance in the City of Ljubljana (Central Slovenia), *Bulletin of Earthquake Engineering*, 8, 3, 571–592.

- Hamilton, W., 1979, *Tectonics of the Indonesian Region*, U.S. Government Printing Office, Washington D.C..
- Harris, F.J., 1978, On the Use of Windows for Harmonic Analysis With the Discrete Fourier Transform, *Proceedings of the IEEE*, 66, 1, 51–83.
- Husein, S. dan Srijono, 2010, Peta Geomorfologi Daerah Istimewa Yogyakarta, *Simposium Geologi Yogyakarta*, Yogyakarta.
- Ibs-von Seht, M. dan Wohlenberg, J., 1999, Microtremor Measurements Used to Map Thickness of Soft Sediments, *Bulletin of the Seismological Society of America*, 89, 1, 250–259.
- Isburhan, R.W.P., Nuraeni, G., Verdhora Ry, R., Yudistira, T., Cipta, A., dan Cummins, P., 2019, Horizontal-to-Vertical Spectral Ratio (HVSR) Method for Earthquake Risk Determination of Jakarta City with Microtremor Data, *IOP Conference Series: Earth and Environmental Science*, Institute of Physics Publishing, 012033.
- Kamiyama, M., 1992, Non-Linear Soil Amplification Identified Empirically From Strong Earthquake Ground Motions, *Journal of Physics of the Earth*, 40, 1, 151–173.
- Kanai, K., dan Tanaka, T., 1961, On Microtremor. VIII., *Bulletin of The Earthquake Research Institute*, 39, 97–114.
- Kang, S.Y., Kim, K.H., dan Kim, B., 2021, Assessment of Seismic Vulnerability Using the Horizontal-to-Vertical Spectral Ratio (HVSR) Method in Haenam, Korea, *Geosciences Journal*, 25, 1, 71–81.
- Kawase, H., 1996, The Cause of the Damage Belt in Kobe: "The Basin-Edge Effect," Constructive Interference of the Direct S-Wave with the Basin-Induced Diffracted/Rayleigh Waves, *Seismological Research Letters*, 67, 5, 25–34.
- Kramer, S.L., 1996, *Geotechnical Earthquake Engineering*, Prentice-Hall, Upper Saddle River.
- Kudo, K., Sawada, Y., dan Horike, M., 2004, Current Studies in Japan on H/V and Phase Velocity Dispersion of Microtremors for Site Characterization, *Proceedings of the 13th World Conference on Earthquake Engineering*, Vancouver.
- Kumar, P. dan Mahajan, A.K., 2020, New Empirical Relationship Between Resonance Frequency and Thickness of Sediment Using Ambient Noise Measurements and Joint-Fit-Inversion of the Rayleigh Wave Dispersion Curve for Kangra Valley (NW Himalaya), India, *Environmental Earth Sciences*, 79, 11, 256.

- Lavigne, F., Thouret, J.C., Voight, B., Suwa, H., dan Sumaryono, A., 2000, Lahars at Merapi Volcano, Central Java: an Overview, *Journal of Volcanology and Geothermal Research*, 100, 423–456.
- Molnar, S., Cassidy, J.F., Castellaro, S., Cornou, C., Crow, H., Hunter, J.A., Matsushima, S., Sánchez-Sesma, F.J., dan Yong, A., 2018, Application of Microtremor Horizontal-to-Vertical Spectral Ratio (MHVSR) Analysis for Site Characterization: State of the Art, *Surveys in Geophysics*, 39, 4, 613–631.
- Molnar, S., Sirohey, A., Assaf, J., Bard, P.Y., Castellaro, S., Cornou, C., Cox, B., Guillier, B., Hassani, B., Kawase, H., Matsushima, S., Sánchez-Sesma, F.J., dan Yong, A., 2022, A Review of The Microtremor Horizontal-to-Vertical Spectral Ratio (MHVSR) Method, *Journal of Seismology*, 26, 4, 653–685.
- Mulyaningsih, S., 2021, Earthquakes, Volcanic Eruptions, and Other Geological Disasters During Historical Records in Yogyakarta Special Region, Indonesia, *Indonesian Journal on Geoscience*, 8, 2, 197–212.
- Mulyaningsih, S., Zaim, Y., Juanda Puradimaja, D., Bronto, S., dan Darwin Alijasa Siregar, dan, 2006, Perkembangan Geologi pada Kuartar Awal sampai Masa Sejarah di Dataran Yogyakarta, *Jurnal Geologi Indonesia*, 1, 2, 103–113.
- Naing, T., 2010, Analysis of Microtremors for Site Amplification Characteristics and Ground Motion in Yogyakarta, Indonesia, *Disertasi*, Program Studi Doktor Teknik Geologi Fakultas Teknik UGM, Yogyakarta.
- Nakamura, Y., 1989, A Method for Dynamic Characteristics Estimation of Subsurface Using Microtremor on the Ground Surface, *Quarterly Report of Railway Technical Research Institute*, 30, 1, 25–33.
- Nakamura, Y., 1997, Seismic Vulnerability Indices for Ground and Structures Using Microtremor, *Proceedings of the World Congress on Railway Research*, Florence, hal. 1–7.
- Nakamura, Y., 2000, Clear Identification of Fundamental Idea of Nakamura's Technique and Its Applications, *Proceedings of the 12th World Conference on Earthquake Engineering*, Auckland.
- Newhall, C.G., Bronto, S., Alloway, B., Banks, N.G., Bahar, I., Del Marmol, M.A., Hadisantono, R.D., Holcomb, R.T., Mcgeehin, J., Miksic, J.N., Rubin, M., Sayudi, S.D., Sukhyar, R., Andreastuti, S., Tilling, R.I., Torley, R., Trimble, D., dan Wirakusumah, A.D., 2000, 10,000 Years of Explosive Eruptions of Merapi Volcano, Central Java: Archaeological and Modern Implications, *Journal of Volcanology and Geothermal Research*, 100, 9–50.

- Nogoshi, M., dan Igarashi, T., 1971, On the Amplitude Characteristics of Microtremor (Part 2), *Journal of the Seismological Society of Japan*, 40, 1, 26–40.
- Nurwihastuti, D.W., Sartohadi, J., Mardiatno, D., Nehren, U., dan Restu, 2014, Understanding of Earthquake Damage Pattern Through Geomorphological Approach: A Case Study of 2006 Earthquake in Bantul, Yogyakarta, Indonesia, *World Journal of Engineering and Technology*, 2, 3, 61–70.
- Olsen, K.B. dan Schuster, G.T., 1995, Causes of Low-Frequency Ground Motion Amplification in the Salt Lake Basin: The Case of the Vertically Incident P Wave, *Geophysical Journal International*, 122, 3, 1045–1061.
- Okada, H., dan Suto, K., 2003, *The Microtremor Survey Method*, Society of Exploration Geophysicists, Tulsa.
- Permana, N. R., Fadrian, D. F., Gunawan, B., dan Wulandari, A., 2024, Distribution of Geological Structures on Java Island Based on Derivative Analysis of Satellite Gravity Data, *Jurnal Penelitian Fisika dan Aplikasinya (JPFA)*, 14, 154–168.
- Pitarka, A., Irikura, K., Iwata, T., dan Sekiguchi, H., 1998, Three-Dimensional Simulation of the Near-Fault Ground Motion for the 1995 Hyogo-ken Nanbu (Kobe), Japan, Earthquake, *Bulletin of the Seismological Society of America*, 88, 2, 428–440.
- Poudyal, D., Nordin, N., Roslan, S.N.A., dan Dahal, B.K., 2024, Spatial Mapping of the Seismic Vulnerability Index in Kathmandu Valley: Insight From Dominant Frequency and Amplification Factor, *Journal of Geophysics and Engineering*, 21, 4, 1272–1285.
- Pradipta, A.D., 2022, Analisis Mikrotremor dengan Metode HVSR untuk Evaluasi Ketahanan Bangunan Terhadap Gempa Bumi pada Wilayah Universitas Gadjah Mada, *Skripsi*, Departemen Fisika FMIPA UGM, Yogyakarta.
- Prakoso, W.A., Rahayu, A., Sadisun, I.A., Muntohar, A.S., Muzli, M., dan Rudyanto, A., 2017, Comparing Shear-Wave Velocity Determined by MASW with Borehole Measurement at Merapi Sediment in Yogyakarta, *International Journal of Technology*, 8, 6, 993–1000.
- Priestley, M.B., 1965, Evolutionary Spectra and Non-Stationary Processes, *Journal of the Royal Statistical Society Series B: Statistical Methodology*, 27, 2, 204–229.
- Rahardjo, W., Sukandarrumidi, dan Rosidi, H.M.D., 1995, *Peta Geologi Lembar Yogyakarta, Jawa*, Pusat Penelitian dan Pengembangan Geologi, Bandung.

- Ramírez-Gaytán, A., Preciado, A., Bandy, W.L., Salazar-Monroy, E.F., Jaimes, M.A., dan Alcantara, L., 2019, The Tesisatan, Mexico Earthquake (Mw 4.9) of 11 May 2016: Seismic-Tectonic Environment and Resonance Vulnerability on Buildings, *Earthquake Engineering and Engineering Vibration*, 18, 3, 579–595.
- Saputra, A., Gomez, C., Delikostidis, I., Zawar-Reza, P., Hadmoko, D.S., Sartohadi, J., dan Setiawan, M.A., 2018, Determining Earthquake Susceptible Areas Southeast of Yogyakarta, Indonesia—Outcrop Analysis from Structure from Motion (SfM) and Geographic Information System (GIS), *Geosciences (Switzerland)*, 8, 4, 132.
- Schlüter, H.U., Gaedicke, C., Roeser, H.A., Schreckenberger, B., Meyer, H., Reichert, C., Djajadihardja, Y., dan Prexl, A., 2002, Tectonic Features of the Southern Sumatra–Western Java Forearc of Indonesia, *Tectonics*, 21, 5, 11.
- SESAME, 2004, *Guidelines for the Implementation of the H/V Spectral Ratio Technique on Ambient Vibrations: Measurements, Processing and Interpretation*, European Commission - Research General Directorate, Brussels.
- Shatckay, H., 1995, *The Fourier Transform – A Primer*, Department of Computer Science, Brown University, Providence.
- Setiaji, R.A., Chandra, A., Aulia, K.N., Radityo, D., dan Arifullah, E., 2006, The Stratigraphic Significance of Glossifungites Ichnofacies in Cipari Area, Central Java, *Proceedings GEOSEA XIV Congress and 45th IAGI Annual Convention 2016 (GIC 2016)*, Bandung.
- Sunaryo, 2017, Study of Seismic Vulnerability Index (K_g) From Dominant Frequency (f_0) and Amplification Factor (A_0) by Means of Microzonation Data: Case Study on Batubesi Dam of Nuha, East Luwu, South Sulawesi, Indonesia, *2017 International Seminar on Sensors, Instrumentation, Measurement and Metrology (ISSIMM)*, Surabaya.
- Uebayashi, H., 2003, Extrapolation of Irregular Subsurface Structures Using the Horizontal-to-Vertical Spectral Ratio of Long-Period Microtremors, *Bulletin of the Seismological Society of America*, 93, 2, 570–582.
- Van Bemmelen, R.W., 1949, *The Geology of Indonesia*, Vol. 1A, Government Printing Office, The Hague.
- Vantassel, J., 2024, hvsrpy: v2.0.0, *Computer Software*, Zenodo, doi:10.5281/zenodo.12735911.

- Wahyuni, Y.T., Mardiatno, D., dan Samodra, G., 2025, Analisis Kerentanan Seismik dan Klasifikasi Tanah di Wilayah Sekitar Sesar Opak Menggunakan Data Mikrotremor, *Journal Online of Physics*, 10, 2, 54–65.
- Wang, Z., Chen, J., dan Shen, J., 2021, Multi-Factor and Multi-Level Predictive Models of Building Natural Period, *Engineering Structures*, 242, 112622.
- Wirth, E.A., Vidale, J.E., Frankel, A.D., Pratt, T.L., Marafi, N.A., Thompson, M., dan Stephenson, W.J., 2019, Source-Dependent Amplification of Earthquake Ground Motions in Deep Sedimentary Basins, *Geophysical Research Letters*, 46, 6443-6450.