UNIVERSITAS
GADJAH MADA
Dual-Stream Approach For Acne Severity Grading with Ordinal Regression Methods
Raisa Aquila Zahra Kholiq, Prof. Dr.-Ing. Mhd. Reza M. I. Pulungan, S.Si., M.Sc.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

REFERENCES

Ahmed, T. and Sabab, N. H. N. (2022). Classification and understanding of cloud structures via satellite images with EfficientUNet. *SN Computer Science*, 3(1):99. doi:10.1007/s42979-021-00981-2.

Alruwaili, M. and Mohamed, M. (2025). An integrated deep learning model with EfficientNet and ResNet for accurate multi-class skin disease classification. *Diagnostics*, 15(5):551. doi:10.3390/DIAGNOSTICS15050551.

Arevalo, J., Solorio, T., Montes-y Gómez, M., and González, F. A. (2020). Gated multimodal networks. *Neural Comput. Appl.*, 32(14):10209–10228. doi:10.1007/s00521-019-04559-1.

Ba, J. L., Kiros, J. R., and Hinton, G. E. (2016). Layer normalization. *arXiv preprint arXiv:1607.06450*. doi:10.48550/arXiv.1607.06450.

Bae, I. H., Kwak, J. H., Na, C. H., Kim, M. S., Shin, B. S., and Choi, H. (2024). A comprehensive review of the acne grading scale in 2023. *Annals of Dermatology*, 36(2):65–73. doi:10.5021/ad.23.094.

Baltrušaitis, T., Ahuja, C., and Morency, L.-P. (2019). Multimodal machine learning: A survey and taxonomy. *IEEE Transactions on Pattern Analysis and Machine Intelligence*, 41(2):423–443. doi:10.1109/TPAMI.2018.2798607.

Becker, M., Wild, T., and Zouboulis, C. C. (2017). Objective assessment of acne. *Clinics in Dermatology*, 35(2):147–155. doi:10.1016/j.clindermatol.2016.10.006.

Beckham, C. and Pal, C. (2017). Unimodal probability distributions for deep ordinal classification. In *Proceedings of the 34th International Conference on Machine Learning (ICML)*, volume 70, pages 411–420, Sydney, Australia. PMLR. doi:10.48550/arXiv.1705.05278.

Cao, W., Mirjalili, V., and Raschka, S. (2020). Rank consistent ordinal regression for neural networks with application to age estimation. *Pattern Recognition Letters*, 140:325–331. doi:10.1016/j.patrec.2020.11.008.

Cho, S. I., Yang, J. H., and Suh, D. H. (2021). Analysis of trends and status of physician-based evaluation methods in acne vulgaris from 2000 to 2019. *Journal of Dermatology*, 48(1):42–48. doi:10.1111/1346-8138.15613.

UNIVERSITAS
GADJAH MADA
Dual-Stream Approach For Acne Severity Grading with Ordinal Regression Methods
Raisa Aquila Zahra Kholiq, Prof. Dr.-Ing. Mhd. Reza M. I. Pulungan, S.Si., M.Sc.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Cohen, J. (1968). Weighted kappa: Nominal scale agreement provision for scaled disagreement or partial credit. *Psychological Bulletin*, 70:213–220. doi:10.1037/H0026256.

Fallah, H. and Rademaker, M. (2021). Isotretinoin in the management of acne vulgaris: practical prescribing. *International Journal of Dermatology*, 60(4):451–460. doi:10.1111/ijd.15089.

Hayashi, N., Akamatsu, H., Kawashima, M., and Acne Study Group (2008). Establishment of grading criteria for acne severity. *The Journal of Dermatology*, 35(5):255–260. doi:10.1111/j.1346-8138.2008.00462.x.

Heath, C. R. and Usatine, R. P. (2021). Acne vulgaris. *The Journal of Family Practice*, 70(7):356–356. doi:10.12788/JFP.0271.

Hu, J., Shen, L., and Sun, G. (2018). Squeeze-and-excitation networks. In *Proceedings of the IEEE Conference on Computer Vision and Pattern Recognition (CVPR)*, pages 7132–7141. doi:10.1109/CVPR.2018.00745.

Huynh, Q. T., Nguyen, P. H., Le, H. X., Ngo, L. T., Trinh, N.-T., Tran, M. T.-T., et al. (2022). Automatic acne object detection and acne severity grading using smartphone images and artificial intelligence. *Diagnostics*, 12(8):1879. doi:10.3390/diagnostics12081879.

Jegham, N., Koh, C. Y., Abdelatti, M., and Hendawi, A. (2024). Evaluating the evolution of YOLO (you only look once) models: A comprehensive benchmark study of YOLO11 and its predecessors. *arXiv preprint arXiv:2411.00201*. doi:10.48550/arXiv.2411.00201.

Jocher, G., Chaurasia, A., and Qiu, J. (2023). Ultralytics YOLOv8. `https://github.com/ultralytics/ultralytics`.

Joze, H. R. V., Shaban, A., Iuzzolino, M. L., and Koishida, K. (2020). MMTM: Multimodal transfer module for CNN fusion. In *Proceedings of the IEEE/CVF Conference on Computer Vision and Pattern Recognition (CVPR)*, pages 13289–13299. doi:10.1109/CVPR42600.2020.01330.

Kook, L., Herzog, L., Hothorn, T., Dürr, O., and Sick, B. (2022). Deep and interpretable regression models for ordinal outcomes. *Pattern Recognition*, 122:108263. doi:https://doi.org/10.1016/j.patcog.2021.108263.

UNIVERSITAS
GADJAH MADA
Dual-Stream Approach For Acne Severity Grading with Ordinal Regression Methods
Raisa Aquila Zahra Kholiq, Prof. Dr.-Ing. Mhd. Reza M. I. Pulungan, S.Si., M.Sc.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Lim, Z. V., Akram, F., Ngo, C. P., Winarto, A. A., Lee, W. Q., Liang, K., et al. (2019). Automated grading of acne vulgaris by deep learning with convolutional neural networks. *Skin Research and Technology*, 26(2):187–192. doi:10.1111/srt.12794.

Lin, Y., Jiang, J., Chen, D., Ma, Z., Guan, Y., Liu, X., You, H., and Yang, J. (2023). DED: Diagnostic evidence distillation for acne severity grading on face images. *Expert Systems with Applications*, 228:120312. doi:10.1016/j.eswa.2023.120312.

Lin, Y., Jiang, J., Chen, D., Ma, Z., Guan, Y., Liu, X., You, H., Yang, J., and Cheng, X. (2022). Acne severity grading on face images via extraction and guidance of prior knowledge. *Proceedings - 2022 IEEE International Conference on Bioinformatics and Biomedicine, BIBM 2022*, pages 1639–1643. doi:10.1109/BIBM55620.2022.9995101.

Peng, Y., Zhu, W., Chen, Z., Wang, M., Geng, L., Yu, K., Zhou, Y., Wang, T., Xiang, D., Chen, F., and Chen, X. (2021). Automatic staging for retinopathy of prematurity with deep feature fusion and ordinal classification strategy. *IEEE Transactions on Medical Imaging*, 40(7):1750–1762. doi:10.1109/TMI.2021.3065753.

Qu, L., Shao, D., Ma, L., Yao, J., and Yi, S. (2026). A coarse-to-fine framework for facial acne grading and lesion counting. *Biomedical Signal Processing and Control*, 112:108644. doi:10.1016/J.BSPC.2025.108644.

Ramachandram, D. and Taylor, G. W. (2017). Deep multimodal learning: A survey on recent advances and trends. *IEEE Signal Processing Magazine*, 34(6):96–108. doi:10.1109/MSP.2017.2738401.

Reynolds, R. V., Yeung, H., Cheng, C. E., Cook-Bolden, F., Desai, S. R., Druby, K. M., et al. (2024). Guidelines of care for the management of acne vulgaris. *Journal of the American Academy of Dermatology*, 90(5):1006.e1–1006.e30. doi:10.1016/J.JAAD.2023.12.017.

Schaap, M. J., Cardozo, N. J., Patel, A., de Jong, E. M., van Ginneken, B., and Seyger, M. M. (2021). Image-based automated psoriasis area severity index scoring by convolutional neural networks. *Journal of the European Academy of Dermatology and Venereology*, 36:68. doi:10.1111/JDV.17711.

Schlemper, J., Oktay, O., Schaap, M., Heinrich, M., Kainz, B., Glocker, B., and Rueckert, D. (2019). Attention gated networks: Learning to leverage

UNIVERSITAS
GADJAH MADA
Dual-Stream Approach For Acne Severity Grading with Ordinal Regression Methods
Raisa Aquila Zahra Kholiq, Prof. Dr.-Ing. Mhd. Reza M. I. Pulungan, S.Si., M.Sc.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

salient regions in medical images. *Medical Image Analysis*, 53:197–207. doi:https://doi.org/10.1016/j.media.2019.01.012.

Shi, X., Cao, W., and Raschka, S. (2023). Deep neural networks for rank-consistent ordinal regression based on conditional probabilities. *Pattern Analysis and Applications*, 26(3):941–955. doi:10.1007/s10044-023-01181-9.

Singer, G., Ratnovsky, A., and Naftali, S. (2021). Classification of severity of trachea stenosis from EEG signals using ordinal decision-tree based algorithms. *Expert Systems with Applications*, 173:114707. doi:10.1016/J.ESWA.2021.114707.

Tan, M. and Le, Q. (2019). Efficientnet: Rethinking model scaling for convolutional neural networks. In *Proceedings of the 36th International Conference on Machine Learning*, volume 97 of *Proceedings of Machine Learning Research*, pages 6105–6114. PMLR.

Tang, W., Yang, Z., and Song, Y. (2023). Disease-grading networks with ordinal regularization for medical imaging. *Neurocomputing*, 545:126245. doi:10.1016/J.NEUCOM.2023.126245.

U.S. Department of Health and Human Services Food and Drug Administration (2005). Guidance for industry: Acne vulgaris: Developing drugs for treatment. Guidance document, Center for Drug Evaluation and Research (CDER).

Wang, J., Wang, C., Wang, Z., Hounye, A. H., Li, Z., Kong, M. L., Hou, M., Zhang, J., and Qi, M. (2023). A novel automatic acne detection and severity quantification scheme using deep learning. *Biomedical Signal Processing and Control*, 84:104803. doi:10.1016/J.BSPC.2023.104803.

Widayani, A., Putra, A. M., Maghriebi, A. R., Adi, D. Z. C., and Ridho, M. H. F. (2024). Review of application YOLOv8 in medical imaging. *Indonesian Applied Physics Letters*, 5(1):23–33. doi:10.20473/iapl.v5i1.57001.

Wilcoxon, F. (1945). Individual comparisons by ranking methods. *Biometrics Bulletin*, 1(6):80–83. doi:https://doi.org/10.2307/3001968.

Wu, X., Ni, W., Jie, L., Lai, Y.-K., Cheng, D., Cheng, M.-M., and Yang, J. (2019). Joint acne image grading and counting via label distribution learning. In *Proceedings of the IEEE/CVF International Conference on Computer Vision*, pages 10642–10651.

UNIVERSITAS
GADJAH MADA
Dual-Stream Approach For Acne Severity Grading with Ordinal Regression Methods
Raisa Aquila Zahra Kholiq, Prof. Dr.-Ing. Mhd. Reza M. I. Pulungan, S.Si., M.Sc.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Wu, Y. and He, K. (2018). Group normalization. In *Proceedings of the European Conference on Computer Vision (ECCV)*, pages 3–19. doi:10.1007/978-3-030-01261-8_1.

Yang, Y., Guo, L., Wu, Q., Zhang, M., Zeng, R., Ding, H., et al. (2021). Construction and evaluation of a deep learning model for assessing acne vulgaris using clinical images. *Dermatology and Therapy*, 11:1239–1248. doi:10.1007/s13555-021-00541-9.

Yong, C. W., Teo, K., Murphy, B. P., Hum, Y. C., Tee, Y. K., Xia, K., and Lai, K. W. (2021). Knee osteoarthritis severity classification with ordinal regression module. *Multimedia Tools and Applications*, 81:41497–41509. doi:10.1007/S11042-021-10557-0.

Zhang, H. and Ma, T. (2022). Acne detection by ensemble neural networks. *Sensors*, 22(18):6828. doi:10.3390/S22186828.