Korelasi Tumor to Liver Volume Ratio pada CT Scan Abdomen dengan Skor MELD pada Pasien Karsinoma
Hepatoseluler
Raden Roro Pradina Paramita, Dr. dr. Bambang Supriyadi, Sp. Rad., Subsp. MSK (K), MM, dr. Bambang P.Utomo., S
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

DAFTAR PUSTAKA

Aapkes, S.E., Barten, T.R.M., Coudyzer, W., Drenth, J.P.H., Geijselaers, I.M.A., ter Grote, S.A.M., *et al.* (2023). Validation of a semi-automatic method to measure total liver volumes in polycystic liver disease on computed tomography — high speed and accuracy. *Eur. Radiol.* 33 : 3222–3231.

Abdel-Misih, S.R.Z., & Bloomston, M. (2010). Liver Anatomy. *Surg. Clin. North Am.* 90 : 643–653.

Agarwal, P.D., Phillips, P., Hillman, L., Lucey, M.R., Lee, F., Mezrich, J.D., *et al.* (2017). Multidisciplinary Management of Hepatocellular Carcinoma Improves Access to Therapy and Patient Survival. *J. Clin. Gastroenterol.* 51 : 845–849.

Ahmad, M.S., Alkhatib, S.G., & Hjouj, M. (2023). A New Algorithm for Assessing Hepatomegaly Through CT Scan of the Abdomen. *ACM Int. Conf. Proceeding Ser.* 82–87.

American College of Radiology (2018). Ct/Mri Li-Rads v2018.

Ariningrum Setyowati, Choridah, L., & Dhamiyati, W. (2021). Uji Kesesuaian Pengukuran Volumetrik Tumor Menggunakan Artificial Intelegence (AI) Synapse 3D dan Metode Manual Pada Pencitraan Computed Tomography Karsinoma Hepatoseluler Serta Aplikasi Pada Penilaian Respon Pengobatan. Universitas Gadjah Mada.

Arora, S.P., Liposits, G., Caird, S., Dunne, R.F., Taylor, G., Okonji, D., *et al.* (2021). review by Young International Society of Geriatric Oncology 11 : 557–565.

Attwa, M.H., & El-Etreby, S.A. (2015). Guide for diagnosis and treatment of hepatocellular carcinoma. *World J. Hepatol.* 7 : 1632–1651.

Baffy, G. (2015). Decoding multifocal hepatocellular carcinoma: an opportune pursuit. *Hepatobiliary Surg. Nutr.* 4 : 206–20610.

Bland, J.M., & Altman, D.G. (1986). Statistical Methods for Assesing Agreement Between Two Methods of Clinical Measure. *Lancet* 327 : 307–310.

Bray, F., Laversanne, M., Sung, H., Ferlay, J., Siegel, R.L., Soerjomataram, I., *et al.* (2024). Global cancer statistics 2022: GLOBOCAN estimates of incidence and mortality worldwide for 36 cancers in 185 countries. *CA. Cancer J. Clin.* 74 : 229–263.

Cebula, M., Biernacka, A., Bożek, O., Kokoszka, B., Kazibut, S., Kujszczyk, A., *et al.* (2024). Evaluation of Various Methods of Liver Measurement in Comparison to Volumetric Segmentation Based on Computed Tomography. *J. Clin. Med.* 13.

Cell, S., Zhao, B., James, L.P., Moskowitz, C.S., Ginsberg, M.S., Lefkowitz, R.A., *et al.* (2009). Evaluating Variability in Tumor Measurements from Same-day Repeat CT Scans of Patients Methods : Results : Conclusion : 252 : 263–272.

Charach, L., Zusmanovitch, L., & Charach, G. (2017). Hepatocellular Carcinoma. Part 1: Epidemiology, Risk Factors, Pathogenesis, and Pathology. *EMJ Hepatol.* 75–80.

Chen, F., Wang, F., Sun, S., Zhu, M., & Liu, Z. (2020). Size measurements of hepatocellular carcinoma: comparisons between contrast and two-dimensional

UNIVERSITAS GADJAH MADA
Korelasi Tumor to Liver Volume Ratio pada CT Scan Abdomen dengan Skor MELD pada Pasien Karsinoma Hepatoseluler
Raden Roro Pradina Paramita, Dr. dr. Bambang Supriyadi, Sp. Rad., Subsp. MSK (K), MM, dr. Bambang P.Utomo., S
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

ultrasound. *BMC Gastroenterol.* 20 : 4–9.

Choi, J.Y., Lee, J.M., & Sirlin, C.B. (2014). CT and MR imaging diagnosis and staging of hepatocellular carcinoma: Part I. Development, growth, and spread: Key pathologic and imaging aspects. *Radiology* 272 : 635–654.

Drvendzija, Z., Stosic, S., Galic, B.S., Radosevic, D., Udicki, M., Bodiroga, D., *et al.* (2023). Liver Size and its Correlation with Anthropometric Parameters and Age. *Int. J. Morphol.* 41 : 1679–1686.

Eisenhauer, E.A., Therasse, P., Bogaerts, J., Schwartz, L.H., Sargent, D., Ford, R., *et al.* (2009). New response evaluation criteria in solid tumours: Revised RECIST guideline (version 1.1). *Eur. J. Cancer* 45 : 228–247.

Elsawy, A.A., Dawoud, M.M., Elarabawy, R.A., Mohamed, W.S., & Dawoud, R.M. (2020). Role of residual liver volumetry and function in prediction of liver tolerability after transarterial chemoembolization for hepatocellular carcinoma in cirrhotic patients: deriving a clinical decision support score. *Egypt. J. Radiol. Nucl. Med.* 51.

Forner, A., Reig, M., & Bruix, J. (2018). Hepatocellular carcinoma. *Lancet* 391 : 1301–1314.

Galizia, M.S., Töre, H.G., Chalian, H., & Yaghmai, V. (2011). Evaluation of Hepatocellular Carcinoma Size Using Two-dimensional and Volumetric Analysis: Effect on Liver Transplantation Eligibility. *Acad. Radiol.* 18 : 1555–1560.

Ganesan, P., & Kulik, L.M. (2023). Hepatocellular Carcinoma: New Developments. *Clin. Liver Dis.* 27 : 85–102.

Gish, R.G., Marrero, J.A., Henley, K.S., & Benson, A.B. (2010). A multidisciplinary approach to the management of hepatocellular carcinoma. *Gastroenterol. Hepatol.* 6 : 1–14.

Gomaa, A.I., Khan, S.A., Leen, E.L.S., Waked, I., & Taylor-Robinson, S.D. (2009). Diagnosis of Hepatocellular carcinoma. *World J. Gastroenterol.* 15 : 1301–1314.

Gotra, A., Sivakumaran, L., Chartrand, G., Vu, K.N., Vandenbroucke-Menu, F., Kauffmann, C., *et al.* (2017). Liver segmentation: indications, techniques and future directions. *Insights Imaging* 8 : 377–392.

Graham, A.I., Adair, A., Harrison, E.M., Gordon-Smith, J., Ireland, H., Patel, D., *et al.* (2021). Implications of diameter and volume-based measurement in assessment criteria for liver transplantation for hepatocellular carcinoma. *Hepatoma Res.* 7 : 1–12.

H.S.M.Coxeter (1969). [Coxeter]Introduction to Geometry,2ndEd(1969).

Hasan, I. (2023). Profil Klinis dan Kesintasan Pasien Karsinoma Sel Hati di Rumah Sakit Rujukan Tersier Indonesia Tahun 2015-2021. *J. Penyakit Dalam Indones.* 10.

Hasan, I., Loho, I.M., Setiawan, P.B., Djumhana, A., Punmomo, H.D., Siregar, L., *et al.* (2021). Konsensus Nasional Terapi Sistemik Karsinoma Sel Hati di Indonesia, 1st ed. Jakarta : PERHIMPUNAN PENELITI HATI INDONESIA.

Kashkoush, S., El Moghazy, W., Kawahara, T., Gala-Lopez, B., Toso, C., & Kneteman, N.M. (2014). Three-dimensional tumor volume and serum alpha-fetoprotein are predictors of hepatocellular carcinoma recurrence after liver

UNIVERSITAS GADJAH MADA
Korelasi Tumor to Liver Volume Ratio pada CT Scan Abdomen dengan Skor MELD pada Pasien Karsinoma Hepatoseluler
Raden Roro Pradina Paramita, Dr. dr. Bambang Supriyadi, Sp. Rad., Subsp. MSK (K), MM, dr. Bambang P.Utomo., S
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

transplantation: Refined selection criteria. *Clin. Transplant.* 28 : 728–736.

Kementerian Kesehatan Republik Indonesia (2021). Keputusan Menteri Kesehatan Republik Indonesia Nomor Hk.01.07/Menkes/4722/2021 Tentang Pedoman Nasional Pelayanan Kedokteran Tata Laksana Karsinoma Sel Hati. *Jdih.Kemkes.Go.Id* 1–55.

Kim, D.Y., Choi, M.S., Lee, J.H., Koh, K.C., Paik, S.W., Yoo, B.C., *et al.* (2006). Milan criteria are useful predictors for favorable outcomes in hepatocellular carcinoma patients undergoing liver transplantation after transarterial chemoembolization. *World J. Gastroenterol.* 12 : 6992–6997.

Koitka, S., Gudlin, P., Theysohn, J.M., Oezcelik, A., Hoyer, D.P., Dayangac, M., *et al.* (2022). Fully automated preoperative liver volumetry incorporating the anatomical location of the central hepatic vein. *Sci. Rep.* 12 : 1–9.

Kouroumalis, E., Tsomidis, I., & Voumvouraki, A. (2023). Pathogenesis of Hepatocellular Carcinoma: The Interplay of Apoptosis and Autophagy. *Biomedicines* 11 : 1–45.

Kratzer, W., Fritz, V., Mason, R.A., Haenle, M.M., & Kaechele, V. (2003). Factors Affecting Liver Size. *J. Ultrasound Med.* 22 : 1155–1161.

Lee, Y.H., Hsia, C.Y., Hsu, C.Y., Huang, Y.H., Lin, H.C., & Huo, T.I. (2013). Total tumor volume is a better marker of tumor burden in hepatocellular carcinoma defined by the milan criteria. *World J. Surg.* 37 : 1348–1355.

Lian, D., Wang, W., Liu, L., Wang, J., Rao, S., & Zhou, J. (2022). CT volumetry helps predict prognosis of large hepatocellular carcinoma after resection. *Clin. Radiol.* 77 : e599–e605.

Ling, Y., Ying, S., Xu, L., Peng, Z., Mao, X., Chen, Z., *et al.* (2022). Automatic volumetric diagnosis of hepatocellular carcinoma based on four-phase CT scans with minimum extra information. *Front. Oncol.* 12 : 1–12.

Loho, I.M., Siregar, L., Waspodo, A.S., & Hasan, I. (2018). Current Practice of Hepatocellular Carcinoma Surveillance. *Acta Med. Indones.* 50 : 353–360.

Mcglynn, K.A., Petrick, J.L., & El-serag, H.B. (2021). Epidemiology of Hepatocellular Carcinoma 73 : 4–13.

Naugler, W.E., Sakurai, T., Kim, S., Maeda, S., Kim, K., & Elsharkawy, Ahmed M. Karin, M. (2007). Gender Disparity in Liver Cancer Due to Sex Differences in MyD88-Dependent IL-6 Production. *Science (80-.).* 317 : 212–124.

Patella, F., Pesapane, F., Fumarola, E., Zannoni, S., Brambillasca, P., Emili, I., *et al.* (2019). Assessment of the response of hepatocellular carcinoma to interventional radiology treatments. *Futur. Oncol.* 15 : 1791–1804.

Perhimpunan Peneliti Hati Indonesia (2017). Penatalaksanaan Karsinoma Sel Hati.

Prasad, S.R., Jhaveri, K.S., Saini, S., Hahn, P.F., Halpern, E.F., & Sumner, J.E. (2002). CT tumor measurement for therapeutic response assessment: Comparison of unidimensional, bidimensional, and volumetric techniques - Initial observations. *Radiology* 225 : 416–419.

Reig, M., Forner, A., Rimola, J., Ferrer-Fàbrega, J., Burrel, M., Garcia-Criado, Á., *et al.* (2022). BCLC strategy for prognosis prediction and treatment recommendation: The 2022 update. *J. Hepatol.* 76 : 681–693.

Seppelt, D., Ittermann, T., Kromrey, M.L., Kolb, C., vWahsen, C., Heiss, P., *et al.* (2022). Simple diameter measurement as predictor of liver volume and liver

UNIVERSITAS
GADJAH MADA
Korelasi Tumor to Liver Volume Ratio pada CT Scan Abdomen dengan Skor MELD pada Pasien Karsinoma Hepatoseluler
Raden Roro Pradina Paramita, Dr. dr. Bambang Supriyadi, Sp. Rad., Subsp. MSK (K), MM, dr. Bambang P.Utomo., S
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

parenchymal disease. *Sci. Rep.* 12 : 1–8.

Shoup, M., Gonen, M., Ph, D., Angelica, M.D., Tuorto, S., Blumgart, L.H., *et al.* (2003). Volumetric Analysis Predicts Hepatic Dysfunction in Patients Undergoing Major Liver Resection 325–330.

Tacher, V., Lin, M., Duran, R., Yarmohammadi, H., Lee, H., Chapiro, J., *et al.* (2015). Comparison of existing response criteria in Patients with hepatocellular carcinoma Treated with Transarterial chemoembolization Using a 3D Quantitative approach 000 : 1–10.

Tanwar, S., Rhodes, F., Srivastava, A., Trembling, P.M., & Rosenberg, W.M. (2020). Inflammation and fibrosis in chronic liver diseases including nonalcoholic fatty liver disease and hepatitis C. *World J. Gastroenterol.* 26 : 109–133.

Tümen, D., Heumann, P., Gülow, K., Demirci, C.N., Cosma, L.S., Müller, M., *et al.* (2022). Pathogenesis and Current Treatment Strategies of Hepatocellular Carcinoma. *Biomedicines* 10 : 1–40.

Verma, S.K., McClure, K., Parker, L., Mitchell, D.G., Verma, M., & Bergin, D. (2010). Simple linear measurements of the normal liver: interobserver agreement and correlation with hepatic volume on MRI. *Clin. Radiol.* 65 : 315–318.

Waller, L.P., Deshpande, V., & Pyrsopoulos, N. (2015). Hepatocellular carcinoma: A comprehensive review. *World J. Hepatol.* 7 : 2648–2663.

Wang, J., Qiu, K., Zhou, S., Gan, Y., Jiang, K., Wang, D., *et al.* (2025). Risk factors for hepatocellular carcinoma: an umbrella review of systematic review and meta-analysis. *Ann. Med.* 57.

Wu, E.M., Wong, L.L., Hernandez, B.Y., Ji, J., Jia, W., & Kwee, S.A. (2018). Gender differences in hepatocellular cancer : disparities in nonalcoholic fatty liver disease / steatohepatitis and liver transplantation.

Zakaria, H.M., Macshut, M., Gaballa, N.K., Sherif, A.E., Abdel-Samea, M.E., Abdel-Samiee, M., *et al.* (2020). Total tumor volume as a prognostic value for survival following liver resection in patients with hepatocellular carcinoma. Retrospective cohort study. *Ann. Med. Surg.* 54 : 47–53.

Zhang, J.W., Feng, X.Y., Liu, H.Q., Yao, Z.W., Yang, Y.M., Liu, B., *et al.* (2010). CT volume measurement for prognostic evaluation of unresectable hepatocellular carcinoma after TACE. *World J. Gastroenterol.* 16 : 2038–2045.

Zhang, L., Yan, C., Hou, X., Zhang, X., Xie, J., Xu, H., *et al.* (2022). The predictive accuracy of preoperative erythrocyte count and maximum tumor diameter to maximum kidney diameter ratio in renal cell carcinoma. *Transl. Androl. Urol.* 11 : 974–981.