

DAFTAR PUSTAKA

- Adão, T., Hruška, J., Pádua, L., Bessa, J., Peres, E., Morais, R., & Sousa, J. J. (2017). Hyperspectral imaging: A review on UAV-based sensors, data processing and applications for agriculture and forestry. *Remote Sensing*, 9(11). <https://doi.org/10.3390/rs9111110>
- Aldzahabi, M. A., Abrari, F. H., & Ardia, F. W. (2024). Identifikasi Pengaruh Vegetasi dan Kepadatan Bangunan Kabupaten Klaten Terhadap Perubahan Suhu Melalui Citra Landsat-8 LST, NDVI, dan NDBI. *INNOVATIVE: Journal Of Social Science Research*, 4, 5710–5725.
- Amri, I., Deka, M., & Yuliyana, P. D. (2019). Urban Sprawl : Perubahan PL dan Implikasinya Terhadap Tekanan Penduduk dan Daya Dukung Lahan pada Daerah Urban dan Peri-Urban di Sebagian Provinsi Daerah Istimewa Yogyakarta. *Researchget*, (April), 23. <https://doi.org/10.13140/RG.2.2.21145.06241>
- Awad, M. M. (2018). Forest mapping: a comparison between hyperspectral and multispectral images and technologies. *Journal of Forestry Research*, 29(5), 1395–1405. <https://doi.org/10.1007/s11676-017-0528-y>
- Baboo, Dr. S. S., & Devi, M. R. (2010). An Analysis of Different Resampling Methods in Coimbatore, District. *Global Journal of Computer Science and Technology*, 10(15), 61–66. http://globaljournals.org/GJCST_Volume10/10-An-Analysis-of-Different-Resampling-Methods-in-Coimbatore-District.pdf
- Baboo, Dr. S. S., & Devi, M. R. (2011). Geometric Correction in Recent High Resolution Satellite Imagery: A Case Study in Coimbatore, Tamil Nadu. *International Journal of Computer Applications*, 14(1), 32–37. <https://doi.org/10.5120/1808-2324>
- Ban, Y., Gong, P., & Giri, C. (2015). Global land cover mapping using Earth observation satellite data: Recent progresses and challenges. *ISPRS Journal*

of Photogrammetry and Remote Sensing, 103, 1–6.
<https://doi.org/10.1016/j.isprsjprs.2015.01.001>

Bedini, E., & Chen, J. (2020). Application of PRISMA satellite hyperspectral imagery to mineral alteration mapping at Cuprite, Nevada, USA. *Journal of Hyperspectral Remote Sensing*, 10(2), 87–94.
<https://doi.org/10.29150/jhrs.v10.2.p87-94>

Blanche, M. F., Dairou, A. A., Juscar, N., Romarice, O. M. F., Arsene, M., Bernard, T. L., & Leroy, M. N. L. (2024). Assessment of land cover degradation due to mining activities using remote sensing and digital photogrammetry. *Environmental Systems Research*, 13(1).
<https://doi.org/10.1186/s40068-024-00372-5>

Cavalli, R. M. (2022). Spatial Validation of Spectral Unmixing Results: A Case Study of Venice City. *Remote Sensing*, 14(20).
<https://doi.org/10.3390/rs14205165>

Chang, C. I., & Plaza, A. (2006). A fast iterative algorithm for implementation of pixel purity index. *IEEE Geoscience and Remote Sensing Letters*, 3(1), 63–67. <https://doi.org/10.1109/LGRS.2005.856701>

Christovam, L. E., Pessoa, G. G., Shimabukuro, M. H., & Galo, M. L. B. T. (2019). Land use and land cover classification using hyperspectral imagery: Evaluating the performance of spectral angle mapper, support vector machine and random forest. *International Archives of the Photogrammetry, Remote Sensing and Spatial Information Sciences - ISPRS Archives*, 42(2/W13), 1841–1847. <https://doi.org/10.5194/isprs-archives-XLII-2-W13-1841-2019>

Cogliati, S., Sarti, F., Chiarantini, L., Cosi, M., Lorusso, R., Lopinto, E., Miglietta, F., Genesio, L., Guanter, L., Damm, A., Pérez-López, S., Scheffler, D., Tagliabue, G., Panigada, C., Rascher, U., Dowling, T. P. F., Giardino, C., & Colombo, R. (2021). The PRISMA imaging spectroscopy mission: overview

- and first performance analysis. *Remote Sensing of Environment*, 262(July 2020). <https://doi.org/10.1016/j.rse.2021.112499>
- Congalton, R. G. (1991). A review of assessing the accuracy of classifications of remotely sensed data. *Remote Sensing of Environment*, 37(1), 35–46. [https://doi.org/10.1016/0034-4257\(91\)90048-B](https://doi.org/10.1016/0034-4257(91)90048-B)
- Congalton, R., & Green, K. (2019). *Assessing the Accuracy of Remotely Sensed Data Principles and Practices, Third Edition* (Vol. 3, Numbers 978-1-4987-7666–0).
- Danoedoro, P., & Phinn, S. (2005). Detailed Land Cover Mapping By Introducing Higher- Spatial Resolution Panchromatic Bands in Multi- Spectral Classification : Examples Using Landsat Etm + and Quickbird Imagery. *Proceedings*, (May 2016), 1–14.
- Dave, C. P. (2019). *A Survey on Geometric Correction of Satellite Imagery*. (April 2015). <https://doi.org/10.5120/20389-2655>
- De Luca, G., Pancorbo, J. L., Carotenuto, F., Gioli, B., Modica, G., & Genesio, L. (2025). PRISMA imaging for land covers and surface materials composition in urban and rural areas adopting multiple endmember spectral mixture analysis (MESMA). *ISPRS Journal of Photogrammetry and Remote Sensing*, 225(November 2024), 196–220. <https://doi.org/10.1016/j.isprsjprs.2025.04.038>
- Degerickx, J., Roberts, D. A., & Somers, B. (2019a). Enhancing the performance of Multiple Endmember Spectral Mixture Analysis (MESMA) for urban land cover mapping using airborne lidar data and band selection. *Remote Sensing of Environment*, 221(November 2018), 260–273. <https://doi.org/10.1016/j.rse.2018.11.026>
- Degerickx, J., Roberts, D. A., & Somers, B. (2019b). Enhancing the performance of Multiple Endmember Spectral Mixture Analysis (MESMA) for urban land

cover mapping using airborne lidar data and band selection. *Remote Sensing of Environment*, 221(November), 260–273.
<https://doi.org/10.1016/j.rse.2018.11.026>

Deng, Y., & Wu, C. (2016). Development of a class-based multiple endmember spectral mixture analysis (C-MESMA) approach for analyzing urban environments. *Remote Sensing*, 8(4). <https://doi.org/10.3390/rs8040349>

Dibs, H., Mansor, S., Ahmad, N., & Al-ansari, N. (2022). *Geometric Correction Analysis of Highly Distortion of Near Equatorial Satellite Images Using Remote Sensing and Digital Image Processing Techniques*. 1–8.
<https://doi.org/10.4236/eng.2022.141001>

Franke, J., Roberts, D. A., Halligan, K., & Menz, G. (2009). Hierarchical Multiple Endmember Spectral Mixture Analysis (MESMA) of hyperspectral imagery for urban environments. *Remote Sensing of Environment*, 113(8), 1712–1723. <https://doi.org/10.1016/j.rse.2009.03.018>

González, C., Resano, J., Mozos, D., Plaza, A., & Valencia, D. (2010). FPGA Implementation of the pixel purity index algorithm for remotely sensed hyperspectral image analysis. *Eurasip Journal on Advances in Signal Processing*, 2010(December 2014). <https://doi.org/10.1155/2010/969806>

Govender, M., Chetty, K., Naiken, V., & Bulcock, H. (2008). A comparison of satellite hyperspectral and multispectral remote sensing imagery for improved classification and mapping of vegetation. *Water SA*, 34(2), 147–154. <https://doi.org/10.4314/wsa.v34i2.183634>

Guerra, C. A., Rosa, I. M. D., & Pereira, H. M. (2019). Change versus stability: are protected areas particularly pressured by global land cover change? *Landscape Ecology*, 34(12), 2779–2790. <https://doi.org/10.1007/s10980-019-00918-4>

- Hermosilla, T., Wulder, M. A., White, J. C., & Coops, N. C. (2022). Land cover classification in an era of big and open data: Optimizing localized implementation and training data selection to improve mapping outcomes. *Remote Sensing of Environment*, 268, 112780. <https://doi.org/10.1016/j.rse.2021.112780>
- Hu, L., Hu, J., Gan, S., Yuan, X., Lu, Y., Zhao, H., & Han, G. (2025). The AMEE-PPI Method to Extract Typical Outcrop Endmembers from GF-5 Hyperspectral Images. *Sensors*, 25(19), 1–19. <https://doi.org/10.3390/s25196143>
- Italian Space Agency (Agenzia Spaziale Italiana; ASI). (2020). *PRISMA Product Specifications*. (2.3), 1–262.
- Jasmine, S. G., & Pattabiraman, V. (2018). Improved pure pixel identification algorithms to determine the endmembers in hyperspectral images. *Computers and Electrical Engineering*, 71(July), 515–532. <https://doi.org/10.1016/j.compeleceng.2018.07.023>
- Ji, L., Wang, L., & Geng, X. (2019). An automatic bad band pre-removal method for hyperspectral imagery. *IEEE Journal of Selected Topics in Applied Earth Observations and Remote Sensing*, 12(12), 4985–4994. <https://doi.org/10.1109/JSTARS.2019.2944930>
- Jia, B., Wang, W., Ni, X., Lawrence, K. C., Zhuang, H., Yoon, S. C., & Gao, Z. (2020). Essential processing methods of hyperspectral images of agricultural and food products. *Chemometrics and Intelligent Laboratory Systems*, 198(17), 103936. <https://doi.org/10.1016/j.chemolab.2020.103936>
- Juniyanti, L., Prasetyo, L. B., Aprianto, D. P., Purnomo, H., & Kartodihardjo, H. (2020). Land-use/land cover change and its causes in Bengkalis Island, Riau Province (from 1990-2019). *Jurnal Pengelolaan Sumberdaya Alam Dan Lingkungan*, 10(3), 419–435. <https://doi.org/10.29244/jpsl.10.3.419-435>

- Kamal, M., & Arjasakusuma., S. (2010). Ekstraksi Informasi Penutup Lahan Menggunakan Spektrometer Lapangan Sebagai Masukan Endmember Pada Data Hiperspektral Resolusi Sedang. *Jurnal Ilmiah Geomatika*, 16(2), 10–22.
- Kosasih, D., Buce Saleh, M., & Budi Prasetyo, L. (2019). Visual and Digital Interpretations for Land Cover Classification in Kuningan District, West Java. *Jurnal Ilmu Pertanian Indonesia*, 24(2), 101–108. <https://doi.org/10.18343/jipi.24.2.101>
- Lee, G., Kim, G., Min, G., Kim, M., Jung, S., Hwang, J., & Cho, S. (2023). Vegetation Classification in Urban Areas by Combining UAV-Based NDVI and Thermal Infrared Image. *Applied Sciences (Switzerland)*, 13(1). <https://doi.org/10.3390/app13010515>
- Li, T., Mu, T., Liu, G., Yang, X., Zhu, G., & Shang, C. (2022). A Method of Soil Moisture Content Estimation at Various Soil Organic Matter Conditions Based on Soil Reflectance. *Remote Sensing*, 14(10), 1–20. <https://doi.org/10.3390/rs14102411>
- Lou, C., Al-qaness, M. A. A., AL-Alimi, D., Dahou, A., Abd Elaziz, M., Abualigah, L., & Ewees, A. A. (2024). Land use/land cover (LULC) classification using hyperspectral images: a review. *Geo-Spatial Information Science*, 00(00), 1–42. <https://doi.org/10.1080/10095020.2024.2332638>
- Lu, B., Dao, P. D., Liu, J., He, Y., & Shang, J. (2020). Recent advances of hyperspectral imaging technology and applications in agriculture. *Remote Sensing*, 12(16), 1–44. <https://doi.org/10.3390/RS12162659>
- Lu, J., Ehsani, R., Shi, Y., Castro, A. I. De, & Wang, S. (2018). Detection of multi-tomato leaf diseases (late blight , target and bacterial spots) in different stages by using a spectral-based sensor. *Scientific Reports*, (June 2017), 1–11. <https://doi.org/10.1038/s41598-018-21191-6>

- Luo, G., Chen, G., Tian, L., Qin, K., & Qian, S. E. (2016). Minimum Noise Fraction versus Principal Component Analysis as a Preprocessing Step for Hyperspectral Imagery Denoising. *Canadian Journal of Remote Sensing*, 42(2), 106–116. <https://doi.org/10.1080/07038992.2016.1160772>
- Martínez, P. J., Pérez, R. M., Plaza, A., Aguilar, P. L., Cantero, M. C., & Plaza, J. (2006). Endmember extraction algorithms from hyperspectral images. *Annals of Geophysics*, 49(1), 93–101. <https://doi.org/10.4401/ag-3156>
- Masoumi, Z., & van Genderen, J. (2024). Artificial intelligence for sustainable development of smart cities and urban land-use management. *Geo-Spatial Information Science*, 27(4), 1212–1236. <https://doi.org/10.1080/10095020.2023.2184729>
- Mirandilla, J. R. F., Yamashita, M., Yoshimura, M., & Paringit, E. C. (2023). Leaf Spectral Analysis for Detection and Differentiation of Three Major Rice Diseases in the Philippines. *Remote Sensing*, 15(12). <https://doi.org/10.3390/rs15123058>
- Naikoo, M. W., Rihan, M., Ishtiaque, M., & Shahfahad. (2020). Analyses of land use land cover (LULC) change and built-up expansion in the suburb of a metropolitan city: Spatio-temporal analysis of Delhi NCR using landsat datasets. *Journal of Urban Management*, 9(3), 347–359. <https://doi.org/10.1016/j.jum.2020.05.004>
- Negi, R., & Sharma, R. (2017). *A Review Of Hard Classification And Soft Classification Approaches In*. (1), 248–252.
- Nguyen, T. (2015). Optimal ground control points for geometric correction using genetic algorithm with global accuracy. *European Journal of Remote Sensing*, 48, 101–120. <https://doi.org/10.5721/EuJRS20154807>
- Oliveira, F. G. G. de, Amorim, J. da S., & Domingues, G. F. (2024). Effects of land use and land cover change on soil erosion in the Caatinga biome.

Environment, Development and Sustainability.
<https://doi.org/10.1007/s10668-024-05899-2>

Palacios, I., Ushina, D., & Carrera, D. (2021). Pixel Purity Index Applied to the Mapping of Degraded Soils by the Presence of Cangahuas in the Ilalo Volcano, Ecuador. *International Journal on Advanced Science, Engineering and Information Technology*, 11(5), 2121–2127.
<https://doi.org/10.18517/IJASEIT.11.5.14684>

Pancorbo, J. L., Quemada, M., & Roberts, D. A. (2023). Drought impact on cropland use monitored with AVIRIS imagery in Central Valley, California. *Science of the Total Environment*, 859(November 2022), 160198.
<https://doi.org/10.1016/j.scitotenv.2022.160198>

Pande, C. B., Srivastava, A., Moharir, K. N., Radwan, N., Mohd Sidek, L., Alshehri, F., Pal, S. C., Tolche, A. D., & Zhuran, M. (2024). Characterizing land use/land cover change dynamics by an enhanced random forest machine learning model: a Google Earth Engine implementation. In *Environmental Sciences Europe* (Vol. 36, Number 1). Springer Berlin Heidelberg.
<https://doi.org/10.1186/s12302-024-00901-0>

Panigrahi, N., Mohan, B. K., & Athithan, G. (2011). Pre-processing algorithm for rectification of geometric distortions in Satellite images. *Defence Science Journal*, 61(2), 174–179. <https://doi.org/10.14429/dsj.61.421>

Park, J. W., & Yeom, D. J. (2022). Method for establishing ground control points to realize UAV-based precision digital maps of earthwork sites. *Journal of Asian Architecture and Building Engineering*, 21(1), 110–119.
<https://doi.org/10.1080/13467581.2020.1869023>

Powell, R. L., Roberts, D. A., Dennison, P. E., & Hess, L. L. (2007). Sub-pixel mapping of urban land cover using multiple endmember spectral mixture analysis: Manaus, Brazil. *Remote Sensing of Environment*, 106(2), 253–267.
<https://doi.org/10.1016/j.rse.2006.09.005>

- Quintano, C., Fernández-Manso, A., & Roberts, D. A. (2013). Multiple Endmember Spectral Mixture Analysis (MESMA) to map burn severity levels from Landsat images in Mediterranean countries. *Remote Sensing of Environment*, 136, 76–88. <https://doi.org/10.1016/j.rse.2013.04.017>
- Quintano, C., Fernández-Manso, A., & Roberts, D. A. (2020). Enhanced burn severity estimation using fine resolution ET and MESMA fraction images with machine learning algorithm. *Remote Sensing of Environment*, 244(April), 111815. <https://doi.org/10.1016/j.rse.2020.111815>
- Rasti, B., Scheunders, P., Ghamisi, P., Licciardi, G., & Chanussot, J. (2018). Noise reduction in hyperspectral imagery: Overview and application. *Remote Sensing*, 10(3), 1–28. <https://doi.org/10.3390/rs10030482>
- Roberts, D. A., Gardner, M., Church, R., Ustin, S., & Scheer, G. (1998). *Mapping Chaparral in the Santa Monica Mountains Using Multiple Endmember Spectral Mixture Models*. 4257(September). [https://doi.org/10.1016/S0034-4257\(98\)00037-6](https://doi.org/10.1016/S0034-4257(98)00037-6)
- Roberts, D. A., Halligan, K., Dennison, P., Dudley, K., Somers, B., & Crabbé, A. (2019). *VIPER Tools User Manual Version 2.1*.
- Roy, P. S., & Roy, A. (2010). Land use and land cover change in India: A remote sensing & GIS prespective. *Journal of the Indian Institute of Science*, 90(4), 489–502.
- Saah, D., Tenneson, K., Matin, M., Uddin, K., Cutter, P., & Hanan, N. P. (2019). *Land Cover Mapping in Data Scarce Environments: Challenges and Opportunities*. 7(November). <https://doi.org/10.3389/fenvs.2019.00150>
- Schaaf, A., Dennison, P., Fryer, G., Roth, K., & Roberts, D. (2011). Mapping plant functional types at multiple spatial resolutions using imaging spectrometer data. *GIScience and Remote Sensing*, 48(3), 324–344. <https://doi.org/10.2747/1548-1603.48.3.324>

- Sedano, F., Kempeneers, P., Strobl, P., Kucera, J., Vogt, P., Seebach, L., & San-Miguel-Ayanz, J. (2011). A cloud mask methodology for high resolution remote sensing data combining information from high and medium resolution optical sensors. *ISPRS Journal of Photogrammetry and Remote Sensing*, 66(5), 588–596. <https://doi.org/10.1016/j.isprsjprs.2011.03.005>
- Selang, M. A., Iskandar, D. A., P, R. W. D., Perencanaan, M., Dan, K., Mada, U. G., Teknik, J., Teknik, F., & Mada, U. G. (2018). Tingkat Perkembangan Urbanisasi Spasial di Pinggiran KPY (Kawasan Perkotaan Yogyakarta) Tahun 2012-2016. *Prosiding Seminar Kota Layak Huni/Livable Space*.
- Shaik, R. U., Periasamy, S., & Zeng, W. (2023). Potential Assessment of PRISMA Hyperspectral Imagery for Remote Sensing Applications. *Remote Sensing*, 15(5), 1–14. <https://doi.org/10.3390/rs15051378>
- Sinabutar, J., Sasmito, B., & Sukmono, A. (2020). Studi Cloud Masking Menggunakan Band Quality Assessment, Function Of Mask Dan Multi-Temporal Cloud Masking Pada Citra Landsat 8. *Jurnal Geodesi Undip*, 9(3), 51–60.
- Somers, B., Asner, G. P., Tits, L., & Coppin, P. (2011a). Endmember variability in Spectral Mixture Analysis: A review. *Remote Sensing of Environment*, 115(7), 1603–1616. <https://doi.org/10.1016/j.rse.2011.03.003>
- Somers, B., Asner, G. P., Tits, L., & Coppin, P. (2011b). Endmember variability in Spectral Mixture Analysis: A review. *Remote Sensing of Environment*, 115(7), 1603–1616. <https://doi.org/10.1016/j.rse.2011.03.003>
- Song, C. (2005). Spectral mixture analysis for subpixel vegetation fractions in the urban environment: How to incorporate endmember variability? *Remote Sensing of Environment*, 95(2), 248–263. <https://doi.org/10.1016/j.rse.2005.01.002>

- Syarif, A. M., & Kumara, I. S. W. (2018). The Effect of Minimum Noise Fraction on Multispectral Imagery Data for Vegetation Canopy Density Modelling. *Geoplanning: Journal of Geomatics and Planning*, 5(2), 251. <https://doi.org/10.14710/geoplanning.5.2.251-258>
- Tane, Z., Roberts, D., Veraverbeke, S., Casas, Á., Ramirez, C., & Ustin, S. (2018). Evaluating endmember and band selection techniques for multiple endmember spectral mixture analysis using post-fire imaging spectroscopy. *Remote Sensing*, 10(3), 1–21. <https://doi.org/10.3390/rs10030389>
- Thakkar, D. B., Amit Patel, A. V, Patel, M., & Student, Mt. (2016). Geometric Distortion and Correction Methods for Finding Key Points:A Survey. *IJSRD-International Journal for Scientific Research & Development* |, 4(April), 2321–0613. www.ijrsrd.com
- Tripathi, P., & Garg, R. D. (2019). *First impressions from the PRISMA hyperspectral mission*. 10(Table 1), 1267–1281.
- U.S. Geological Survey. (2019). Landsat 8 Data Users Handbook. *Nasa*, 8(November), 114. <https://landsat.usgs.gov/documents/Landsat8DataUsersHandbook.pdf>
- Veranita, D., Minarni, M., Candra, F., Saktioto, S., & Rabin, M. F. (2020). Pencitraan Hiperspektral untuk Membedakan Asal Tanah Tumbuh Dari Tandan Buah Segar Kelapa Sawit. *Jurnal Media Informatika Budidarma*, 4(3), 761. <https://doi.org/10.30865/mib.v4i3.2219>
- Xu, F., & Somers, B. (2021). Unmixing-based Sentinel-2 downscaling for urban land cover mapping. *ISPRS Journal of Photogrammetry and Remote Sensing*, 171(June 2020), 133–154. <https://doi.org/10.1016/j.isprsjprs.2020.11.009>
- Yadeta, T., Tessema, Z. K., Kebede, F., Mengesha, G., & Asefa, A. (2022). Land use land cover change in and around Chebera Churchura National Park, Southwestern Ethiopia: implications for management effectiveness.

Environmental Systems Research, 11(1). <https://doi.org/10.1186/s40068-022-00267-3>

Zhang, T., Tang, B. H., & Zhao, Z. (2024). Mapping of Land Cover over Highly Heterogeneous Areas in Yunnan Province with Active and Passive Remotely Sensed Data. *IEEE Transactions on Geoscience and Remote Sensing*, 62, 1–16. <https://doi.org/10.1109/TGRS.2024.3465590>