UNIVERSITAS GADJAH MADA
Perbandingan Derajat Adhesi dan Nilai Makrofag pada Penguatan Penutupan Defek Hernia Insisional dengan Free Omental Patch dan Mesh Composite pada Tikus Albino Galur Wistar (Rattus norvegicus)
Joshua Andrew, Dr. dr. Imam Sofii, Sp.B, Subsp.B.D(K); Prof. Dr. dr. Irianiwati, Sp.PA., Subsp.O.G.P.(K)
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

DAFTAR PUSTAKA

Arifin, W. N., Zahiruddin, W. M. 2017. Sample Size Calculation in Animal Studies Using Resource Equation Approach. The Malaysian journal of medical sciences: MJMS, 24(5), 101–105. doi: 10.21315/mjms2017.24.5.11

Baylón, K., Rodríguez-Camarillo, P., Elías-Zúñiga, A., et al. 2017. Past, Present and Future of Surgical *Mesh*es: A Review. Membranes (Basel). 2017 Aug 22;7(3):47. doi: 10.3390/membranes7030047. PMID: 28829367; PMCID: PMC5618132.

Bellon, J. M., Duran, H. J. 2008. Biological factors involved in the genesis of incisional hernia. Cir Esp. 2008 Jan;83(1):3-7. Spanish. doi: 10.1016/s0009-739x(08)70488-3. PMID: 18208741.

Bilsel, Y., Abci, I. 2012. The search for ideal hernia repair; mesh materials and types. Int J Surg. 2012;10(6):317–21. Available from: http://dx.doi.org/10.1016/j.ijsu.2012.05.002

Borab, Z. M, Shakir, S., Lanni, M. A., et al. 2017. Does prophylactic *mesh* placement in elective, midline laparotomy reduce the incidence of incisional hernia? A systematic review and meta-analysis. *Surgery* 161: 1149–1163. doi: 10.1016/J.SURG.2016.09.036

Burger, J. W., Luijendijk, R. W., Hop, W. C., et al. 2004. Long-term follow-up of a randomized controlled trial of suture versus mesh repair of incisional hernia. Annals of Surgery, 240(4), 578-583. doi: 10.1097/01.sla.0000141193.08524.e7.

Chandrasinghe, P., De Silva, A., Welivita, A., et al. 2020. Complete migration of a *mesh composite* into small bowel incidentally found during laparotomy for colectomy in an asymptomatic patient: a case report. *J. Med. Case Rep.* 14. doi:10.1186/S13256-020-02540-4

Cobb, W. S., et al. 2005. The argument for lightweight polypropylene mesh in hernia repair. Surgical Innovation, 12(1), 63-69. doi: 10.1177/155335060501200110.

Dahlan, S. 2014. *Statistik Untuk Kedokteran dan Kesehatan Edisi 5.* Jakarta, Salemba Medika.

Deerenberg, E. B., et al. 2015. A systematic review of the surgical treatment of large incisional hernia. Hernia, 19(1), 89-101. doi: 10.1007/s10029-014-1321-5.

UNIVERSITAS GADJAH MADA
Perbandingan Derajat Adhesi dan Nilai Makrofag pada Penguatan Penutupan Defek Hernia Insisional dengan Free Omental Patch dan Mesh Composite pada Tikus Albino Galur Wistar (Rattus norvegicus)
Joshua Andrew, Dr. dr. Imam Sofii, Sp.B, Subsp.B.D(K); Prof. Dr. dr. Irianiwati, Sp.PA., Subsp.O.G.P.(K)
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Di Nicola, V., 2019. *Omental* a powerful biological source in regenerative surgery. *Regen. Ther.* 11: 182-191. doi: 10.1016/j.reth.2019.07.008

Dietz, U.A., Menzel, S., Lock, J., et al. 2018. The Treatment of Incisional Hernia. *Dtsch. Arztebl. Int.* 115: 31. doi:10.3238/ARZTEBL.2018.0031

Fay, L. Y., Lin, Y. R., Liou, D. Y., et al. 2021. The Application of an Omentum Graft or Flap in Spinal Cord Injury. *International journal of molecular sciences*, *22*(15), 7930. https://doi.org/10.3390/ijms22157930

Filho, P. M., Santos, R. S., Leao, S. C, et al. 2020. Experimental evaluation of intra-abdominal adhesions comparing two different intraperitoneal meshes and the effect of a natural anti-inflammatory product on their formation. Acta Cirúrgica Brasileira 35(12). DOI: 10.1590/acb351205.

Fitzgibbons, R. J., Forse, R.A. 2015. Groin Hernias in Adults. The New England Journal of Medicine, 2015;372:756-763. DOI: 10.1056/NEJMcp1404068

Gonzalez, A. C., Costa, T. F., Andrade, Z.A., et al. 2016. Wound healing - A literature review. An Bras Dermatol. 2016 Sep-Oct;91(5):614-620. doi: 10.1590/abd1806-4841.20164741. PMID: 27828635; PMCID: PMC5087220

Hope, W.W., Tuma, F., 2021. Incisional Hernia. *Illus. Handb. Gen. Surg.* 239-241.

Husain, M., Khan, R.N., Rehmani, B., et al. 2011. *Omental patch* Technique for the Ileal Perforation Secondary to Typhoid Fever. *Saudi J. Gastroenterol.* 17: 208. doi:10.4103/1319-3767.80386

Jenkins, E. D., Melman, L., Deeken, C. R., et al. 2010. Evaluation of fenestrated and non-fenestrated biologic grafts in a porcine model of mature ventral incisional hernia repair. Hernia. 2010 Dec;14(6):599-610. doi: 10.1007/s10029-010-0684-x

Kalra, T., Soni, R. K., Sinha, A. 2018. Comparing Early Outcomes using Non-Absorbable *Polypropylene Mesh* and Partially Absorbable Composite *Mesh* through Laparoscopic Transabdominal Preperitoneal Repair of Inguinal Hernia. J Clin Diagn Res. 2017 Aug;11(8): PC13-PC16. doi: 10.7860/JCDR/2017/27982.10478. Epub 2017 Aug 1. PMID: 28969193; PMCID: PMC5620834.

Kingsnorth, A. 2006. The management of incisional hernia. Annals of the Royal College of Surgeons of England, 2006 May;88(3):252–260. doi:

UNIVERSITAS GADJAH MADA
Perbandingan Derajat Adhesi dan Nilai Makrofag pada Penguatan Penutupan Defek Hernia Insisional dengan Free Omental Patch dan Mesh Composite pada Tikus Albino Galur Wistar (Rattus norvegicus)
Joshua Andrew, Dr. dr. Imam Sofii, Sp.B, Subsp.B.D(K); Prof. Dr. dr. Irianiwati, Sp.PA., Subsp.O.G.P.(K)
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

10.1308/003588406X106324

Klinge, U., Klosterhalfen, B., Birkenhauer, V., et al. 2002. Impact of polymer pore size on the interface scar formation in a rat model. Journal of Surgical Research, 103(2), 208-214. doi: 10.1006/jsre.2002.6350.

Klopfleisch, R. 2016. Macrophage reaction against biomaterials in the mouse model – Phenotypes, functions and markers. Acta Biomaterialia, 43, 3-13. https://doi.org/10.1016/j.actbio.2016.07.083

Liu, Z. Y., Li, R. F., Qin, H. Y., et al. 2025. Postoperative adhesion formation: the role of peritoneal macrophages and targeting therapy. Front. Immunol. 16:1601642. doi: 10.3389/fimmu.2025.1601642

Luijendijk, R. W., Hop, W. C., Van Den Tol, M. P., et al. 2000. A comparison of suture repair with mesh repair for incisional hernia. New England Journal of Medicine, 343(6), 392-398. doi: 10.1056/NEJM200008103430603.

Makhmudi, A. 2014. Polimorfisme Gena Metilen tetrahidrofolat reduktase, Protrombin, Faktor V Leiden, Interseluler adhesi matriks-1, Nitrit oksid sintase-3, sebagai Faktor Risiko Gastrosisis. Universitas Gadjah Mada.

Mazuji, M. K., Kalambaheti, K., Pawar, B. 1964. Prevention of Adhesions with Polyvinylpyrrolidone: Preliminary Report. Arch Surg. 1964;89(6):1011–1015. doi: 10.1001/archsurg.1964.01320060079015.

Morris, R. J., Nori, T., Sandler, A. D., et al. 2025. Postoperative Adhesions: Current Research on Mechanisms, Therapeutics and Preventative Measures. Biomed Mater Devices. 2025 Sep;3(2):897-937. doi: 10.1007/s44174-024-00236-7. Epub 2024 Sep 17. PMID: 40881991; PMCID: PMC12381945.

Mosser, D. M., Edwards, J. P. 2008. Exploring the full spectrum of macrophage activation. Nature Reviews Immunology, 8(12), 958-969. doi: 10.1038/nri2448.

Muñoz, E.M., Pardo-Aranda, F., García-Olivares, E., et al. 2016. *Omental patch* reinforced with *MPP* and split-thickness skin grafting: A new procedure to close the "open abdomen." *Int. J. Surg. Case Rep.* 25: 153. doi: 10.1016/J.IJSCR.2016.06.001

Nelson, Benjamin, Kristo, et al. 2017. *Omental patch* to prevent *mesh* contact with bowel during port-site hernia repair. *J. Case Reports Images Surg.* 3: 64-66.

UNIVERSITAS GADJAH MADA
Perbandingan Derajat Adhesi dan Nilai Makrofag pada Penguatan Penutupan Defek Hernia Insisional dengan Free Omental Patch dan Mesh Composite pada Tikus Albino Galur Wistar (Rattus norvegicus)
Joshua Andrew, Dr. dr. Imam Sofii, Sp.B, Subsp.B.D(K); Prof. Dr. dr. Irianiwati, Sp.PA., Subsp.O.G.P.(K)
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

doi:10.5348/Z12-2017-52-CR-17

Opreanu, R.C., 2021. *Omental* (Graham) *Patch*: Background, Indications, Technical Considerations URL https://emedicine.medscape.com/article/1892935-overview#a

Pattanaik, S.K., Firodous, A., John, A., et al. 2019. A prospective study on incisional hernia, its incidence, etiology and management in a tertiary care hospital of Odisha. *Int. Surg. J.* 6: 1280-1286. doi:10.18203/2349-2902.ISJ20191263

Pereira, J. A., Montcusi, B., López-Cano, M., et al. 2018. Risk factors for bad outcomes in incisional hernia repair: Lessons learned from the National Registry of Incisional Hernia (EVEREG). Cirugía Española, 96(7), 436-442. doi: 10.1016/j.cireng.2018.07.015.

Platell, C., Cooper, D., Papadimitriou, J. M., et al. 2000. The omentum. World Journal of Gastroenterology, 6(2), 169–176. https://doi.org/10.3748/wjg.v6.i2.169

Sachdev, A.H., Iqbal, S., Ribeiro, I.B., et al. 2020. Use of *omental patch* and endoscopic closure technique as an alternative to surgery after endoscopic full thickness resection of gastric intestinal stromal tumors: A series of cases. *World J. Clin. Cases* 8: 120. doi:10.12998/WJCC.V8. I1.120

Sandblom, G., 2018. Editorial: Incisional and Stomal Hernia Prevention. *Front. Surg.* 5: 46. doi:10.3389/FSURG.2018.00046

Saxena, A. K., Hayward, R. K. 2024. Patches in Congenital Diaphragmatic Hernia: Systematic Review. Annals of Surgery, 280 (2), pp. 229 - 234,. DOI: 10.1097/SLA.0000000000006256.

Silva, P. C., Jamel, N., Refinetti, R. A., et al. 2006. Desenvolvimento de vasos sanguíneos do omento maior no lobo hepático após ligadura vascular. Modelo experimental em ratos [Development of blood vessels of the greater omentum in the hepatic lobe after vascular ligation. An experimental model in the rats]. *Acta cirurgica brasileira*, *21*(6), 416-421. https://doi.org/10.1590/s0102-86502006000600011

Sneiders, D., Yurtkap, Y., Kroese, L.F., et al. 2019. Risk Factors for Incarceration in Patients with Primary Abdominal Wall and Incisional Hernias: A Prospective Study in 4472 Patients. *World J. Surg. 2019 438* 43: 1906-1913. doi:10.1007/S00268-019-04989-X

UNIVERSITAS GADJAH MADA
Perbandingan Derajat Adhesi dan Nilai Makrofag pada Penguatan Penutupan Defek Hernia Insisional dengan Free Omental Patch dan Mesh Composite pada Tikus Albino Galur Wistar (Rattus norvegicus)
Joshua Andrew, Dr. dr. Imam Sofii, Sp.B, Subsp.B.D(K); Prof. Dr. dr. Irianiwati, Sp.PA., Subsp.O.G.P.(K)
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Tanasescu, C., Moisin, A., Mihetiu, A., et al. 2021. The use of *polypropylene mesh* in inguinal hernia surgery: A retrospective study. Exp Ther Med. 2021 Oct;22(4):1193. doi: 10.3892/etm.2021.10627. Epub 2021 Aug 17. PMID: 34475983; PMCID: PMC8406872.

Ten Broek, R. P., Issa, Y., Santbrink, E. J. P., et al. 2013. Burden of adhesions in abdominal and pelvic surgery: systematic review and meta-analysis. BMJ, 347, f5588. doi: 10.1136/bmj.f5588.

Timmermans, L. 2014. Risk factors and prevention of incisional hernia. European Journal of Surgery, 180(1), 1-8. doi: 10.1177/1104416513500740.

Turner, R.C., 2018. A GP primer on incisional hernia. *Aust. J. Gen. Pract.* 47: 609-612. doi:10.31128/AJGP-05-18-4574

Wilkosz, S., Ireland, G., Khwaja, N., et al. 2005. A comparative study of the structure of human and murine greater omentum. Anatomy and embryology, 209(3), 251–261. doi: 10.1007/s00429-004-0446-6

Yang, S., Zheng, Y., Pu, Z., et al. 2025. The multiple roles of macrophages in peritoneal adhesion. Immunol Cell Biol, 103: 31-44. https://doi.org/10.1111/imcb.12831