UNIVERSITAS
GADJAH MADA
EVALUASI PENGGUNAAN OBAT ANTIDIABETES ORAL JANGKA PANJANG TERHADAP FUNGSI GINJAL PADA PASIEN DIABETES MELITUS TIPE 2
Mel Fitria MS, Prof. Dr. apt. Nanang Munif Yasin, S.Si., M.Pharm; Prof. Dr. apt. Agung Endro Nugroho, S.Si., M.Si
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

DAFTAR PUSTAKA

ADA, 2023a. Diagnosis and Classification of Diabetes: Standards of Care in Diabetes—2024. Diabetes Care 47, S20–S42. https://doi.org/10.2337/dc24-S002

ADA, 2023b. 6. Glycemic Goals and Hypoglycemia: Standards of Care in Diabetes—2024. Diabetes Care 47, S111–S125. https://doi.org/10.2337/dc24-S006

ADA, 2022a. Classification and Diagnosis of Diabetes: Standards of Care in Diabetes—2023. Diabetes Care 46, S19–S40. https://doi.org/10.2337/dc23-S002

ADA, 2022b. Pharmacologic Approaches to Glycemic Treatment: Standards of Care in Diabetes—2023. Diabetes Care 46, S140–S157. https://doi.org/10.2337/dc23-S009

ADA, 2016. Standards of Medical Care in Diabetes-2016: Summary of Revisions. Diabetes Care 39 Suppl 1, S4-5. https://doi.org/10.2337/dc16-S003

ADVANCE Collaborative Group, Patel, A., MacMahon, S., Chalmers, J., Neal, B., Billot, L., Woodward, M., Marre, M., Cooper, M., Glasziou, P., Grobbee, D., Hamet, P., Harrap, S., Heller, S., Liu, L., Mancia, G., Mogensen, C.E., Pan, C., Poulter, N., Rodgers, A., Williams, B., Bompoint, S., de Galan, B.E., Joshi, R., Travert, F., 2008. Intensive blood glucose control and vascular outcomes in patients with type 2 diabetes. N. Engl. J. Med. 358, 2560–2572. https://doi.org/10.1056/NEJMoa0802987

Aldafas, R., Vinogradova, Y., Crabtree, T.S.J., Gordon, J., Idris, I., 2026. The long-term impact of early HbA1c control on nephropathy, neuropathy, and retinopathy in type 2 diabetes: Findings from a large UK observational study. J. Diabetes Complications 40, 109292. https://doi.org/10.1016/j.jdiacomp.2026.109292

Aldhous, M.C., Reynolds, R.M., Campbell, A., Linksted, P., Lindsay, R.S., Smith, B.H., Seckl, J.R., Porteous, D.J., Norman, J.E., Scotland, G., 2015. Sex-Differences in the Metabolic Health of Offspring of Parents with Diabetes: A Record-Linkage Study. PLOS ONE 10, e0134883. https://doi.org/10.1371/journal.pone.0134883

Alhassani, R.Y., Bagadood, R.M., Balubaid, R.N., Barno, H.I., Alahmadi, M.O., Ayoub, N.A., 2021. Drug Therapies Affecting Renal Function: An Overview. Cureus 13, e19924. https://doi.org/10.7759/cureus.19924

Amir, N., Rusman, R., Amri, ayu wandira A.B., 2025. Pengaruh Lama Penggunaan Obat Anti Diabetik Oral Terhadap Fungsi Ginjal Pasien di Fasilitas Kesehatan Kecamatan Biringkanaya Kota Makassar. J. Novem Med. Farm. 4, 50–57. https://doi.org/10.59638/junomefar.v4i3.1873

Antza, C., Stabouli, S., Kotsis, V., 2018. Gut microbiota in kidney disease and hypertension. Pharmacol. Res. 130, 198–203. https://doi.org/10.1016/j.phrs.2018.02.028

Baba, M., Shimbo, T., Horio, M., Ando, M., Yasuda, Y., Komatsu, Y., Masuda, K., Matsuo, S., Maruyama, S., 2015. Longitudinal Study of the Decline in Renal

UNIVERSITAS GADJAH MADA
EVALUASI PENGGUNAAN OBAT ANTIDIABETES ORAL JANGKA PANJANG TERHADAP FUNGSI GINJAL PADA PASIEN DIABETES MELITUS TIPE 2
Mel Fitria MS, Prof. Dr. apt. Nanang Munif Yasin, S.Si., M.Pharm; Prof. Dr. apt. Agung Endro Nugroho, S.Si., M.Si
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Function in Healthy Subjects. PLoS ONE 10, e0129036. https://doi.org/10.1371/journal.pone.0129036

Belhatem, N., Mohammedi, K., Rouzet, F., Matallah, N., Baloshi, A.A., Travert, F., Velho, G., Roussel, R., Guludec, D.L., Marre, M., Hansel, B., 2015. Impact of morbid obesity on the kidney function of patients with type 2 diabetes. Diabetes Res. Clin. Pract. 108, 143–149. https://doi.org/10.1016/j.diabres.2015.01.028

Bennett, W.L., Maruthur, N.M., Singh, S., Segal, J.B., Wilson, L.M., Chatterjee, R., Marinopoulos, S.S., Puhan, M.A., Ranasinghe, P., Block, L., Nicholson, W.K., Hutfless, S., Bass, E.B., Bolen, S., 2011. Comparative Effectiveness and Safety of Medications for Type 2 Diabetes: An Update Including New Drugs and 2-Drug Combinations. Ann. Intern. Med. 154, 602–613. https://doi.org/10.7326/0003-4819-154-9-201105030-00336

Boudoulas, K.D., Triposkiadis, F., Parissis, J., Butler, J., Boudoulas, H., 2017. The Cardio-Renal Interrelationship. Prog. Cardiovasc. Dis. 59, 636–648. https://doi.org/10.1016/j.pcad.2016.12.003

Cahn, A., Melzer-Cohen, C., Pollack, R., Chodick, G., Shalev, V., 2019. Acute renal outcomes with sodium-glucose co-transporter-2 inhibitors: Real-world data analysis. Diabetes Obes. Metab. 21, 340–348. https://doi.org/10.1111/dom.13532

Candraningrat, I.D.A.A.D., Handani, D.A.S., Putri, N.P.V.G., Buana, K.D.M., 2025. Clinical Outcomes of Antihypertensive Therapy in Chronic Kidney Disease: A Literature Review. J. Syifa Sci. Clin. Res. 7, 299–311. https://doi.org/10.37311/jsscr.v7i3.34331

Cao, C., Hu, H., Zheng, X., Zhang, X., Wang, Y., He, Y., 2022. Association between central obesity and incident diabetes mellitus among Japanese: a retrospective cohort study using propensity score matching. Sci. Rep. 12, 13445. https://doi.org/10.1038/s41598-022-17837-1

CDC, 2026. National Diabetes Statistics Report [WWW Document]. Diabetes. URL https://www.cdc.gov/diabetes/php/data-research/index.html (accessed 5.28.26).

Chang, P.-Y., Chien, L.-N., Lin, Y.-F., Chiou, H.-Y., Chiu, W.-T., 2015. Nonadherence of Oral Antihyperglycemic Medication Will Increase Risk of End-Stage Renal Disease. Medicine (Baltimore) 94, e2051. https://doi.org/10.1097/MD.0000000000002051

Chang, Y.-H., Hwu, D.-W., Chang, D.-M., An, L.-W., Hsieh, C.-H., Lee, Y.-J., 2017. Renal function preservation with pioglitazone or with basal insulin as an add-on therapy for patients with type 2 diabetes mellitus. Acta Diabetol. 54, 561–568. https://doi.org/10.1007/s00592-017-0983-0

Chen, X., Wu, R., Kong, Y., Yang, Y., Gao, Y., Sun, D., Liu, Q., Dai, D., Lu, Z., Wang, N., Ge, S., Wang, F., 2017. Tanshinone II Aattenuates renal damage in STZ-induced diabetic rats via inhibiting oxidative stress and inflammation. Oncotarget 8, 31915–31922. https://doi.org/10.18632/oncotarget.16651

Chen, Y.-H., Tarng, D.-C., Chen, H.-S., 2016. Renal Outcomes of Pioglitazone Compared with Acarbose in Diabetic Patients: A Randomized Controlled

UNIVERSITAS GADJAH MADA
EVALUASI PENGGUNAAN OBAT ANTIDIABETES ORAL JANGKA PANJANG TERHADAP FUNGSI GINJAL PADA PASIEN DIABETES MELITUS TIPE 2
Mel Fitria MS, Prof. Dr. apt. Nanang Munif Yasin, S.Si., M.Pharm; Prof. Dr. apt. Agung Endro Nugroho, S.Si., M.Si
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Study. PloS One 11, e0165750. https://doi.org/10.1371/journal.pone.0165750

Cherney, D.Z.I., Bakris, G.L., 2018. Novel therapies for diabetic kidney disease. Kidney Int. Suppl. 8, 18–25. https://doi.org/10.1016/j.kisu.2017.10.005

Cooper, M.E., Perkovic, V., McGill, J.B., Groop, P.-H., Wanner, C., Rosenstock, J., Hehnke, U., Woerle, H.-J., Eynatten, M. von, 2015. Kidney Disease End Points in a Pooled Analysis of Individual Patient–Level Data From a Large Clinical Trials Program of the Dipeptidyl Peptidase 4 Inhibitor Linagliptin in Type 2 Diabetes. Am. J. Kidney Dis. 66, 441–449. https://doi.org/10.1053/j.ajkd.2015.03.024

DCCT, 1993. The Effect of Intensive Treatment of Diabetes on the Development and Progression of Long-Term Complications in Insulin-Dependent Diabetes Mellitus. N. Engl. J. Med. 329, 977–986. https://doi.org/10.1056/NEJM199309303291401

De Bhailis, Á.M., Kalra, P.A., 2022. Hypertension and the kidneys. Br. J. Hosp. Med. Lond. Engl. 2005 83, 1–11. https://doi.org/10.12968/hmed.2021.0440

De Broe, M.E., Kajbaf, F., Lalau, J.-D., 2018. Renoprotective Effects of Metformin. Nephron 138, 261–274. https://doi.org/10.1159/000481951

de Zeeuw D, dkk, H.-, 2015. Different statins may have different renal effects in diabetic patients with proteinuria - PACE-CME [WWW Document]. URL https://pace-cme.org/news/different-statins-may-have-different-renal-effects-in-diabetic-patients-with-proteinuria/2454266/ (accessed 5.29.26).

Deferrari, G., Cipriani, A., La Porta, E., 2021. Renal dysfunction in cardiovascular diseases and its consequences. J. Nephrol. 34, 137–153. https://doi.org/10.1007/s40620-020-00842-w

Denic, A., Alexander, M.P., Kaushik, V., Lerman, L.O., Lieske, J.C., Stegall, M.D., Larson, J.J., Kremers, W.K., Vrtiska, T.J., Chakkera, H.A., Poggio, E.D., Rule, A.D., 2016. Detection and Clinical Patterns of Nephron Hypertrophy and Nephrosclerosis Among Apparently Healthy Adults. Am. J. Kidney Dis. Off. J. Natl. Kidney Found. 68, 58–67. https://doi.org/10.1053/j.ajkd.2015.12.029

Denic, A., Lieske, J.C., Chakkera, H.A., Poggio, E.D., Alexander, M.P., Singh, P., Kremers, W.K., Lerman, L.O., Rule, A.D., 2017a. The Substantial Loss of Nephrons in Healthy Human Kidneys with Aging. J. Am. Soc. Nephrol. JASN 28, 313–320. https://doi.org/10.1681/ASN.2016020154

Dronavalli, S., Duka, I., Bakris, G.L., 2008. The pathogenesis of diabetic nephropathy. Nat. Clin. Pract. Endocrinol. Metab. 4, 444–452. https://doi.org/10.1038/ncpendmet0894

Estoppey, P., Clair, C., Auderset, D., Puder, J.J., 2023. Sex Differences in Type 2 Diabetes. Cardiovasc. Med. 26, 96. https://doi.org/10.4414/cvm.2023.02273

Fioretto, P., Zambon, A., Rossato, M., Busetto, L., Vettor, R., 2016. SGLT2 Inhibitors and the Diabetic Kidney. Diabetes Care 39 Suppl 2, S165-171. https://doi.org/10.2337/dcS15-3006

UNIVERSITAS GADJAH MADA
EVALUASI PENGGUNAAN OBAT ANTIDIABETES ORAL JANGKA PANJANG TERHADAP FUNGSI GINJAL PADA PASIEN DIABETES MELITUS TIPE 2
Mel Fitria MS, Prof. Dr. apt. Nanang Munif Yasin, S.Si., M.Pharm; Prof. Dr. apt. Agung Endro Nugroho, S.Si., M.Si
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Fujita, Y., Inagaki, N., 2017. Metformin: New Preparations and Nonglycemic Benefits. Curr. Diab. Rep. 17, 5. https://doi.org/10.1007/s11892-017-0829-8

Gerdes, C., Müller, N., Wolf, G., Busch, M., 2023. Nephroprotective Properties of Antidiabetic Drugs. J. Clin. Med. 12, 3377. https://doi.org/10.3390/jcm12103377

Goldberg, I., Krause, I., 2016. The Role of Gender in Chronic Kidney Disease.

Goyal, R., Singhal, M., Jialal, I., 2025. Type 2 Diabetes, in: StatPearls. StatPearls Publishing, Treasure Island (FL).

Gupta, A., Nagaraju, S.P., Bhojaraja, M.V., Swaminathan, S.M., Mohan, P.B., 2023. Hypertension in Chronic Kidney Disease: An Update on Diagnosis and Management. South. Med. J. 116, 237–244. https://doi.org/10.14423/SMJ.0000000000001516

Hahr, A.J., Molitch, M.E., 2015. Management of diabetes mellitus in patients with chronic kidney disease. Clin. Diabetes Endocrinol. 1, 2. https://doi.org/10.1186/s40842-015-0001-9

Han, E., Kim, G., Lee, J.-Y., Lee, Y., Kim, B.S., Lee, B.-W., Cha, B.-S., Kang, E.S., 2017. Comparison between Atorvastatin and Rosuvastatin in Renal Function Decline among Patients with Diabetes. Endocrinol. Metab. 32, 274–280. https://doi.org/10.3803/EnM.2017.32.2.274

Heerspink, H.J.L., Cherney, David, Postmus, D., 2022. A pre-specified analysis of the Dapagliflozin and Prevention of Adverse Outcomes in Chronic Kidney Disease (DAPA-CKD) randomized controlled trial on the incidence of abrupt declines in kidney function. Kidney Int. 101, 174–184. https://doi.org/10.1016/j.kint.2021.09.005

Heerspink, H.J.L., Desai, M., Jardine, M., Balis, D., Meininger, G., Perkovic, V., 2017. Canagliflozin Slows Progression of Renal Function Decline Independently of Glycemic Effects. J. Am. Soc. Nephrol. 28, 368. https://doi.org/10.1681/ASN.2016030278

Heerspink, H.J.L., Stefánsson, B.V., Correa-Rotter, R., Chertow, G.M., Greene, T., Hou, F.-F., Mann, J.F.E., McMurray, J.J.V., Lindberg, M., Rossing, P., Sjöström, C.D., Toto, R.D., Langkilde, A.-M., Wheeler, D.C., 2020. Dapagliflozin in Patients with Chronic Kidney Disease. N. Engl. J. Med. 383, 1436–1446. https://doi.org/10.1056/NEJMoa2024816

Helal, I., Fick-Brosnahan, G.M., Reed-Gitomer, B., Schrier, R.W., 2012. Glomerular hyperfiltration: definitions, mechanisms and clinical implications. Nat. Rev. Nephrol. 8, 293–300. https://doi.org/10.1038/nrneph.2012.19

H.-J. Tsai., dkk, 2015. Use of non-steroidal anti-inflammatory drugs and... : Diabetic Medicine [WWW Document]. Ovid. https://doi.org/10.1111/dme.12610

Ho, C.-C., Yang, Y.-S., Huang, C.-N., Lo, S.-C., Wang, Y.-H., Kornelius, E., 2022. The efficacy of pioglitazone for renal protection in diabetic kidney disease. PLOS ONE 17, e0264129. https://doi.org/10.1371/journal.pone.0264129

UNIVERSITAS GADJAH MADA
EVALUASI PENGGUNAAN OBAT ANTIDIABETES ORAL JANGKA PANJANG TERHADAP FUNGSI GINJAL PADA PASIEN DIABETES MELITUS TIPE 2
Mel Fitria MS, Prof. Dr. apt. Nanang Munif Yasin, S.Si., M.Pharm; Prof. Dr. apt. Agung Endro Nugroho, S.Si., M.Si
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Hommos, M.S., Glassock, R.J., Rule, A.D., 2017. Structural and Functional Changes in Human Kidneys with Healthy Aging. J. Am. Soc. Nephrol. JASN 28, 2838–2844. https://doi.org/10.1681/ASN.2017040421

Hou, Q., Huang, G., Kan, S., Yang, R., Ma, Z., Zhu, X., Zeng, C., Jiang, S., Liu, Z., 2026. Acarbose ameliorates podocyte injury and glomerular lesions in diabetic nephropathy through USP46 activation. Sci. Transl. Med. 18, eads4585. https://doi.org/10.1126/scitranslmed.ads4585

Hsu, W.-H., Hsiao, P.-J., Lin, P.-C., Chen, S.-C., Lee, M.-Y., Shin, S.-J., 2018. Effect of metformin on kidney function in patients with type 2 diabetes mellitus and moderate chronic kidney disease. Oncotarget 9, 5416–5423. https://doi.org/10.18632/oncotarget.23387

Hung, A.M., Roumie, C.L., Greevy, R.A., Liu, X., Grijalva, C.G., Murff, H.J., Ikizler, T.A., Griffin, M.R., 2012. Comparative effectiveness of incident oral antidiabetic drugs on kidney function. Kidney Int. 81, 698–706. https://doi.org/10.1038/ki.2011.444

IDF, 2025. Diabetes Atlas 11th Edition. Diabetes Atlas 11th Ed. URL https://diabetesatlas.org/resources/idf-diabetes-atlas-2025/ (accessed 6.4.25).

Imai, E., Horio, M., Yamagata, K., Iseki, K., Hara, S., Ura, N., Kiyohara, Y., Makino, H., Hishida, A., Matsuo, S., 2008. Slower decline of glomerular filtration rate in the Japanese general population: a longitudinal 10-year follow-up study. Hypertens. Res. Off. J. Jpn. Soc. Hypertens. 31, 433–441. https://doi.org/10.1291/hypres.31.433

Jamal Shahwan, M., Hassan, N.A. galil, Shaheen, R.A., 2019. Assessment of kidney function and associated risk factors among type 2 diabetic patients. Diabetes Metab. Syndr. Clin. Res. Rev. 13, 2661–2665. https://doi.org/10.1016/j.dsx.2019.07.025

Jc, A.F., M, M., N, B., H, G., Gt, G., Cm, S., Kd, K., Bj, G., 2013. Efficacy and safety of sitagliptin versus glipizide in patients with type 2 diabetes and moderate-to-severe chronic renal insufficiency. Diabetes Care 36. https://doi.org/10.2337/dc12-1365

Kadowaki, T., Nangaku, M., Hantel, S., Okamura, T., von Eynatten, M., Wanner, C., Koitka-Weber, A., 2019. Empagliflozin and kidney outcomes in Asian patients with type 2 diabetes and established cardiovascular disease: Results from the EMPA-REG OUTCOME® trial. J. Diabetes Investig. 10, 760–770. https://doi.org/10.1111/jdi.12971

Kanaley, J.A., Colberg, S.R., Corcoran, M.H., Malin, S.K., Rodriguez, N.R., Crespo, C.J., Kirwan, J.P., Zierath, J.R., 2022. Exercise/Physical Activity in Individuals with Type 2 Diabetes: A Consensus Statement from the American College of Sports Medicine. Med. Sci. Sports Exerc. 54, 353–368. https://doi.org/10.1249/MSS.0000000000002800

Kanasaki, K., 2018. The role of renal dipeptidyl peptidase-4 in kidney disease: renal effects of dipeptidyl peptidase-4 inhibitors with a focus on linagliptin. Clin. Sci. 132, 489–507. https://doi.org/10.1042/CS20180031

Kasiske, B.L., Kalil, R.S., Ma, J.Z., Liao, M., Keane, W.F., 1993. Effect of antihypertensive therapy on the kidney in patients with diabetes: a meta-

UNIVERSITAS GADJAH MADA
EVALUASI PENGGUNAAN OBAT ANTIDIABETES ORAL JANGKA PANJANG TERHADAP FUNGSI GINJAL PADA PASIEN DIABETES MELITUS TIPE 2
Mel Fitria MS, Prof. Dr. apt. Nanang Munif Yasin, S.Si., M.Pharm; Prof. Dr. apt. Agung Endro Nugroho, S.Si., M.Si
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

regression analysis. Ann. Intern. Med. 118, 129–138. https://doi.org/10.7326/0003-4819-118-2-199301150-00009

Kautzky-Willer, A., Leutner, M., Harreiter, J., 2023. Sex differences in type 2 diabetes. Diabetologia 66, 986–1002. https://doi.org/10.1007/s00125-023-05891-x

Kemenkes RI, 2024. Laporan Tematik Survey Kesehatan Indonesia Tahun 2023. Badan Kebijak. Pembang. Kesehat. BKPK Kemenkes. URL https://www.badankebijakan.kemkes.go.id/laporan-tematik-ski/ (accessed 6.5.25).

Kim, J.-J., Wilbon, S.S., Fornoni, A., 2021. Podocyte Lipotoxicity in CKD. Kidney360 2, 755–762. https://doi.org/10.34067/KID.0006152020

Kim, Y.-G., Byun, J., Yoon, D., Jeon, J.Y., Han, S.J., Kim, D.J., Lee, K.-W., Park, R.W., Kim, H.J., 2016. Renal Protective Effect of DPP-4 Inhibitors in Type 2 Diabetes Mellitus Patients: A Cohort Study. J. Diabetes Res. 2016, 1423191. https://doi.org/10.1155/2016/1423191

Kotsis, V., Stabouli, S., Papakatsika, S., Rizos, Z., Parati, G., 2010. Mechanisms of obesity-induced hypertension. Hypertens. Res. Off. J. Jpn. Soc. Hypertens. 33, 386–393. https://doi.org/10.1038/hr.2010.9

Kuwatsuru, Y., Hirano, T., Wakabayashi, R., Ishisaki, J.Y., Sokooshi, H., Kuwatsuru, R., 2023. Changes in renal function over time in outpatients with eGFR ≥ 30 mL/min/1.73 m2: implication for timing of renal function testing before contrast-enhanced CT imaging. Jpn. J. Radiol. 41, 994–1006. https://doi.org/10.1007/s11604-023-01425-y

Lachin, J.M., Viberti, G., Zinman, B., Haffner, S.M., Aftring, R.P., Paul, G., Kravitz, B.G., Herman, W.H., Holman, R.R., Kahn, S.E., ADOPT Study Group, 2011. Renal function in type 2 diabetes with rosiglitazone, metformin, and glyburide monotherapy. Clin. J. Am. Soc. Nephrol. CJASN 6, 1032–1040. https://doi.org/10.2215/CJN.09291010

Laiteerapong, N., Huang, E.S., 2018. Diabetes in Older Adults, in: Cowie, C.C., Casagrande, S.S., Menke, A., Cissell, M.A., Eberhardt, M.S., Meigs, J.B., Gregg, E.W., Knowler, W.C., Barrett-Connor, E., Becker, D.J., Brancati, F.L., Boyko, E.J., Herman, W.H., Howard, B.V., Narayan, K.M.V., Rewers, M., Fradkin, J.E. (Eds.), Diabetes in America. National Institute of Diabetes and Digestive and Kidney Diseases (US), Bethesda (MD).

Lambers Heerspink, H.J., de Zeeuw, D., Wie, L., Leslie, B., List, J., 2013. Dapagliflozin a glucose-regulating drug with diuretic properties in subjects with type 2 diabetes. Diabetes Obes. Metab. 15, 853–862. https://doi.org/10.1111/dom.12127

Lee, Y. -h., Lee, C.J., Lee, H.S., Choe, E.Y., Lee, B.-W., Ahn, C.W., Cha, B.-S., Lee, H.C., Balkau, B., Kang, E.S., 2015. Comparing kidney outcomes in type 2 diabetes treated with different sulphonylureas in real-life clinical practice. Diabetes Metab. 41, 208–215. https://doi.org/10.1016/j.diabet.2015.01.004

Lee, S., Lee, K.H., Song, M., Lee, D., 2011. Building the process-drug–side effect network to discover the relationship between biological Processes and side

UNIVERSITAS GADJAH MADA
EVALUASI PENGGUNAAN OBAT ANTIDIABETES ORAL JANGKA PANJANG TERHADAP FUNGSI GINJAL PADA PASIEN DIABETES MELITUS TIPE 2
Mel Fitria MS, Prof. Dr. apt. Nanang Munif Yasin, S.Si., M.Pharm; Prof. Dr. apt. Agung Endro Nugroho, S.Si., M.Si
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

effects. BMC Bioinformatics 12, S2. https://doi.org/10.1186/1471-2105-12-S2-S2

Lin, Y.-C., Lai, T.-S., Lin, S.-L., Chen, Y.-M., Chu, T.-S., Tu, Y.-K., 2021. The impact of baseline glomerular filtration rate on subsequent changes of glomerular filtration rate in patients with chronic kidney disease. Sci. Rep. 11, 7894. https://doi.org/10.1038/s41598-021-86955-z

Liu, J., Ji, H., Zheng, W., Wu, X., Zhu, J.J., Arnold, A.P., Sandberg, K., 2010. Sex differences in renal angiotensin converting enzyme 2 (ACE2) activity are 17β-oestradiol-dependent and sex chromosome-independent. Biol. Sex Differ. 1, 6. https://doi.org/10.1186/2042-6410-1-6

Lovshin, J.A., Rajasekeran, H., Lytvyn, Y., Lovblom, L.E., Khan, S., Alemu, R., Locke, A., Lai, V., He, H., Hittle, L., Wang, W., Drucker, D.J., Cherney, D.Z.I., 2017. Dipeptidyl Peptidase 4 Inhibition Stimulates Distal Tubular Natriuresis and Increases in Circulating SDF-1α1-67 in Patients With Type 2 Diabetes. Diabetes Care 40, 1073–1081. https://doi.org/10.2337/dc17-0061

Lv, W., Wang, X., Xu, Q., Lu, W., 2020. Mechanisms and Characteristics of Sulfonylureas and Glinides. Curr. Top. Med. Chem. 20, 37–56. https://doi.org/10.2174/1568026620666191224141617

Lydia, A., 2021. Minum Obat Jangka Panjang Tak Sebabkan Penyakit Ginjal, Begini Penjelasan Ahli [WWW Document]. KOMPAS.com. URL https://www.kompas.com/sains/read/2021/03/10/173000223/minum-obat-jangka-panjang-tak-sebabkan-penyakit-ginjal-begini-penjelasan (accessed 6.11.25).

Ma, C.-X., Ma, X.-N., Guan, C.-H., Li, Y.-D., Mauricio, D., Fu, S.-B., 2022. Cardiovascular disease in type 2 diabetes mellitus: progress toward personalized management. Cardiovasc. Diabetol. 21, 74. https://doi.org/10.1186/s12933-022-01516-6

Machado-Duque, M.E., Gaviria-Mendoza, A., Valladales-Restrepo, L.F., Franco, J.S., de Rosario Forero, M., Vizcaya, D., Machado-Alba, J.E., 2023. Treatment patterns of antidiabetic and kidney protective therapies among patients with type 2 diabetes mellitus and chronic kidney disease in Colombia. The KDICO descriptive study. Diabetol. Metab. Syndr. 15, 150. https://doi.org/10.1186/s13098-023-01126-6

MacIsaac, R.J., Jerums, G., Ekinci, E.I., 2017. Effects of glycaemic management on diabetic kidney disease. World J. Diabetes 8, 172–186. https://doi.org/10.4239/wjd.v8.i5.172

Mahaffey, K.W., Jardine, M.J., Bompoint, S., Cannon, C.P., Neal, B., Heerspink, H.J.L., Charytan, D.M., Edwards, R., Agarwal, R., Bakris, G., Bull, S., Capuano, G., de Zeeuw, D., Greene, T., Levin, A., Pollock, C., Sun, T., Wheeler, D.C., Yavin, Y., Zhang, H., Zinman, B., Rosenthal, N., Brenner, B.M., Perkovic, V., 2019. Canagliflozin and Cardiovascular and Renal Outcomes in Type 2 Diabetes Mellitus and Chronic Kidney Disease in Primary and Secondary Cardiovascular Prevention Groups. Circulation 140, 739–750. https://doi.org/10.1161/CIRCULATIONAHA.119.042007

UNIVERSITAS GADJAH MADA
EVALUASI PENGGUNAAN OBAT ANTIDIABETES ORAL JANGKA PANJANG TERHADAP FUNGSI GINJAL PADA PASIEN DIABETES MELITUS TIPE 2
Mel Fitria MS, Prof. Dr. apt. Nanang Munif Yasin, S.Si., M.Pharm; Prof. Dr. apt. Agung Endro Nugroho, S.Si., M.Si
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Marbun, R.A., Wahyuni, S., Hidayah, A., 2024. Evaluation Of Metformin Use in Type 2 Diabetes Mellitus Patients X Clinic Sei Karang. J. KESMAS DAN GIZI JKG 6, 277–280. https://doi.org/10.35451/jkg.v6i2.2037

Margonato, D., Galati, G., Mazzetti, S., Cannistraci, R., Perseghin, G., Margonato, A., Mortara, A., 2021. Renal protection: a leading mechanism for cardiovascular benefit in patients treated with SGLT2 inhibitors. Heart Fail. Rev. 26, 337–345. https://doi.org/10.1007/s10741-020-10024-2

Mariano, F., Pozzato, M., Inguaggiato, P., Guarena, C., Turello, E., Manes, M., David, P., Berutti, S., Consiglio, V., Amore, A., Campo, A., Marino, A., Berto, M., Carpani, P., Calabrese, G., Gherzi, M., Stramignoni, E., Martina, G., Serra, A., Comune, L., Roscini, E., Marciello, A., Todini, V., Vio, P., Filiberti, O., Boero, R., Cantaluppi, V., 2017. Metformin-Associated Lactic Acidosis Undergoing Renal Replacement Therapy in Intensive Care Units: A Five-Million Population-Based Study in the North-West of Italy. Blood Purif. 44, 198–205. https://doi.org/10.1159/000471917

Masica, A.L., Ewen, E., Daoud, Y.A., Cheng, D., Franceschini, N., Kudyakov, R.E., Bowen, J.R., Brouwer, E.S., Wallace, D., Fleming, N.S., West, S.L., 2013. Comparative effectiveness research using electronic health records: impacts of oral antidiabetic drugs on the development of chronic kidney disease. https://doi.org/10.1002/pds.3413

Masoumeh Ghoreishi, S., Amiri, M., Shabestani Monfared, A., Hamidi, F., Najafzadehvarzi, H., 2022. Therapeutic effect of antihypertensive drug on diabetic nephropathy: Functional and structural kidney investigation. Saudi J. Biol. Sci. 29, 103353. https://doi.org/10.1016/j.sjbs.2022.103353

Mennuni, S., Rubattu, S., Pierelli, G., Tocci, G., Fofi, C., Volpe, M., 2014. Hypertension and kidneys: unraveling complex molecular mechanisms underlying hypertensive renal damage. J. Hum. Hypertens. 28, 74–79. https://doi.org/10.1038/jhh.2013.55

Mikov, M., Pavlović, N., Stanimirov, B., Đanić, M., Goločorbin-Kon, S., Stankov, K., Al-Salami, H., 2020. DPP-4 Inhibitors: Renoprotective Potential and Pharmacokinetics in Type 2 Diabetes Mellitus Patients with Renal Impairment. Eur. J. Drug Metab. Pharmacokinet. 45, 1–14. https://doi.org/10.1007/s13318-019-00570-y

Mitrofanova, A., Merscher, S., Fornoni, A., 2023. Kidney lipid dysmetabolism and lipid droplet accumulation in chronic kidney disease. Nat. Rev. Nephrol. 19, 629–645. https://doi.org/10.1038/s41581-023-00741-w

Mizukami, H., Kudoh, K., 2022. Diversity of pathophysiology in type 2 diabetes shown by islet pathology. J. Diabetes Investig. 13, 6–13. https://doi.org/10.1111/jdi.13679

Młynarska, E., Czarnik, W., Dzieża, N., Jędraszak, W., Majchrowicz, G., Prusinowski, F., Stabrawa, M., Rysz, J., Franczyk, B., 2025a. Type 2 Diabetes Mellitus: New Pathogenetic Mechanisms, Treatment and the Most Important Complications. Int. J. Mol. Sci. 26, 1094. https://doi.org/10.3390/ijms26031094

Monami, M., Candido, R., Pintaudi, B., Targher, G., Mannucci, E., of the SID-AMD joint panel for Italian Guidelines on Treatment of Type 2 Diabetes,

UNIVERSITAS GADJAH MADA
EVALUASI PENGGUNAAN OBAT ANTIDIABETES ORAL JANGKA PANJANG TERHADAP FUNGSI GINJAL PADA PASIEN DIABETES MELITUS TIPE 2
Mel Fitria MS, Prof. Dr. apt. Nanang Munif Yasin, S.Si., M.Pharm; Prof. Dr. apt. Agung Endro Nugroho, S.Si., M.Si
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

2021. Improvement of glycemic control in type 2 diabetes: A systematic review and meta-analysis of randomized controlled trials. Nutr. Metab. Cardiovasc. Dis. NMCD 31, 2539–2546. https://doi.org/10.1016/j.numecd.2021.05.010

Moorhead, J.F., Chan, M.K., El-Nahas, M., Varghese, Z., 1982. Lipid nephrotoxicity in chronic progressive glomerular and tubulo-interstitial disease. Lancet Lond. Engl. 2, 1309–1311. https://doi.org/10.1016/s0140-6736(82)91513-6

Morales, A.I., Detaille, D., Prieto, M., Puente, A., Briones, E., Arévalo, M., Leverve, X., López-Novoa, J.M., El-Mir, M.-Y., 2010. Metformin prevents experimental gentamicin-induced nephropathy by a mitochondria-dependent pathway. Kidney Int. 77, 861–869. https://doi.org/10.1038/ki.2010.11

Naidoo, S., Meyers, A.M., 2015. Drugs and the kidney. S. Afr. Med. J. 105, 332–337.

O'Hare, A.M., Choi, A.I., Bertenthal, D., Bacchetti, P., Garg, A.X., Kaufman, J.S., Walter, L.C., Mehta, K.M., Steinman, M.A., Allon, M., McClellan, W.M., Landefeld, C.S., 2007. Age affects outcomes in chronic kidney disease. J. Am. Soc. Nephrol. JASN 18, 2758–2765. https://doi.org/10.1681/ASN.2007040422

Ong, K.L., Stafford, L.K., McLaughlin, S.A., Boyko, E.J., 2023. Global, regional, and national burden of diabetes from 1990 to 2021, with projections of prevalence to 2050: a systematic analysis for the Global Burden of Disease Study 2021. The Lancet 402, 203–234. https://doi.org/10.1016/S0140-6736(23)01301-6

Pamungkas, P.M., Ginaris, R.P., Nurrahman, A., 2025. Evaluation of the Use of Oral Antidiabetic Drugs in Type 2 Diabetes Mellitus Patients at the Outpatient Installation of Azizah Metro Hospital. PHARMADEMICA J. Kefarmasian Dan Gizi 5, 116–122. https://doi.org/10.54445/pharmademica.v5i1.90

Pan, Q., Xu, Y., Yang, N., Gao, X., Liu, J., Yang, W., Wang, G., 2016. Comparison of Acarbose and Metformin on Albumin Excretion in Patients With Newly Diagnosed Type 2 Diabetes: A Randomized Controlled Trial. Medicine (Baltimore) 95, e3247. https://doi.org/10.1097/MD.0000000000003247

Pantis, C., Vesa, C.M., Ghitea, T.C., Trifan, D.F., Brata, R.D., Pop, N.O., Moisi, M.I., 2026. Diabetes Duration Is Associated with Declining Kidney Function: eGFR and CKD Burden Across Duration. J. Clin. Med. 15, 2235. https://doi.org/10.3390/jcm15062235

Park, M., Shlipak, M.G., Katz, R., Agarwal, S., Ix, J.H., Hsu, C.-Y., Peralta, C.A., 2012. Subclinical cardiac abnormalities and kidney function decline: the multi-ethnic study of atherosclerosis. Clin. J. Am. Soc. Nephrol. CJASN 7, 1137–1144. https://doi.org/10.2215/CJN.01230212

Park, Y.J., Kim, J.-M., 2018. Klotho and Postmenopausal Hormone Replacement Therapy in Women with Chronic Kidney Disease. J. Menopausal Med. 24, 75–80. https://doi.org/10.6118/jmm.2018.24.2.75

UNIVERSITAS
GADJAH MADA
EVALUASI PENGGUNAAN OBAT ANTIDIABETES ORAL JANGKA PANJANG TERHADAP FUNGSI GINJAL PADA PASIEN DIABETES MELITUS TIPE 2
Mel Fitria MS, Prof. Dr. apt. Nanang Munif Yasin, S.Si., M.Pharm; Prof. Dr. apt. Agung Endro Nugroho, S.Si., M.Si
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Patel, B., Patel, C., Panchal, D., Patel, S., 2025. A retrospective evaluation of the trend of prevalence of type 2 diabetes mellitus in different age groups in a tertiary care hospital. https://doi.org/10.18231/j.pjms.2021.028

Perazella, M.A., 2018. Pharmacology behind Common Drug Nephrotoxicities. Clin. J. Am. Soc. Nephrol. CJASN 13, 1897–1908. https://doi.org/10.2215/CJN.00150118

PERKENI, 2021. Pedoman pengelolaan dan pencegahan diabetes melitus tipe 2 dewasa di INDONESIA - 2021.

Perkovic, V., De Zeeuw, D., Mahaffey, K.W., Fulcher, G., Erondu, N., Shaw, W., Barrett, T.D., Weidner-Wells, M., Deng, H., Matthews, D.R., Neal, B., 2018. Canagliflozin and renal outcomes in type 2 diabetes: results from the CANVAS Program randomised clinical trials. Lancet Diabetes Endocrinol. 6, 691–704. https://doi.org/10.1016/S2213-8587(18)30141-4

Perkovic, V., Heerspink, H.L., Chalmers, J., Woodward, M., Jun, M., Li, Q., MacMahon, S., Cooper, M.E., Hamet, P., Marre, M., Mogensen, C.E., Poulter, N., Mancia, G., Cass, A., Patel, A., Zoungas, S., 2013. Intensive glucose control improves kidney outcomes in patients with type 2 diabetes. Kidney Int. 83. https://doi.org/10.1038/ki.2012.401

Pourshabanan, P., Momeni, A., Mahmoudnia, L., Kheiri, S., 2019. Effect of pioglitazone on decreasing of proteinuria in type 2 diabetic patients with nephropathy. Diabetes Metab. Syndr. Clin. Res. Rev. 13, 132–136. https://doi.org/10.1016/j.dsx.2018.04.013

Prischl, F.C., Wanner, C., 2018a. Renal Outcomes of Antidiabetic Treatment Options for Type 2 Diabetes—A Proposed MARE Definition. Kidney Int. Rep. 3, 1030–1038. https://doi.org/10.1016/j.ekir.2018.04.008

Rajapakse, N.W., Head, G.A., Kaye, D.M., 2016. Say NO to Obesity-Related Hypertension: Role of the L-Arginine-Nitric Oxide Pathway. Hypertens. Dallas Tex 1979 67, 813–819. https://doi.org/10.1161/HYPERTENSIONAHA.116.06778

Reckelhoff, J.F., Samson, W.K., 2015. Sex and gender differences in cardiovascular, renal and metabolic diseases. Am. J. Physiol. - Regul. Integr. Comp. Physiol. 309, R1057–R1059. https://doi.org/10.1152/ajpregu.00417.2015

Redon, J., Lurbe, E., 2015. The kidney in obesity. Curr. Hypertens. Rep. 17, 555. https://doi.org/10.1007/s11906-015-0555-z

Rena, G., Hardie, D.G., Pearson, E.R., 2017. The mechanisms of action of metformin. Diabetologia 60, 1577–1585. https://doi.org/10.1007/s00125-017-4342-z

Rosenstock, J., Perkovic, V., Johansen, O.E., Cooper, M.E., Kahn, S.E., Marx, N., Alexander, J.H., Pencina, M., Toto, R.D., Wanner, C., Zinman, B., Woerle, H.J., Baanstra, D., Pfarr, E., Schnaidt, S., Meinicke, T., George, J.T., von Eynatten, M., McGuire, D.K., for the CARMELINA Investigators, 2019. Effect of Linagliptin vs Placebo on Major Cardiovascular Events in Adults With Type 2 Diabetes and High Cardiovascular and Renal Risk: The CARMELINA Randomized Clinical Trial. JAMA 321, 69–79. https://doi.org/10.1001/jama.2018.18269

UNIVERSITAS GADJAH MADA
EVALUASI PENGGUNAAN OBAT ANTIDIABETES ORAL JANGKA PANJANG TERHADAP FUNGSI GINJAL PADA PASIEN DIABETES MELITUS TIPE 2
Mel Fitria MS, Prof. Dr. apt. Nanang Munif Yasin, S.Si., M.Pharm; Prof. Dr. apt. Agung Endro Nugroho, S.Si., M.Si
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

RSA, 2025. Paket Medical Check Up (MCU). Rumah Sakit Akad. UGM. URL https://rsa.ugm.ac.id/layanan/paket-medical-check-up-mcu/ (accessed 6.11.25).

Saleem, M., Ullah, S., Nawaz, M., Shah, G., Muhammad, B., Khan, M.I., Khan, M.A., Idrees, M., 2024. Prevalence and Associated Risk Factors of Metformin Use in the Treatment of Type-2 Diabetes Mellitus: Metformin Use in Type-2 Diabetes. J. Health Rehabil. Res. 4, 1–6. https://doi.org/10.61919/jhrr.v4i3.1693

Sanchez, D., Lebrun, A., Somda, S., Lainas, P., Lamouri, K., Prevot, S., Njike-Nakseu, M., Tranchart, H., Gaillard, M., Zaidan, M., Balian, A., Dagher, I., Naveau, S., Perlemuter, G., Voican, C.S., 2022. Impact of sleeve gastrectomy on renal function in patients with morbid obesity: a 1-year prospective cohort study. Langenbecks Arch. Surg. 407, 3323–3332. https://doi.org/10.1007/s00423-022-02647-w

Sarafidis, P., Ferro, C.J., Morales, E., Ortiz, A., Malyszko, J., Hojs, R., Khazim, K., Ekart, R., Valdivielso, J., Fouque, D., London, G.M., Massy, Z., Ruggenenti, P., Porrini, E., Wiecek, A., Zoccali, C., Mallamaci, F., Hornum, M., 2019. SGLT-2 inhibitors and GLP-1 receptor agonists for nephroprotection and cardioprotection in patients with diabetes mellitus and chronic kidney disease. A consensus statement by the EURECA-m and the DIABESITY working groups of the ERA-EDTA. Nephrol. Dial. Transplant. Off. Publ. Eur. Dial. Transpl. Assoc. - Eur. Ren. Assoc. 34, 208–230. https://doi.org/10.1093/ndt/gfy407

Schneider, C.A., Ferrannini, E., DeFronzo, R., Schernthaner, G., Yates, J., Erdmann, E., 2008. Effect of Pioglitazone on Cardiovascular Outcome in Diabetes and Chronic Kidney Disease. J. Am. Soc. Nephrol. 19, 182. https://doi.org/10.1681/ASN.2007060678

Shurraw, S., Hemmelgarn, B., Lin, M., Majumdar, S.R., Klarenbach, S., Manns, B., Bello, A., James, M., Turin, T.C., Tonelli, M., Network, for the A.K.D., 2011. Association Between Glycemic Control and Adverse Outcomes in People With Diabetes Mellitus and Chronic Kidney Disease: A Population-Based Cohort Study. Arch Intern Med 21, 171.

Sulaiman, M.K., 2019. Diabetic nephropathy: recent advances in pathophysiology and challenges in dietary management. Diabetol. Metab. Syndr. 11, 7. https://doi.org/10.1186/s13098-019-0403-4

Sullivan, M.K., Lees, J.S., Rosales, B.M., Cutting, R., Wyld, M.L., Woodward, M., Webster, A.C., Mark, P.B., De La Mata, N., 2024. Sex and the Relationship Between Cardiometabolic Risk Factors and Estimated GFR Decline: A Population-Based Cohort Study. Am. J. Kidney Dis. 84, 731-741.e1. https://doi.org/10.1053/j.ajkd.2024.05.007

Taylor, S.I., Yazdi, Z.S., Beitelshees, A.L., 2021. Pharmacological treatment of hyperglycemia in type 2 diabetes. J. Clin. Invest. 131, e142243, 142243. https://doi.org/10.1172/JCI142243

The EMPA-KIDNEY Collaborative Group, Herrington, W.G., Staplin, N., Wanner, C., Green, J.B., Hauske, S.J., Emberson, J.R., Preiss, D., Judge, P., Mayne, K.J., Ng, S.Y.A., Sammons, E., Zhu, D., Hill, M., Stevens, W.,

UNIVERSITAS GADJAH MADA
EVALUASI PENGGUNAAN OBAT ANTIDIABETES ORAL JANGKA PANJANG TERHADAP FUNGSI GINJAL PADA PASIEN DIABETES MELITUS TIPE 2
Mel Fitria MS, Prof. Dr. apt. Nanang Munif Yasin, S.Si., M.Pharm; Prof. Dr. apt. Agung Endro Nugroho, S.Si., M.Si
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Wallendszus, K., Brenner, S., Cheung, A.K., Liu, Z.-H., Li, J., Hooi, L.S., Liu, W., Kadowaki, T., Nangaku, M., Levin, A., Cherney, D., Maggioni, A.P., Pontremoli, R., Deo, R., Goto, S., Rossello, X., Tuttle, K.R., Steubl, D., Petrini, M., Massey, D., Eilbracht, J., Brueckmann, M., Landray, M.J., Baigent, C., Haynes, R., 2023. Empagliflozin in Patients with Chronic Kidney Disease. N. Engl. J. Med. 388, 117–127. https://doi.org/10.1056/NEJMoa2204233

Toyama, T., Kitagawa, K., Oshima, M., Kitajima, S., Hara, A., Iwata, Y., Sakai, N., Shimizu, M., Hashiba, A., Furuichi, K., Wada, T., 2020. Age differences in the relationships between risk factors and loss of kidney function: a general population cohort study. BMC Nephrol. 21, 477. https://doi.org/10.1186/s12882-020-02121-z

Tsai, C.-W., Ting, I.-W., Yeh, H.-C., Kuo, C.-C., 2017. Longitudinal change in estimated GFR among CKD patients: A 10-year follow-up study of an integrated kidney disease care program in Taiwan. PLoS ONE 12, e0173843. https://doi.org/10.1371/journal.pone.0173843

Tsioufis, C., Kokkinos, P., Macmanus, C., Thomopoulos, C., Faselis, C., Doumas, M., Stefanadis, C., Papademetriou, V., 2010. Left ventricular hypertrophy as a determinant of renal outcome in patients with high cardiovascular risk. J. Hypertens. 28, 2299–2308. https://doi.org/10.1097/HJH.0b013e32833d95fe

UKPDS, 1998. Intensive blood-glucose control with sulphonylureas or insulin compared with conventional treatment and risk of complications in patients with type 2 diabetes (UKPDS 33). The Lancet 352, 837–853. https://doi.org/10.1016/S0140-6736(98)07019-6

Vidt, D.G., Ridker, P.M., Monyak, J.T., Schreiber, M.J., Cressman, M.D., 2011. Longitudinal assessment of estimated glomerular filtration rate in apparently healthy adults: a post hoc analysis from the JUPITER study (justification for the use of statins in prevention: an intervention trial evaluating rosuvastatin). Clin. Ther. 33, 717–725. https://doi.org/10.1016/j.clinthera.2011.05.004

Wang, X., Vrtiska, T.J., Avula, R.T., Walters, L.R., Chakkera, H.A., Kremers, W.K., Lerman, L.O., Rule, A.D., 2014. Age, kidney function, and risk factors associate differently with cortical and medullary volumes of the kidney. Kidney Int. 85, 677–685. https://doi.org/10.1038/ki.2013.359

WHO, 2024. Non communicable diseases [WWW Document]. URL https://www.who.int/news-room/fact-sheets/detail/noncommunicable-diseases (accessed 6.13.25).

Wolf, G.B., Scherberich, J.E., Fischer, P., Schoeppe, W., 1989. Isolation and characterization of dipeptidyl aminopeptidase IV from human kidney cortex. Clin. Chim. Acta Int. J. Clin. Chem. 179, 61–71. https://doi.org/10.1016/0009-8981(89)90023-5

Xie, Y., Bowe, B., Li, T., Xian, H., Balasubramanian, S., Al-Aly, Z., 2016. Proton Pump Inhibitors and Risk of Incident CKD and Progression to ESRD. J. Am. Soc. Nephrol. JASN 27, 3153–3163. https://doi.org/10.1681/ASN.2015121377

UNIVERSITAS
GADJAH MADA
EVALUASI PENGGUNAAN OBAT ANTIDIABETES ORAL JANGKA PANJANG TERHADAP FUNGSI GINJAL PADA PASIEN DIABETES MELITUS TIPE 2
Mel Fitria MS, Prof. Dr. apt. Nanang Munif Yasin, S.Si., M.Pharm; Prof. Dr. apt. Agung Endro Nugroho, S.Si., M.Si
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Yamout, H., Perkovic, V., Davies, M., Woo, V., de Zeeuw, D., Mayer, C., Vijapurkar, U., Kline, I., Usiskin, K., Meininger, G., Bakris, G., 2014. Efficacy and safety of canagliflozin in patients with type 2 diabetes and stage 3 nephropathy. Am. J. Nephrol. 40, 64–74. https://doi.org/10.1159/000364909

Yen, C.-L., Wu, C.-Y., See, L.-C., Li, Y.-J., Tseng, M.-H., Peng, W.-S., Liu, J.-R., Chen, Y.-C., Yen, T.-H., Tian, Y.-C., Yang, C.-W., Anderson, G.F., Yang, H.-Y., 2020. Pioglitazone Reduces Mortality and Adverse Events in Patients With Type 2 Diabetes and With Advanced Chronic Kidney Disease: National Cohort Study. Diabetes Care 43, e152–e153. https://doi.org/10.2337/dc20-1584

Yi, Y., Kwon, E.-J., Yun, G., Park, S., Jeong, J.C., Na, K.Y., Chin, H.J., Yoo, S., Kim, Seok, Oh, T.J., Kim, Sejoong, Jung, C.H., Lee, H., 2024. Impact of metformin on cardiovascular and kidney outcome based on kidney function status in type 2 diabetic patients: a multicentric, retrospective cohort study. Sci. Rep. 14, 2081. https://doi.org/10.1038/s41598-024-52078-4

Zhang, Junlin, Wu, Y., Zhang, Jie, Zhang, R., Wang, Y., Liu, F., 2023. ABCA1 deficiency-mediated glomerular cholesterol accumulation exacerbates glomerular endothelial injury and dysfunction in diabetic kidney disease. Metabolism. 139, 155377. https://doi.org/10.1016/j.metabol.2022.155377

Zhao, L., Li, S., Gao, Y., 2021. Efficacy of statins on renal function in patients with chronic kidney disease: a systematic review and meta-analysis. Ren. Fail. 43, 718–728. https://doi.org/10.1080/0886022X.2021.1915799

Zheng, Y., Ley, S.H., Hu, F.B., 2018. Global aetiology and epidemiology of type 2 diabetes mellitus and its complications. Nat. Rev. Endocrinol. 14, 88–98. https://doi.org/10.1038/nrendo.2017.151