UNIVERSITAS
GADJAH MADA
PENGARUH AUTOCLAVING-COOLING TERHADAP KARAKTERISTIK PATI RESISTEN TIPE-3 UMBI GANYONG (Canna edulis
Ker Gawl.) VARIETAS MERAH DAN PUTIH
Nurhayati, Prof. Dr. Rarastoeti Pratiwi, S.Si., M.Sc.
Universitas Gadjah Mada, 2022 | Diunduh dari http://etd.repository.ugm.ac.id/

DAFTAR PUSTAKA

AOAC. 2005. Official methods of analysis. Washington: Association of Official Analytical Chemists.

Badan Pusat Statistik. 2025. *Statistik Indonesia 2025: Statistical Yearbook of Indonesia 2025 Vol. 53*. Jakarta: Badan Pusat Statistik, p. 730.

Aprianita, A., Vasiljevic, T., Bannikova, A., Kasapis, S. 2014. Physicochemical properties of flours and starches derived from traditional Indonesian tubers and roots. Journal of Food Science and Technology, 51(12): 3669–3679.

Arp, C.G., Correa, M.J., Ferrero, C. 2021. Resistant starches: A smart alternative for the development of functional bread and other starch-based foods. Food Hydrocolloids, 121, 106949.

Bello-Perez, L.A., Flores-Silva, P.C., Agama-Acevedo, E., Tovar, J. 2020. Starch digestibility: Past, present, and future. *Journal of the Science of Food and Agriculture*, 100(14): 5009–5016.

Bertoft, E. 2017. Understanding Starch Structure: Recent Progress. Agronomy, 7(3): 56. https://doi.org/10.3390/agronomy7030056.

Bertoft, E. 2015. *Fine structure of amylopectin. In: Y. Nakamura, ed. Starch: Metabolism and Structure.* Tokyo: Springer, pp.3–40.

Bojarczuk, A., Skąpska, S., Khaneghah, A.M., Marszałek, K. 2022. Health benefits of resistant starch: A review of the literature. *Journal of Functional Foods*, 93 (2): 105094.

Cao, C., Shen, M., Hu, J., Qi, J., Xie, P. and Zhou, Y., 2020. Comparative study on the structure–properties relationships of native and debranched rice starch. *CyTA – Journal of Food*, 18(1), pp.84–93. https://doi.org/10.1080/19476337.2019.1710261

Carolina, A. and Ilmi, F.N. 2016. Production of Indonesian *Canna edulis* type IV resistant starch through acetylation modification. *International Food Research Journal,* 23(2): 491–497.

Ding, Y., Wang, M., Shen, Y., Shu, X., Wu, D., Song, W. 2021. Physiochemical properties of resistant starch and its enhancement approaches in rice. *Rice Science*, 28(1): 31–42.

Edwards, A., Vincken, J.P., Suurs, L.C.J.M., Visser, R.G.F., Zeeman, S., Smith, A. and Martin, C. 2002. Discrete forms of amylose are synthesized by isoforms of GBSSI in pea. *The Plant Cell*, 14(1): 1767–1785.

Farooq, U., Di Mattia, C., Faieta, M., Flamminii, F., Pittia, P. 2021. Colloidal properties and stability of olive oil-in-water emulsions stabilized by starch particles. *Italian Journal of Food Science*, 33(4): 1–10.

Figueroa, F., Hernández-Vanegas, L., Serna-Fadul, T., Salcedo-Mendoza, J. 2025. *Enzymatic Modification of Starch. In: Ayala Valencia, G. (eds) Starch: Progress in Food Applications*. Springer, Cham.

Fuentes-Zaragoza, E., Riquelme-Navarrete, M.J., Sánchez-Zapata, E. and Pérez-Álvarez, J.A., 2010. Resistant starch as functional ingredient: A review. *Food Research International*, 43(4): 931–942.

UNIVERSITAS
GADJAH MADA
PENGARUH AUTOCLAVING-COOLING TERHADAP KARAKTERISTIK PATI RESISTEN TIPE-3 UMBI GANYONG (Canna edulis
Ker Gawl.) VARIETAS MERAH DAN PUTIH
Nurhayati, Prof. Dr. Rarastoeti Pratiwi, S.Si., M.Sc.
Universitas Gadjah Mada, 2022 | Diunduh dari http://etd.repository.ugm.ac.id/

Gabriel, A.A., Solikhah, A.F., Rahmawati, A.Y., Taradipa, Y.S. and Maulida, E.T. 2021. Potentials of Edible Canna (*Canna edulis* Kerr) starch for bioplastic: A review. Industria: *Jurnal Teknologi dan Manajemen Agroindustri*, 10(2): 182–191.

GBIF Secretariat, 2023. *Canna edulis* Ker Gawl. GBIF Backbone Taxonomy. Checklist dataset. https://doi.org/10.15468/39omei [Accessed 28 Mar. 2025].

Geetha, K., Ilamaran, M., Ramasamy, D.P. 2024. Effect of temperature and physical modification on nutritional composition and functional properties of cassava, banana and corn starches. *Food Measure*, 18, 8876–8887.

Gibson, G.R., Hutkins, R., Sanders, M.E., Prescott, S.L., Reimer, R.A., Salminen, S.J., Reid, G. 2017. Expert consensus document: The International Scientific Association for Probiotics and Prebiotics (ISA:) consensus statement on the definition and scope of prebiotics. *Nature Reviews Gastroenterology and Hepatology*, 14(8): 1-9.

Herawati, H., Munarso, S.J., Widowati, S., Savitri, E., Mulyono, E., Purwani, E.Y., Budianto, A., Kurniawan, F., Kamsiati, P.P., Mulyawanti, I., Sukasih, E., Setyadjit, Amiarsi, D., Tjahjohutomo, R., Luna, P. and Darniadi, S. 2019. *Potensi pangan lokal Indonesia*. Bogor: BB Pascapanen, pp. 30-35.

Hidayat, N. 2010. *Pati ganyong potensi lokal yang belum termanfaatkan. Majalah Kulinologi*, Edisi Maret 2010. Malang.

Histifarina, D., Rahman, A., Purnamasari, N.R., Rahmat, R. 2023. Utilization of canna (*Canna edulis* Ker.) as raw material for non-gluten processed food to supporting food diversification program: a review. *IOP Conference Series: Earth and Environmental Science*, 1246, 012045

Israa, M., Andrianto, D. and Setiarto, R.H.B. 2023. Effect of autoclaving-cooling on resistant starch content and prebiotic properties of high carbohydrate foods: Meta-analysis study. *Jurnal Teknologi (Sciences & Engineering)*, 85(1): 81–90.

Jiang, F., Du, C., Jiang, W., Wang, L. and Du, S. 2020. The preparation, formation, fermentability, and applications of resistant starch. *International Journal of Biological Macromolecules*, 150, 1155–1161.

Kasemwong, K., Piyachomkwan, K., Wansuksri, R., Sriroth, K. 2008. Granule Sizes of Canna (*Canna edulis*) Starches and their Reactivity Toward Hydration, Enzyme Hydrolysis and Chemical Substitution. *Starch/Stärke*, 60: 624-633.

Kim, H.M. and Lee, B.H. 2023. Characterization of green banana starch from “Songkibab” species cultivated in the southern part of Korea. *Food Science and Biotechnology*, 33(1): 63–71. https://doi.org/10.1007/s10068-023-01331-z

Kim, K.-H. and Kim, J.-Y. 2021. Understanding wheat starch metabolism in properties, environmental stress condition, and molecular approaches for value-added utilization. *Plants*, 10(11): 2282.

UNIVERSITAS
GADJAH MADA
PENGARUH AUTOCLAVING-COOLING TERHADAP KARAKTERISTIK PATI RESISTEN TIPE-3 UMBI GANYONG (Canna edulis
Ker Gawl.) VARIETAS MERAH DAN PUTIH
Nurhayati, Prof. Dr. Rarastoeti Pratiwi, S.Si., M.Sc.
Universitas Gadjah Mada, 2022 | Diunduh dari http://etd.repository.ugm.ac.id/

Kim, M.K., Park, J., Kim, D.M. 2024. Resistant starch and type 2 diabetes mellitus: Clinical perspective. *J Diabetes Investig*, 15: 395-401.

Kim, H.M., Lee, B.H. 2023. Characterization of green banana starch from "Songkibab" species cultivated in the southern part of Korea. *Food Sci Biotechnol*, 33(1): 63-71.

Koh, Y.-C. and Liao, H.-J. 2023. Preparation and physicochemical characterization of debranched rice starch nanoparticles from mono- and dual-modification by hydrothermal treatments. *Food Bioscience,* 55, 103004.

Latifah, E. and Prahardini, P.E.R. 2020. Identifikasi dan deskripsi tanaman umbi-umbian pengganti karbohidrat di Kabupaten Trenggalek. *Agrosains: Jurnal Penelitian Agronomi,* 22(2): 94–104.

Lehmann, U., Jacobasch, G. and Schmiedl, D. 2002. Characterization of resistant starch type III from banana (*Musa acuminata*). *Journal of Agricultural and Food Chemistry*, 50, 5236–5240.

Lockyer, S and Nugent, A.P. 2017. Health effects of resistant starch. *Nutr. Bull*., 42 (1): 10–41.

Liu, C. 2022. Recent progress in understanding starch gelatinization—An important property determining food quality. *Carbohydrate Polymers*, 293, 119735.

Li, Z. and Wei, C. 2020. Morphology, structure, properties and applications of starch ghost: A review. *International Journal of Biological Macromolecules*, 163: 2084–2096.

Ma, Z., Hu, X., Boye, J. I. 2020. Research advances on the formation mechanism of resistant starch type III: A review. *Critical Reviews in Food Science and Nutrition*, 60(2): 276–297.

McCleary, B.V., McLoughlin, C., Charmier, L.M.J., and McGeough, P. .2019. Measurement of available carbohydrates, digestible, and resistant starch in food ingredients and products. *Cereal Chemistry*, 96(6): 1379–1392.

Millati, T. and Nurhayati. 2020. Pembuatan resistant starch pati beras dengan metode enzimatis dan fisik. *Jurnal AGROTEK*, 7(2): 94–100.

Nguyen, D.Q., Mounir, S., Allaf, K. 2015. Functional properties of water holding capacity, oil holding capacity, wettability, and sedimentation of swell-dried soybean powder. *Journal of Engineering and Technology*, 3(4): 402–412.

Ning, Y., Cui, B., Yuan, C., Zou, Y., Liu, W. and Pan, Y. 2020. Effects of Konjac Glucomannan on the Rheological, Microstructure and Digestibility Properties of Debranched Corn Starch. *Food Hydrocolloids*, 100(3): 105342.

Nugraheni, W., Solichatun., Etikawati, N. 2019. Variations in growth, proline content, and nitrate reductase activity of *Canna edulis* at different water availability. *Cell Biology & Development,* 3(1): 30–39.

Noriko, N. and Swandari, R. 2013. Ganyong dan spirulina sebagai produk pangan alternatif. *Prosiding Seminar Nasional Matematika, Sains, dan Teknologi*, 4, 121–127.

UNIVERSITAS
GADJAH MADA
PENGARUH AUTOCLAVING-COOLING TERHADAP KARAKTERISTIK PATI RESISTEN TIPE-3 UMBI GANYONG (Canna edulis
Ker Gawl.) VARIETAS MERAH DAN PUTIH
Nurhayati, Prof. Dr. Rarastoeti Pratiwi, S.Si., M.Sc.
Universitas Gadjah Mada, 2022 | Diunduh dari http://etd.repository.ugm.ac.id/

Noriko, N. and Pambudi, A. 2014. Diversifikasi Pangan Sumber Karbohidrat Canna edulis Kerr. (Ganyong). *Jurnal Al Azhar Indonesia Seri Sains Dan Teknologi*, 2(4): 248–252.

Ogawa, T. and Adachi, S., 2014. Measurement of moisture profiles in pasta during rehydration based on image processing. *Food and Bioprocess Technology*, 7(5): 1465–1471.

Paipan, S. and Abrar, M. 2020. Determinan hketergantungan impor beras di Indonesia. *Jurnal Ekonomi & Kebijakan Publik*, 11(1): 53–64.

Praseptiangga, D., Wandansari, W. & Widyaastuti, D., 2022. Chemical and physical properties of canna (Canna edulis) and jack bean (Canavalia ensiformis)-based composite flours. *Food Research*, 6(2): 354–367.

Purwitasari, L., Wulanjati, M.P., Pranoto, Y., Witasari, L.D. 2023. Characterization of porous starch from edible canna (Canna edulis Kerr.) produced by enzymatic hydrolysis using thermostable α-amylase. *Food Chemistry Advances*, 2, 100152.

Putri, V.D. and Dyna, F. 2019. Standarisasi ganyong (*Canna edulis* Ker) sebagai pangan alternatif pasien diabetes mellitus. *Jurnal Katalisator*, 4(2): 111–118.

Raza, H., Ameer, K., Ren, X., Liang, Q., Chen, X., Chen, H. and Ma, H. 2021. Physicochemical Properties and Digestion Mechanism of Starch-Linoleic Acid Complex Induced by Multi-Frequency Power Ultrasound. *Food Chemistry*, 364(12): 130392.

Rema, Remya, R., Jyothi., Alummoottil., Sreekumar, J. 2017. Comparative study of RS4 type resistant starches derived from cassava and potato starches via octenyl succinylation. *Starch - Starke*. 69.

Rukmana, R., 2000. *Ganyong: Budi Daya dan Pasca Panen*. Yogyakarta: Kanisius, pp. 20-22.

Sajilata, M.G., Singhal, R.S., Kulkarni, P.R. 2006. Resistant starch – A review. *Comprehensive Reviews in Food Science and Food Safety*, 5(1): 1–17.

Singh, R., Kumar, Y., Bist, Y., Pamecha, P., Shukla, M. and Singh, A., 2023. Heat-moisture treatment of starch. In: V.S. Sharanagat, D.C. Saxena, K. Kumar and Y. Kumar, eds. *Starch: Advances in Modifications, Technologies and Applications*. Cham: Springer. https://doi.org/10.1007/978-3-031-35843-2_8

Sukhija., Sakshi, R., Charanjit. 2015. Isolation of starches from different tubers and study of their physicochemical, thermal, rheological and morphological characteristics. *Starch - Stärke*. 67, 1-6.

Song, M.-R., Choi, S.-H., Oh, S.-M., Kim, H.-Y., Bae, J.-E., Park, C.-S., Kim, B.-Y. and Baik, M.-Y., 2017. Characterization of amorphous granular starches prepared by high hydrostatic pressure (HHP). *Food Science and Biotechnology*, 26(3): 671–678. https://doi.org/10.1007/s10068-017-0106-2

Sreethong, T., Rerkasem, B., Dell, B. and Jamjod, S. 2020. Identifying rice grains with premium nutritional quality among on-farm germplasm in the highlands of northern Thailand. *Quality Assurance and Safety of Crops & Foods*, 12(3): 12–23.

UNIVERSITAS
GADJAH MADA
PENGARUH AUTOCLAVING-COOLING TERHADAP KARAKTERISTIK PATI RESISTEN TIPE-3 UMBI GANYONG (Canna edulis
Ker Gawl.) VARIETAS MERAH DAN PUTIH
Nurhayati, Prof. Dr. Rarastoeti Pratiwi, S.Si., M.Sc.
Universitas Gadjah Mada, 2022 | Diunduh dari http://etd.repository.ugm.ac.id/

Steenis, C.G.G.J. 2008. *Flora untuk sekolah di Indonesia.* 12th ed. Jakarta: Pradnya Paramita, pp. 100-110.

Suhartini, T. and Hadiatmi. 2010. Keragaman karakter morfologi tanaman ganyong. Buletin Plasma Nutfah. 16(2): 119–125.

Sultana, N., Akhi, S.S., Hassan, M.A. and Rahman, M.O. 2019. Morphological and anatomical investigation among six variants of Canna indica L. *Bangladesh Journal of Plant Taxonomy*, 26(2): 219–230.

Syafaruddin, Udarno, L., Randryani, E. 2019. Morfologi tanaman ganyong (*Canna edulis* Kerr.). *In: Bunga rampai tanaman industri potensial penghasil biodiesel dan bioetanol*. Sukabumi: Balai Penelitian Tanaman Industri dan Penyegar (Balittri), pp. 93.

Tako, M., Tamaki, Y., Teruya, T. and Takeda, Y. 2014. The principles of starch gelatinization and retrogradation. *Food and Nutrition Sciences*, 5, 280–291.

Tang, L., Wu, J., Aga, L., Wang, N., Li, Y., Li, H. and Wang, X. 2024. Structural analysis of type 3 resistant starch from *Canna edulis* during in vitro simulated digestion and its post-digested residue impact on human gut microbiota. *Frontiers in Nutrition*, 11, 1403497.

Tarahi, M., Abdolalizadeh, L., Hedayati, S. 2024. Mung bean protein isolate: Extraction, structure, physicochemical properties, modifications, and food applications. *Food Chemistry*, 444, 138626.

Tao, H., Fang, X.H., Cai, W.H., Zhang, S., Wang, H.L. 2024. Retrogradation behaviors of damaged wheat starch with different water contents. *Food Chem X*, 28(22): 101258.

Thammathongchat, S., Fukuoka, M., Hagiwara, T., Sakiyama, T., Watanabe, H., 2007. Water holding capacity and starchy profile that governs water migration in food during boiling. *Japan Journal of Food Engineering*, 8(3): 131–136.

Varghese, S., Awana, M., Mondal, D., Rubiya, M.H., Melethil, K., Singh, A., Krishnan, V. and Kong, B.T.X. 2020. Amylose–amylopectin ratio: Comprehensive understanding of structure, physicochemical attributes, and applications of starch. *In: S. Wang, ed. Starch Structure, Functionality and Application in Foods. Singapore: Springer Nature*, 1(1): 29–35.

Vu, T.H. and Le, Q.U. 2019. Edible Canna (*Canna edulis* Ker), a potential crop for Vietnam food industry. *International Journal of Botany Studies*, 4(4): 58–59.

Wang, S. and Xu, H., 2020. *Multiscale structures of starch granules. In: S. Wang, ed. Starch Structure, Functionality and Application in Foods*. Singapore: Springer, pp. 50.

Wang, S., Li, C., Copeland, L., Niu, Q. and Wang, S. 2015. Starch retrogradation: A comprehensive review. *Comprehensive Reviews in Food Science and Food Safety,* 14, 568–585.

Widyastuti, N., Novita, L., Rosmalawati, S., Furnawanthi, I., Karyanti. 2000. Teknik kultur jaringan sebagai alternatif perbanyakan bibit

UNIVERSITAS
GADJAH MADA
PENGARUH AUTOCLAVING-COOLING TERHADAP KARAKTERISTIK PATI RESISTEN TIPE-3 UMBI GANYONG (Canna edulis
Ker Gawl.) VARIETAS MERAH DAN PUTIH
Nurhayati, Prof. Dr. Rarastoeti Pratiwi, S.Si., M.Sc.
Universitas Gadjah Mada, 2022 | Diunduh dari http://etd.repository.ugm.ac.id/

tanaman kana (*Canna* sp.). *Jurnal Sains dan Teknologi Indonesia*, 2(2): 32–36.

Wijanarka, A., Tifauzah, N., Wijaningsih, W. 2020. Antidiabetic potential of modified gayam (Inocarfus fagifer Forst.) starch in diabetic rats STZ-NA induced. *Pakistan Journal of Medical & Health Sciences*, 14(2): 1474–1479.

Xie, H., Gao, J., Xiong, X., Gao, Q. 2018. Effect of heat-moisture treatment on the physicochemical properties and in vitro digestibility of the starch-guar complex of maize starch with varying amylose content. *Food Hydrocolloids*, 83(1): 213–221.

Yonata, D., Triwitono, P., Lestari, L.A. and Pranoto, Y. 2025. Physicochemical and structural properties of resistant starch prepared from Tacca tuber starch using autoclaving-cooling and acid hydrolysis treatments. *Trends in Sciences*, 22(1): 8822.

Yuan, D., Zhang, Y., Chen, X., Xu, F., Zhu, K., Wang, J. and Zhang, Y., 2025. Physicochemical, structural, and digestive properties of green banana starch from five Chinese mutant banana species. *Foods*, 14(4): 706.

Zabolotets, A., Litvyak, V., Yermakou, A. and Ospankulova, G. 2019. Morphological characteristics of starch granules of eastern and central European potato varieties (*Solanum tuberosum*). *Ukrainian Food Journal,* 8(1): 18–33.

Zailani, M.A., Kamilah, H., Husaini, A., Seruji, A., Sarbini, S.R. 2022. Functional and digestibility properties of sago (*Metroxylon sagu*) starch modified by microwave heat treatment. *Food Hydrocolloids*, 122(1): 107042.

Zambrano, M.V., Dutta, B., Mercer, D.G., MacLean, H.L. and Touchie, M.F. 2019. Assessment of moisture content measurement methods of dried food products in small-scale operations in developing countries: A review. *Trends in Food Science & Technology,* 88, 484–496.

Zeng, H., Wu, X., Lin, S., Lu, X. and Zhang, Y. 2014. Structural characteristics and crystalline properties of lotus seed resistant starch and its prebiotic effects. *Food Chemistry*, 186, 213–222.

Zhang, J., Wang, Z.W., Yang, J. 2010. Physicochemical roperties of *Canna Edulis* ker sarch on heat-moisture treatment. *International Journal of Food Properties*, 13, 1266-1279.

Zhang, J., Cui, J., Xiao, L. and Wang, Z. 2014. The combination of atomic force microscopy and sugar analysis to evaluate alkali-soluble *Canna edulis* Ker pectin. *Food Chemistry*, 156(1): 64–71.

Zhen, M., Hu, X., Boye, J.I. 2020. Research advances on the formation mechanism of resistant starch type III: A review. *Critical Reviews in Food Science and Nutrition*, 60(2): 276–297.

Zhou, D., Ma, Z., Hu, X. 2021. Isolated pea resistant starch substrates with different structural features modulate the production of short-chain fatty acids and metabolism of microbiota in anaerobic fermentation in vitro. *Journal of Agricultural and Food Chemistry*, 69(18): 5392–5404.