

DAFTAR PUSTAKA

- Adejumo, A.L, Aderibigbe, F.A., & Owolabi, R.U. (2013). Comparative studies of starch susceptibilities to α -amylase degradation of different cereal and root crops of Nigeria. *African Journal of Biotechnology*, 12(29), 4663–4669.
- Anggraini, R.W. (2007). Pati Resisten tipe III dan tipe IV pati ganyong (*Canna edulis*), kentang (*Solanum tuberosum*), dan kimpul (*Xanthosoma violaceum* Schott) sebagai prebiotic, Bogor, Indonesia: Institut Pertanian Bogor. Skripsi.
- ANTARA News. (2025). *Survei: 88 persen konsumen Indonesia konsumsi suplemen kesehatan rutin*. <https://www.antaranews.com/berita/5061789/survei-88-persen-konsumen-indonesia-konsumsi-suplemen-kesehatan-rutin>
- AOAC. (2005). Official Methods of Analysis of AOAC Internasional. 18th Edition, AOAC International, Gaithersburg.
- Baptista, N.T., Dessalles, R., Illner, A.K., Ville, P., Ribet, L., Anton, P.M., & Durand-Dubief, M. (2024). Harnessing the power of resistant starch: a narrative review of its health impact and processing challenges. *Frontiers Nutrition*, 11, 1–12.
- Badan Pengawas Obat dan Makanan Republik Indonesia. (2016). Pengawasan Klaim Pada Label dan Iklan Pangan Olahan. Available from: <https://www.pom.go.id/new/view/more/berita/12148/Pengawasan-Klaim.html> [Accessed April 13, 2025].
- Badan Pengawas Obat dan Makanan Republik Indonesia. (2016). Laporan Tahunan 2016 Badan Pengawasan Obat dan Makanan RI. Badan POM RI.
- Canti, M., Kasanti, N.A., Hutagalung, R.A., Lukas., & Pandjaitan, M.M.L.W. (2025) Nutritional Composition, Physicochemical, and Sensory Properties of Snack Bars Produced from Catfish Head Powder (*Clarias gariepinus*) and Purple Sweet Potatoes (*Ipomoea batatas* var Ayumurasaki) as Emergency Food. *Jurnal Ilmiah Perikanan dan Kelautan (JIPK)*, 17(2), 545–557.
- Carolina, A., & Ilmi, F.N. (2016). Production of Indonesian *Canna edulis* type IV resistant starch through acetylation modification. *International Food Research Journal*. 23(2), 491–497.
- Das, R., & Kayastha, A. M. (2019). β -Amylase: General properties, mechanism and panorama of applications by immobilization on nano-structures. In A. M. Grumezescu & A. M. Holban (Eds.), *Biocatalysis*. Springer. 17–38.
- Direktorat Gizi Departemen Kesehatan Republik Indonesia. (1996). *Komposisi Bahan Makanan*. Jakarta, Bharata.
- Direktorat Kacang-kacangan dan Umbi-umbian. (2002). *Pengenalan budidaya talas, garut, ganyong, gembili, ubi kelapa, iles-iles, suweg/acung*. Direktorat Jenderal Bina Produksi Tanaman Pangan. Jakarta.
- Djaoudene, O., Romano, A., Bradai, Y.D., Zebiri, F., Ouchene, A., Yousfi, Y., Amrane-Abider, M., Sahraoui-Remini, Y., & Madani, K. (2023). A global overview of dietary supplements: Regulation, market trends, usage during the COVID-19 pandemic, and health effects. *Nutrients*, 15(15), 3320.

- Dündar, A. N., & Göçmen, D. (2013). Effects of autoclaving temperature and storing time on resistant starch formation and its functional and physicochemical properties. *Carbohydrate Polymers*, 97, 764–771.
- Emaga, T. H., Robert, C., Ronkart, S. N., Wathelet, B., & Paquot, M. (2008). Dietary fibre components and pectin chemical features of peels during ripening in banana and plantain varieties. *Bioresource Technology*, 99(10), 4346–4354.
- Faridah, D.N., Rahayu, W.P., & Apriyadi, M.S. (2013). MODIFIKASI PATI GARUT (*Marantha arundinacea*) DENGAN PERLAKUAN HIDROLISIS ASAM DAN SIKLUS PEMANASAN-PENDINGINAN UNTUK MENGHASILKAN PATI RESISTEN TIPE 3. *Jurnal Teknologi Industri Pertanian*, 23(1), 61–69.
- Fatimah, S., Hafied, M.A., Indiasih, P.A.Y., Airlangga, B., Minah, F.N., Hudha, M.I., & Sumarno, S. (2024). Production of resistant starch type 3 from cassava starch with high shear mixing and centrifugation treatment to increase its total dietary fibre content. *International Journal of Food Science and Technology*, 59, 7818–7826.
- Flach, M., & Rumawas, F. (1996). *Plant Resources of South Est Asia No. 9. Plant Yeilding Non Seed Carbohydrates*. Prosea Foundation, Bogor.
- Global Biodiversity Information Facility. (2025). Dataset: *Canna edulis* Ker Gawl. viewed April 13, 2025, <https://www.gbif.org/species/5303275>
- Goñi, I., García-Diz, L., Mañas, E., & Saura-Calixto, F. (1996). Analysis of resistant starch: A method for foods and food products. *Food Chemistry*, 56(4), 445–449.
- Han, J., Wu, J., Liu, X., Shi, J., & Xu, J. (2023). Physiological effects of resistant starch and its applications in food: A review. *Food Production, Processing and Nutrition*. 5, 48.
- Herawati, H., Munarso, S.J., Widowati, S., Savitri, E., Mulyono, E., Purwani, E.Y., Budianto, A., Kurniawan, F., Kamsiati., Mulyawanti, I., Sukasih, E., Setyadjit, Amiarsi, D., Tjahjohutomo, R., Luna, P., & Darniadi, S. (2019). *Potensi pangan lokal Indonesia*. Bogor: BB Pascapanen, 1–3.
- Honig, D.H., & Rackis, J.J. (1979). Determination of the total pepsin-pancreatin indigestible content (dietary fiber) of soybean products, wheat bran, and corn bran. *Journal of Agricultural and Food Chemistry*, 27(6), 1262–1266.
- Hung, P.V., & Morita, N. (2005). Physicochemical properties and enzymatic digestibility of starch from edible canna (*Canna edulis*) grown in Vietnam. *Carbohydrate Polymers*, 61, 314–321.
- Ifandari, I., Widyarini, S., Nugroho, L.H., & Pratiwi, R. (2020). Phytochemical analysis and cytotoxic activities of two distinct cultivars of *Ganyong* rhizomes (*Canna indica*) against the WiDr colon cancer cell line. *Biodiversitas*, 21(4), 1660–1669.
- Juan, G., Luis, A., & David, B. (2006). Isolation and molecular characterization of Makal (*Xanthosoma yucatanensis*) starch. *Starch*, 58, 300–307.
- Klostermann, C.E., Buwalda, P.L., Leemhuis, H., de Vos, P., Schols, H.A., & Bitter, J.H. (2021). Digestibility of resistant starch type 3 is affected by crystal type, molecular weight and molecular weight distribution. *Carbohydrate Polymers*, 265, 1–10.
- Kusnandar, F. (2011). Kimia pangan komponen makro. Jakarta: PT. Dian Rakyat.

- Kusnandar, F., Hastuti, H.P., & Syamsir, E. (2015). Pati Resisten Sagu Hasil Proses Hidrolisis Asam dan Autoclaving-Cooling. *Jurnal Teknologi dan Industri Pangan*, 26(1), 52–62.
- Kusumastuty, I., Harti, L.B., & Misrina, S.A. (2016). PERBEDAAN KANDUNGAN SERAT PANGAN PADA MAKANAN SIAP SAJI KHAS INDONESIA YANG DIANALISIS DENGAN MENGGUNAKAN NUTRISURVEY DAN ENZIMATIK GRAVIMETRI. *Majalah Kesehatan FKUB*, 3(4), 196–203.
- Latifah, E., & Prahardini, P.E.R. (2020). Identifikasi dan Deskripsi Tanaman Umbi-Umbian Pengganti Karbohidrat di Kabupaten Trenggalek. *Agrosains: Jurnal Penelitian Agronomi*, 22(2), 94–104.
- Lehmann, U., Jacobasch, G., & Schmiedl, D. (2002). Characterization of Resistant Starch Type III from Banana (*Musa acuminata*). *Journal of Agricultural and Food Chemistry*, 50, 5236–5240.
- Lombu, W.K., Wisaniyasa, N.W., & Wiadnyani, A.A.I.S. (2018). PERBEDAAN KARAKTERISTIK KIMIA DAN DAYA CERNA PATI TEPUNG JAGUNG DAN TEPUNG KECAMBAH JAGUNG (*Zea mays* L.). *Jurnal ITEPA*, 7(1), 43–51.
- Martens, B. M. J., Gerrits, W. J. J., Bruininx, E. M. A. M., & Schols, H. A. (2018). Amylopectin structure and crystallinity explains variation in digestion kinetics of starches across botanic sources in an *in vitro* pig model. *Journal of Animal Science and Biotechnology*, 9(1), 91.
- McCleary, B.V. (2007). An integrated procedure for the measurement of total dietary fibre (including resistant starch), non-digestible oligosaccharides and available carbohydrates. *Anal Bioanal Chem*, 389, 291–308.
- Miao, H., Sun, P., Liu, Q., Liu, J., Jia, C., & Xu, B. (2020). Molecular identification of the key starch branching enzyme-encoding gene SBE2.3 and its interacting transcription factors in banana fruits. *Horticulture Research*, 7(101), 1–15.
- Mohana, K., Asna, U., & Prasad, N.N. (2007). Effect of storage on resistant starch and amylose content of cereal-pulse based ready-to-eat commercial products. *Food Chemistry*, 102, 1425–1430.
- Muchtadi, D., Palupi, N.S., & Astawan, M. (1992). *Metode Kimia, Biokimia, dan Biologi dalam Evaluasi Nilai Gizi*. Pusat Antar Universitas Pangan dan Gizi IPB, Bogor.
- Munir, H., Alam, H., Nadeem, M.T., Almalki, R.S., Arshad, M.S., & Suleria, H. A.R. (2024). Green banana resistant starch: A promising potential as functional ingredient against certain maladies. *Food Science & Nutrition*, 12, 3787–3805.
- Mutamimah, D., Arista, Y.L.V., Untari, D., & Liasari, A. (2024). NUTRITIONAL ENRICHMENT FROM BALI SARDINELLA (*Sardinella lemuru*) HEAD MEAL IN FISH CRACKERS AS EMERGENCY FOOD, *JPHPI*, 27(2), 1146–1155.
- Noda, T., Takigawa, S., Matsuura-Endo, C., Suzuki, T., Hashimoto, N., Kottarachchi, N.S., Yamauchi, H., & Zaidul, I.S.M. (2008). Factors affecting the digestibility of raw and gelatinized potato starches. *Food Chemistry*, 110(2), 465–470.

- Pangastuti, H.A., & Permana, L. (2021) PENGUKURAN PATI RESISTEN TIPE 5 SECARA IN VITRO PADA NASI UDUK. *Jurnal Pengolahan Pangan*, 6(2), 42–48.
- Patel, S. (2015). Cereal bran fortified-functional foods for obesity and diabetes management: Triumphs, hurdles and possibilities. *Journal of functional foods*, 14, 255–269.
- Prameswari, A.D.W., & Sofyan, A. (2024). Pengaruh substitusi pati pisang kepok (*Musa acuminata*) modifikasi terhadap tekstur dan warna brownies kukus. *Journal of Food and Agricultural Product*, 4(2), 54–64.
- Pratama, B.C., Bagis, F., Wibowo, H., Innayah, M.N., & Darmawan, A. (2020). STRATEGI PENGUATAN PEREKONOMIAN MASYARAKAT MELALUI PELATIHAN PEMBUATAN TEPUNG GANYONG MERAH (TEGAME) BERBASIS KEARIFAN LOKAL. *Jurnal Budimas*, 2(1), 19–25.
- Qiao, J., Jia, M., Niu, J., Zhang, Z., Xing, B., Liang, Y., Li, H., Zhang, Y., Ren, G., & Qin, P. (2024). Amylopectin chain length distributions and amylose content are determinants of viscoelasticity and digestibility differences in mung bean starch and proso millet starch. *International Journal of Biological Macromolecules*, 267, 131488.
- Rahma, A.D., Rezal, F., & Rasma. (2017). PERILAKU KONSUMSI SERAT PADA MAHASISWA ANGKATAN 2013 FAKULTAS KESEHATAN MASYARAKAT UNIVERSITAS HALU OLEO TAHUN 2017. *JIMKESMAS*, 2(6), 1–10.
- Ranhotra, G.S., Gelroth, J.A., Astroth, K.A., & Eisenbraunn, G.J. (1991). Effect of resistant starch on intestinal response in rats. *Cereal Chemistry*, 68, 130 – 132.
- Rautiainen, S., Manson, J.E., Lichtenstein, A.H., & Sesso, H.D. (2016). Dietary supplements and disease prevention: a global overview. *Nat Rev endocrinol*, 12(7), 407–420.
- Robyt, J. F. (2008). Starch: Structure, properties, chemistry, and enzymology. In B. O. Fraser-Reid, K. Tatsuta, & J. Thiem (Eds.), *Glycoscience*. Springer. 1437–1472.
- Sajilata, M.G., Singhal, R.S., & Kulkarni, P.R. (2006). Resistant Starch—A Review. *Comprehensive Reviews in Food Science and Food Safety*, 5(1), 1–17.
- Seftiono, H., Djiuardi, E., & Pricila, S. (2019). Analisis Proksimat dan Total Serat Pangan pada Crackers Fortifikasi Tepung Tempe dan Koleseom (*Talinum triangulare*). *Agritech*, 39(2), 160–168.
- Shanita, S.N., Hasnah, H., & Khoo, C.W. (2011). Amylose and Amylopectin in Selected Malaysian Foods and its Relationship to Glycemic Index. *Sains Malaysiana*, 40(8), 865–870.
- Soler, A., Velazquez, G., Velazquez-Castillo, R., Morales-Sanchez, E., Osorio-Diaz, P., & Mendez-Montelvo, G. (2020). Retrogradation of autoclaved corn starches: Effect of water content on the resistant starch formation and structure. *Carbohydrate Research*, 497, 108137.
- Steenis, C.G.G.J. van. (2008). *Flora Untuk Sekolah di Indonesia*. Cetakan Kedua Belas. (diterjemahkan oleh Moeso Surjowinoto, dkk.). Pradnya Paramita, Jakarta.

- Suhartini, T., & Hadiatmi. (2010). Keragaman Karakter Morfologi Tanaman Ganyong. *Buletin Plasma Nutfah*, 16(2), 118–125.
- Thitipraphunkul, K., Uttapap, D., Piyachomkwan, K., & Takeda, Y. (2003). Acomparative study of edible canna (*Canna edulis*) starch from different cultivars. Part I. Chemical composition and physicochemical properties. *Carbohydrate Polymers*, 53, 317–324.
- World Health Organization. (2020). *Healthy diet*. [https://www.who.int/news-room/fact-sheets/detail/healthy diet](https://www.who.int/news-room/fact-sheets/detail/healthy-diet) (Accessed May 20, 2025).
- Yandri., Nadila, N., Suhartati, T., Satria, H., & Hadi, S. (2020). PENINGKATAN KESTABILAN ENZIM α -AMILASE DENGAN PENAMBAHAN GLISEROL. *Analit: Analytical and Environmental Chemistry*, 5(2), 143–144.
- Yulianti, R., & Ginting, E. (2012). Perbedaan Karakteristik Fisik *Edible Film* dari Umbi-umbian yang Dibuat dengan Penambahan *Plasticizer*. *PENELITIAN PERTANIAN TANAMAN PANGAN*, 31(2), 131–136.
- Zaragoza, E.F., Riquelme-Navarrete, M.J., Sanchez-Zapata, E., & Perez-Alvarez, J.A. (2010). Resistant starch as functional ingredient: A review. *Food Research International*, 43(4), 931–942.
- Zhang, J., Wang, Z.W., & Mi, Q. (2011). Phenolic compounds from *Canna edulis* Ker residue and their antioxidant activity. *LWT - Food Science and Technology*, 44(10), 2091–2096.
- Zhao, X., Andersson, M., & Andersson, R. (2018). Resistant starch and other dietary fiber components in tubers from a high-amylose potato. *Food Chemistry*, 251, 58–63.