UNIVERSITAS
GADJAH MADA
KEANEKARAGAMAN SPESIES IKTIOFAUNA DI SUNGAI MESANGAT ILIR AREAL PRESERVASI KALIMANTAN TIMUR
Siti Maulizar, Dr. Rury Eprilurahman, S.Si., M.Si
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

DAFTAR PUSTAKA

Asiah, N., Junianto, J., Yustiati, A. & Sukendi, S. 2018. Morfometrik dan Meristik Ikan Kelabau (*Osteochilus melanopleurus*) dari Sungai Kampar, Provinsi Riau. *Jurnal Perikanan dan Kelautan*. (23): 47-56.

Aziz., Ibrahim, J., Iromo, H., Rachmawani, D., Achyani, R. 2022. Identification of Diversity and Potential of Freshwater Fish Species in the Peatlands of Sembakung, North Kalimantan.

Batubara, A. S., Zulfahmi, I., Nur, F. M., Maulizar, S., Maghfiriadi, F., Nafis, B., Wahyudewantoro, G., Muchlisin, Z. A., Prasetya, E. & Mutia, R. 2025. Ichthyofauna in the peat swamp waters of East Kalimantan, Indonesia. *European Zoological Journal*. (92): 507-517. https://10.1080/24750263.2025.2490794.

Biggs, J., Ewald, N., Valentini, A., Gaboriaud, C., Dejean, T., Griffiths, R. A., Foster, J., Wilkinson, J. W., Arnell, A., Brotherton, P., Williams, P. & Dunn, F. 2015. Using *e*DNA to Develop A National Citizen Science-Based Monitoring Programme for The Great Crested Newt (*Triturus cristatus*). *Biological Conservation*. (183): 19-28. https://doi.org/10.1016/j.biocon.2014.11.029.

Bleeker, P. 1854. Nieuwe tientallen diagnostische beschrijvingen van nieuwe of weinig bekende vischsoorten van Sumatra. *Natuurkundig Tijdschrift voor Nederlandsch-Indië*, **5**(3): 495–534. Original description p. 517 as *Barbus schwanenfeldii*.

Bleeker, P. 1853. Diagnostische beschrijvingen van nieuwe of weinig bekende vischsoorten van Sumatra. *Natuurkundig Tijdschrift voor Nederlandsch-Indië*, 4(2): 297.

Bleeker, P. 1853. Description of *Rohita waandersii*. *Natuurkundig Tijdschrift voor Nederlandsch-Indië*, 3(5): 733.

Bleeker, P. 1851. Description of *Systomus bulu*. *Natuurkundig Tijdschrift voor Nederlandsch-Indië*, 2(2): 207.

Bleeker, P. 1849. Description of *Leuciscus argyrotaenia*. *Verhandelingen van het Bataviaasch Genootschap van Kunsten en Wetenschappen*, 23(12): 21.

Bleeker, P. 1851. Description of *Catopra fasciata*. *Natuurkundig Tijdschrift voor Nederlandsch-Indië*, 2(1): 65.

Bloch, M. E. 1792. Description of *Anthias testudineus*. *Naturgeschichte der ausländischen Fische*. Vol. 6, p. 121, pl. 322.

UNIVERSITAS
GADJAH MADA
KEANEKARAGAMAN SPESIES IKTIOFAUNA DI SUNGAI MESANGAT ILIR AREAL PRESERVASI KALIMANTAN TIMUR
Siti Maulizar, Dr. Rury Eprilurahman, S.Si., M.Si
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Bohmann, K., Evans, A., Gilbert, M. T. P., Carvalho, G. R., Creer, S., Knapp, M., Yu, D. W. & De Bruyn, M. 2014. Environmental DNA for Wildlife Biology and Biodiversity Monitoring. *Trends in ecology & evolution*. (29): 358-367.

Boothroyd, M., Mandrak, N. E., Fox, M. & Wilson, C. C. 2016. Environmental DNA (*e*DNA) Detection and Habitat Occupancy of Threatened Spotted gar (*Lepisosteus oculatus*). *Aquatic Conservation: Marine and Freshwater Ecosystems*. (26): 1107-1119. https://doi.org/10.1002/aqc.2617.

Britz, R. & Hui, T. H. 2018. *Rasbora simonbirchi, A New Species of Cyprinid Fish From Central Kalimantan, Borneo*. Verlag Dr. Friedrich Pfeil.

Burhanuddin, A. I. 2015. *Ikhtiologi, Ikan dan Segala Aspek Kehidupannya*. Deepublish.

Calderón-Sanou, I., Münkemüller, T., Boyer, F., Zinger, L. & Thuiller, W. 2020. From Environmental DNA Sequences to Ecological Conclusions: How Strong is The Influence of Methodological choices? *Journal of Biogeography*. (47): 193-206.

Çevik, T. & Çevik, N. 2025. Environmental DNA (eDNA): A review of ecosystem biodiversity detection and applications. *Biodiversity and conservation*. (34): 2999-3035. https://doi.org/10.1007/s10531-025-03112-y.

Chalar, G. 2009. The Use of Phytoplankton Patterns of Diversity for Algae Bloom Management. *Limnologica*. (39): 200-208.

Chovanec, A., Hofer, R. & Schiemer, F. 2003. *Fish as Bioindicators*. Trace metals and other contaminants in the environment. Elsevier. 639-676.

Cristescu, M. E. & Hebert, P. D. 2018. Uses and Misuses of Environmental DNA in Biodiversity Science and Conservation. *Annual Review of Ecology, Evolution, and Systematics*. (49): 209-230.

Cuvier, G., & Valenciennes, A. 1842. *Histoire naturelle des poissons*. Tome 16. Paris: Pitois-Levrault. Original description as *Barbus apogon.*

Cuvier, G., & Valenciennes, A. 1842. *Histoire naturelle des poissons*. Tome 16. Paris: Pitois-Levrault. p. 192. Original description as *Barbus laevis.*

Cuvier, G. 1829. Description of *Helostoma temminkii* (later corrected to *temminckii*). *Le Règne Animal* (2nd edition), **2**: 228.

Cuvier, G. 1831. Description of *Osphromenus vittatus*. In Cuvier, G., & Valenciennes, A. *Histoire naturelle des poissons*. Vol. 7, p. 387.

Dali, M. Z. M., Nasir, M. S. A. M., Khaleel, A. G., Chun, L. M., Gan, H. M., Wan, N. A. F. N., Umar, R. & Kamarudin, A. S. 2023. Predicting *Cherax quadricarinatus* Habitat Distribution Patterns Through the Usage of GIS

UNIVERSITAS
GADJAH MADA
KEANEKARAGAMAN SPESIES IKTIOFAUNA DI SUNGAI MESANGAT ILIR AREAL PRESERVASI KALIMANTAN TIMUR
Siti Maulizar, Dr. Rury Eprilurahman, S.Si., M.Si
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

and eDNA Analysis in Terengganu, Malaysia. *Sains Malaysiana*. (52): 343-354. https://doi.org/10.17576/jsm-2023-5202-03.

Darwall, W. & Vié, J. C. 2005. Identifying important sites for conservation of freshwater biodiversity: extending the species-based approach. *Fisheries Management and Ecology*. (12): 287-293.

Day, K., Campbell, H., Fisher, A., Gibb, K., Hill, B., Rose, A. & Jarman, S. N. 2019. Development and validation of an environmental DNA test for the endangered Gouldian finch. *Endangered Species Research*. 0987 (40): https://doi.org/10.3354/ESR00987.

Deagle, B. E., Thomas, A. C., McInnes, J. C., Clarke, L. J., Vesterinen, E. J., Clare, E. L., Kartzinel, T. R. & Eveson, J. P. 2019. Counting with DNA in metabarcoding studies: How should we convert sequence reads to dietary data? *Molecular ecology*. (28): 391-406.

Deng, J., Zhang, X., Yao, X., Rao, J., Dai, F., Wang, H., Wang, Y. & Jiang, W. 2024. eDNA metabarcoding reveals differences in fish diversity and community structure in Danjiang River. *Scientific Reports*. (14): 29460. https://doi.org/10.1002/ece3.10275.

Divya, P. R., Jose, D. M., Christo, M., Ravi, C. & Sarkar, U. K. 2024. Novel Efficient Genome-Wide STR Panels for the Conservation of the Endemic Catfishes of Western Ghats: Critically Endangered Hemibagrus punctatus Jerdon (1849) and Vulnerable Horabagrus brachysoma (Günther, 1864). *Biochemical Genetics*. https://10.1007/s10528-024-10982-4.

Dwivedi, A. K. 2021. Morphometric Assessment of Golden Mahseer Populations in the Ganga River Basin, India. *Fisheries*. (46): 188-200. https://doi.org/10.1002/fsh.10560.

Dwivedi, A. K., Verma, H., Dewan, S. & Verma, S. 2020. Trends in morphological relationships among Gangetic Cyprinids. *Zoologischer Anzeiger*. (289): 123-132. https://doi.org/10.1016/j.jcz.2020.10.003.

Fueyo, Á., Sánchez, O., Coya, R., Carleos, C., Escudero, A., Cordón, J., Fernández, S., Granero-Castro, J. & Borrell, Y. J. 2024. The influence of databases enrichment using local macroinvertebrate genetic references for metabarcoding based biodiversity studies in river monitoring. *Ecological Indicators*. (158): 111454. https://doi.org/10.1016/j.ecolind.2023.111454.

Gharacheh, M. 2018. Effects of electrofishing on stress response of wild carp (Cyprinus carpio, L.). *Comparative Clinical Pathology*. (27): 817-820. https://doi.org/10.1007/s00580-018-2687-4.

Gold, Z., Curd, E. E., Goodwin, K. D., Choi, E. S., Frable, B. W., Thompson, A. R., Walker Jr, H. J., Burton, R. S., Kacev, D. & Martz, L. D. 2021.

UNIVERSITAS
GADJAH MADA
KEANEKARAGAMAN SPESIES IKTIOFAUNA DI SUNGAI MESANGAT ILIR AREAL PRESERVASI KALIMANTAN TIMUR
Siti Maulizar, Dr. Rury Eprilurahman, S.Si., M.Si
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Improving metabarcoding taxonomic assignment: A case study of fishes in a large marine ecosystem. *Molecular Ecology Resources*. (21): 2546-2564.

Goldberg, C. S., Pilliod, D. S., Arkle, R. S. & Waits, L. P. 2011. Molecular detection of vertebrates in stream water: A demonstration using rocky mountain tailed frogs and Idaho giant Salamanders. *PLoS One*. e22746 (6): https://doi.org/10.1371/journal.pone.0022746.

Hadiaty, R. K. 2001. Fauna Ikan di Cagar Alam Muara Kendawangan, Kalimantan Barat [Iktiofauna In Muara Kendawangan Reserve Nature, West Kalimantan]. *Jurnal Iktiologi Indonesia*. (1): 1-9.

Harefa, T., Haryono, H., Gustiano, R., Sukmono, T. & Wahyudewantoro, G. 2025. Desmopuntius mahakamensis, a new cyprinid species (Teleostei, Cyprinidae) from East Kalimantan, Indonesia. *ZooKeys*. (1256): 371.

Haryono, H. 2006. Ichthyofauna of Semayang-Melintang Lakes Central Mahakam Area, East Kalimantan. *Jurnal Iktiologi Indonesia*. (6): 75-78.

Haryono, H. 2012. Iktiofauna Perairan Lahan Gambut pada Musim Penghujan di Kalimantan Tengah [Fish fauna of Central Kalimantan Peatland Waters in Rainy Season]. *Jurnal Iktiologi Indonesia*. (12): 83-91.

Haryono. 2020. Fish Community Structure and Distribution at Lake Siawan, West Kalimantan, Indonesia.

Heckel, J. J. 1843. Ichthyologie [von Syrien]. In J. Russegger, *Reisen in Europa, Asien und Afrika*, 1(2): 1025 [p. 35].

Hidayat, M., Maulizar, S., Batubara, A., Kautsari, N., Latuconsina, H., Nur, F. & Zulfahmi, I. 2023. Ichthyofauna of Merbau River, Leuser Ecosystem Area, Indonesia: species composition, diversity, biometric condition, potency, and conservation status. *The European Zoological Journal*. (90): 747-761. https://doi.org/10.1080/24750263.2023.2272634.

Hui, T. H. & Kottelat, M. 2020. *Rasbora marinae*, A New Species of Cyprinid Fish from Northwestern Borneo (Teleostei: Danionidae). *Raffles Bull. Zool*. (68): 750-758.

Inger, R. F. & Chin, P. K. 1962. *The fresh-water fishes of North Borneo*.

Iyiola, A. O., Kolawole, A. S., Setufe, S. B., Bilikoni, J., Ofori, E. & Ogwu, M. C. 2024. *Fish as a Sustainable Biomonitoring Tool in Aquatic Environments*. Biomonitoring of Pollutants in the Global South. 421-450.

Jackson, M. C., Weyl, O. L., Altermatt, F., Durance, I., Friberg, N., Dumbrell, A. J., Piggott, J. J., Tiegs, S. D., Tockner, K. & Krug, C. B. 2016. *Recommendations for the next generation of global freshwater biological monitoring tools*. Advances in ecological research. Elsevier. 615-636.

UNIVERSITAS
GADJAH MADA
KEANEKARAGAMAN SPESIES IKTIOFAUNA DI SUNGAI MESANGAT ILIR AREAL PRESERVASI KALIMANTAN TIMUR
Siti Maulizar, Dr. Rury Eprilurahman, S.Si., M.Si
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Jo, T. S. & Sasaki, Y. 2024. Evaluating the quantitative performance of environmental DNA metabarcoding for freshwater zooplankton community: a case study in Lake Biwa, Japan. *Environmental Science and Pollution Research*. (31): 58069-58082.

Kasumyan, A. 2011. Tactile reception and behavior of fish. *Journal of Ichthyology*. (51): 10.1134/S003294521111004X.

Khayra, A., Muchlisin, Z. A. & Sarong, M. A. 2016. Morfometrik Lima Species Ikan yang Dominan Tertangkap di Danau Aneuk Laot, Kota Sabang. *Depik*. (5):

Kirtane, A. A., Wilder, M. L. & Green, H. C. 2019. Development and validation of rapid environmental DNA (eDNA) detection methods for bog turtle (Glyptemys muhlenbergii). *PLoS One*. (14): e0222883. https://doi.org/10.1371/journal.pone.0222883.

Kottelat, M. & Whitten, A. 2009. The fishes of Batanghari drainage, Sumatra with description of six new species. *Field Orientated Ichtyology*. (20): 1-96.

Kottelat, M., Hui, T. H. & Hasan, V. 2024. Kapuasia falaris, a new species of nemacheilid loach from Borneo (Teleostei: Nemacheilidae). *Raffles Bulletin of Zoology*. (72):

Kottelat, M., Whitten, A., Kartikasari, S. & Wirjoatmodjo, S. 1993. Fishes of Western Indonesia and Sulawesi. *Periplus Editions Limited. Jakarta*. (175):

Kottelat, M., Whitten, J Anthony, Kartikasari, S N and Wirjoadmodjo, S. 1993. *Freshwater Fishes of Western Indonesia and Sulawesi*. Periplus Editions.

Kottelat, M., & Lim, K. K. P. 1993. Description of *Pangio alternans*. *Raffles Bulletin of Zoology*, 41(2): 210.

Kurniawan, K., Wibowo, A., Prakoso, V. A., Chadijah, A., Astuti, S. S., Pratama, B. B., Nafiqoh, N., Haryono, H., Dahruddin, H., Surbani, I. L., Jaya, Y. Y. P., Sudarsono, S., Rourke, M., Baumgartner, L. J. & Stuart, I. G. 2025. Utilizing environmental DNA metabarcoding and local ecological knowledge for fish biodiversity assessment in Rivers of Java, Indonesia. *Knowledge and Management of Aquatic Ecosystems*. 17 10.1051/kmae/2025009.

Laffaille, P., Acou, A., Guillouët, J. & Legault, A. 2005. Temporal Changes in European eel, *Anguilla anguilla*, Stocks in A Small Catchment After Installation of Fish Passes. *Fisheries Management and Ecology*. (12): 123-129.

Layhee, M. J., Sepulveda, A. J., Shaw, A., Smuckall, M., Kapperman, K. & Reyes, A. 2016. Effects of electric barrier on passage and physical condition of

UNIVERSITAS
GADJAH MADA
KEANEKARAGAMAN SPESIES IKTIOFAUNA DI SUNGAI MESANGAT ILIR AREAL PRESERVASI KALIMANTAN TIMUR
Siti Maulizar, Dr. Rury Eprilurahman, S.Si., M.Si
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

juvenile and adult rainbow trout. *Journal of Fish and Wildlife Management*. e1944-687X (7): 28-35. 10.3996/042015-JFWM-039.

Lecaudey, L. A., Schletterer, M., Kuzovlev, V. V., Hahn, C. & Weiss, S. J. 2019. Fish diversity assessment in the headwaters of the Volga River using environmental DNA metabarcoding. *Aquatic Conservation: Marine and Freshwater Ecosystems*. (29): 1785-1800. https://doi.org/10.1002/aqc.3163.

Leira, M. & Cantonati, M. 2008. Effects of Water Level Fluctuations on Lakes: an Annotated Bibliography. *Hydrobiologia*. (613): 171-184.

Li, J., Lawson Handley, L. J., Read, D. S. & Hänfling, B. 2018. The effect of filtration method on the efficiency of environmental DNA capture and quantification via metabarcoding. *Molecular Ecology Resources*. (18): 1102-1114. https://doi.org/10.1111/1755-0998.12899.

Mendil, D., Demirci, Z., Tuzen, M. & Soylak, M. 2010. Seasonal Investigation of Trace Element Contents in Commercially Valuable Fish Species from the Black Sea, Turkey. *Food and Chemical Toxicology*. (48): 865-870. https://doi.org/10.1016/j.fct.2009.12.023.

Mihoub, J.-B., Henle, K., Titeux, N., Brotons, L., Brummitt, N. A. & Schmeller, D. S. 2017. Setting Temporal Baselines for Biodiversity: The Limits of Available Monitoring Data for Capturing the Full Impact of Anthropogenic Pressures. *Scientific Reports*. (7): 41591.

Miya, M., Sato, Y., Fukunaga, T., Sado, T., Poulsen, J., Sato, K., Minamoto, T., Yamamoto, S., Yamanaka, H. & Araki, H. 2015. MiFish, a set of universal PCR primers for metabarcoding environmental DNA from fishes: detection of more than 230 subtropical marine species. *Royal Society open science*. (2): 150088. https://doi.org/10.1098/rsos.150088.

Montoya-Ospina, D. C., Orlando López-Delgado, E., Hevia, V. & Villa-Navarro, F. A. 2020. Effects of habitat structural complexity on diversity patterns of neotropical fish assemblages in the Bita River Basin, Colombia. *Limnologica*. 125743 (80): 10.1016/j.limno.2019.125743.

Muchlisin, Z. 2013. Potency of freshwater fishes in Aceh waters as a basis for aquaculture development program [Potensi ikan air tawar di Aceh sebagai dasar untuk pengembangan budi daya]. *Jurnal Iktiologi Indonesia*. (13): 91-96.

Muchlisin, Z., Akyun, Q., Halim, A., Rizka, S., Sugianto, S., Fadli, N. & Siti-Azizah, M. 2015. Ichthyofauna of Tripa peat swamp forest, Aceh province, Indonesia. *Check list*. (11): 1-9. https://10.15560/11.2.1560.

Nelson, J. S., Grande, T. C., & Wilson, M. V. 2016. Fishes of the World. John

UNIVERSITAS
GADJAH MADA
KEANEKARAGAMAN SPESIES IKTIOFAUNA DI SUNGAI MESANGAT ILIR AREAL PRESERVASI KALIMANTAN TIMUR
Siti Maulizar, Dr. Rury Eprilurahman, S.Si., M.Si
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Wiley & Sons.

Nelson, J. S., Grande, T. C., & Wilson, M. V. H. 2006. Fishes of the world John Wiley and Sons. *Inc., Hoboken, New Jersey*.

Nordstrom, B., Mitchell, N., Byrne, M. & Jarman, S. 2022. A Review of Applications of Environmental DNA for Reptile Conservation and Management. *Ecology and Evolution*. e8995 (12): https://doi.org/10.1002/ece3.8995.

Olson, Z. H., Briggler, J. T. & Williams, R. N. 2012. An eDNA Approach to Detect Eastern Hellbenders (*Cryptobranchus a. alleganiensis*) Using Samples of Water. *Wildlife Research*. (39): 629-636. https://doi.org/10.1071/WR12114.

Omar, W. A., Saleh, Y. S. & Marie, M. A. S. 2014. Integrating Multiple Fish Biomarkers and Risk Assessment as Indicators of Metal Pollution Along The Red Sea Coast of Hodeida, Yemen Republic. *Ecotoxicology and Environmental Safety*. (110): 221-231. https://doi.org/10.1016/j.ecoenv.2014.09.004.

Paada, M. Y., Kadarini, T., Ginanjar, R., Johan, O., Zamroni, M., Zuhriyah, S. & Ardi, I. 2022. Keragaman Jenis Ikan Hias dan Kondisi Perairan di Kesatuan Hidrologis Gambut Sungai Mempawah-Sungai Duri, Kalimantan Barat. *Jurnal Riset Akuakultur*. (16): 245-253.

Parenti, L. R. & Lumbantobing, D. N. 2023. Description of A New Species of Phenacostethus (Atheriniformes: Phallostethidae) Endemic to Kalimantan Selatan, Indonesian Borneo, Reveals Deep mtCOI Divergence Among Miniature Species. *Raffles Bulletin of Zoology*.

Peres-Neto, P. R., Jackson, D. A. & Somers, K. M. 2003. Giving meaningful interpretation to ordination axes: assessing loading significance in principal component analysis. *Ecology*. (84): 2347-2363.

Popta, C. M. L. 1904. Description of *Crossochilus oblongus* var. *nigriloba*. *Notes from the Leyden Museum*, 24(4): 200.

Rahardjo, M., Sjafei, D. S., Affandi, R. & Sulistiono, H. J. 2011. Iktiologi. *Lubuk Agung. Bandung*.

Rashid, M., Sagir, M. & Dobriyal, A. K. 2019. Analysis and Interdependence of Morphometric Characters in The Hill Stream Fish *Mastacembelus armatus* (Lacepede) from Garhwal Himalaya. *Journal of Applied and Natural Science*. (11): 107-115. https://doi.org/10.31018/jans.v11i1.1981.

Robert, M., Mercade, M., Bosch, M., Parra, J., Espuny, M., Manresa, M. & Guinea, J. 1989. Effect of The Carbon Source on Biosurfactant Production by *Pseudomonas aeruginosa* 44T1. *Biotechnology letters*. (11): 871-874.

UNIVERSITAS
GADJAH MADA
KEANEKARAGAMAN SPESIES IKTIOFAUNA DI SUNGAI MESANGAT ILIR AREAL PRESERVASI KALIMANTAN TIMUR
Siti Maulizar, Dr. Rury Eprilurahman, S.Si., M.Si
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Roesma, D. I., Tjong, D. H., Janra, M. N., Prawira, F. D. L., Salis, V. M. & Aidil, D. R. 2023. The importance of DNA barcode reference libraries and selection primer pair in monitoring fish diversity using environmental DNA metabarcoding. *Biodiversitas*. (24): 2251-2260. https://10.13057/biodiv/d240438.

Samitra, D. & Rozi, Z. 2018. Fish diversity in the Kelingi river, Lubuklinggau city. *J Biota*. (4): 1370.

Santhosh, K., Kamala, K., Ramasamy, P., Musthafa, M. S., Almujri, S. S., Asdaq, S. M. B. & Sivaperumal, P. 2024. Unveiling the silent threat: Heavy metal toxicity devastating impact on aquatic organisms and DNA damage. *Marine Pollution Bulletin*. 116139 (200): https://doi.org/10.1016/j.marpolbul.2024.116139.

Santoso, E. & Wahyudewantoro, G. 2019. Biodiversity of fish species of Arut-Kumai Peat Waters, West Kotawaringin District, Central Kalimantan. *Jurnal Iktiologi Indonesia*. (19): 315-335. https://10.32491/jii.v19i3.429.

Sarkar, U., Pathak, A. & Lakra, W. 2008. Conservation of Freshwater Fish Resources of India: New Approaches, Assessment and Challenges. *Biodiversity and conservation*. (17): 2495-2511.

Schenekar, T., Schletterer, M., Lecaudey, L. A. & Weiss, S. J. 2020. Reference databases, primer choice, and assay sensitivity for environmental metabarcoding: Lessons learnt from a re-evaluation of an eDNA fish assessment in the Volga headwaters. *River Research and Applications*. (36): 1004-1013. https://doi.org/10.1002/rra.3610.

Schütz, R., Tollrian, R. & Schweinsberg, M. 2020. A Novel Environmental DNA Detection Approach for The Wading Birds *Platalea Leucorodia, Recurvirostra avosetta* and *Tringa totanus*. *Conservation Genetics Resources*. (12): 529-531. https://doi.org/10.1007/s12686-020-01143-x.

Shu, L., Ludwig, A. & Peng, Z. 2020. Standards for methods utilizing environmental DNA for detection of fish species. *Genes*. (11): 296. https://doi.org/10.3390/genes11030296.

Simanjuntak, C. P., Rahardjo, M. F. & Sukimin, S. 2006. Iktiofauna Rawa Banjiran Sungai Kampar Kiri [Ichthyofauna in Floodplain of Kampar Kiri River]. *Jurnal Iktiologi Indonesia*. (6): 99-109.

Sukmono, T., DD Solihin, MF Rahardjo, R. Affandi. 2013. Iktiofauna di Perairan Hutan Tropis Dataran Rendah, Hutan Harapan Jambi. Jurnal Iktiologi Indonesia. (2): 161-174.

Sukmono, T., Margaretha, M. 2017. *Ikan Air Tawar di Ekosistem Bukit Tiga Puluh*. Yayasan Konservasi Ekosistem Hutan Sumatera dan Frankfurt Zoological

UNIVERSITAS
GADJAH MADA
KEANEKARAGAMAN SPESIES IKTIOFAUNA DI SUNGAI MESANGAT ILIR AREAL PRESERVASI KALIMANTAN TIMUR
Siti Maulizar, Dr. Rury Eprilurahman, S.Si., M.Si
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Society.

Supardi, A. 2021. *Belida, Ikan Berpunggung Pisau Asli Indonesia*. (https://mongabay.co.id/2021/07/08/belida-ikan-berpunggung-pisau-asli-indonesia/). Diakses 13 Februari 2025.

Suryanto, D. S., Muslim T. 2019. *Rencana Aksi Perlindungan dan Konservasi Kawasan Ekosistem Esensial Lahan Basah Mesangat Suwi 2019 - 2023*. Balai Konservasi Sumber Daya Alam Kalimantan Timur, Direktorat Jenderal Konservasi Sumber Daya Alam dan Ekosistem, Kementerian LHK & Forum Pengelolaan Kawasan Ekosistem Esensial Lahan Basah Mesangat Suwi.

Taki, Y., Ohtsuka, R., Komoda, M., Natori, Y., Utsugi, K., Shibukawa, K., Oizumi, T., Ottomanski, S., Praxaysombath, B. & Phongsa, K. 2021. *Fishes of the Indochinese Mekong*. Nagao Natural Environment Foundation: Tokyo, Japan.

Tashla, T., Žuža, M., Kenjveš, T., Prodanović, R., Soleša, D., Bursić, V., Petrović, A., Pelić, D. L., Bošković, J. & Puvača, N. 2018. Fish as An Important Bio-Indicator of Environmental Pollution with Persistent Organic Pollutants and Heavy Metals. *Journal of Agronomy*. (28): 273-283.

Thomsen, P. F. & Willerslev, E. 2015. Environmental DNA–An emerging tool in Conservation for Monitoring Past and Present Biodiversity. *Biological Conservation*. (183): 4-18. https://doi.org/10.1016/j.biocon.2014.11.019.

Thornton, S., Page, S., Upton, C. & Harrison, M. 2018. Peatland Fish of Sebangau, Borneo: Diversity, Monitoring and Conservation. *Mires and Peat*. (22): 1-25. https://10.19189/MaP.2017.OMB.313.

Troudet, J., Grandcolas, P., Blin, A., Vignes-Lebbe, R. & Legendre, F. 2017. Taxonomic Bias in Biodiversity Data and Societal Preferences. *Scientific Reports*. (7): 9132.

Valenciennes, A. 1842. In Cuvier, G., & Valenciennes, A. *Histoire naturelle des poissons*. Vol. 16, p. 275.

Valenciennes, A. 1842. Description of *Rohita vittata*. In Cuvier, G., & Valenciennes, A. *Histoire naturelle des poissons*. Vol. 16, p. 267.

Valenciennes, A. 1840. Description of *Bagrus nemurus*. In Cuvier, G., & Valenciennes, A. *Histoire naturelle des poissons*. Vol. 14, p. 423.

Valenciennes, A. 1840. Description of *Bagrus nigriceps*. In Cuvier, G., & Valenciennes, A. *Histoire naturelle des poissons*. Vol. 14, p. 412.

Van Hasselt, J. C. 1823. Description of *Oxygaster anomalura*. *Algemeene Konst-en Letter-bode voor het Jaar*, 2(35): 133.

UNIVERSITAS
GADJAH MADA
KEANEKARAGAMAN SPESIES IKTIOFAUNA DI SUNGAI MESANGAT ILIR AREAL PRESERVASI KALIMANTAN TIMUR
Siti Maulizar, Dr. Rury Eprilurahman, S.Si., M.Si
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Wahyudewantoro, G. 2010. Kajian Potensi Ikan di Lahan Gambut Tasik Betung, Riau. *Bionatura*. (12): 218473.

West, K. M., Heydenrych, M., Lines, R., Tucker, T., Fossette, S., Whiting, S. & Bunce, M. 2021. Development of A 16S Metabarcoding Assay for The Environmental DNA (eDNA) Detection of Aquatic Reptiles Across Northern Australia. *Marine and Freshwater Research*. https://doi.org/10.1071/MF20288.

Wibowo, A., Kurniawan, K., Atminarso, D., Prihadi, T. H., Baumgartner, L. J., Rourke, M. L., Nagai, S., Hubert, N. & Vasemagi, A. 2022. Assessing freshwater fish biodiversity of Kumbe River, Papua (Indonesia) through environmental DNA metabarcoding. *Pacific Conservation Biology*. (29): 340-350. https://10.1071/PC21078.

Xu, C., Cai, J., Zhuang, Z., Ma, C., Liu, Y., Xie, S. & Shen, C. 2024. Investigation of Fish Diversity in The Xiamen Sea in Spring Using Environmental DNA Technology. *Marine Biodiversity*. 54 (54): https://doi.org/10.1007/s12526-024-01447-3.

Yovanda. 2022. *Lahan Basah Mesangat Suwi, Ekosistem Penting Bagi Kehidupan Manusia dan Satwa Liar*. (https://mongabay.co.id/2022/12/07/lahan-basah-mesangat-suwi-ekosistem-penting-bagi-kehidupan-manusia-dan-satwa-liar/). Diakses 23 Februari 2026.

Zhang, S., Zhao, J. & Yao, M. 2020. A comprehensive and comparative evaluation of primers for metabarcoding eDNA from fish. *Methods in Ecology and Evolution*. (11): 1609-1625. https://doi.org/10.1111/2041-210X.13485.