KENDALI SISTEM PENGEREMAN OTOMATIS PADA PROTOTIPE MOBIL BERDASAR SITUASI DEPAN DAN BELAKANG
MENGGUNAKAN METODE FUZZY LOGIC TYPE-2
Regita Fortuna Sinulingga, Prof. Ir. Oyas Wahyunggoro, M.T., Ph.D. ; Dzuhri Radityo Utomo, S.T, M.E., Ph.D
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

DAFTAR PUSTAKA

[1] Y. Chen, C. Hu, and J. Wang, "Human-Centered Trajectory Tracking Control for Autonomous Vehicles with Driver Cut-In Behavior Prediction," *IEEE Trans*. Veh. Technol., vol. 68, no. 9, pp. 8461–8471, 2019, doi: 10.1109/TVT.2019.2927242.

[2] R. Langari, "Autonomous vehicles: A tutorial on research and development issues," in Proc. Am. Control Conf., 2017, pp. 4018–4022, doi: 10.23919/ACC.2017.7963571.

[3] R. N. Ardi, "Kendaraan Di Indonesia Dengan Jerman Dan Korea Selatan," J. Hukum, pp. 1–13, 2022.

[4] S. H. Lee and C. C. Chung, "Autonomous-Driving Vehicle Control with Composite Velocity Profile Planning," *IEEE Trans*. Control Syst. Technol., vol. 29, no. 5, pp. 2079–2091, 2021, doi: 10.1109/TCST.2020.3029713.

[5] S. Cheng, L. Li, X. Chen, J. Wu, and H. Da Wang, "Model-Predictive-Control-Based Path Tracking Controller of Autonomous Vehicle Considering Parametric Uncertainties and Velocity-Varying," *IEEE Trans*. Ind. Electron., vol. 68, no. 9, pp. 8698–8707, 2021, doi: 10.1109/TIE.2020.3009585.

[6] L. Nie, J. Guan, C. Lu, H. Zheng, and Z. Yin, "Longitudinal speed control of autonomous vehicle based on a self-adaptive PID of radial basis function neural network," *IET Intell*. Transp. Syst., vol. 12, no. 6, pp. 485–494, 2018, doi: 10.1049/iet-its.2016.0293.

[7] A. S. Sumantri, "Studi Ketrampilan Berkendara Terhadap Perilaku Aman Berkendara Pada Taruna Stimart 'Amni' Semarang," J. Sains Dan Teknol. Marit., vol. 17, no. 2, pp. 100–109, 2018, doi: 10.33556/jstm.v0i2.180.

[8] M. Zhu, Y. Wang, Z. Pu, J. Hu, X. Wang, and R. Ke, "Safe, efficient, and comfortable velocity control based on reinforcement learning for autonomous driving," Transp. Res. Part C: Emerg. Technol., vol. 117, p. 102662, 2020, doi: 10.1016/j.trc.2020.102662.

[9] Z. H. Caroline et al., "Sistem Kendali Kecepatan Pada Autonomous Electric Vehicle Dengan Menggunakan Pengendali Pid," Eng., pp. 27–28, 2020. [Online]. Available: https://repository.unsri.ac.id/58760/

[10] Z. Wang, H. Huang, J. Tang, X. Meng, and L. Hu, "Velocity control in car-following behavior with autonomous vehicles using reinforcement learning," Accid. Anal. Prev., vol. 174, p. 106729, 2022, doi: 10.1016/j.aap.2022.106729.

[11] J. F. Wang and H. Zhao, "Speed control of tracked vehicle autonomous driving system using fuzzy self-tuning PID," in Proc. 4th Int. Conf. Mech. Control Comput. Eng. (ICMCCE), 2019, pp. 305–308, doi: 10.1109/ICMCCE48743.2019.00075.

[12] B. P. Amiruddin, R. E. Abdul Kadir, and A. Santoso, "Pengaturan Kemudi Kendaraan Otonom Four Wheel Steer dan Four Wheel Drive (4WS4WD) Menggunakan Model Predictive Control," J. Tek. ITS, vol. 10, no. 1, 2021, doi: 10.12962/j23373539.v10i1.59574.

[13] M. E. Abed, M. Aly, H. H. Ammar, and R. Shalaby, "Steering Control for Autonomous Vehicles Using PID Control with Gradient Descent Tuning and Behavioral

UNIVERSITAS GADJAH MADA
KENDALI SISTEM PENGEREMAN OTOMATIS PADA PROTOTIPE MOBIL BERDASAR SITUASI DEPAN DAN BELAKANG
MENGGUNAKAN METODE FUZZY LOGIC TYPE-2
Regita Fortuna Sinulingga, Prof. Ir. Oyas Wahyunggoro, M.T., Ph.D. ; Dzuhri Radityo Utomo, S.T, M.E., Ph.D
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Cloning," in Proc. 2nd Nov. Intell. Lead. Emerg. Sci. Conf. (NILES), 2020, pp. 583–587, doi: 10.1109/NILES50944.2020.9257946.

[14] K. Du Nguyen Tu, H. Dung Nguyen, and T. H. Tran, "Vision based steering angle estimation for autonomous vehicles," in Proc. Int. Conf. Adv. Technol. Commun. (ATC), 2020, pp. 187–192, doi: 10.1109/ATC50776.2020.9255456.

[15] H. Halin et al., "Design Simulation of a Fuzzy Steering Wheel Controller for a buggy car," in Proc. Int. Conf. Intell. Informatics Biomed. Sci. (ICIIBMS), 2018, vol. 3, pp. 85–89, doi: 10.1109/ICIIBMS.2018.8550008.

[16] Bappeda DIY, "List Data Dasar: Aplikasi Dataku," Aplikasi Dataku. [Online]. Available: http://bappeda.jogjaprov.go.id/dataku/data_dasar/index/548-data-kecelakaan-dan-pelanggaran-lalu-lintas

[17] A. T. Nguyen, S. W. Ryu, A. U. Rehman, H. H. Choi, and J. W. Jung, "Improved Continuous Control Set Model Predictive Control for ThreePhase CVCF Inverters: Fuzzy Logic Approach," IEEE Access, vol. 9, pp. 75158–75168, 2021, doi: 10.1109/ACCESS.2021.3081718.

[18] I. Hussain, S. A. Murtza, M. Y. Qadri, M. Fleury, and N. N. Qadri, "Scalable, energy-aware system modeling and application-specific reconfiguration of MPSocs with a type-2 fuzzy logic system," Comput. Electr. Eng., vol. 74, pp. 292–304, 2019, doi: 10.1016/j.compeleceng.2019.01.015.

[19] D. A. Dzulfikar and K. Wijayanto, "Perancangan Kendali Fuzzy Tipe 2 pada Model Robot Line Follower," Semnastera, pp. 92–96, 2021. [Online]. Available: https://semnastera.polteksmi.ac.id/index.php/semnastera/article/view/234

[20] L. Cherroun, M. Nadour, and A. Kouzou, "Type-1 and Type-2 Fuzzy Logic Controllers for Autonomous Robotic Motion," in Proc. 3rd Int. Conf. Appl. Autom. Ind. Diagnostics (ICAAID), 2019, vol. 1, pp. 1–5, doi: 10.1109/ICAAID.2019.8934997.

[21] H. Suprapto and P. Y. Mali, "10 Penyebab Kecelakaan Lalu Lintas, Anda Wajib Tahu," VIVA, Oct. 09, 2017. [Online]. Available: https://www.viva.co.id/otomotif/tips/964758-10-penyebab-kecelakaan-lalu-lintas-anda-wajib-tahu

[22] I. Rizianiza and A. Djafar, "Design car braking system using Mamdani Fuzzy Logic Control," in Proc. 4th Int. Conf. Electr. Veh. Technol. (ICEVT), 2018, pp. 129–133.

[23] K. A. Naik and C. P. Gupta, "Performance comparison of Type-1 and Type-2 fuzzy logic systems," in Proc. 4th Int. Conf. Signal Process. Comput. Control (ISPCC), 2017.

[24] Z. Yan, H. Peng, X. Chen, and M. Yan, "Design, modeling, and control of electronic mechanical brake system: A review," SAE Int. J. Veh. Dyn., Stab., NVH, vol. 8, no. 4, pp. 467–489, 2024.

[25] A. B. Elfajar, B. D. Setiawan, and C. Dewi, "Peramalan Jumlah Kunjungan Wisatawan Kota Batu Menggunakan Metode Time Invariant Fuzzy Time Series," J. Pengemb. Teknol. Inf. dan Ilmu Komput., vol. 1, no. 2, pp. 85–94, 2017.

[26] B. Arifin, B. Y. Suprapto, S. A. D. Prasetyowati, and Z. Nawawi, "Steering Control in Electric Power Steering Autonomous Vehicle Using Type-2 Fuzzy Logic Control and

UNIVERSITAS GADJAH MADA
KENDALI SISTEM PENGEREMAN OTOMATIS PADA PROTOTIPE MOBIL BERDASAR SITUASI DEPAN DAN BELAKANG
MENGGUNAKAN METODE FUZZY LOGIC TYPE-2
Regita Fortuna Sinulingga, Prof. Ir. Oyas Wahyunggoro, M.T., Ph.D. ; Dzuhri Radityo Utomo, S.T, M.E., Ph.D
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

PI Control," World Electr. Veh. J., vol. 13, no. 3, 2022, doi: 10.3390/wevj13030053.

[27] A. Hidayanto and H. Winarno, "Prototipe Sistem Autobrake Pada Mobil Menggunakan Sensor Jarak Ultrasonik Hc-Sr04 Berbasis Arduino Mega 2560," Gema Teknol., vol. 18, no. 4, p. 29, 2016.

[28] J. Lee and S. B. Choi, "Integrated control of steering and braking for path tracking using multi-point linearized MPC," IEEE Trans. Intell. Veh., vol. 8, no. 5, pp. 3324–3335, 2023.

[29] G. Sidorenko, J. Thunberg, K. Sjoberg, A. Fedorov, and A. Vinci, "Safety of automatic emergency braking in platooning," IEEE Trans. Veh. Technol., vol. 71, no. 3, pp. 2319–2332, 2022.

[30] Y. Liu, B. Xu, and Y. Ding, "Convergence analysis of cooperative braking control for interconnected vehicle systems," IEEE Trans. Intell. Transp. Syst., vol. 18, no. 7, pp. 1894–1906, 2017.

[31] Y. Li, C. Tang, S. Peeta, and Y. Wang, "Integral-sliding-mode braking control for a connected vehicle platoon: Theory and application," IEEE Trans. Ind. Electron., vol. 66, no. 6, pp. 4618–4628, 2019.

[32] J. Keaten, "40 countries agree cars must have automatic braking," AP NEWS, Feb. 13, 2019. [Online]. Available: https://www.apnews.com/a0989b2b0fed4a3eba4d461426492de4

[33] H. Santoso, "Cara Kerja Sensor Ultrasonik, Rangkaian, & Aplikasinya," Elang Sakti. [Online]. Available: https://www.elangsakti.com/2015/05/sensor-ultrasonik.html

[34] A. Biswas, S. A. Sabrina, and M. A. Kabir, "Moving Object Detection Using Ultrasonic Radar with Proper Distance, Direction, and Object Shape Analysis," J. Inf. Syst. Eng. Bus. Intell., vol. 6, no. 2, 2020.

[35] L. Renaldi, H. Sugondo, and D. N. Ramadan, "Prototipe Radar sebagai Pendeteksi Benda Diam menggunakan Ultrasonik," ELKOMIKA, vol. 6, no. 3, pp. 317–327, 2018.

[36] K. D. Willem, "Analisis Sensor Ultrasonik pada Benda Padat dan Cair," Universitas Dinamika, 2022.

[37] V. Agarwal et al., "Optocoupling in CMOS," in Proc. IEEE Int. Electron Devices Meet., 2018, pp. 32.1.1–32.1.4.

[38] X. Gao et al., "Monolithic III-nitride photonic integration toward multifunctional devices," Opt. Lett., vol. 42, no. 23, pp. 4853–4856, 2017, doi: 10.1364/OL.42.004853.

[39] R. K. Subroto, C. Z. Wang, and K. L. Lian, "Four-wheel independent drive electric vehicle stability control using novel adaptive sliding-mode control," IEEE Trans. Ind. Appl., vol. 56, no. 5, pp. 5995–6006, 2020.

[40] T. S. Kumar and A. Dhabale, "Active compensation of disturbances using dual motors in telescope motion control," in Proc. IEEE 1st Int. Conf. Smart Technol. Power, Energy Control, 2020, pp. 1–4.

[41] "Microcontroller," Wikipedia, Apr. 30, 2019. [Online]. Available: https://en.wikipedia.org/wiki/Microcontroller

[42] "Arduino Website," Arduino, Jan. 05, 2020. [Online]. Available:

KENDALI SISTEM PENGEREMAN OTOMATIS PADA PROTOTIPE MOBIL BERDASAR SITUASI DEPAN DAN BELAKANG
MENGGUNAKAN METODE FUZZY LOGIC TYPE-2
Regita Fortuna Sinulingga, Prof. Ir. Oyas Wahyunggoro, M.T., Ph.D. ; Dzuhri Radityo Utomo, S.T, M.E., Ph.D
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

https://www.arduino.cc/

[43] A. Nayyar and V. Puri, “A review of Arduino board’s, Lilypad’s Arduino shields,” in Proc. 3rd Int. Conf. Comput. Sustain. Global Develop. (INDIACom), 2016, pp. 1485–1492.

[44] F. Wahab, A. Sumardiono, A. R. Al Tahtawi, and A. F. A. Mulayari, “Desain dan Prototipe Fuzzy Logic Control untuk Pengendalian Suhu Ruangan,” J. Teknol. Rekayasa, vol. 2, no. 1, p. 1, 2017, doi: 10.31544/jtera.v2.i1.2017.1-8.

[45] D. A. Dzulfikar and K. Wijayanto, “Perancangan Kendali Fuzzy Tipe 2 pada Model Robot Line Follower,” Semnastera, pp. 92–96, 2021. [Online]. Available: https://semnastera.polteksmi.ac.id/index.php/semnastera/article/view/234

[46] M. F. Saifuddien, “Implementasi algoritma Fuzzy type-2 untuk menentukan perilaku NPC dalam game Virtual Reality Survival Shooter,” 2018.

[47] Z. Ashraf, M. L. Roy, P. K. Muhuri, and Q. M. D. Lohani, “Interval type-2 fuzzy logic system based similarity evaluation for image steganography,” Heliyon, vol. 6, no. 5, p. e03771, 2020, doi: 10.1016/j.heliyon.2020.e03771.

[48] S. L. Sitio, “Penerapan Fuzzy Inference Sistem Sugeno untuk Penentuan Jumlah Pembelian Obat,” J. Inform. Univ. Pamulang, vol. 3, no. 2, p. 104, 2018.