

DAFTAR PUSTAKA

1. ANTARA. (2024). *PLN tingkatkan co-firing biomassa PLTU Jeranjang hingga 14 persen*. <https://www.antaraneews.com/berita/4311955/pln-tingkatkan-co-firing-biomassa-pltu-jeranjang-hingga-14-persen>
2. ANTARA. (2025). *Limbah kayu kurangi konsumsi batu bara di PLTU Jeranjang*. <https://www.antaraneews.com/berita/4836621/limbah-kayu-kurangi-konsumsi-batu-bara-di-pltu-jeranjang>
3. Araque, O., Arzola, N., & Cerón, I. X. (2024). Microstructure and Mechanical Characterization of Rice Husks from the Tolima Region of Colombia. *Resources*, 13(1), 16. <https://doi.org/10.3390/resources13010016>
4. Belkin, H. E., Tewalt, S. J., Hower, J. C., Stucker, J. D., & O'Keefe, J. M. K. (2009). Geochemistry and petrology of selected coal samples from Sumatra, Kalimantan, Sulawesi, and Papua, Indonesia. *International Journal of Coal Geology*, 77(3–4), 260–268. <https://doi.org/10.1016/J.COAL.2008.08.001>
5. Bianchini, L., Colantoni, A., Venanzi, R., Cozzolino, L., & Picchio, R. (2025). Physicochemical Properties of Forest Wood Biomass for Bioenergy Application: A Review. *Forests*, 16(4), 702. <https://doi.org/10.3390/f16040702>
6. Cahyo, N., Alif, H. H., Aditya, I. A., & Saksono, H. D. (2021). Co-firing characteristics of wood pellets on pulverized coal power plant. *IOP Conference Series: Materials Science and Engineering*, 1098(6), 062088. <https://doi.org/10.1088/1757-899x/1098/6/062088>
7. Chen, T., Zhao, Y., Huang, S., Jin, Y., Wang, M., Feng, H., & Yin, J. (2025). Influence of papermaking biomass co-firing on operation energy efficiency and gas emission stability of a coal-fired thermal power plant: A case study. *Energy*, 327, 136484. <https://doi.org/10.1016/J.ENERGY.2025.136484>
8. Daulay, B., Santoso, B., & Sodikin, I. (2007). INDONESIA LOW RANK COAL RESOURCES TO WHICH UBC TECHNOLOGY IS COMMERCIALY APPLICABLE. In *INDONESIAN MINING JOURNAL* (Vol. 10).

9. Đuriš, M., Arsenijević, Z., Jaćimovski, D., & Kaluđerović Radoičić, T. (2016). Optimal pixel resolution for sand particles size and shape analysis. *Powder Technology*, 302, 177–186. <https://doi.org/10.1016/J.POWTEC.2016.08.045>
10. ESDM. (2021). *Sinergi 3 BUMN Dalam Penyediaan Biomassa Untuk Cofiring PLTU Batubara*. <https://www.esdm.go.id/id/berita-unit/direktorat-jenderal-ebtke/sinergi-3-bumn-dalam-penyediaan-biomassa-untuk-cofiring-pltu-batubara>
11. Fitrianingrum, Y., & Surjasatyo, A. (2023). Techno-economic Analysis of co-firing waste Refused Derived Fuel (RDF) in coal-fired power plant. *International Journal of Engineering Business and Social Science*, 1(05), 372–386. <https://doi.org/10.58451/ijebss.v1i05.65>
12. Gil, M., Luciano, E., & Arauzo, I. (2015). Population balance model for biomass milling. *Powder Technology*, 276, 34–44. <https://doi.org/10.1016/j.powtec.2015.01.060>
13. Indonesia Business Post. (2024, September 30). *PLN EPI secures tons of biomass for co-firing, boosts community-based initiatives*. <https://indonesiabusinesspost.com/2809/Politics/pln-epi-secures-tons-of-biomass-for-co-firing-boosts-community-based-initiatives>
14. Julian Isaac. (2024, December 24). *PLN expands biomass co-firing in power plants to boost sustainability growth*. <https://Indonesiabusinesspost.Com/3410/Corporate-Affairs/Pln-Expands-Biomass-Co-Firing-in-Power-Plants-to-Boost-Sustainability-Growth?>
15. Jung, H., Lee, Y. J., & Yoon, W. B. (2018). Effect of moisture content on the grinding process and powder properties in food: A review. In *Processes* (Vol. 6, Number 6). MDPI AG. <https://doi.org/10.3390/pr6060069>
16. Karinkanta, P., Ämmälä, A., Illikainen, M., & Niinimäki, J. (2018). Fine grinding of wood – Overview from wood breakage to applications. *Biomass and Bioenergy*, 113, 31–44. <https://doi.org/10.1016/J.BIOMBIOE.2018.03.007>
17. Kim, K. H., Kim, J. S., Kim, T. Y., Kim, S. M., Lee, B. H., & Jeon, C. H. (2025). Effect of lignocellulosic composition on biomass grindability for carbon-free power

- generation role of hemicellulose variation via pretreatment. *Journal of the Energy Institute*, 119(December 2024), 101982. <https://doi.org/10.1016/j.joei.2025.101982>
18. Kommalapati, R. R., Hossan, I., Botlaguduru, V. S. V., Du, H., & Huque, Z. (2018). Life cycle environmental impact of biomass co-firing with coal at a power plant in the greater Houston area. *Sustainability (Switzerland)*, 10(7). <https://doi.org/10.3390/su10072193>
 19. Lala, M. A., Sonibare, J. A., Odejobi, O. J., Asmara, Y. P., & Ekeluba, B. J. (2025). Energy contents analysis of rice-husk derived from indigenous rice paddy species as sustainable solid biofuel. *Results in Engineering*, 25, 104447. <https://doi.org/10.1016/J.RINENG.2025.104447>
 20. Liu, L., Memon, M. Z., Xie, Y., Gao, S., Guo, Y., Dong, J., Gao, Y., Li, A., & Ji, G. (2023). Recent advances of research in coal and biomass co-firing for electricity and heat generation. *Circular Economy*, 2(4), 100063. <https://doi.org/10.1016/J.CEC.2023.100063>
 21. Maharani, C., Zataamani, B., Supriyadi, I., Tumanggor, M., Qisthina, T., Zatadini, H., & Murtiana, S. (2024). Environmental Impact of Implementing Biomass Cofiring at Power Plant. *International Journal of Progressive Sciences and Technologies (IJPSAT)*, 44(2), 227–234.
 22. Mani, S., Tabil, L. G., & Sokhansanj, S. (2004). Grinding performance and physical properties of wheat and barley straws, corn stover and switchgrass. *Biomass and Bioenergy*, 27(4), 339–352. <https://doi.org/10.1016/j.biombioe.2004.03.007>
 23. Molenda, M., Horabik, J., Parafiniuk, P., Oniszczyk, A., Bańda, M., Wajs, J., Gondek, E., Chutkowski, M., Lisowski, A., Wiącek, J., & Stasiak, M. (2021). Mechanical and Combustion Properties of Agglomerates of Wood of Popular Eastern European Species. *Materials*, 14(11), 2728. <https://doi.org/10.3390/ma14112728>
 24. Muslim, A. I., Kurniawan, A., Nurhidayat, W. D., & De Wibowo Muhammad Sidik, A. (2024). *Biomass Generator Analysis for Renewable Energy Transition with the Co-Firing Program at PLTU Pelabuhan Ratu* (Number Icontention 2023). Atlantis Press International BV. https://doi.org/10.2991/978-94-6463-406-8_3

25. Napier-Munn, T. J., Morell, S., Morrison, D., & Kojovic, T. (1996). *Mineral Comminution Circuits: Their Operation and Optimisation*. Julius Kruttschnitt Mineral Research Centre.
26. Nurahman, H. T., & Hermawan, H. (2024). Implementation of Advanced Coal-Biomass Blending and Fuel Stock Management at Pelabuhan Ratu Power Plant. *Journal of Mechanical Design and Testing*, 6(1), 19. <https://doi.org/10.22146/jmdt.97746>
27. Nzereogu, P. U., Omah, A. D., Ezema, F. I., Iwuoha, E. I., & Nwanya, A. C. (2023). Silica extraction from rice husk: Comprehensive review and applications. *Hybrid Advances*, 4, 100111. <https://doi.org/10.1016/J.HYBADV.2023.100111>
28. Purba, H. A., & Dwiyantoro, B. A. (2024). *Experimental and numerical study the effect of using rice husk in the co-firing process on thermal efficiency and exhaust gas emissions at coal fired power plant*. 080018. <https://doi.org/10.1063/5.0201004>
29. Rahmanta, M. A., Aprilana, A., Ruly, Cahyo, N., Hapsari, T. W. D., & Supriyanto, E. (2024). Techno-Economic and Environmental Impact of Biomass Co-Firing with Carbon Capture and Storage in Indonesian Power Plants. *Sustainability (Switzerland)*, 16(8). <https://doi.org/10.3390/su16083423>
30. Roni, M. S., Chowdhury, S., Mamun, S., Marufuzzaman, M., Lein, W., & Johnson, S. (2017). Biomass co-firing technology with policies, challenges, and opportunities: A global review. *Renewable and Sustainable Energy Reviews*, 78, 1089–1101. <https://doi.org/10.1016/J.RSER.2017.05.023>
31. Schooff, B., Roy, R., Kuttler, R., LaTour, P., Montgomery, S., Tuttle, J., Bennett, G., Iverson, B. D., & Fry, A. (2025). Mill power consumption and fuel particle size distribution while co-milling bituminous coal with steam-exploded woody biomass in a conventional bowl mill. *Powder Technology*, 453(January), 120678. <https://doi.org/10.1016/j.powtec.2025.120678>
32. Sidiq, A. N. (2022). Pengaruh Co-Firing Biomassa terhadap Efisiensi Boiler PLTU Batubara. *Kilat*, 11(1), 21–31. <https://doi.org/10.33322/kilat.v11i1.1553>
33. Soleh, M., Ahmad, A. H., Juangsa, F. B., Darmanto, P. S., & Pasek, A. D. (2023). Impact of different kinds of biomass mixtures on combustion performance, interaction

- and synergistic effects in cofiring of coal and biomass in steam power plants. *Clean Energy*, 7(5), 1136–1147. <https://doi.org/10.1093/ce/zkad049>
34. Sugiyanto, Widyatama, A., Deendarlianto, Majid, A. I., & Hudaya, A. Z. (2018). The Implementation of Image Processing Technique to Analyze the Air-Water Stratified Flow Characteristics in a Horizontal Pipe. *2018 4th International Conference on Science and Technology (ICST)*, 1–6. <https://doi.org/10.1109/ICSTC.2018.8528583>
 35. Tamura, M., Watanabe, S., Kotake, N., & Hasegawa, M. (2014). Grinding and combustion characteristics of woody biomass for co-firing with coal in pulverised coal boilers. *Fuel*, 134, 544–553. <https://doi.org/10.1016/j.fuel.2014.05.083>
 36. Temmerman, M., Jensen, P. D., & Hébert, J. (2013). Von Rittinger theory adapted to wood chip and pellet milling, in a laboratory scale hammermill. *Biomass and Bioenergy*, 56, 70–81. <https://doi.org/10.1016/j.biombioe.2013.04.020>
 37. Tymoszuk, M., Mroczek, K., Kalisz, S., & Kubiczek, H. (2019). An investigation of biomass grindability. *Energy*, 183. <https://doi.org/10.1016/j.energy.2019.05.167>
 38. Vuthaluru, H. B., Brooke, R. J., Zhang, D. K., & Yan, H. M. (2003). Effects of moisture and coal blending on Hardgrove Grindability Index of Western Australian coal. *Fuel Processing Technology*, 81(1), 67–76. [https://doi.org/10.1016/S0378-3820\(03\)00044-4](https://doi.org/10.1016/S0378-3820(03)00044-4)
 39. Wang, J., Xiao, Y., Fang, Q., Ma, L., Zhou, F., Peng, Z., Ma, Q., & Yin, C. (2025). Biomass/coal co-firing in a 600 MW opposed wall-fired boiler: Impact of large non-spherical biomass particles on motion dynamics and boiler performance. *Energy*, 315, 134321. <https://doi.org/10.1016/J.ENERGY.2024.134321>
 40. Werkelin, J., Skrifvars, B. J., & Hupa, M. (2005). Ash-forming elements in four Scandinavian wood species. Part 1: Summer harvest. *Biomass and Bioenergy*, 29(6), 451–466. <https://doi.org/10.1016/J.BIOMBIOE.2005.06.005>
 41. Williams, O., Newbolt, G., Eastwick, C., Kingman, S., Giddings, D., Lormor, S., & Lester, E. (2016). Influence of mill type on densified biomass comminution. *Applied Energy*, 182, 219–231. <https://doi.org/10.1016/j.apenergy.2016.08.111>
 42. Wu, C., Gai, G., Yang, Y., & Shang, Z. (2015). Pulverizing Characteristic of Woody Biomass by a Kind of Impact Mill. *Proceedings of the 2015 International Conference*

on Automation, Mechanical Control and Computational Engineering, 124(Amcce),
2253–2258. <https://doi.org/10.2991/amcce-15.2015.404>

43. Zhang, H., & Yu, C. (2025). Experimental Study on Co-Firing of Coal and Biomass in Industrial-Scale Circulating Fluidized Bed Boilers. *Energies*, 18(14).
<https://doi.org/10.3390/en18143832>