Aplikasi Chatbot Berbasis Web Menggunakan RAG (Retrieval-Augmented Generation) untuk Eksplorasi
Dokumen Akademik
Rasyid Kusnady, Dr.Eng. Ir. Ganjar Alfian, S.T., M.Eng.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

DAFTAR PUSTAKA

[1] M. Thelwall and P. Sud, "Scopus 1900-2020: Growth in articles, abstracts, countries, fields, and journals," 2022, doi: 10.1162/qss.

[2] A. Alshami, M. Elsayed, E. Ali, A. E. E. Eltoukhy, and T. Zayed, "Harnessing the Power of ChatGPT for Automating Systematic Review Process: Methodology, Case Study, Limitations, and Future Directions," *Systems*, vol. 11, no. 7, Jul. 2023, doi: 10.3390/systems11070351.

[3] R. Borah, A. W. Brown, P. L. Capers, and K. A. Kaiser, "Analysis of the time and workers needed to conduct systematic reviews of medical interventions using data from the PROSPERO registry," *Open*, vol. 7, p. 12545, 2017, doi: 10.1136/bmjopen-2016.

[4] L. Huang *et al.*, "A Survey on Hallucination in Large Language Models: Principles, Taxonomy, Challenges, and Open Questions," *ACM Trans. Inf. Syst.*, vol. 43, no. 2, Jan. 2025, doi: 10.1145/3703155.

[5] P. P. Ray, "ChatGPT: A comprehensive review on background, applications, key challenges, bias, ethics, limitations and future scope," Jan. 01, 2023, *KeAi Communications Co.* doi: 10.1016/j.iotcps.2023.04.003.

[6] A. Mallen, A. Asai, V. Zhong, R. Das, D. Khashabi, and H. Hannaneh, "When Not to Trust Language Models: Investigating Effectiveness of Parametric and Non-Parametric Memories," in *Proceedings of the 61st Annual Meeting of the Association for Computational Linguistics (Volume 1: Long Papers)*, Toronto, Canada: Association for Computational Linguistics, Jul. 2023, pp. 9802–9822. doi: 10.18653/v1/2023.acl-long.546.

[7] Z. Ji *et al.*, "Survey of Hallucination in Natural Language Generation," *ACM Comput. Surv.*, vol. 55, no. 12, pp. 1–38, Dec. 2023, doi: 10.1145/3571730.

[8] M. Salvagno, F. S. Taccone, and A. G. Gerli, "Artificial intelligence hallucinations," *Crit. Care*, vol. 27, no. 1, p. 180, Dec. 2023, doi: 10.1186/s13054-023-04473-y.

UNIVERSITAS
GADJAH MADA
Aplikasi Chatbot Berbasis Web Menggunakan RAG (Retrieval-Augmented Generation) untuk Eksplorasi Dokumen Akademik
Rasyid Kusnady, Dr.Eng. Ir. Ganjar Alfian, S.T., M.Eng.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

[9] W. Zhang and J. Zhang, "Hallucination Mitigation for Retrieval-Augmented Large Language Models: A Review," Mar. 01, 2025, *Multidisciplinary Digital Publishing Institute (MDPI)*. doi: 10.3390/math13050856.

[10] J. Huang *et al.*, "Layered Query Retrieval: An Adaptive Framework for Retrieval-Augmented Generation in Complex Question Answering for Large Language Models," *Applied Sciences (Switzerland)*, vol. 14, no. 23, Dec. 2024, doi: 10.3390/app142311014.

[11] F. Corradini, M. Leonesi, and M. Piangerelli, "State of the Art and Future Directions of Small Language Models: A Systematic Review," Jul. 01, 2025, *Multidisciplinary Digital Publishing Institute (MDPI)*. doi: 10.3390/bdcc9070189.

[12] P. Dasigi, K. Lo, I. Beltagy, A. Cohan, N. A. Smith, and M. Gardner, "A Dataset of Information-Seeking Questions and Answers Anchored in Research Papers," in *Proceedings of the 2021 Conference of the North American Chapter of the Association for Computational Linguistics: Human Language Technologies*, Association for Computational Linguistics, Jun. 2021, pp. 4599–4610. doi: 10.18653/v1/2021.naacl-main.365.

[13] K. Chawla, A. Samuel, A. Kumar, and D. Liu, "FB-RAG: Improving RAG with Forward and Backward Lookup," *The Asian Federation of Natural Language Processing and The Association for Computational Linguistics*, pp. 1055–1071, Dec. 2025, doi: https://aclanthology.org/2025.findings-ijcnlp.62/.

[14] Y. Liu, X. Xie, X. Wan, Y. Pan, and C. Wang, "Enhancing RAPTOR with semantic chunking and adaptive graph clustering," *Front. Comput. Sci.*, vol. 7, Jan. 2026, doi: 10.3389/fcomp.2025.1710121.

[15] X. Wang, Y. Xiang, L. Gui, and Y. He, "PECAN: LLM-Guided Dynamic Progress Control with Attention-Guided Hierarchical Weighted Graph for Long-Document QA," in *Findings of the Association for Computational Linguistics: ACL 2025*, Vienna, Austria: Association for Computational

UNIVERSITAS
GADJAH MADA
**Aplikasi Chatbot Berbasis Web Menggunakan RAG (Retrieval-Augmented Generation) untuk Eksplorasi
Dokumen Akademik**
Rasyid Kusnady, Dr.Eng. Ir. Ganjar Alfian, S.T., M.Eng.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Linguistics, Jun. 2025, pp. 13317–13335. doi: 10.18653/v1/2025.findings-acl.689.

[16] A. Mahalingam, V. Kumar Gande, A. Chadha, V. Jain, and D. Chaudhary, "SKETCH: Structured Knowledge Enhanced Text Comprehension for Holistic Retrieval," *International Committee on Computational Linguistics*, pp. 27–42, Jan. 2025, doi: https://aclanthology.org/2025.genaik-1.4/.

[17] C. Yang, W. Zhu, Z. Yang, C. Liu, and J. Hong, "Chain-of-Summary: An Efficient Multi-Clustering Framework for Hierarchical Abstraction," in *Proceedings - 2025 IEEE 49th Annual Computers, Software, and Applications Conference, COMPSAC 2025*, Institute of Electrical and Electronics Engineers Inc., 2025, pp. 673–682. doi: 10.1109/COMPSAC65507.2025.00090.

[18] J. Zhang, G. Li, and J. Su, "SAGE: A Framework of Precise Retrieval for RAG," in *Proceedings - International Conference on Data Engineering*, IEEE Computer Society, 2025, pp. 1388–1401. doi: 10.1109/ICDE65448.2025.00108.

[19] B. H. Rappazzo, Y. Wang, A. Ferber, and C. Gomes, "GEM-RAG: Graphical Eigen Memories for Retrieval Augmented Generation," in *Proceedings - 2024 International Conference on Machine Learning and Applications, ICMLA 2024*, Institute of Electrical and Electronics Engineers Inc., 2024, pp. 1259–1264. doi: 10.1109/ICMLA61862.2024.00196.

[20] Y. Hui, Y. Liu, Y. Lu, and H. Zhang, "OkraLong: A Flexible Retrieval-Augmented Framework for Long-Text Question Answering," in *Findings of the Association for Computational Linguistics: EMNLP 2025*, Suzhou, China: Association for Computational Linguistics, 2025, pp. 16395–16409. doi: 10.18653/v1/2025.findings-emnlp.890.

[21] Y. Li, D. Yunis, D. Mcallester, and J. Zhou, "Context-Efficient Retrieval with Factual Decomposition," in *Proceedings of the 2025 Conference of the Nations of the Americas Chapter of the Association for Computational*

UNIVERSITAS
GADJAH MADA
**Aplikasi Chatbot Berbasis Web Menggunakan RAG (Retrieval-Augmented Generation) untuk Eksplorasi
Dokumen Akademik**
Rasyid Kusnady, Dr.Eng. Ir. Ganjar Alfian, S.T., M.Eng.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Linguistics: Human Language Technologies (Volume 2: Short Papers), Albuquerque, New Mexico: Association for Computational Linguistics, 2025, pp. 178–194. doi: 10.18653/v1/2025.naacl-short.16.

[22] A. O. M. Saleh, G. Tur, and Y. Saygin, "SG-RAG: Multi-Hop Question Answering With Large Language Models Through Knowledge Graphs," in *Proceedings of the 7th International Conference on Natural Language and Speech Processing (ICNLSP 2024)*, Association for Computational Linguistics, 2024, p. 439.

[23] Z. Jiang, M. Sun, L. Liang, and Z. Zhang, "Retrieve, Summarize, Plan: Advancing Multi-hop Question Answering with an Iterative Approach," in *WWW Companion 2025 - Companion Proceedings of the ACM Web Conference 2025*, Association for Computing Machinery, Inc, May 2025, pp. 1677–1686. doi: 10.1145/3701716.3716889.

[24] Z. Zhuang *et al.*, "EfficientRAG: Efficient Retriever for Multi-Hop Question Answering," in *Proceedings of the 2024 Conference on Empirical Methods in Natural Language Processing*, Association for Computational Linguistics, 2024, pp. 3392–3411. [Online]. Available: https://llama.meta.com/llama3/

[25] S. Ajay Mukund and K. S. Easwarakumar, "Optimizing Legal Text Summarization Through Dynamic Retrieval-Augmented Generation and Domain-Specific Adaptation," *Symmetry (Basel).*, vol. 17, no. 5, May 2025, doi: 10.3390/sym17050633.

[26] K. Muludi, K. Milani Fitria, and J. Triloka, "Retrieval-Augmented Generation Approach: Document Question Answering using Large Language Model," 2024. [Online]. Available: www.ijacsa.thesai.org

[27] J. Gu and D. Qin, "An arXiv Paper Question-Answering System Based on Qwen and RAG," in *2024 6th International Conference on Frontier Technologies of Information and Computer, ICFTIC 2024*, Institute of Electrical and Electronics Engineers Inc., 2024, pp. 1354–1361. doi: 10.1109/ICFTIC64248.2024.10913101.

UNIVERSITAS
GADJAH MADA
**Aplikasi Chatbot Berbasis Web Menggunakan RAG (Retrieval-Augmented Generation) untuk Eksplorasi
Dokumen Akademik**
Rasyid Kusnady, Dr.Eng. Ir. Ganjar Alfian, S.T., M.Eng.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

[28] E. Adamopoulou and L. Moussiades, "Chatbots: History, technology, and applications," *Machine Learning with Applications*, vol. 2, p. 100006, Dec. 2020, doi: 10.1016/j.mlwa.2020.100006.

[29] R. Godwin-Jones, "Chatbots in language learning: AI systems on the rise," in *Intelligent CALL, granular systems and learner data: short papers from EUROCALL 2022*, Research-publishing.net, 2022, pp. 124–128. doi: 10.14705/rpnet.2022.61.1446.

[30] J. Belda-Medina and V. Kokošková, "Integrating chatbots in education: insights from the Chatbot-Human Interaction Satisfaction Model (CHISM)," *International Journal of Educational Technology in Higher Education*, vol. 20, no. 1, Dec. 2023, doi: 10.1186/s41239-023-00432-3.

[31] D. Khurana, A. Koli, K. Khatter, and S. Singh, "Natural language processing: state of the art, current trends and challenges," *Multimed. Tools Appl.*, vol. 82, no. 3, pp. 3713–3744, Jan. 2023, doi: 10.1007/s11042-022-13428-4.

[32] R. Collobert, J. Weston, J. Com, M. Karlen, K. Kavukcuoglu, and P. Kuksa, "Natural Language Processing (Almost) from Scratch," 2011.

[33] A. Vaswani *et al.*, "Attention Is All You Need," in *Advances in Neural Information Processing Systems*, Curran Associates, Inc., 2017. doi: 10.48550/arXiv.1706.03762.

[34] B. Min *et al.*, "Recent Advances in Natural Language Processing via Large Pre-trained Language Models: A Survey," *ACM Comput. Surv.*, vol. 56, no. 2, Feb. 2024, doi: 10.1145/3605943.

[35] P. Liu, W. Yuan, J. Fu, Z. Jiang, H. Hayashi, and G. Neubig, "Pre-train, Prompt, and Predict: A Systematic Survey of Prompting Methods in Natural Language Processing," *ACM Comput. Surv.*, vol. 55, no. 9, Sep. 2023, doi: 10.1145/3560815.

[36] G. Salton and C. Buckley, "TERM-WEIGHTING APPROACHES IN AUTOMATIC TEXT RETRIEVAL," 1988.

UNIVERSITAS
GADJAH MADA
**Aplikasi Chatbot Berbasis Web Menggunakan RAG (Retrieval-Augmented Generation) untuk Eksplorasi
Dokumen Akademik**
Rasyid Kusnady, Dr.Eng. Ir. Ganjar Alfian, S.T., M.Eng.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

[37] S. Robertson and H. Zaragoza, "The probabilistic relevance framework: BM25 and beyond," *Foundations and Trends in Information Retrieval*, vol. 3, no. 4, pp. 333–389, 2009, doi: 10.1561/1500000019.

[38] W. X. Zhao, J. Liu, R. Ren, and J. R. Wen, "Dense Text Retrieval Based on Pretrained Language Models: A Survey," *ACM Trans. Inf. Syst.*, vol. 42, no. 4, Feb. 2024, doi: 10.1145/3637870.

[39] V. Karpukhin *et al.*, "Dense Passage Retrieval for Open-Domain Question Answering," in *Proceedings of the 2020 Conference on Empirical Methods in Natural Language Processing (EMNLP)*, Association for Computational Linguistics, Nov. 2020, pp. 6769–6781. doi: 10.18653/v1/2020.emnlp-main.550.

[40] J. Smith, "A Gentle Introduction to Vector Search," https://opendatascience.com/a-gentle-introduction-to-vector-search/.

[41] N. Reimers and I. Gurevych, "Sentence-BERT: Sentence Embeddings using Siamese BERT-Networks," in *Proceedings of the 2019 Conference on Empirical Methods in Natural Language Processing and the 9th International Joint Conference on Natural Language Processing (EMNLP-IJCNLP)*, Hong Kong, China: Association for Computational Linguistics, 2019, pp. 3982–3992. doi: 10.18653/v1/D19-1410.

[42] C. D. . Manning, Prabhakar. Raghavan, and Hinrich. Schütze, *Introduction to information retrieval*. Cambridge University Press, 2009.

[43] W. Li *et al.*, "Approximate Nearest Neighbor Search on High Dimensional Data - Experiments, Analyses, and Improvement," *IEEE Trans. Knowl. Data Eng.*, vol. 32, no. 8, pp. 1475–1488, Aug. 2020, doi: 10.1109/TKDE.2019.2909204.

[44] Y. A. Malkov and D. A. Yashunin, "Efficient and Robust Approximate Nearest Neighbor Search Using Hierarchical Navigable Small World

UNIVERSITAS
GADJAH MADA
**Aplikasi Chatbot Berbasis Web Menggunakan RAG (Retrieval-Augmented Generation) untuk Eksplorasi
Dokumen Akademik**
Rasyid Kusnady, Dr.Eng. Ir. Ganjar Alfian, S.T., M.Eng.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Graphs," *IEEE Trans. Pattern Anal. Mach. Intell.*, vol. 42, no. 4, pp. 824–836, Apr. 2020, doi: 10.1109/TPAMI.2018.2889473.

[45] H. H. Yan, "Shrinking the Giant: High-Dimensional Vector Efficiency in Production," https://ai.gopubby.com/shrinking-the-giant-high-dimensional-vector-efficiency-in-production-26408df5b431.

[46] P. Lewis *et al.*, "Retrieval-Augmented Generation for Knowledge-Intensive NLP Tasks." [Online]. Available: https://github.com/huggingface/transformers/blob/master/

[47] W. Fan *et al.*, "A Survey on RAG Meeting LLMs: Towards Retrieval-Augmented Large Language Models," in *Proceedings of the ACM SIGKDD International Conference on Knowledge Discovery and Data Mining*, Association for Computing Machinery, Aug. 2024, pp. 6491–6501. doi: 10.1145/3637528.3671470.

[48] D. Quinn *et al.*, "Accelerating Retrieval-Augmented Generation," in *International Conference on Architectural Support for Programming Languages and Operating Systems - ASPLOS*, Association for Computing Machinery, Mar. 2025, pp. 15–32. doi: 10.1145/3669940.3707264.

[49] H. Trivedi, N. Balasubramanian, T. Khot, and A. Sabharwal, "Interleaving Retrieval with Chain-of-Thought Reasoning for Knowledge-Intensive Multi-Step Questions," in *Proceedings of the 61st Annual Meeting of the Association for Computational Linguistics (Volume 1: Long Papers)*, Toronto, Canada: Association for Computational Linguistics, 2023, pp. 10014–10037.

[50] X. Zhong, J. Tang, and A. J. Yepes, "PubLayNet: Largest dataset ever for document layout analysis," in *Proceedings of the International Conference on Document Analysis and Recognition, ICDAR*, IEEE Computer Society, Sep. 2019, pp. 1015–1022. doi: 10.1109/ICDAR.2019.00166.

UNIVERSITAS
GADJAH MADA
**Aplikasi Chatbot Berbasis Web Menggunakan RAG (Retrieval-Augmented Generation) untuk Eksplorasi
Dokumen Akademik**
Rasyid Kusnady, Dr.Eng. Ir. Ganjar Alfian, S.T., M.Eng.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

[51] Y. HaCohen-Kerner, D. Miller, and Y. Yigal, "The influence of preprocessing on text classification using a bag-of-words representation," *PLoS One*, vol. 15, no. 5, May 2020, doi: 10.1371/journal.pone.0232525.

[52] H. Brådland, M. Goodwin, P. A. Andersen, A. S. Nossum, and A. Gupta, "A New HOPE: Domain-agnostic Automatic Evaluation of Text Chunking," in *SIGIR 2025 - Proceedings of the 48th International ACM SIGIR Conference on Research and Development in Information Retrieval*, Association for Computing Machinery, Inc, Jul. 2025, pp. 170–179. doi: 10.1145/3726302.3729882.

[53] R. Pappagari, P. Zelasko, J. Villalba, Y. Carmiel, and N. Dehak, "Hierarchical Transformers for Long Document Classification," in *2019 IEEE Automatic Speech Recognition and Understanding Workshop (ASRU)*, Singapore: IEEE, 2019, pp. 838–844. doi: 10.1109/ASRU46091.2019.9003958.

[54] T. Zhang, V. Kishore, F. Wu, K. Q. Weinberger, and Y. Artzi, "BERTSCORE: EVALUATING TEXT GENERATION WITH BERT," in *8th International Conference on Learning Representations, ICLR 2020*, Addis Ababa: International Conference on Learning Representations, ICLR, Apr. 2020. [Online]. Available: https://github.com/Tiiiger/bert

[55] G. Van Rossum and F. L. Drake, "Python Reference Manual Release 2.5," 2006.

[56] C. R. Harris *et al.*, "Array programming with NumPy," Sep. 17, 2020, *Nature Research*. doi: 10.1038/s41586-020-2649-2.

[57] J. Tong, R. R. Jikson, and A. A. S. Gunawan, "Comparative Performance Analysis of Javascript Frontend Web Frameworks," in *Proceedings - 2023 3rd International Conference on Electronic and Electrical Engineering and Intelligent System: Responsible Technology for Sustainable Humanity, ICE3IS 2023*, Institute of Electrical and Electronics Engineers Inc., 2023, pp. 81–86. doi: 10.1109/ICE3IS59323.2023.10335250.

UNIVERSITAS
GADJAH MADA
**Aplikasi Chatbot Berbasis Web Menggunakan RAG (Retrieval-Augmented Generation) untuk Eksplorasi
Dokumen Akademik**
Rasyid Kusnady, Dr.Eng. Ir. Ganjar Alfian, S.T., M.Eng.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

[58] M. Savenko and K. Babii, "Performance Optimization Strategies for Large-Scale Web Applications Using Next.Js," *IEEE Access*, vol. 13, pp. 217376–217386, 2025, doi: 10.1109/ACCESS.2025.3647563.

[59] S. J. Chen and W. Bin Hsieh, "A FastAPI-based Scalable ML Prediction Microservice for Real-Time Anomaly Detection in ONAP-Enabled Network Security," *IEEE Aerospace and Electronic Systems Magazine*, 2025, doi: 10.1109/MAES.2025.3644327.

[60] E. Mabotha, N. E. Mabunda, and A. Ali, "Performance Evaluation of a Dynamic RESTful API Using FastAPI, Docker and Nginx," in *IEEE Global Energy Conference 2024, GEC 2024*, Institute of Electrical and Electronics Engineers Inc., 2024, pp. 174–181. doi: 10.1109/GEC61857.2024.10881712.

[61] C. S. Guynes and J. Windsor, "Revisiting Client/Server Computing," 2011.

[62] M. Fariz, S. Lazuardy, and D. Anggraini, "Modern Front End Web Architectures with React.Js and Next.Js," *International Research Journal of Advanced Engineering and Science*, vol. 7, no. 1, pp. 132–141, 2022.

[63] P. Bansal and A. Ouda, "Study on Integration of FastAPI and Machine Learning for Continuous Authentication of Behavioral Biometrics," in *2022 International Symposium on Networks, Computers and Communications, ISNCC 2022*, Institute of Electrical and Electronics Engineers Inc., 2022. doi: 10.1109/ISNCC55209.2022.9851790.

[64] Z. Niu, C. Yang, and Y. Zhang, "A design of cross-terminal web system based on JSON and REST," in *2014 IEEE 5th International Conference on Software Engineering and Service Science*, Beijing, China: IEEE, 2014, pp. 904–907.

[65] M. D. Assunção, R. N. Calheiros, S. Bianchi, M. A. S. Netto, and R. Buyya, "Big Data computing and clouds: Trends and future directions," *J. Parallel*

UNIVERSITAS
GADJAH MADA
**Aplikasi Chatbot Berbasis Web Menggunakan RAG (Retrieval-Augmented Generation) untuk Eksplorasi
Dokumen Akademik**
Rasyid Kusnady, Dr.Eng. Ir. Ganjar Alfian, S.T., M.Eng.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Distrib. Comput., vol. 79–80, pp. 3–15, Jun. 2015, doi: 10.1016/j.jpdc.2014.08.003.

[66] A. Davoudian, L. Chen, and M. Liu, "A survey on NoSQL stores," *ACM Comput. Surv.*, vol. 51, no. 2, Mar. 2019, doi: 10.1145/3158661.

[67] J. J. Pan, J. Wang, and G. Li, "Survey of vector database management systems," *VLDB Journal*, vol. 33, no. 5, pp. 1591–1615, Sep. 2024, doi: 10.1007/s00778-024-00864-x.

[68] F. Ciccozzi, I. Malavolta, and B. Selic, "Execution of UML models: a systematic review of research and practice," *Softw. Syst. Model.*, vol. 18, no. 3, pp. 2313–2360, Jun. 2019, doi: 10.1007/s10270-018-0675-4.

[69] Y. Meng and A. Ban, "Automated UML Class Diagram Generation from Textual Requirements Using NLP Techniques," *International Journal on Informatics Visualization*, vol. 8, pp. 1905–1915, 2024, doi: 10.62527/joiv.8.3-2.3482.

[70] A. Dennis, B. H. Wixom, and D. Tegarden, *SYSTEMS ANALYSIS & DESIGN An Object-Oriented Approach with UML*, 5th ed. John Wiley & Sons, Inc., 205AD. [Online]. Available: http://store.visible.com/Wiley.aspx

[71] M. Dumas and A. H. M. Ter Hofstede, "UML Activity Diagrams as a Workflow Specification Language," in *UML 2001 — The Unified Modeling Language. Modeling Languages, Concepts, and Tools*, Berlin, Heidelberg: Springer, Berlin, Heidelberg, 2001, pp. 76–90.

[72] M. E. Khan and F. Khan, "A Comparative Study of White Box, Black Box and Grey Box Testing Techniques," *IJACSA) International Journal of Advanced Computer Science and Applications*, vol. 3, no. 6, 2012, [Online]. Available: www.ijacsa.thesai.org

[73] H. K. N. Leung and P. W. L. Wong, "A study of user acceptance tests," *Software Quality Journal*, vol. 6, no. 2, 1997, doi: 10.1023/A:1018503800709.

UNIVERSITAS
GADJAH MADA
**Aplikasi Chatbot Berbasis Web Menggunakan RAG (Retrieval-Augmented Generation) untuk Eksplorasi
Dokumen Akademik**
Rasyid Kusnady, Dr.Eng. Ir. Ganjar Alfian, S.T., M.Eng.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

[74] R. Wirth and J. Hipp, "CRISP-DM: Towards a Standard Process Model for Data Mining," in *Proceedings of the 4th International Conference on the Practical Applications of Knowledge Discovery and Data Mining*, 2000.

[75] J. Chen, S. Xiao, P. Zhang, K. Luo, D. Lian, and Z. Liu, "M3-Embedding: Multi-Linguality, Multi-Functionality, Multi-Granularity Text Embeddings Through Self-Knowledge Distillation," in *Findings of the Association for Computational Linguistics: ACL 2024*, Bangkok, Thailand: Association for Computational Linguistics, Aug. 2024, pp. 2318–2335. doi: 10.18653/v1/2024.findings-acl.137.

[76] Y. Zhang *et al.*, "Qwen3 Embedding: Advancing Text Embedding and Reranking Through Foundation Models," Jun. 2025. [Online]. Available: http://arxiv.org/abs/2506.05176

[77] Octen Team, "Octen Series: Optimizing Embedding Models to #1 on RTEB Leaderboard," Octen Blog. Accessed: Feb. 28, 2026. [Online]. Available: https://octen-team.github.io/octen_blog/posts/octen-rteb-first-place/

[78] Z. Chen, Z. Jiang, and J. Yang, "A RAG-Augmented LLM for Yunnan Arabica Coffee Cultivation," *Agriculture (Switzerland)*, vol. 15, no. 22, Nov. 2025, doi: 10.3390/agriculture15222381.