Potensi Fitoekstraksi Fe, Al, Dan REE Oleh Acacia Mangium Pada Media Red Mud Termodifikasi Asam
Fosfatâ€“Asam Humat
Fadhlan Warithdin Muhammad, Ir. Agus Prasetya, M.Eng.Sc., Ph.D.; Prof. Ir. Panut Mulyono, M.Eng., D.Eng., IPU., A
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

DAFTAR PUSTAKA

Asie, E. R., Eliyani, & Nazari, A. P. D. (2024). *Analisis Pertumbuhan Tanaman*. *1*(September), 1–31.

Bratkova, S., Nikolova, K., Genova1, P., & Angelov, A. (2022). Use of Plant Growth-Promoting Bacteria and Humic Acids for Phytostabilization of Acid-Generating Mining Wastes. *Opast Earth & Environmental Science Research & Reviews*, *5*(3), 51–60.

Canellas, L. P., Olivares, F. L., Aguiar, N. O., Jones, D. L., Nebbioso, A., Mazzei, P., & Piccolo, A. (2015). Scientia Horticulturae Humic and fulvic acids as biostimulants in horticulture. *Scientia Horticulturae*, *196*, 15–27. https://doi.org/10.1016/j.scienta.2015.09.013

Cui, Y., Chen, J., Zhang, Y., Peng, D., Huang, T., & Sun, C. (2019). *pH-Dependent Leaching Characteristics of Major and Toxic Elements from Red Mud*. *3*.

Damayanti, R., & Khareunissa, H. (2017). Composition and characteristics of red mud: A case study on Tayan bauxite residue from alumina processing plant at West Kalimantan. *Indonesian Mining Journal*, *19*(3), 179–190. https://doi.org/10.30556/imj.vol19.no3.2016.660

Evangelou, M. W. H., Daghan, H., & Schaeffer, A. (2004). *The influence of humic acids on the phytoextraction of cadmium from soil*. *57*, 207–213. https://doi.org/10.1016/j.chemosphere.2004.06.017

Fitranto, I., Tangahu, B. V., & Yulikasari, A. (2025). *Effectiveness of Phytomining of Vanadium (V) and Chromium (Cr) Using Cymbopogon citratus and Portulaca grandiflora in Red Mud with Manure Addition*. *03003*.

Grahita, L., Zulhan, Z., & Hidayat, T. (2022). *High Temperature Reduction of Bauxite Residue*. 128. https://doi.org/10.3390/materproc2021005128

Gulcin, İ., & Alwasel, S. H. (2022). Metal Ions, Metal Chelators and Metal Chelating Assay as Antioxidant Method. *Processes*, *10*(1). https://doi.org/10.3390/pr10010132

Guo, J., Jiao, Y., Wang, Y., Hu, W., Jia, Y., Huang, Z., Yang, L., & Chen, L. (2023). Plant Physiology and Biochemistry Regulation of magnesium and calcium homeostasis in citrus seedlings under varying magnesium supply. *Plant Physiology and Biochemistry*, *204*(15), 108146. https://doi.org/10.1016/j.plaphy.2023.108146

Hakim, G. L., Prasetya, A., & Mulyono, P. (2025). Studi Optimasi Komposisi Red Mud dan Asam Sitrat untuk Phytomining. *Envirotek : Jurnal Ilmiah Teknik Lingkungan*, *16*(2), 90–96.

Handini, A. S., Rahhutami, R., & Astutik, D. (2020). *The Effectiveness of Humic Acid and Trichoderma sp . for Planting Media with Oil Palm Empty Bunches in Pakcoy (Brassica rapa L .)*. *3*(2), 44–51.

Hussein, Abdel-Shafy, & Mansour, M. S. M. (2018). Phytoremediation for the Elimination of Metals, Pesticides, PAHs, and Other Pollutants from Wastewater and Soil. In *Phytobiont and Ecosystem Restitution*. https://doi.org/10.1007/978-981-13-1187-1

Iskandar, Juhari, & Santosa, D. A. (2024). Utilization of Red Mud and Biofertilizer for Peat Quality Improvement and Its Effect on the Growth and Production of Hybrid Corn. *Jurnal Agrikultura*, *35*(3), 573–585.

Jiang, J., Wang, Y., Yu, M., Cao, N., & Yan, J. (2018). Soil organic matter is important for acid bu ff ering and reducing aluminum leaching from acidic forest soils. *Chemical Geology*, *501*(October), 86–94. https://doi.org/10.1016/j.chemgeo.2018.10.009

Potensi Fitoekstraksi Fe, Al, Dan REE Oleh Acacia Mangium Pada Media Red Mud Termodifikasi Asam
Fosfatâ€“Asam Humat
Fadhlan Warithdin Muhammad, Ir. Agus Prasetya, M.Eng.Sc., Ph.D.; Prof. Ir. Panut Mulyono, M.Eng., D.Eng., IPU., A
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Jing, J., Zhang, S., Yuan, L., Li, Y., & Chen, C. (2022). Humic Acid Modified by Being Incorporated Into Phosphate Fertilizer Increases Its Potency in Stimulating Maize Growth and Nutrient Absorption. *Frontiers in Plant Science*, *13*(May), 1–9. https://doi.org/10.3389/fpls.2022.885156

Kawano, T., Wallbridge, N., Plummer, C., Kawano, T., & Wallbridge, N. (2020). Logistic Models for Simulating the Growth of Plants by Defining the Maximum Plant Size as the Limit of Information Flow Logistic Models for Simulating the Growth of Plants by Defining the Maximum Plant Size as the Limit of Information Flow. *Plant Signaling & Behavior*, *00*(00). https://doi.org/10.1080/15592324.2019.1709718

Kong, X., Li, M., Xue, S., Hartley, W., Chen, C., Wu, C., Li, X., & Li, Y. (2017). Acid transformation of bauxite residue : Conversion of its alkaline characteristics. *Journal of Hazardous Materials*, *324*(11), 382–390. https://doi.org/10.1016/j.jhazmat.2016.10.073

Kusuma, D. A. A., & Haerudin. (2022). Tinjauan Terhadap Perencanaan Phytomining sebagai Konsep dan Mekanisme Phytomining. *Jurnal Teknologi Sumberdaya Mineral*, *3*(2), 81–91.

Lambers, H., Martinoia, E., & Renton, M. (2015). ScienceDirect Plant adaptations to severely phosphorus-impoverished soils. *Current Opinion in Plant Biology*, *25*, 23–31. https://doi.org/10.1016/j.pbi.2015.04.002

Medeiros, A. D. S., Oliveira, S. De, Júnior, M., Bruno, G., Gonzaga, M., Cândido, T., Moisés, M., Queiroz, F. De, Américo, R., & Neto, D. A. (2019). Growth of Okra Under Nitrogen Rates and Wastewater in the Brazilian Semiarid Region. *Journal of Agricultural Science*, *11*(5), 408–418. https://doi.org/10.5539/jas.v11n5p408

Mirbakhsh, M., & Zahed, Z. (2023). *Enhancing Phosphorus Uptake in Sugarcane : A Critical Evaluation of Humic Acid and Phosphorus Fertilizers ' Effectiveness*. *5*(3), 133–145.

Mohanty, A., Agrawal, A., & Patel, A. K. (2024). Role of biomarkers to elucidate red mud induced shift in microbial community structure and its implications in soil quality assessment. *International Journal of Advanced Research in Biological Sciences*, *11*(12), 37–63. https://doi.org/10.22192/ijarbs

Mohd, S. N., Muhamad Majid, N., Mohamed Shazili, N. A., & Abdu, A. (2013). Growth performance, biomass and phytoextraction efficiency of acacia mangium and Melaleuca cajuputi in remediating heavy metal contaminated soil. *American Journal of Environmental Sciences*, *9*(4), 310–316. https://doi.org/10.3844/ajessp.2013.310.316

Monei, N., Hitch, M., Heim, J., Pourret, O., Heilmeier, H., & Wiche, O. (2022). Effect of substrate properties and phosphorus supply on facilitating the uptake of rare earth elements (REE) in mixed culture cropping systems of Hordeum vulgare , Lupinus albus and Lupinus angustifolius. *Environmental Science and Pollution Research*, 57172–57189. https://doi.org/10.1007/s11356-022-19775-x

Nardi, S., Pizzeghello, D., Schiavon, M., & Ertani, A. (2016). *Plant biostimulants : physiological responses induced by protein hydrolyzed-based products and humic substances in plant metabolism*. *February*, 18–23.

Niazi, P., & Monib, A. W. (2023). Function of Macronutrients in Plant Growth and Human. *International Journal of Scientific Development and Research (IJSDR)*, *8*(4), 1265–1274.

Nirsatmanto, A. (2016). Early Growth o f Improved Acacia mangium at Different Planting Densities. *Scientific Article*, *2*(2), 105–113. https://doi.org/10.7226/jtfm.

Önder, A. C., Reyes-hernández, B. J., & Krahmer, J. (2025). Mechanisms of carbon allocation to stem-like axial sink organs. *Journal of Experimental Botany*, *77*(5),

Potensi Fitoekstraksi Fe, Al, Dan REE Oleh Acacia Mangium Pada Media Red Mud Termodifikasi Asam
Fosfatâ€“Asam Humat
Fadhlan Warithdin Muhammad, Ir. Agus Prasetya, M.Eng.Sc., Ph.D.; Prof. Ir. Panut Mulyono, M.Eng., D.Eng., IPU., A
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

1469–1482. https://doi.org/10.1093/jxb/eraf466

Pepper, R. A., Couperthwaite, S. J., & Millar, G. J. (2016). Comprehensive examination of acid leaching behaviour of mineral phases from red mud : Recovery of Fe , Al , Ti , and Si. *Minerals Engineering*, *99*, 8–18. https://doi.org/10.1016/j.mineng.2016.09.012

Rahma, Budiarto, & Mubarok. (2025). Analysis of source – sink organ dynamics in kaffir lime (Citrus hystrix DC .) at different plant ages. *Jurnal Kultivasi*, *24*(December), 298–308.

Rahmandhias, D. T., & Rachmawati, D. (2020). *Pengaruh Asam Humat terhadap Produktivitas dan Serapan Nitrogen pada Tanaman Kangkung Darat (Ipomoea reptans Poir .) (The Effect of Humic Acid on Productivity and Nitrogen Uptake in Kangkong (Ipomoea reptans Poir .))*. *25*(April), 316–322. https://doi.org/10.18343/jipi.25.2.316

Rai, S., Wasewar, K. L., Mukhopadhyay, J., Yoo, C. K., & Uslu, H. (2012). *Neutralization and utilization of red mud for its better waste management*. 13–33.

Rong, Q., Zhong, K., Huang, H., Li, C., & Zhang, C. (2020). applied sciences Humic Acid Reduces the Available Cadmium , Copper , Lead , and Zinc in Soil and Their Uptake by Tobacco. *Applied Sciences*, *10*(2), 1–12.

Rosli, R. A., Harumain, Z. A. S., Zulkalam, M. F., Mohamad, M. A. N., Noh, A. L., & Shahari, R. (2021). *Phytoremediation of Arsenic in Mine Wastes by Acacia mangium*. 1–11. https://doi.org/10.1002/rem.21688

Rubinos, D., Díaz-fierros, F., & Barral, M. T. (2011). *Neutralization and Decontamination of Acid Leachates using Bauxite Red Mud*. 441–446.

Scullett-dean, G., Stockwell, K., Myers, L., Nyeboer, H., Moreira-grez, B., & Santini, T. C. (2023). Science of the Total Environment Coupling microbial and abiotic amendments accelerates in situ remediation of bauxite residue at fi eld scale. *Science of the Total Environment*, *877*(December 2022), 162699. https://doi.org/10.1016/j.scitotenv.2023.162699

Setiawati, T., Amadea, T. B., Nurzaman, M., & Ratningsih, N. (2021). Prolife. *Jurnal Pendidikan Biologi*, *8*(November).

Sharifi, P. (2017). *Studying Maize Growth Indices in Different Water Stress Conditions and the Use of Humic Acid*. *10*(1), 303–310.

Shen, J., Yuan, L., Zhang, J., Li, H., Bai, Z., & Chen, X. (2011). *Phosphorus Dynamics : From Soil to Plant 1*. *156*(30821003), 997–1005. https://doi.org/10.1104/pp.111.175232

Suprapto, S., & Kisnawati, R. D. (2016). Pemisahan Alumina pada Residu Bauksit (Red Mud) yang Berasal dari Riau dengan Metode Sintering Sodalime. *Jurnal Sains Dan Seni ITS*, *5*(2), c160–c163.

Tiwari, S., & Lata, C. (2018). Heavy Metal Stress , Signaling , and Tolerance Due to Plant-Associated Microbes : An Overview. *Frontiers in Plant Science*, *9*(April), 1–12. https://doi.org/10.3389/fpls.2018.00452

Tsakanika, L., Panagiotatos, G., Lymperopoulou, T., Chatzitheodoridis, E., Ochsenkühn, K., & Ochsenkühn-petropoulou, M. (2022). Selective Scandium Extraction †. *Metals*, 1–19.

Ulinuha, M., Tyoso, A. W., & Kurniati, E. (2022). *Ekstraksi Magnesium pada Dolomit Menggunakan Pelarut Asam Fosfat*. *3*(1), 69–74.

Vance, C. P., Vance, C. P., Uhde-stone, C., & Allan, D. L. (2003). *Phosphorus acquisition and use : critical adaptations by plants for securing a nonrenewable resource*. 423–447.

Vind, J., Malfliet, A., Blanpain, B., Tsakiridis, P. E., Id, A. H. T., Vassiliadou, V., &

UNIVERSITAS GADJAH MADA
Potensi Fitoekstraksi Fe, Al, Dan REE Oleh Acacia Mangium Pada Media Red Mud Termodifikasi Asam Fosfatâ€“Asam Humat
Fadhlan Warithdin Muhammad, Ir. Agus Prasetya, M.Eng.Sc., Ph.D.; Prof. Ir. Panut Mulyono, M.Eng., D.Eng., IPU., A
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Panias, D. (2018). Rare Earth Element Phases in Bauxite Residue. *Minerals*, *8*(77), 32. https://doi.org/10.3390/min8020077

Wang, P., & Liu, D. Y. (2012). Physical and Chemical Properties of Sintering Red Mud and Bayer Red Mud and the Implications for Beneficial Utilization. *Materials*, *5*(10), 1800–1810. https://doi.org/10.3390/ma5101800

Widhanarto, G. O., Purwanto, R. H., & Maryudi, A. (2016). *Assesing Carbon Pool of Forest Plantation to Support REDD + Implementation in Indonesia*. *130008*. https://doi.org/10.1063/1.4958552

Wisnujati, A., & Yudhanto, F. (2023). Karakterisasi Lapisan Oksida Hasil Anodizing Pada Aluminium Dengan Variabel Waktu Pencelupan. *Jurnal Rekayasa Mesin*, *14*(2), 525–536. https://doi.org/10.21776/jrm.v14i2.1309

Wu, C. S., & Liu, D. Y. (2012). Mineral phase and physical properties of red mud calcined at different temperatures. *Journal of Nanomaterials*, *2012*(3). https://doi.org/10.1155/2012/628592

Xu, J., Mohamed, E., Li, Q., Lu, T., Yu, H., & Jiang, W. (2021). Effect of Humic Acid Addition on Buffering Capacity and Nutrient Storage Capacity of Soilless Substrates. *Frontiers in Plant Science*, *12*(July), 1–12. https://doi.org/10.3389/fpls.2021.644229

Yan, A., Wang, Y., Tan, S. N., Mohd Yusof, M. L., Ghosh, S., & Chen, Z. (2020). Phytoremediation: A Promising Approach for Revegetation of Heavy Metal-Polluted Land. *Frontiers in Plant Science*, *11*(April), 1–15. https://doi.org/10.3389/fpls.2020.00359

Zamora-ledezma, E., Pro, M. M., Castro, E. J., Due, R. L., Vera, J. V, & Gil, H. P. (2025). Results in Engineering Advancing carbon quantification : A comparative evaluation of gravimetric and volumetric methods for soil carbon assessment in tropical ecosystems. *Results in Engineering*, *25*(December 2024). https://doi.org/10.1016/j.rineng.2025.104141

Zhang, Yanhao, Liu, G., Gao, S., Zhang, Z., & Huang, L. (2023). Journal of Hazardous Materials Advances Effect of humic acid on phytoremediation of heavy metal contaminated sediment. *Journal of Hazardous Materials Advances*, *9*(December 2022), 100235. https://doi.org/10.1016/j.hazadv.2023.100235

Zhang, Yusen, Chen, X., Geng, S., & Zhang, X. (2025). A review of soil waterlogging impacts , mechanisms , and adaptive strategies. *Frontiers in Plant Science*, *2*, 1–15. https://doi.org/10.3389/fpls.2025.1545912

Zhao, W., Xiao, J., Wang, S., Gai, X., & Chen, G. (2025). Bone biochar and humic acid improved soil quality and promoted Olea europaea growth in coastal saline soil by enhancing the stoichiometric homeostasis of nutrient elements. *Biochar*. https://doi.org/10.1007/s42773-025-00461-3

Asie, E. R., Eliyani, & Nazari, A. P. D. (2024). *Analisis Pertumbuhan Tanaman*. *1*(September), 1–31.

Bratkova, S., Nikolova, K., Genova1, P., & Angelov, A. (2022). Use of Plant Growth-Promoting Bacteria and Humic Acids for Phytostabilization of Acid-Generating Mining Wastes. *Opast Earth & Environmental Science Research & Reviews*, *5*(3), 51–60.

Canellas, L. P., Olivares, F. L., Aguiar, N. O., Jones, D. L., Nebbioso, A., Mazzei, P., & Piccolo, A. (2015). Scientia Horticulturae Humic and fulvic acids as biostimulants in horticulture. *Scientia Horticulturae*, *196*, 15–27. https://doi.org/10.1016/j.scienta.2015.09.013

Cui, Y., Chen, J., Zhang, Y., Peng, D., Huang, T., & Sun, C. (2019). *pH-Dependent Leaching Characteristics of Major and Toxic Elements from Red Mud*. *3*.

Potensi Fitoekstraksi Fe, Al, Dan REE Oleh Acacia Mangium Pada Media Red Mud Termodifikasi Asam
Fosfatâ€“Asam Humat
Fadhlan Warithdin Muhammad, Ir. Agus Prasetya, M.Eng.Sc., Ph.D.; Prof. Ir. Panut Mulyono, M.Eng., D.Eng., IPU., A
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Damayanti, R., & Khareunissa, H. (2017). Composition and characteristics of red mud: A case study on Tayan bauxite residue from alumina processing plant at West Kalimantan. *Indonesian Mining Journal*, *19*(3), 179–190. https://doi.org/10.30556/imj.vol19.no3.2016.660

Evangelou, M. W. H., Daghan, H., & Schaeffer, A. (2004). *The influence of humic acids on the phytoextraction of cadmium from soil*. *57*, 207–213. https://doi.org/10.1016/j.chemosphere.2004.06.017

Fitranto, I., Tangahu, B. V., & Yulikasari, A. (2025). *Effectiveness of Phytomining of Vanadium (V) and Chromium (Cr) Using Cymbopogon citratus and Portulaca grandiflora in Red Mud with Manure Addition*. *03003*.

Grahita, L., Zulhan, Z., & Hidayat, T. (2022). *High Temperature Reduction of Bauxite Residue*. 128. https://doi.org/10.3390/materproc2021005128

Gulcin, İ., & Alwasel, S. H. (2022). Metal Ions, Metal Chelators and Metal Chelating Assay as Antioxidant Method. *Processes*, *10*(1). https://doi.org/10.3390/pr10010132

Guo, J., Jiao, Y., Wang, Y., Hu, W., Jia, Y., Huang, Z., Yang, L., & Chen, L. (2023). Plant Physiology and Biochemistry Regulation of magnesium and calcium homeostasis in citrus seedlings under varying magnesium supply. *Plant Physiology and Biochemistry*, *204*(15), 108146. https://doi.org/10.1016/j.plaphy.2023.108146

Hakim, G. L., Prasetya, A., & Mulyono, P. (2025). Studi Optimasi Komposisi Red Mud dan Asam Sitrat untuk Phytomining. *Envirotek : Jurnal Ilmiah Teknik Lingkungan*, *16*(2), 90–96.

Handini, A. S., Rahhutami, R., & Astutik, D. (2020). *The Effectiveness of Humic Acid and Trichoderma sp . for Planting Media with Oil Palm Empty Bunches in Pakcoy (Brassica rapa L .)*. *3*(2), 44–51.

Hussein, Abdel-Shafy, & Mansour, M. S. M. (2018). Phytoremediation for the Elimination of Metals, Pesticides, PAHs, and Other Pollutants from Wastewater and Soil. In *Phytobiont and Ecosystem Restitution*. https://doi.org/10.1007/978-981-13-1187-1

Iskandar, Juhari, & Santosa, D. A. (2024). Utilization of Red Mud and Biofertilizer for Peat Quality Improvement and Its Effect on the Growth and Production of Hybrid Corn. *Jurnal Agrikultura*, *35*(3), 573–585.

Jiang, J., Wang, Y., Yu, M., Cao, N., & Yan, J. (2018). Soil organic matter is important for acid bu ff ering and reducing aluminum leaching from acidic forest soils. *Chemical Geology*, *501*(October), 86–94. https://doi.org/10.1016/j.chemgeo.2018.10.009

Jing, J., Zhang, S., Yuan, L., Li, Y., & Chen, C. (2022). Humic Acid Modified by Being Incorporated Into Phosphate Fertilizer Increases Its Potency in Stimulating Maize Growth and Nutrient Absorption. *Frontiers in Plant Science*, *13*(May), 1–9. https://doi.org/10.3389/fpls.2022.885156

Kawano, T., Wallbridge, N., Plummer, C., Kawano, T., & Wallbridge, N. (2020). Logistic Models for Simulating the Growth of Plants by Defining the Maximum Plant Size as the Limit of Information Flow Logistic Models for Simulating the Growth of Plants by Defining the Maximum Plant Size as the Limit of Information Flow. *Plant Signaling & Behavior*, *00*(00). https://doi.org/10.1080/15592324.2019.1709718

Kong, X., Li, M., Xue, S., Hartley, W., Chen, C., Wu, C., Li, X., & Li, Y. (2017). Acid transformation of bauxite residue : Conversion of its alkaline characteristics. *Journal of Hazardous Materials*, *324*(11), 382–390. https://doi.org/10.1016/j.jhazmat.2016.10.073

Kusuma, D. A. A., & Haerudin. (2022). Tinjauan Terhadap Perencanaan Phytomining

Potensi Fitoekstraksi Fe, Al, Dan REE Oleh Acacia Mangium Pada Media Red Mud Termodifikasi Asam
Fosfatâ€“Asam Humat
Fadhlan Warithdin Muhammad, Ir. Agus Prasetya, M.Eng.Sc., Ph.D.; Prof. Ir. Panut Mulyono, M.Eng., D.Eng., IPU., A
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

sebagai Konsep dan Mekanisme Phytomining. *Jurnal Teknologi Sumberdaya Mineral*, *3*(2), 81–91.

Lambers, H., Martinoia, E., & Renton, M. (2015). ScienceDirect Plant adaptations to severely phosphorus-impoverished soils. *Current Opinion in Plant Biology*, *25*, 23–31. https://doi.org/10.1016/j.pbi.2015.04.002

Medeiros, A. D. S., Oliveira, S. De, Júnior, M., Bruno, G., Gonzaga, M., Cândido, T., Moisés, M., Queiroz, F. De, Américo, R., & Neto, D. A. (2019). Growth of Okra Under Nitrogen Rates and Wastewater in the Brazilian Semiarid Region. *Journal of Agricultural Science*, *11*(5), 408–418. https://doi.org/10.5539/jas.v11n5p408

Mirbakhsh, M., & Zahed, Z. (2023). *Enhancing Phosphorus Uptake in Sugarcane : A Critical Evaluation of Humic Acid and Phosphorus Fertilizers ' Effectiveness*. *5*(3), 133–145.

Mohanty, A., Agrawal, A., & Patel, A. K. (2024). Role of biomarkers to elucidate red mud induced shift in microbial community structure and its implications in soil quality assessment. *International Journal of Advanced Research in Biological Sciences*, *11*(12), 37–63. https://doi.org/10.22192/ijarbs

Mohd, S. N., Muhamad Majid, N., Mohamed Shazili, N. A., & Abdu, A. (2013). Growth performance, biomass and phytoextraction efficiency of acacia mangium and Melaleuca cajuputi in remediating heavy metal contaminated soil. *American Journal of Environmental Sciences*, *9*(4), 310–316. https://doi.org/10.3844/ajessp.2013.310.316

Monei, N., Hitch, M., Heim, J., Pourret, O., Heilmeier, H., & Wiche, O. (2022). Effect of substrate properties and phosphorus supply on facilitating the uptake of rare earth elements (REE) in mixed culture cropping systems of Hordeum vulgare , Lupinus albus and Lupinus angustifolius. *Environmental Science and Pollution Research*, 57172–57189. https://doi.org/10.1007/s11356-022-19775-x

Nardi, S., Pizzeghello, D., Schiavon, M., & Ertani, A. (2016). *Plant biostimulants : physiological responses induced by protein hydrolyzed-based products and humic substances in plant metabolism*. *February*, 18–23.

Niazi, P., & Monib, A. W. (2023). Function of Macronutrients in Plant Growth and Human. *International Journal of Scientific Development and Research (IJSDR)*, *8*(4), 1265–1274.

Nirsatmanto, A. (2016). Early Growth o f Improved Acacia mangium at Different Planting Densities. *Scientific Article*, *2*(2), 105–113. https://doi.org/10.7226/jtfm.

Önder, A. C., Reyes-hernández, B. J., & Krahmer, J. (2025). Mechanisms of carbon allocation to stem-like axial sink organs. *Journal of Experimental Botany*, *77*(5), 1469–1482. https://doi.org/10.1093/jxb/eraf466

Pepper, R. A., Couperthwaite, S. J., & Millar, G. J. (2016). Comprehensive examination of acid leaching behaviour of mineral phases from red mud : Recovery of Fe , Al , Ti , and Si. *Minerals Engineering*, *99*, 8–18. https://doi.org/10.1016/j.mineng.2016.09.012

Rahma, Budiarto, & Mubarok. (2025). Analysis of source – sink organ dynamics in kaffir lime (Citrus hystrix DC .) at different plant ages. *Jurnal Kultivasi*, *24*(December), 298–308.

Rahmandhias, D. T., & Rachmawati, D. (2020). *Pengaruh Asam Humat terhadap Produktivitas dan Serapan Nitrogen pada Tanaman Kangkung Darat (Ipomoea reptans Poir .) (The Effect of Humic Acid on Productivity and Nitrogen Uptake in Kangkong (Ipomoea reptans Poir .))*. *25*(April), 316–322. https://doi.org/10.18343/jipi.25.2.316

Rai, S., Wasewar, K. L., Mukhopadhyay, J., Yoo, C. K., & Uslu, H. (2012).

Potensi Fitoekstraksi Fe, Al, Dan REE Oleh Acacia Mangium Pada Media Red Mud Termodifikasi Asam
Fosfatâ€“Asam Humat
Fadhlan Warithdin Muhammad, Ir. Agus Prasetya, M.Eng.Sc., Ph.D.; Prof. Ir. Panut Mulyono, M.Eng., D.Eng., IPU., A
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Neutralization and utilization of red mud for its better waste management. 13–33.

Rong, Q., Zhong, K., Huang, H., Li, C., & Zhang, C. (2020). applied sciences Humic Acid Reduces the Available Cadmium , Copper , Lead , and Zinc in Soil and Their Uptake by Tobacco. *Applied Sciences*, *10*(2), 1–12.

Rosli, R. A., Harumain, Z. A. S., Zulkalam, M. F., Mohamad, M. A. N., Noh, A. L., & Shahari, R. (2021). *Phytoremediation of Arsenic in Mine Wastes by Acacia mangium*. 1–11. https://doi.org/10.1002/rem.21688

Rubinos, D., Díaz-fierros, F., & Barral, M. T. (2011). *Neutralization and Decontamination of Acid Leachates using Bauxite Red Mud*. 441–446.

Scullett-dean, G., Stockwell, K., Myers, L., Nyeboer, H., Moreira-grez, B., & Santini, T. C. (2023). Science of the Total Environment Coupling microbial and abiotic amendments accelerates in situ remediation of bauxite residue at fi eld scale. *Science of the Total Environment*, *877*(December 2022), 162699. https://doi.org/10.1016/j.scitotenv.2023.162699

Setiawati, T., Amadea, T. B., Nurzaman, M., & Ratningsih, N. (2021). Prolife. *Jurnal Pendidikan Biologi*, *8*(November).

Sharifi, P. (2017). *Studying Maize Growth Indices in Different Water Stress Conditions and the Use of Humic Acid*. *10*(1), 303–310.

Shen, J., Yuan, L., Zhang, J., Li, H., Bai, Z., & Chen, X. (2011). *Phosphorus Dynamics : From Soil to Plant 1*. *156*(30821003), 997–1005. https://doi.org/10.1104/pp.111.175232

Suprapto, S., & Kisnawati, R. D. (2016). Pemisahan Alumina pada Residu Bauksit (Red Mud) yang Berasal dari Riau dengan Metode Sintering Sodalime. *Jurnal Sains Dan Seni ITS*, *5*(2), c160–c163.

Tiwari, S., & Lata, C. (2018). Heavy Metal Stress , Signaling , and Tolerance Due to Plant-Associated Microbes : An Overview. *Frontiers in Plant Science*, *9*(April), 1–12. https://doi.org/10.3389/fpls.2018.00452

Tsakanika, L., Panagiotatos, G., Lymperopoulou, T., Chatzitheodoridis, E., Ochsenkühn, K., & Ochsenkühn-petropoulou, M. (2022). Selective Scandium Extraction †. *Metals*, 1–19.

Ulinuha, M., Tyoso, A. W., & Kurniati, E. (2022). *Ekstraksi Magnesium pada Dolomit Menggunakan Pelarut Asam Fosfat*. *3*(1), 69–74.

Vance, C. P., Vance, C. P., Uhde-stone, C., & Allan, D. L. (2003). *Phosphorus acquisition and use : critical adaptations by plants for securing a nonrenewable resource*. 423–447.

Vind, J., Malfliet, A., Blanpain, B., Tsakiridis, P. E., Id, A. H. T., Vassiliadou, V., & Panias, D. (2018). Rare Earth Element Phases in Bauxite Residue. *Minerals*, *8*(77), 32. https://doi.org/10.3390/min8020077

Wang, P., & Liu, D. Y. (2012). Physical and Chemical Properties of Sintering Red Mud and Bayer Red Mud and the Implications for Beneficial Utilization. *Materials*, *5*(10), 1800–1810. https://doi.org/10.3390/ma5101800

Widhanarto, G. O., Purwanto, R. H., & Maryudi, A. (2016). *Assesing Carbon Pool of Forest Plantation to Support REDD + Implementation in Indonesia*. *130008*. https://doi.org/10.1063/1.4958552

Wisnujati, A., & Yudhanto, F. (2023). Karakterisasi Lapisan Oksida Hasil Anodizing Pada Aluminium Dengan Variabel Waktu Pencelupan. *Jurnal Rekayasa Mesin*, *14*(2), 525–536. https://doi.org/10.21776/jrm.v14i2.1309

Wu, C. S., & Liu, D. Y. (2012). Mineral phase and physical properties of red mud calcined at different temperatures. *Journal of Nanomaterials*, *2012*(3). https://doi.org/10.1155/2012/628592

UNIVERSITAS
GADJAH MADA
Potensi Fitoekstraksi Fe, Al, Dan REE Oleh Acacia Mangium Pada Media Red Mud Termodifikasi Asam Fosfatâ€“Asam Humat
Fadhlan Warithdin Muhammad, Ir. Agus Prasetya, M.Eng.Sc., Ph.D.; Prof. Ir. Panut Mulyono, M.Eng., D.Eng., IPU., A
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Xu, J., Mohamed, E., Li, Q., Lu, T., Yu, H., & Jiang, W. (2021). Effect of Humic Acid Addition on Buffering Capacity and Nutrient Storage Capacity of Soilless Substrates. *Frontiers in Plant Science*, *12*(July), 1–12. https://doi.org/10.3389/fpls.2021.644229

Yan, A., Wang, Y., Tan, S. N., Mohd Yusof, M. L., Ghosh, S., & Chen, Z. (2020). Phytoremediation: A Promising Approach for Revegetation of Heavy Metal-Polluted Land. *Frontiers in Plant Science*, *11*(April), 1–15. https://doi.org/10.3389/fpls.2020.00359

Zamora-ledezma, E., Pro, M. M., Castro, E. J., Due, R. L., Vera, J. V, & Gil, H. P. (2025). Results in Engineering Advancing carbon quantification : A comparative evaluation of gravimetric and volumetric methods for soil carbon assessment in tropical ecosystems. *Results in Engineering*, *25*(December 2024). https://doi.org/10.1016/j.rineng.2025.104141

Zhang, Yanhao, Liu, G., Gao, S., Zhang, Z., & Huang, L. (2023). Journal of Hazardous Materials Advances Effect of humic acid on phytoremediation of heavy metal contaminated sediment. *Journal of Hazardous Materials Advances*, *9*(December 2022), 100235. https://doi.org/10.1016/j.hazadv.2023.100235

Zhang, Yusen, Chen, X., Geng, S., & Zhang, X. (2025). A review of soil waterlogging impacts , mechanisms , and adaptive strategies. *Frontiers in Plant Science*, *2*, 1–15. https://doi.org/10.3389/fpls.2025.1545912

Zhao, W., Xiao, J., Wang, S., Gai, X., & Chen, G. (2025). Bone biochar and humic acid improved soil quality and promoted Olea europaea growth in coastal saline soil by enhancing the stoichiometric homeostasis of nutrient elements. *Biochar*. https://doi.org/10.1007/s42773-025-00461-3