UNIVERSITAS
GADJAH MADA
Studi Eksperimental Mengenai Pembentukan Slug Gas Pada T-Junction Minichannel Horizonta Aliran Dua Fase
Untung Surya Dharma, Prof. Dr. Ir. Indarto, DEA
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

DAFTAR PUSTAKA

Aussillous, P., Quere, D., 2000, Quick deposition of a fluid on the wall of a tube, Phys. Fluid, vol. 12 (10), pp. 2367-2371.

Abhik, Majumder., Sambit, Majumder., 2014. Effect of corner radius of a *T-junction* mini-square *channel* on fluid flow and heat transfer in the developing region: A three dimensional numerical simulation, Procedia Engineering 105 (2015) 89-95.

A. Arabi, Y. Salhi, Y. Zenati, E.K. Si-Ahmed, J. Legrand. 2020. On gas-liquid intermittent flow in a horizontal pipe: Influence of sub-regime on *slug gas* frequency, *Chemical Engineering Science*, Vol. 211: 115251.

Adam A. Donaldson., Deepak M. Kirpalani., Arturo Macchi., 2011, Single and two-phase pressure drop in serpentine mini-*channel*s. Chemical Engineering and Processing: Process Intensification, Vol. 50. Pp. 877-884.

Astyanto, A.H, Nugroho, A.N.A., Prof. Indarto., I.G.B.N. Catrawedarma., Lucas., Deendarlianto., 2023., Statistical Characterization of the interfacial bahaviour captured by a novel *image processing* algorithm during the gas/liquid counter-current two-phase flow in a 1/3 scaled down of PWR hot leg. Nuclear Engineering and design, Vol. 404, April 2023, 112179.

Bretherton. F.P, 1961, The motion of long bubbles in tubes, J. Fluid mech., vol. 10. Pp. 166-188.

Chisholm D., 1967, A theoritical basis for the Lockhart Martinelli Correlation for two phase flow, Int. J. Heat Mass Transfer, vol. 10, pp. 1767-1778.

Chiwoong Choi, Yu. D.J., Kim, M.H., Adiabatic two-phase flow in rectangular micro*channel*s with different aspect ratio: Part I - Flow pattern, pressure drop, and void fraction. International Journal of Heat and mass transfer, vol. 54, pp. 616-624, 2011a.

Chiwoong Choi, Yu. D.J., Kim, M.H., Adiabatic two-phase flow in rectangular micro*channel*s with different aspect ratio: Part II - Bubble behaviours and pressure drop in single bubble, International Journal of Heat and mass transfer, vol. 54, pp. 616-624, 2011b.

UNIVERSITAS GADJAH MADA
Studi Eksperimental Mengenai Pembentukan Slug Gas Pada T-Junction Minichannel Horizonta Aliran Dua Fase
Untung Surya Dharma, Prof. Dr. Ir. Indarto, DEA
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Chiwoong Choi, Moohwan Kim, Flow patern based correlation of two-phase pressure drop in rectangular micro*channel*s. International Journal of heat and fluid flow, vol. 32, pp. 1199-1207, 2011c.

Dukler, E., Hubbard, M.G., 1975, A model for gas-liquid *slug gas* flow in horizontal and near horizontal tubes, Ind. Eng. Chem. Fundamental, vol. 14, no. 4, pp. 377-347.

Donaldson, A.A., D.M. Kirpalani, A. Macchi, 2011, Curvature induced flow pattern transition in serpentine mini-*channel*s, Int. J. Multiphase Flow, vol.87 , pp. 429-439.

Dongyin Qian, Adeniyi Lawal, 2006, Numerical study on gas and liquid *slug gas*s for Taylor flow in a *T-junction* micro*channel*, Chemical Engineering Science, 61, 7609-7625.

Elazhary, A. M., H.M. Soliman, 2012, Two-pase flow in a horizontal mini-size impacting *T-junction* with a rectangular cross-section, Int. J. Multiphase Flow, vol. 42, pp. 104-114

Elperin, T., M. Klochko., 2002, Flow regime identification in a two-phase flow using *wavelet* transform. *Experiments in Fluids*, Vol. 32, pp. 674-682.

Farzad Housmand, Daren Elcock, Michael Amitay, Yoav Peles, 2014, Bubble formation from micro-pillar in a micro*channel*, Int. J. Multiphase Flow, vol. 59, pp. 44-53.

Guo, F., & Chen, B. (2009). Numerical study on taylor bubble formation in a micro-*channel T-junction* using vof method. Microgravity Science and Technology, 21(SUPPL. 1). https://doi.org/10.1007/s12217-009-9146-4

Grassberger, P., & Proccacia, I., 1983, Estimation of The Kolmogorop entropy for a chaotic signal. Physical Review, 28(4), 2591-2593.

IGNB. Catrawedarma, Deendarlianto, Indarto, 2021. Statistical characterization of flow structure of air-water two-phase flow in airlift pump-bubble generator system, *Int. Journal of Multiphase Flow,* vol. 138-103596.

IGNB. Catrawedarma., Fadliqa Aghid Resnaraditya, Deendarlianto, Indarto. 2021, Statistical characterization of the flow structure of air-water-solid particles

UNIVERSITAS GADJAH MADA
Studi Eksperimental Mengenai Pembentukan Slug Gas Pada T-Junction Minichannel Horizonta Aliran Dua Fase
Untung Surya Dharma, Prof. Dr. Ir. Indarto, DEA
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

three-phase flow in the airlift pump-bubble generator system. *Flow Measurement and Instrumentation*, Vol. 82, 10206255.

J H. Xu, S. W. Li, J. Tan, G.S. Luo, 2008, Correlation of droplet formation in *T-junction* microfluidic devices: from squezzing to dripping, Microfluidic nanofluidic (2008) 5:711-717.

Jonathan D Wehking, Michael Gabany, Larry Chew, Ranganathan Kumar, 2014, Effect of viscosity, interfacial tension, and flow geometry on droplet formation in a microfluidic *T-junction*, Miccrofluidic Nanofluidic, 16, 441-453

Jingzhi Zhang, Li Lei, Cheng Cheng, Chonghai Huang, Qi Xiao, Gongming Xin, Man Wang, 2023, Experimental investigation og gas-liquid two-phase flow in a horizontal mini pipe: Flow regime, void friction, and frictional pressure drops, Physic of fluid, 35, 013333. AIP Publishing.

Or-ampai Jaibon, Benjapon Chalermsinsuwan, Lursuang Mekasut, Pornpote Piumsomboon, 2013, Effect of flow pattern on power spectral density of pressure fluctuation in various fluidization regimes. Powder Technology, Vol. 233, Pp. 215-226.

Kawahara, A., Chung, P.M., Kawaji, M., 2002, Investigation of two-phase flow pattern, void fraction, and pressure drop in a micro*channel*, Int. J. Multiphase Flow, Vol. 28, pp. 1411-1435.

Kandlikar S.G., Grande, W.J., 2003, Evolution of micro*channel* flow passage-thermohidraulik performance and fabrication technology, Heat Transfer Engineering, vol. 24, pp. 3 – 17.

Kawaji, M., Chung, P.M.-Y., 2004, Adiabatic gas-liquid flow in micro*channel*. MicroscaleThermophys Eng., vol. 8 pp. 239-257.

Kreutzer, M.T., Kapteijn, F., Moulijn, J.A., Kleijn, C.R., Heiszwolf, J.J., 2005a, Inertial and interfacial effect on pressure drop of Taylor flowin capillaries, AIChE Journal, vol. 51(9), pp. 2428-2440.

Krzysztof Dutkowski, 2009, Two-phase presssure drop of air-water in *minichannel*s, Int. Journal of Heat and Mass Transfer, 52 (2009) 5185 - 5192.

UNIVERSITAS GADJAH MADA
Studi Eksperimental Mengenai Pembentukan Slug Gas Pada T-Junction Minichannel Horizonta Aliran Dua Fase
Untung Surya Dharma, Prof. Dr. Ir. Indarto, DEA
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Ken yamamoto, Satoshi Ogata, 2013, Effects of *T-junction* size on bubble generation and flow instability for two-phase flow in circular micro*channel*s, Int. J. Multiphase Flow, vol. 49, pp. 24-30.

Ken yamamoto, Satoshi Ogata, 2014, Drag reduction of *slug gas* flows in micro*channel*s by modifying the size of *T-junction*, Int. J. Multiphase Flow, vol. 62, pp. 67-72

Kawahara, A., Sadatomi, M., Nei, K., & Matsuo, H. (2011). Characteristics of two-phase flows in a rectangular micro*channel* with a *T-junction* type gas-liquid mixer. *Heat Transfer Engineering*, *32*(7–8), 585–594. https://doi.org/10.1080/01457632.2010,509752

Lockhart, R.W., Martinelli, R.C., 1949, Proposed correlation of data for isothermal two-phase, two componet flow inpipes, Chemical Engineering Progress, Vol. 45, pp. 39-48.

Leclerc, A., Phillipe, R., Houzelot, V., Schweich, D., de bellefon, C., 2010, Gas-liquid taylor flow in square micro-*channel* : new inlet geometries and interfacial area tuning, Chemical Engineering Journal, 165, 290-300.

Lee, H.J., Lee, S.Y., 2001a. Pressure drop correlations for two-phase flow within horizontal rectangular *channel*s with small height, *Int. J. Multiphase Flow*, Vol. 27, pp. 783-796.

Licheng Sun, Kaichiro Mishima, 2009. Evolutiom analysis of prediction methods for two phase flow pressure drop in *minichannel*, , Int. J. Multiphase Flow, vol. 35, pp. 47-54.

Mandhane, J.M., Gregory, G.A., Azis, K., 1974, A flow pattern map for gas-liquid flow in horizontal pipe, Int. J. Multiphase Flow, vol. 1, pp. 537-553.

Mishima K., Hibiki T, 1996, Some characteristic of air-water two-phase flow in small diameter vertical tube, Int. J. Multiphase Flow, Vol. 2 pp. 703-712.

Mehendale, A.M., Jacobi, S.S., 2000, Evaporative heat transfer in mesoscale heat exchangers, ASHRAE Transaction, vol. 106, pp. 446-455.

Massoud, M., 2005, Engineering Thermofluids (Thermodynamics, Fluid Mechanics, and Heat Transfer), Springer-Verlag Berlin Heidelberg.

UNIVERSITAS GADJAH MADA
Studi Eksperimental Mengenai Pembentukan Slug Gas Pada T-Junction Minichannel Horizonta Aliran Dua Fase
Untung Surya Dharma, Prof. Dr. Ir. Indarto, DEA
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

M De Menech, P. Garstecki, F. Jousse, H.A.Stone, 2008, Transition from squezzing to dripping in a microfluidic T-shaped junction, J. Fluid Mech, vol. 595, pp. 141-161

M Venketesan, S K Das, A R Balakrishnan, 2011, Effect of diameter on two-phase pressure drop in narrow tubes, Exp. Therm. Fluid Science, 35, 531-541.R. Na

Miguel A. Herada, A.M., Ganan-Calvo, 2013, Theoritical investigation of a technique to produce microbubbles by a microfluidic *T-junction*, Physical Review E, vol. 88.033027, pp. 1-8

Miguel A. Herada, A.S. Mohamed, Jose M. Montanero, A.M., Ganan-Calvo, 2015, Stability of a *rivulet* flowing in a micro*channel*, Int. J. Multiphase Flow, vol. 69, pp. 1-7.

Mohammed H. Mansour, Akimaro Kawahara, Michio Sadatomi, 2015, Experimental investagation of gas-non-newtonian liquid two-phase flow from *T-junction* mixer in rectangular micro*channel*, Int. J. Multiphase Flow, vol. 72, pp. 263-274

N.J. English, S.G. Kandlikar, 2006, An experimental investigation into the effect of surfactants on air-water two-phase flow in *minichannel*s, Heat Transfer Engineering, 27, 99-109

Nicklin, D.J., Wilke, L.O., and Davidson, J.P., 1962, Two phase flow in vertical tube, Trans. Inst. Chem. Eng, Vol. 40-1, pp. 61-68.

Nguyen, V.T., Euh, D.J., & Song, C. H., 2010, An Application of the *wavelet* analysis technique for the objective discrimination of two-phase flow patterns. International Journal of Multiphase flow, 36(9), 755-768.

Okto Dinaryanto, 2018, Studi eksperimental mengenai mekanisme aliran *slug gas* pada aliran dua fase adiabatis searah dalam pipa horizontal, Desertasi, Program Pascasarjana Fakultas Teknik, UGM.

Piotr Garstecki, Michael J. Fuerstman, Howard A. Stone, George M. Whitesides, 2006, Formation of droplets and bubbles in a microfluidic T-juction - scaling and mechanism of break-up, The Royal Society of Chemistry, Lab Chip, 6, 437-446.

UNIVERSITAS GADJAH MADA
Studi Eksperimental Mengenai Pembentukan Slug Gas Pada T-Junction Minichannel Horizonta Aliran Dua Fase
Untung Surya Dharma, Prof. Dr. Ir. Indarto, DEA
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Rafael M. Santos, Masahiro Kawaji, 2009, Numerical modelling and experimental investigation of gas-liquid *slug gas* formation in a micro*channel T-junction*, Int. J. Multiphase Flow, vol. 36 , pp. 314-323.

Stefan Haase, 2016, Characterisation of gas-liquid two phase flow in *minichannel*s with co-flowing fluid injection inside the *channel*, part I : unified mapping of flow regimes, Int. J. Multiphase Flow, vol.87 , pp. 197-211

Rajlakshmi Nayak, Oswald Jason Lobo, Dhiman Chatterje, Sarit K. Das, 2018, Effect of geometrical parameters on *slug gas* behaviour and two phase pressure drop in micro*channel T-junction*s, Chemical Engineering & Processing: Process Intensification, 130, 76-87.

S. Arias, R. Gonzales-Cinca, 2016, Analysis of characteristic lengths in the bubble and *slug gas* flow regimes generated in a capillary *T-junction*, Int. J. Multiphase Flow, vol.87 , pp. 167-174.

Sudarja, 2018, Studi eksperimental aliran dua fase gas-cairan pada pipa berukuran mini, Desertasi, Program Pascasarjana Fakultas Teknik, UGM.

Sang, L., Hong, Y., & Wang, F. (2009). Investigation of viscosity effect on droplet formation in T-shaped micro*channel*s by numerical and analytical methods. *Microfluidics and Nanofluidics*, *6*(5), 621–635. https://doi.org/10.1007/s10404-008-0329-x

Taitel, Y., Duckler, A.E., 1977, A model for *slug gas* frequency during gas-liquid flow in horizontal and near horizontal pipes, AICHE Journal, vol. 22, no. 1, pp. 585-596.

T. Stacey, B.J. Azzopardi, G. Conte, 1999, The split of annular two-phase flow at a small diameter *T-junction*, Int. J. Multiphase Flow, vol.26 , pp. 845-856

Tripplet, K.A., Ghiaasiaan, S.M., Abdel Khalik, S.I., and Sadowski, D.L., 1999a, Gas-liquid two phase flow in micro*channel*s. Part I : Two-phase flow pattern.Int. J. Multiphase Flow, Vol. 25, pp. 377-394

Tripplet, K.A., Ghiaasiaan, S.M., Abdel Khalik, S.I., LeMouel, and Mccord. B.N., 1999b, Gas-liquid two phase flow in micro*channel*s. Part II : Void fraction and pressure drop.Int. J. Multiphase Flow, Vol. 25, pp. 377-394

UNIVERSITAS GADJAH MADA
Studi Eksperimental Mengenai Pembentukan Slug Gas Pada T-Junction Minichannel Horizonta Aliran Dua Fase
Untung Surya Dharma, Prof. Dr. Ir. Indarto, DEA
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Tice, J. D., Lyon, A. D., & Ismagilov, R. F. (2004). Effects of viscosity on droplet formation and mixing in microfluidic *channel*s. Analytica Chimica Acta, 507(1), 73–77. https://doi.org/10.1016/j.aca.2003.11.024

Tohru Fukano, Akira Kariyasaki, 1993, Characteristic of gas-liquid two phase flow in a capillary tube, Nuclear Engineering and Design, Vol. 141, pp. 59-68.

Ujang, P.M. Lawrance, C.J. Hale, C.P. Hewitt., G.F., 2006, *Slug gas* initiation and evolution in two phase horizontal flow, Int. J. Multiphase Flow, vol. 32, pp. 527-552

Untung Surya Dharma, Deendarlianto, and Indarto., 2021, Two Phase Flow Pressure Drop Measurement Analysis in a Horizontal Rectangular *Minichannel T-junction*, International Conference Thermofluid 2021.

Volkert van Steijn, Michiel T. Kreutzer, Chris R. Kleijn, 2007, μ-PIV study of the formation of the segmented flow in microfluidic *T-junction*s, Chemical Engineering Science, 62, 7505-7514.

Van Steijn, V., Kleijn, C. R., & Kreutzer, M. T. (2010). Predictive model for the size of bubbles and droplets created in microfluidic *T-junction*s. *Lab on a Chip*, *10*(19), 2513–2518. https://doi.org/10.1039/c002625e

Walsh, E., Muzychka. Y., Walsh, P., egan, V., Punch, J., 2009, Pressure drop in two phase *slug gas*/bubble flows in mini scale capillaries, Int. J. Multiphase Flow, vol.35 , pp. 879-884.

Wren, E., G. Baker, B.J. Azzopardi, R. Jones., 2005, *Slug gas* flow in small diameter pipes and *T-junction*, Experimental Thermal and Fluid Science, vol. 29, pp. 893-899.

Warnier, M.J.F., de Croon, M.H.J.M., Rebrov, E.V., Schouten, J.C., 2010, Pressure drop of gas-liquid Taylor flowin roun micro-capillaries for low to intermediate Reynolds numbers, Microfluid Nanofluid, vol. 8, pp. 33-45.

W. Zhang, T. Hibiki, K. Mishima, 2010, Correlation of two-phase prictional pressure drop and void fraction in mini-*channel*, Int. J. Heat Mass Transfer, 53, 453-465

Wijayanta, S., Indarto, Deendarlianto, I. G. N. B. Catrawedarma, A. Z. Hudaya., 2022, Statistical characterization of the interfacial behavior of the sub-

UNIVERSITAS
GADJAH MADA
Studi Eksperimental Mengenai Pembentukan Slug Gas Pada T-Junction Minichannel Horizonta Aliran Dua Fase
Untung Surya Dharma, Prof. Dr. Ir. Indarto, DEA
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

regimes in gas-liquid stratified two-phase flow in a horizontal pipe. *Flow Measurenment and Instrumentation*, Vol. 83, 102107.

Xu, J. H., Li, S. W., Tan, J., & Luo, G. S. (2008). Correlations of droplet formation in *T-junction* microfluidic devices: From squezzing to dripping. Microfluidics and Nanofluidics, 5(6), 711–717. https://doi.org/10.1007/s10404-008-0306-4

Xie, T., S. M. Ghiaasiaan, and S. Karrila., 2003, low Regime Identification in Gas/Liquid/Pulp Fiber Slurry Flows based on Pressure Fluctuations Using Artificial Neural Networks. *Ind. Eng. Chem. Res*, Vol. 42, pp. 7017-7024.

Yang, C., Y., Shieh, C., 2001, Flow pattern of air-water and two-phase flow R-134a in small circular tubes, Int. J. Multiphase Flow, vol.27 , pp. 1163-1177.

Yan, Y., Guo, D., & Wen, S. Z. (2012). Numerical simulation of junction point pressure during droplet formation in a microfluidic *T-junction*. Chemical Engineering Science, 84, 591–601. https://doi.org/10.1016/j.ces.2012.08.055

Yao Chouqun, Zhao Yuchao, Ye Chunbo, Dang Minhui, Dong Zhengya, Chen Guangwen, 2013, Characteristic of *slug gas* flow with inertial effects in a rectangular micro*channel*.

Zhao T.S., Bi. Q.C., 2001, Co-current air water two-phase flow pattern in vertical triangular micro*channel*s, Int. J. Multiphase Flow, Vol. 7, pp. 765-782.

UNIVERSITAS
GADJAH MADA
Studi Eksperimental Mengenai Pembentukan Slug Gas Pada T-Junction Minichannel Horizonta Aliran Dua Fase
Untung Surya Dharma, Prof. Dr. Ir. Indarto, DEA
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

LAMPIRAN