

DAFTAR PUSTAKA

- Adam, G.A. dan Zimmer, D., 2015, On design for additive manufacturing: evaluating geometrical limitations, *Rapid Prototyping Journal* [Preprint].
- Amjadi, M., Kyung, K.-U., Park, I. dan Sitti, M., 2016, Stretchable, skin-mountable, and wearable strain sensors and their potential applications: a review, *Advanced Functional Materials*, Vol. 26, No. 11, pp. 1678–1698.
- Anderson, D.M., 2020, *Design for manufacturability: How to use concurrent engineering to rapidly develop low-cost, high-quality products for lean production*. CRC press.
- Andreasen, M.M., Kähler, S., Lund, T. dan Swift, K.G., 1988, *Design for assembly*. Bedford: Springer-Verlag.
- Aremu, A.O., Brennan-Craddock, J., Panesar, A., Ashcroft, I., Hague, R.J., Wildman, R.D. dan Tuck, C., 2017, A voxel-based method of constructing and skinning conformal and functionally graded lattice structures suitable for additive manufacturing, *Additive Manufacturing*, Vol. 13, , pp. 1–13.
- Bang, J., Chun, B., Lim, J., Han, Y. dan So, H., 2023, Ultra-Broad Linear Range and Sensitive Flexible Piezoresistive Sensor Using Reversed Lattice Structure for Wearable Electronics, *ACS Applied Materials & Interfaces* [Preprint].
- Bertolini, M.C., Dul, S., Lopes Pereira, E.C., Soares, B.G., Barra, G.M.O. dan Pegoretti, A., 2021, Fabrication and characterization of piezoresistive flexible pressure sensors based on poly(vinylidene fluoride)/thermoplastic polyurethane filled with carbon black-polypyrrole, *Polymer Composites*, Vol. 42, No. 12, pp. 6621–6634. Available at: <https://doi.org/10.1002/pc.26327>.
- Bhat, A., Ambrose, J.W. dan Yeow, R.C.-H., 2023, Composite soft pneumatic actuators using 3D printed skins, *IEEE Robotics and Automation Letters*, Vol. 8, No. 4, pp. 2086–2093.
- Booth, J.W., Alperovich, J., Chawla, P., Ma, J., Reid, T.N. dan Ramani, K., 2017, The design for additive manufacturing worksheet, *Journal of Mechanical Design*, Vol. 139, No. 10, p. 100904.
- Boothroyd, G., 1994, Product design for manufacture and assembly, *Computer-Aided Design*, Vol. 26, No. 7, pp. 505–520.

- Bourell, D.L., Leu, M.C. dan Rosen, D.W., 2009, Roadmap for additive manufacturing: identifying the future of freeform processing, *The University of Texas at Austin, Austin, TX*, pp. 11–15.
- Bruère, V.M., Lion, A., Holtmannspötter, J. dan Johlitz, M., 2023, The influence of printing parameters on the mechanical properties of 3D printed TPU-based elastomers, *Progress in Additive Manufacturing*, Vol. 8, No. 4, pp. 693–701. Available at: <https://doi.org/10.1007/s40964-023-00418-7>.
- Byrne, O., Coulter, F., Glynn, M., Jones, J.F.X., Ní Annaidh, A., O’Cearbhaill, E.D. dan Holland, D.P., 2018, Additive manufacture of composite soft pneumatic actuators, *Soft Robotics*, Vol. 5, No. 6, pp. 726–736. Available at: <https://doi.org/10.1089/soro.2018.0030>.
- Calisti, M., Picardi, G. dan Laschi, C., 2017, Fundamentals of soft robot locomotion, *Journal of The Royal Society Interface*, Vol. 14, No. 130, p. 20170101.
- Chen, J.-M., Tseng, Y.-Y., Lee, D., Lin, Y.-T., Lin, S.-H., Lee, T.-Y., Liu, S.-J. dan Ito, H., 2020, A robust experimental model to explore the three-dimensional printing of polylactide parts: Solution versus melt extrusion, *Applied Sciences*, Vol. 10, No. 2, p. 509.
- Chen, X., Zhang, X., Xiang, D., Wu, Y., Zhao, C., Li, H., Li, Z., Wang, P. dan Li, Y., 2022, 3D printed high-performance spider web-like flexible strain sensors with directional strain recognition based on conductive polymer composites, *Materials Letters*, Vol. 306, , p. 130935. Available at: <https://doi.org/10.1016/j.matlet.2021.130935>.
- Cheng-Yu, H., Ahmed Abro, Z., Yi-Fan, Z. dan Ahmed Lakho, R., 2021, An FBG-based smart wearable ring fabricated using FDM for monitoring body joint motion, *Journal of Industrial Textiles*, Vol. 50, No. 10, pp. 1660–1673. Available at: <https://doi.org/10.1177/1528083719870204>.
- Chohan, J.S., Singh, R. dan Boparai, K.S., 2020, Vapor smoothing process for surface finishing of FDM replicas, *Materials Today: Proceedings*, Vol. 26, , pp. 173–179. Available at: <https://doi.org/10.1016/j.matpr.2019.09.013>.
- Choi, J. dan Hwang, Y.-S., 2014, Patent keyword network analysis for improving technology development efficiency, *Technological Forecasting and Social Change*, Vol. 83, , pp. 170–182.
- Chortos, A., Liu, J. dan Bao, Z., 2016, Pursuing prosthetic electronic skin, *Nature materials*, Vol. 15, No. 9, pp. 937–950.

- Christ, J.F., Aliheidari, N., Ameli, A. dan Pötschke, P., 2017, 3D printed highly elastic strain sensors of multiwalled carbon nanotube/thermoplastic polyurethane nanocomposites, *Materials & Design*, Vol. 131, , pp. 394–401. Available at: <https://doi.org/10.1016/j.matdes.2017.06.011>.
- Christ, J.F., Aliheidari, N., Pötschke, P. dan Ameli, A., 2019, Bidirectional and stretchable piezoresistive sensors enabled by multimaterial 3D printing of carbon nanotube/thermoplastic polyurethane nanocomposites, *Polymers*, Vol. 11, No. 1, . Available at: <https://doi.org/10.3390/polym11010011>.
- Cianchetti, M., Laschi, C., Menciassi, A. dan Dario, P., 2018, Biomedical applications of soft robotics, *Nature Reviews Materials*, Vol. 3, No. 6, pp. 143–153.
- Cianchetti, M., Ranzani, T., Gerboni, G., Nanayakkara, T., Althoefer, K., Dasgupta, P. dan Menciassi, A., 2014, Soft Robotics Technologies to Address Shortcomings in Today's Minimally Invasive Surgery: The STIFF-FLOP Approach, *Soft Robotics*, Vol. 1, No. 2, pp. 122–131. Available at: <https://doi.org/10.1089/soro.2014.0001>.
- Cotton, D., Graz, I. dan Lacour, S., 2009, Stretchable touch sensitive keypad, *Procedia Chemistry*, Vol. 1, No. 1, pp. 152–155.
- Crapnell, R.D., Bernalte, E., Ferrari, A.G.-M., Whittingham, M.J., Williams, R.J., Hurst, N.J. dan Banks, C.E., 2022, All-in-One Single-Print Additively Manufactured Electroanalytical Sensing Platforms, *ACS Measurement Science Au*, Vol. 2, No. 2, pp. 167–176. Available at: <https://doi.org/10.1021/acsmeasuresciau.1c00046>.
- Dawoud, M., Taha, I. dan Ebeid, S.J., 2018, Strain sensing behaviour of 3D printed carbon black filled ABS, *Journal of Manufacturing Processes*, Vol. 35, , pp. 337–342. Available at: <https://doi.org/10.1016/j.jmapro.2018.08.012>.
- Deimel, R. dan Brock, O., 2016, A novel type of compliant and underactuated robotic hand for dexterous grasping, *The International Journal of Robotics Research*, Vol. 35, No. 1–3, pp. 161–185. Available at: <https://doi.org/10.1177/0278364915592961>.
- Deitte, L.A. dan Omary, R.A., 2019, The Power of Design Thinking in Medical Education, *Academic Radiology*, Vol. 26, No. 10, pp. 1417–1420. Available at: <https://doi.org/10.1016/j.acra.2019.02.012>.
- Desai, A.A., Khan, S.N., Bagane, P. dan Patil, S.D., 2024, Multi-objective optimization of laser machining parameters for carbon-glass reinforced hybrid composites: Integrating gray relational analysis, regression, and

ANN, *MethodsX*, Vol. 13, , p. 103066. Available at: <https://doi.org/10.1016/j.mex.2024.103066>.

Dezaki, M.L., Bodaghi, M., Serjouei, A., Afazov, S. dan Zolfagharian, A., 2023, Soft Pneumatic Actuators with Controllable Stiffness by Bio-Inspired Lattice Chambers and Fused Deposition Modeling 3D Printing, *Advanced Engineering Materials*, Vol. 25, No. 6, p. 2200797. Available at: <https://doi.org/10.1002/adem.202200797>.

Dezaki, M.L., Sales, R., Zolfagharian, A., Yazdani Nezhad, H. dan Bodaghi, M., 2023, Soft pneumatic actuators with integrated resistive sensors enabled by multi-material 3D printing, *The International Journal of Advanced Manufacturing Technology*, Vol. 128, No. 9, pp. 4207–4221. Available at: <https://doi.org/10.1007/s00170-023-12181-8>.

Dirja, I. dan Ramadhan, M.A.F., 2019, RANCANG BANGUN SISTEM PENGUKUR GAYA PADA MESIN WIRE DRAWING DENGAN MENGGUNAKAN LOADCELL, *Infomatek*, Vol. 21, No. 2, pp. 113–116.

Dul, S., Pegoretti, A. dan Fambri, L., 2020, Fused Filament Fabrication of Piezoresistive Carbon Nanotubes Nanocomposites for Strain Monitoring, *Frontiers in Materials*, Vol. 7, . Available at: <https://doi.org/10.3389/fmats.2020.00012>.

Elgeneidy, K., Neumann, G., Jackson, M. dan Lohse, N., 2018, Directly printable flexible strain sensors for bending and contact feedback of soft actuators, *Frontiers in Robotics and AI*, p. 2.

Eyal, A., 2022, A Wearable Lumbo-Pelvic Active Balancing Device and Methods of Use.

Galloway, K.C., Becker, K.P., Phillips, B., Kirby, J., Licht, S., Tchernov, D., Wood, R.J. dan Gruber, D.F., 2016, Soft Robotic Grippers for Biological Sampling on Deep Reefs, *Soft Robotics*, Vol. 3, No. 1, pp. 23–33. Available at: <https://doi.org/10.1089/soro.2015.0019>.

Gao, G., Xu, F. dan Xu, J., 2022, Parametric optimization of fdm process for improving mechanical strengths using taguchi method and response surface method: A comparative investigation, *Machines*, Vol. 10, No. 9, p. 750.

Garetti, M., Terzi, S., Bertacci, N. dan Brianza, M., 2005, Organisational change and knowledge management in PLM implementation, *International Journal of Product Lifecycle Management*, Vol. 1, No. 1, pp. 43–51.

- Georgopoulou, A., Egloff, L., Vanderborght, B. dan Clemens, F., 2021, A Sensorized Soft Pneumatic Actuator Fabricated with Extrusion-Based Additive Manufacturing, *Actuators*, Vol. 10, No. 5,. Available at: <https://doi.org/10.3390/act10050102>.
- Georgopoulou, A., Sebastian, T. dan Clemens, F., 2020, Thermoplastic elastomer composite filaments for strain sensing applications extruded with a fused deposition modelling 3D printer, *Flexible and Printed Electronics*, Vol. 5, No. 3,. Available at: <https://doi.org/10.1088/2058-8585/ab9a22>.
- Georgopoulou, A., Vanderborght, B. dan Clemens, F., 2021, Fabrication of a Soft Robotic Gripper With Integrated Strain Sensing Elements Using Multi-Material Additive Manufacturing, *Frontiers in Robotics and AI*, Vol. 8, . Available at: <https://doi.org/10.3389/frobt.2021.615991>.
- Gibson, I., David, R. dan Brent, S., 2015, Additive Manufacturing Technologies: 3D Printing, Rapid Prototyping, and Direct Digital Manufacturing. Springer.
- Goutier, M., Hilbig, K., Vietor, T. dan Böl, M., 2023, Process Parameters and Geometry Effects on Piezoresistivity in Additively Manufactured Polymer Sensors, *Polymers*, Vol. 15, No. 9, p. 2159.
- Grgić, I., Wertheimer, V., Karakašić, M. dan Ivandić, Ž., 2021, Development of a 3D printed double-acting linear pneumatic actuator for the tendon gripping, *Polymers*, Vol. 13, No. 15,. Available at: <https://doi.org/10.3390/polym13152528>.
- Gu, G., Wang, D., Ge, L. dan Zhu, X., 2021, Analytical modeling and design of generalized pneu-net soft actuators with three-dimensional deformations, *Soft robotics*, Vol. 8, No. 4, pp. 462–477.
- Güngör, A., 2006, Evaluation of connection types in design for disassembly (DFD) using analytic network process, *Computers & Industrial Engineering*, Vol. 50, No. 1–2, pp. 35–54.
- Hainsworth, T., Smith, L., Alexander, S. dan MacCurdy, R., 2020, A fabrication free, 3D printed, multi-material, self-sensing soft actuator, *IEEE Robotics and Automation Letters*, Vol. 5, No. 3, pp. 4118–4125.
- Han, Z., Xiang, D., Xiao, W. dan Pu, G., 2022, Flexible strain sensor based on additive manufacturing technology.
- Heiden, A., Preninger, D., Lehner, L., Baumgartner, M., Drack, M., Woritzka, E., Schiller, D., Gerstmayr, R., Hartmann, F. dan Kaltenbrunner, M., 2022, 3D printing of resilient biogels for omnidirectional and exteroceptive

soft actuators, *Science Robotics*, Vol. 7, No. 63,. Available at: <https://doi.org/10.1126/scirobotics.abk2119>.

Herianto, Irawan, W., Ritonga, A.S. dan Prastowo, A., 2019, Design and fabrication in the loop of soft pneumatic actuators using fused deposition modelling, *Sensors and Actuators A: Physical*, Vol. 298, , p. 111556. Available at: <https://doi.org/https://doi.org/10.1016/j.sna.2019.111556>.

Herianto, Mastriswadi, H., Atsani, S.I., Sari, W.P. dan Tontowi, A.E., 2024, Characterization of 3D printed multi-material soft pneumatic actuator, *International Journal of Intelligent Robotics and Applications* [Preprint]. Available at: <https://doi.org/10.1007/s41315-024-00395-2>.

Hernandez, J.A., Maynard, C., Gonzalez, D., Viz, M., O'Brien, C., Garcia, J., Newell, B. dan Tallman, T.N., 2022, The development and characterization of carbon nanofiber/polylactic acid filament for additively manufactured piezoresistive sensors, *Additive Manufacturing*, Vol. 58, . Available at: <https://doi.org/10.1016/j.addma.2022.102948>.

Hia, I.L., Snyder, A.D., Turicek, J.S., Blanc, F., Patrick, J.F. dan Therriault, D., 2023, Electrically conductive and 3D-printable copolymer/MWCNT nanocomposites for strain sensing, *Composites Science and Technology*, Vol. 232, , p. 109850.

Hinderdael, M., Jardon, Z., Lison, M., de Baere, D., Devesse, W., Strantz, M. dan Guillaume, P., 2017, Proof of concept of integrated load measurement in 3D printed structures, *Sensors (Switzerland)*, Vol. 17, No. 2,. Available at: <https://doi.org/10.3390/s17020328>.

Hohimer, C.J., Petrossian, G., Ameli, A., Mo, C. dan Pötschke, P., 2020, 3D printed conductive thermoplastic polyurethane/carbon nanotube composites for capacitive and piezoresistive sensing in soft pneumatic actuators, *Additive Manufacturing*, Vol. 34, . Available at: <https://doi.org/10.1016/j.addma.2020.101281>.

Huang, G., 1996, Design for X: Concurrent Engineering Imperatives, edited by Chapman & Hall, London, UK [Preprint].

Huang, J., Chen, Q., Jiang, H., Zou, B., Li, L., Liu, J. dan Yu, H., 2020, A survey of design methods for material extrusion polymer 3D printing, *Virtual and Physical Prototyping*, Vol. 15, No. 2, pp. 148–162.

Hughes, J., Culha, U., Giardina, F., Guenther, F., Rosendo, A. dan Iida, F., 2016, Soft Manipulators and Grippers: A Review, *Frontiers in Robotics and AI*, Vol. 3, . Available at: <https://doi.org/10.3389/frobt.2016.00069>.

- Ishii, K., 1995, Life-Cycle Engineering Design, *Journal of Vibration and Acoustics*, Vol. 117, No. B, pp. 42–47. Available at: <https://doi.org/10.1115/1.2838675>.
- Jahangir, M.N., Cleeman, J., Hwang, H.-J. dan Malhotra, R., 2019, Towards out-of-chamber damage-free fabrication of highly conductive nanoparticle-based circuits inside 3D printed thermally sensitive polymers, *Additive Manufacturing*, Vol. 30, , p. 100886.
- Karvonen, M. dan Kässä, T., 2013, Patent citations as a tool for analysing the early stages of convergence, *Technological Forecasting and Social Change*, Vol. 80, No. 6, pp. 1094–1107.
- Kavimani, V., Gopal, P.M., Sumesh, K.R., Radhika, N. dan Giri, J., 2024, Optimization of WEDM parameters for machining Mg-Li-RE alloy using CRITIC-COCOSO approach, *International Journal on Interactive Design and Manufacturing (IJIDeM)* [Preprint]. Available at: <https://doi.org/10.1007/s12008-024-01913-z>.
- Keong, B.A.W. dan Hua, R.Y.C., 2018, A Novel Fold-Based Design Approach toward Printable Soft Robotics Using Flexible 3D Printing Materials, *Advanced Materials Technologies*, Vol. 3, No. 2,. Available at: <https://doi.org/10.1002/admt.201700172>.
- Keplinger, C., Sun, J.-Y., Foo, C.C., Rothmund, P., Whitesides, G.M. dan Suo, Z., 2013, Stretchable, transparent, ionic conductors, *Science*, Vol. 341, No. 6149, pp. 984–987.
- Khang, D.-Y., Jiang, H., Huang, Y. dan Rogers, J.A., 2006, A stretchable form of single-crystal silicon for high-performance electronics on rubber substrates, *Science*, Vol. 311, No. 5758, pp. 208–212.
- Khondoker, M.A.H., Ostashek, A. dan Sameoto, D., 2019, Direct 3D Printing of Stretchable Circuits via Liquid Metal Co-Extrusion Within Thermoplastic Filaments, *Advanced Engineering Materials*, Vol. 21, No. 7,. Available at: <https://doi.org/10.1002/adem.201900060>.
- Khosravani, M.R. dan Reinicke, T., 2020, 3D-printed sensors: Current progress and future challenges, *Sensors and Actuators A: Physical*, Vol. 305, , p. 111916.
- Kim, D., Kim, Y., Wu, J., Liu, Z., Song, J., Kim, H., Huang, Y.Y., Hwang, K. dan Rogers, J.A., 2009, Flexible Electronics: Ultrathin Silicon Circuits With Strain-Isolation Layers and Mesh Layouts for High-Performance Electronics on Fabric, Vinyl, Leather, and Paper (Adv. Mater. 36/2009), *Advanced Materials*, Vol. 21, No. 36,.

- Kim, D.-H., Ahn, J.-H., Choi, W.M., Kim, H.-S., Kim, T.-H., Song, J., Huang, Y.Y., Liu, Z., Lu, C. dan Rogers, J.A., 2008, Stretchable and foldable silicon integrated circuits, *Science*, Vol. 320, No. 5875, pp. 507–511.
- Kim, D.-H., Ghaffari, R., Lu, N. dan Rogers, J.A., 2012, Flexible and stretchable electronics for biointegrated devices, *Annual review of biomedical engineering*, Vol. 14, No. 1, pp. 113–128.
- Kim, D.-H., Lu, N., Ma, R., Kim, Y.-S., Kim, R.-H., Wang, S., Wu, J., Won, S.M., Tao, H. dan Islam, A., 2011, Epidermal electronics, *science*, Vol. 333, No. 6044, pp. 838–843.
- Kim, H., Wilburn, B.R., Castro, E., Garcia Rosales, C.A., Chavez, L.A., Tseng, T.-L.B. dan Lin, Y., 2019, Multifunctional SENSING using 3D printed CNTs/BaTiO₃/PVDF nanocomposites, *Journal of Composite Materials*, Vol. 53, No. 10, pp. 1319–1328. Available at: <https://doi.org/10.1177/0021998318800796>.
- Ko, H.C., Stoykovich, M.P., Song, J., Malyarchuk, V., Choi, W.M., Yu, C.-J., Geddes Iii, J.B., Xiao, J., Wang, S. dan Huang, Y., 2008, A hemispherical electronic eye camera based on compressible silicon optoelectronics, *Nature*, Vol. 454, No. 7205, pp. 748–753.
- Krishnaiah, K. dan Shahabudeen, P., 2012, *Applied design of experiments and Taguchi methods*. PHI Learning Pvt. Ltd.
- Kwakkel, J.H., Carley, S., Chase, J. dan Cunningham, S.W., 2014, Visualizing geo-spatial data in science, technology and innovation, *Technological Forecasting and Social Change*, Vol. 81, , pp. 67–81.
- Lanzolla, A.M.L., Attivissimo, F., Percoco, G., Ragolia, M.A., Stano, G. dan Di Nisio, A., 2022, Additive Manufacturing for Sensors: Piezoresistive Strain Gauge with Temperature Compensation, *Applied Sciences (Switzerland)*, Vol. 12, No. 17,. Available at: <https://doi.org/10.3390/app12178607>.
- Laverne, F., Segonds, F., Anwer, N. dan Le Coq, M., 2015, Assembly based methods to support product innovation in design for additive manufacturing: an exploratory case study, *Journal of Mechanical Design*, Vol. 137, No. 12, p. 121701.
- Lazarus, N. dan Bedair, S.S., 2020, Creating 3D printed sensor systems with conductive composites, *Smart Materials and Structures*, Vol. 30, No. 1,. Available at: <https://doi.org/10.1088/1361-665X/abcbe2>.
- Leary, M., Merli, L., Torti, F., Mazur, M. dan Brandt, M., 2014, Optimal topology for additive manufacture: A method for enabling additive manufacture

of support-free optimal structures, *Materials & Design*, Vol. 63, , pp. 678–690.

- Lee, M., Kim, K. dan Cho, Y., 2010, A study on the relationship between technology diffusion and new product diffusion, *Technological Forecasting and Social Change*, Vol. 77, No. 5, pp. 796–802.
- Levi, A., Piovanelli, M., Furlan, S., Mazzolai, B. dan Beccai, L., 2013, Soft, transparent, electronic skin for distributed and multiple pressure sensing, *Sensors*, Vol. 13, No. 5, pp. 6578–6604.
- Li, B., Liang, W., Zhang, L., Ren, F. dan Xuan, F., 2022, TPU/CNTs flexible strain sensor with auxetic structure via a novel hybrid manufacturing process of fused deposition modeling 3D printing and ultrasonic cavitation-enabled treatment, *Sensors and Actuators A: Physical*, Vol. 340, , p. 113526. Available at: <https://doi.org/10.1016/j.sna.2022.113526>.
- Li, B., Zhang, S., Zhang, L., Gao, Y. dan Xuan, F., 2022, Strain sensing behavior of FDM 3D printed carbon black filled TPU with periodic configurations and flexible substrates, *Journal of Manufacturing Processes*, Vol. 74, , pp. 283–295. Available at: <https://doi.org/10.1016/j.jmapro.2021.12.020>.
- Lin, H.-T., Leisk, G.G. dan Trimmer, B., 2011, GoQBot: a caterpillar-inspired soft-bodied rolling robot, *Bioinspiration & biomimetics*, Vol. 6, No. 2, p. 026007.
- Lipomi, D.J., Vosgueritchian, M., Tee, B.C., Hellstrom, S.L., Lee, J.A., Fox, C.H. dan Bao, Z., 2011, Skin-like pressure and strain sensors based on transparent elastic films of carbon nanotubes, *Nature nanotechnology*, Vol. 6, No. 12, pp. 788–792.
- Liu, J.S., Kuan, C.-H., Cha, S.-C., Chuang, W.-L., Gau, G.J. dan Jeng, J.-Y., 2011, Photovoltaic technology development: A perspective from patent growth analysis, *Solar Energy Materials and Solar Cells*, Vol. 95, No. 11, pp. 3130–3136.
- Liu, L., Xiang, D., Zhang, X., Harkin-Jones, E., Wang, J., Zhao, C., Li, H., Li, Z., Wang, L., Wang, P., dan others, 2023, Highly sensitive flexible strain sensor based on carbon nanotube/styrene butadiene styrene@thermoplastic polyurethane fiber with a double percolated structure, *Polymer Engineering & Science*, Vol. 63, No. 1, pp. 206–218.
- Lu, N., Lu, C., Yang, S. dan Rogers, J., 2012, Highly sensitive skin-mountable strain gauges based entirely on elastomers, *Advanced Functional Materials*, Vol. 22, No. 19, pp. 4044–4050.

- Ma, L., Lei, X., Li, S., Guo, S., Yuan, J., Li, X., Cheng, G.J. dan Liu, F., 2021, A 3D flexible piezoresistive sensor based on surface-filled graphene nanosheets conductive layer, *Sensors and Actuators A: Physical*, Vol. 332, . Available at: <https://doi.org/10.1016/j.sna.2021.113144>.
- Manfredi, L., 2020, A Robot for Endoscopy.
- Martinez, R.V., Branch, J.L., Fish, C.R., Jin, L., Shepherd, R.F., Nunes, R.M., Suo, Z. dan Whitesides, G.M., 2013, Robotic tentacles with three-dimensional mobility based on flexible elastomers, *Advanced materials*, Vol. 25, No. 2, pp. 205–212.
- Martinez, R.V. dan Whitesides, G.M., 2015, Apparatus, System, and Method for Providing Fabric-Elastomer Composites as Pneumatic Actuators.
- Mass, Y. dan Amir, O., 2017, Topology optimization for additive manufacturing: Accounting for overhang limitations using a virtual skeleton, *Additive Manufacturing*, Vol. 18, , pp. 58–73.
- Maurizi, M., Slavič, J., Cianetti, F., Jerman, M., Valentinčič, J., Lebar, A. dan Boltežar, M., 2019, Dynamic measurements using FDM 3D-printed embedded strain sensors, *Sensors (Switzerland)*, Vol. 19, No. 12,. Available at: <https://doi.org/10.3390/s19122661>.
- Meisel, N. dan Williams, C., 2015, An investigation of key design for additive manufacturing constraints in multimaterial three-dimensional printing, *Journal of Mechanical Design*, Vol. 137, No. 11,.
- Montgomery, D.C., 2012, *Design and Analysis of Experiments: Eight Edition*, Wiley.
- Mufarrih, A. dan Nadliroh, K., 2019, Aplikasi Metode Taguchi-Grey untuk Optimasi Multirespon pada Pembubutan Aluminium.
- Nasution, A., Herianto, H., Rifai, A.P. dan Mastriswadi, H., 2026, OPTIMIZATION OF PROCESS PARAMETERS OF FUSED DEPOSITION MODELLING AND METHODS: A REVIEW, *Jurnal Teknologi (Sciences & Engineering)*, Vol. 88, No. 1, pp. 11–31. Available at: <https://doi.org/10.11113/jurnalteknologi.v88.22287>.
- Natividad, R., Del Rosario, M., Chen, P.C.Y. dan Yeow, C.-H., 2018, A reconfigurable pneumatic bending actuator with replaceable inflation modules, *Soft Robotics*, Vol. 5, No. 3, pp. 304–317. Available at: <https://doi.org/10.1089/soro.2017.0064>.
- Nawroth, J.C., Lee, H., Feinberg, A.W., Ripplinger, C.M., McCain, M.L., Grosberg, A., Dabiri, J.O. dan Parker, K.K., 2012, A tissue-engineered

jellyfish with biomimetic propulsion, *Nature biotechnology*, Vol. 30, No. 8, pp. 792–797.

Niu, X., Peng, S., Liu, L., Wen, W. dan Sheng, P., 2007, Characterizing and patterning of PDMS-based conducting composites, *Advanced Materials*, Vol. 19, No. 18, pp. 2682–2686.

Oh, Y., Zhou, C. dan Behdad, S., 2018, Part decomposition and assembly-based (Re) design for additive manufacturing: A review, *Additive Manufacturing*, Vol. 22, , pp. 230–242.

Pang, C., Lee, G.-Y., Kim, T., Kim, S.M., Kim, H.N., Ahn, S.-H. dan Suh, K.-Y., 2012, A flexible and highly sensitive strain-gauge sensor using reversible interlocking of nanofibres, *Nature materials*, Vol. 11, No. 9, pp. 795–801.

Park, Y.-L., Chen, B.-R. dan Wood, R.J., 2012, Design and fabrication of soft artificial skin using embedded microchannels and liquid conductors, *IEEE Sensors journal*, Vol. 12, No. 8, pp. 2711–2718.

Pham, D. dan Yeo, S., 1991, Strategies for gripper design and selection in robotic assembly, *The International Journal of Production Research*, Vol. 29, No. 2, pp. 303–316.

Polygerinos, P., Correll, N., Morin, S.A., Mosadegh, B., Onal, C.D., Petersen, K., Cianchetti, M., Tolley, M.T. dan Shepherd, R.F., 2017, Soft Robotics: Review of Fluid-Driven Intrinsically Soft Devices; Manufacturing, Sensing, Control, and Applications in Human-Robot Interaction: Review of Fluid-Driven Intrinsically Soft Robots, *Advanced Engineering Materials*, Vol. 19, No. 12, p. 1700016. Available at: <https://doi.org/10.1002/adem.201700016>.

Polygerinos, P., Lyne, S., Wang, Z., Nicolini, L.F., Mosadegh, B., Whitesides, G.M. dan Walsh, C.J., 2013, Towards a soft pneumatic glove for hand rehabilitation, in *2013 IEEE/RSJ International Conference on Intelligent Robots and Systems*. IEEE, pp. 1512–1517.

Qazi, M.I., Akhtar, R., Abas, M., Khalid, Q.S., Babar, A.R. dan Pruncu, C.I., 2020, An Integrated Approach of GRA Coupled with Principal Component Analysis for Multi-Optimization of Shielded Metal Arc Welding (SMAW) Process, *Materials*, Vol. 13, No. 16, p. 3457. Available at: <https://doi.org/10.3390/ma13163457>.

Qu, J., Wu, Q., Clancy, T., Fan, Q., Wang, X. dan Liu, X., 2020, 3D-Printed Strain-Gauge Micro Force Sensors, *IEEE Sensors Journal*, Vol. 20, No. 13, pp. 6971–6978. Available at: <https://doi.org/10.1109/JSEN.2020.2976508>.

- Ramakrishnan, S.K., Vijayananth, K., Arivendan, A. dan Ammarullah, M.I., 2024, Evaluating the effects of pineapple fiber, potato waste filler, surface treatment, and fiber panjang on the mechanical properties of polyethylene composites for biomedical applications, *Results in Engineering*, Vol. 24, , p. 102974. Available at: <https://doi.org/10.1016/j.rineng.2024.102974>.
- Razzouk, R. dan Shute, V., 2012, What is design thinking and why is it important?, *Review of educational research*, Vol. 82, No. 3, pp. 330–348.
- Ren, H., Yang, X., Wang, Z., Xu, X., Wang, R., Ge, Q. dan Xiong, Y., 2022, Smart structures with embedded flexible sensors fabricated by fused deposition modeling-based multimaterial 3D printing, *International Journal of Smart and Nano Materials* [Preprint]. Available at: <https://doi.org/10.1080/19475411.2022.2095454>.
- Ren, J., Zhou, J. dan Wei, J., 2015, Optimization of Cutter Geometric Parameters in End Milling of Titanium Alloy Using the Grey-Taguchi Method, *Advances in Mechanical Engineering*, Vol. 7, No. 2, p. 721093. Available at: <https://doi.org/10.1155/2014/721093>.
- Rijwani, T., Ramkumar, PL., Asnani, R. dan Patel, N., 2020, Design Modification for Multi-material Printing with Fused Deposition Modeling, in A.K. Parwani dan PL. Ramkumar (eds) *Recent Advances in Mechanical Infrastructure*. Singapore: Springer, pp. 101–113. Available at: https://doi.org/10.1007/978-981-32-9971-9_12.
- Ritonga, S.A., Herianto, Muzhaffar, A. dan Adib, B.M., 2023, Analysis of design parameters' effect on 3D printed soft pneumatic actuator generated curvature and tip force, *International Journal of Intelligent Robotics and Applications*, Vol. 7, No. 4, pp. 752–762.
- Rodríguez, L., Naya, G. dan Bienvenido, R., 2021, Study for the selection of 3D printing parameters for the design of TPU products, *IOP Conference Series: Materials Science and Engineering*, Vol. 1193, No. 1, p. 012035. Available at: <https://doi.org/10.1088/1757-899X/1193/1/012035>.
- Rosalia, L., Ang, B.W.-K. dan Yeow, R.C.-H., 2018, Geometry-based customization of bending modalities for 3D-printed soft pneumatic actuators, *IEEE Robotics and Automation Letters*, Vol. 3, No. 4, pp. 3489–3496.
- Rosen, D.W., 2007, Design for additive manufacturing: a method to explore unexplored regions of the design space, in *2007 International Solid Freeform Fabrication Symposium*.

- Rosset, S., Niklaus, M., Dubois, P. dan Shea, H.R., 2009, Metal ion implantation for the fabrication of stretchable electrodes on elastomers, *Advanced Functional Materials*, Vol. 19, No. 3, pp. 470–478.
- Rus, D. dan Tolley, M.T., 2015, Design, fabrication and control of soft robots, *Nature*, Vol. 521, No. 7553, pp. 467–475. Available at: <https://doi.org/10.1038/nature14543>.
- Saleh, M.A., Soliman, M., Mousa, M.A., Elsamanty, M. dan Radwan, A.G., 2020, Design and implementation of variable inclined air pillow soft pneumatic actuator suitable for bioimpedance applications, *Sensors and Actuators, A: Physical*, Vol. 314, . Available at: <https://doi.org/10.1016/j.sna.2020.112272>.
- Salo, T., Di Vito, D., Halme, A. dan Vanhala, J., 2022, Electromechanical Properties of 3D-Printed Stretchable Carbon Fiber Composites, *Micromachines*, Vol. 13, No. 10,. Available at: <https://doi.org/10.3390/mi13101732>.
- Sampaio, P.G.V., González, M.O.A., de Vasconcelos, R.M., dos Santos, M.A.T., de Toledo, J.C. dan Pereira, J.P.P., 2018, Photovoltaic technologies: Mapping from patent analysis, *Renewable and Sustainable Energy Reviews*, Vol. 93, , pp. 215–224.
- Schmelzle, J., Kline, E.V., Dickman, C.J., Reutzel, E.W., Jones, G. dan Simpson, T.W., 2015, (Re) Designing for part consolidation: understanding the challenges of metal additive manufacturing, *Journal of Mechanical Design*, Vol. 137, No. 11,.
- Seepersad, C.C., 2014, Challenges and opportunities in design for additive manufacturing, *3D printing and Additive Manufacturing*, Vol. 1, No. 1, pp. 10–13.
- Sekitani, T., Nakajima, H., Maeda, H., Fukushima, T., Aida, T., Hata, K. dan Someya, T., 2009, Stretchable active-matrix organic light-emitting diode display using printable elastic conductors, *Nature materials*, Vol. 8, No. 6, pp. 494–499.
- Sekitani, T., Noguchi, Y., Hata, K., Fukushima, T., Aida, T. dan Someya, T., 2008, A rubberlike stretchable active matrix using elastic conductors, *Science*, Vol. 321, No. 5895, pp. 1468–1472.
- Sharma, A., 2005, Collaborative product innovation: integrating elements of CPI via PLM framework, *Computer-Aided Design*, Vol. 37, No. 13, pp. 1425–1434.

- Shepherd, R.F., Ilievski, F., Choi, W., Morin, S.A., Stokes, A.A., Mazzeo, A.D., Chen, X., Wang, M. dan Whitesides, G.M., 2011, Multigait soft robot, *Proceedings of the national academy of sciences*, Vol. 108, No. 51, pp. 20400–20403.
- Shin, H.G., Kim, K. dan Chung, W.K., 2023, Multi-Layered Soft Pneumatic Actuator and Robot Mechanism Including the Same.
- Shin, S., Ko, B. dan So, H., 2022, Structural effects of 3D printing resolution on the gauge factor of microcrack-based strain gauges for health care monitoring, *Microsystems and Nanoengineering*, Vol. 8, No. 1,. Available at: <https://doi.org/10.1038/s41378-021-00347-x>.
- Shintake, J., Cacciucolo, V., Floreano, D. dan Shea, H., 2018, Soft robotic grippers, *Advanced materials*, Vol. 30, No. 29, p. 1707035.
- Skylar-Scott, M.A., Mueller, J., Visser, C.W. dan Lewis, J.A., 2019, Voxlated soft matter via multimaterial multinozzle 3D printing, *Nature*, Vol. 575, No. 7782, pp. 330–335.
- Smith, A., Mofidian, S.M.M. dan Bardaweel, H., 2019, Three-dimensional printed embedded channel-based resistive strain sensor: Fabrication and experimental characterization, *Journal of Intelligent Material Systems and Structures*, Vol. 30, No. 10, pp. 1518–1526. Available at: <https://doi.org/10.1177/1045389X19835961>.
- Someya, T., Kato, Y., Sekitani, T., Iba, S., Noguchi, Y., Murase, Y., Kawaguchi, H. dan Sakurai, T., 2005, Conformable, flexible, large-area networks of pressure and thermal sensors with organic transistor active matrixes, *Proceedings of the National Academy of Sciences*, Vol. 102, No. 35, pp. 12321–12325.
- Sonar, H.A., Robertson, M.A., Joshi, S.D., Bhatnagar, T. dan Paik, J., 2022, Soft portable wearable pneumatic interactive suit.
- Sood, A.K., Eqbal, A., Khan, Z.A., Badruddin, I.A. dan Hussien, M., 2022, FEM-Based Simulative Study for Multi-Response Optimization of Powder Bed Fusion Process, *Mathematics*, Vol. 10, No. 14, p. 2505. Available at: <https://doi.org/10.3390/math10142505>.
- Sotoodeh, K., 2019, Actuator selection and sizing for valves, *SN Applied Sciences*, Vol. 1, No. 10, p. 1207.
- Sparrman, B., du Pasquier, C., Thomsen, C., Darbari, S., Rustom, R., Laucks, J., Shea, K. dan Tibbits, S., 2021, Printed silicone pneumatic actuators for soft robotics, *Additive Manufacturing*, Vol. 40, , p. 101860. Available at: <https://doi.org/10.1016/j.addma.2021.101860>.

- Stankevich, S., Sevchenko, J., Bulderberga, O., Dutovs, A., Erts, D., Piskunovs, M., Ivanovs, V., Ivanov, V. dan Aniskevich, A., 2023, Electrical Resistivity of 3D-Printed Polymer Elements, *Polymers*, Vol. 15, No. 14, p. 2988.
- Stano, G., Arleo, L. dan Percoco, G., 2020, Additive manufacturing for soft robotics: Design and fabrication of airtight, monolithic bending PneuNets with embedded air connectors, *Micromachines*, Vol. 11, No. 5, Available at: <https://doi.org/10.3390/M11050485>.
- Stano, Gianni, Di Nisio, A., Lanzolla, A. dan Percoco, G., 2020, Additive manufacturing and characterization of a load cell with embedded strain gauges, *Precision Engineering*, Vol. 62, , pp. 113–120. Available at: <https://doi.org/10.1016/j.precisioneng.2019.11.019>.
- Stano, G., Di Nisio, A., Lanzolla, A.M., Ragolia, M. dan Percoco, G., 2020, Fused filament fabrication of commercial conductive filaments: experimental study on the process parameters aimed at the minimization, repeatability and thermal characterization of electrical resistance, *International Journal of Advanced Manufacturing Technology*, Vol. 111, No. 9–10, pp. 2971–2986. Available at: <https://doi.org/10.1007/s00170-020-06318-2>.
- Su, W., Cook, B.S., Fang, Y. dan Tentzeris, M.M., 2016, Fully inkjet-printed microfluidics: a solution to low-cost rapid three-dimensional microfluidics fabrication with numerous electrical and sensing applications, *Scientific reports*, Vol. 6, No. 1, pp. 1–12.
- Sun, Y., Choi, W.M., Jiang, H., Huang, Y.Y. dan Rogers, J.A., 2006, Controlled buckling of semiconductor nanoribbons for stretchable electronics, *Nature nanotechnology*, Vol. 1, No. 3, pp. 201–207.
- Sun, Z., Zhu, M. dan Lee, J.K., 2022, Robot arm, method of manufacturing robot arm, and interactive feedback system.
- Sylajakumari, P.A., Ramakrishnasamy, R. dan Palaniappan, G., 2018, Taguchi Grey Relational Analysis for Multi-Response Optimization of Wear in Co-Continuous Composite, *Materials*, Vol. 11, No. 9, p. 1743. Available at: <https://doi.org/10.3390/ma11091743>.
- Tang, Y. dan Zhao, Y.F., 2016, A survey of the design methods for additive manufacturing to improve functional performance, *Rapid Prototyping Journal* [Preprint].
- Tawk, C. dan Alici, G., 2021, A Review of 3D-Printable Soft Pneumatic Actuators and Sensors: Research Challenges and Opportunities, *Advanced Intelligent Systems*, Vol. 3, No. 6, p. 2000223.

- Tawk, Charbel, Gao, Y., Mutlu, R. dan Alici, G., 2019, Fully 3D printed monolithic soft gripper with high conformal grasping capability, in *2019 IEEE/ASME International Conference on Advanced Intelligent Mechatronics (AIM)*. IEEE, pp. 1139–1144.
- Tawk, C., Gillett, A., In Het Panhuis, M., Spinks, G.M. dan Alici, G., 2019, A 3D-Printed Omni-Purpose Soft Gripper, *IEEE Transactions on Robotics*, Vol. 35, No. 5, pp. 1268–1275. Available at: <https://doi.org/10.1109/TRO.2019.2924386>.
- Tawk, C., Mutlu, R. dan Alici, G., 2022, A 3D Printed Modular Soft Gripper Integrated With Metamaterials for Conformal Grasping, *Frontiers in Robotics and AI*, Vol. 8, . Available at: <https://doi.org/10.3389/frobt.2021.799230>.
- Taylor, A.J., Montayre, R., Zhao, Z., Kwok, K.W. dan Tse, Z.T.H., 2018, Modular force approximating soft robotic pneumatic actuator, *International Journal of Computer Assisted Radiology and Surgery*, Vol. 13, No. 11, pp. 1819–1827. Available at: <https://doi.org/10.1007/s11548-018-1833-4>.
- Thompson, M.K., Moroni, G., Vaneker, T., Fadel, G., Campbell, R.I., Gibson, I., Bernard, A., Schulz, J., Graf, P. dan Ahuja, B., 2016, Design for Additive Manufacturing: Trends, opportunities, considerations, and constraints, *CIRP annals*, Vol. 65, No. 2, pp. 737–760.
- Tofail, S.A., Koumoulos, E.P., Bandyopadhyay, A., Bose, S., O'Donoghue, L. dan Charitidis, C., 2018, Additive manufacturing: scientific and technological challenges, market uptake and opportunities, *Materials today*, Vol. 21, No. 1, pp. 22–37.
- Tolley, M.T., Shepherd, R.F., Mosadegh, B., Galloway, K.C., Wehner, M., Karpelson, M., Wood, R.J. dan Whitesides, G.M., 2014, A Resilient, Untethered Soft Robot, *Soft Robotics*, Vol. 1, No. 3, pp. 213–223. Available at: <https://doi.org/10.1089/soro.2014.0008>.
- Tomiyama, T., Gu, P., Jin, Y., Lutters, D., Kind, C. dan Kimura, F., 2009, Design methodologies: Industrial and educational applications, *CIRP annals*, Vol. 58, No. 2, pp. 543–565.
- Trivedi, D., Rahn, C.D., Kier, W.M. dan Walker, I.D., 2008, Soft robotics: Biological inspiration, state of the art, and future research, *Applied bionics and biomechanics*, Vol. 5, No. 3, pp. 99–117.
- Tüzün, G.-J. dan Kreimeyer, M., 2025, A dual DfAM worksheet to assess design opportunities and restrictions in additive manufacturing, *Proceedings of*

the Design Society, Vol. 5, , pp. 51–60. Available at: <https://doi.org/10.1017/pds.2025.10019>.

Ullman, D., 2009, *EBOOK: The Mechanical Design Process*. McGraw hill.

Valentine, A.D., Busbee, T.A., Boley, J.W., Raney, J.R., Chortos, A., Kotikian, A., Berrigan, J.D., Durstock, M.F. dan Lewis, J.A., 2017, Hybrid 3D printing of soft electronics, *advanced Materials*, Vol. 29, No. 40, p. 1703817.

Van Raan, A.F., 2017, Patent citations analysis and its value in research evaluation: A review and a new approach to map technology-relevant research, *Journal of Data and Information Science*, Vol. 2, No. 1, pp. 13–50.

Vidakis, N., Petousis, M., Velidakis, E., Mountakis, N., Grammatikos, S. dan Tzounis, L., 2023, Multi-functional medical grade Polyamide12/Carbon black nanocomposites in material extrusion 3D printing, *Composite Structures*, Vol. 311, , p. 116788.

Vilardell, A.M., Takezawa, A., Du Plessis, A., Takata, N., Krakhmalev, P., Kobashi, M., Yadroitsava, I. dan Yadroitsev, I., 2019, Topology optimization and characterization of Ti6Al4V ELI cellular lattice structures by laser powder bed fusion for biomedical applications, *Materials Science and Engineering: A*, Vol. 766, , p. 138330.

Walker, S., Yirmibeşoğlu, O., Daalkhaijav, U. dan Mengüç, Y., 2019, Additive manufacturing of soft robots, in *Robotic Systems and Autonomous Platforms*. Elsevier, pp. 335–359.

Wang, A., Guo, J., Shao, C. dan Chen, C., 2024, Flexible Thermoplastic Polyurethane Composites with Ultraviolet Resistance for Fused Deposition Modeling 3D Printing, *3D Printing and Additive Manufacturing*, Vol. 11, No. 5, pp. 1810–1818. Available at: <https://doi.org/10.1089/3dp.2023.0111>.

Wang, L., Shen, W., Xie, H., Neelamkavil, J. dan Pardasani, A., 2002, Collaborative conceptual design—state of the art and future trends, *Computer-aided design*, Vol. 34, No. 13, pp. 981–996.

Whitesides, G.M., 2018, Soft robotics, *Angewandte Chemie International Edition*, Vol. 57, No. 16, pp. 4258–4273.

Xavier, M.S., Tawk, C.D., Yong, Y.K. dan Fleming, A.J., 2021, 3D-printed omnidirectional soft pneumatic actuators: Design, modeling and characterization, *Sensors and Actuators A: Physical*, Vol. 332, , p. 113199. Available at: <https://doi.org/10.1016/j.sna.2021.113199>.

- Xiang, D., Liu, L., Xu, F., Li, Y., Harkin-Jones, E., Wu, Y., Zhao, C., Li, H., Li, Z., Wang, P. dan Li, Y., 2022, Highly Sensitive Flexible Strain Sensor Based on a Double-percolation Structured Elastic Fiber of Carbon Nanotube (CNT)/Styrene Butadiene Styrene (SBS) @ Thermoplastic Polyurethane (TPU) for Human Motion and Tactile Recognition, *Applied Composite Materials* [Preprint]. Available at: <https://doi.org/10.1007/s10443-022-10084-7>.
- Xiang, D., Zhang, X., Han, Z., Zhang, Z., Zhou, Z., Harkin-Jones, E., Zhang, J., Luo, X., Wang, P., Zhao, C. dan Li, Y., 2020, 3D printed high-performance flexible strain sensors based on carbon nanotube and graphene nanoplatelet filled polymer composites, *Journal of Materials Science*, Vol. 55, No. 33, pp. 15769–15786. Available at: <https://doi.org/10.1007/s10853-020-05137-w>.
- Xiang, Dong, Zhang, X., Harkin-Jones, E., Zhu, W., Zhou, Z., Shen, Y., Li, Y., Zhao, C. dan Wang, P., 2020, Synergistic effects of hybrid conductive nanofillers on the performance of 3D printed highly elastic strain sensors, *Composites Part A: Applied Science and Manufacturing*, Vol. 129, , p. 105730. Available at: <https://doi.org/10.1016/j.compositesa.2019.105730>.
- Xiang, D., Zhang, X., Li, Y., Harkin-Jones, E., Zheng, Y., Wang, L., Zhao, C. dan Wang, P., 2019, Enhanced performance of 3D printed highly elastic strain sensors of carbon nanotube/thermoplastic polyurethane nanocomposites via non-covalent interactions, *Composites Part B: Engineering*, Vol. 176, , p. 107250. Available at: <https://doi.org/10.1016/j.compositesb.2019.107250>.
- Xiang, D., Zhang, Z., Han, Z., Zhang, X., Zhou, Z., Zhang, J., Luo, X., Wang, P., Zhao, C. dan Li, Y., 2020, Effects of non-covalent interactions on the properties of 3D printed flexible piezoresistive strain sensors of conductive polymer composites, *Composite Interfaces*, pp. 1–15. Available at: <https://doi.org/10.1080/09276440.2020.1794479>.
- Xiang, D., Zhang, Z., Wu, Y., Shen, J., Harkin-Jones, E., Li, Z., Wang, P., Zhao, C., Li, H. dan Li, Y., 2021, 3D-Printed Flexible Piezoresistive Sensors for Stretching and Out-of-Plane Forces, *Macromolecular Materials and Engineering*, Vol. 306, No. 11,. Available at: <https://doi.org/10.1002/mame.202100437>.
- Xu, S., Zhang, Y., Jia, L., Mathewson, K.E., Jang, K.-I., Kim, J., Fu, H., Huang, X., Chava, P. dan Wang, R., 2014, Soft microfluidic assemblies of sensors, circuits, and radios for the skin, *science*, Vol. 344, No. 6179, pp. 70–74.

- Xu, Y., Wu, X., Guo, X., Kong, B., Zhang, M., Qian, X., Mi, S. dan Sun, W., 2017, The boom in 3D-printed sensor technology, *Sensors*, Vol. 17, No. 5, p. 1166.
- Yang, S., Tang, Y. dan Zhao, Y.F., 2015, A new part consolidation method to embrace the design freedom of additive manufacturing, *Journal of Manufacturing Processes*, Vol. 20, , pp. 444–449.
- Yang, S. dan Zhao, Y.F., 2015, Additive manufacturing-enabled design theory and methodology: a critical review, *The International Journal of Advanced Manufacturing Technology*, Vol. 80, No. 1, pp. 327–342.
- Yang, Y., Hong, C., Ahmed Abro, Z., Wang, L. dan Yifan, Z., 2019, A new Fiber Bragg Grating sensor based circumferential strain sensor fabricated using 3D printing method, *Sensors and Actuators, A: Physical*, Vol. 295, , pp. 663–670. Available at: <https://doi.org/10.1016/j.sna.2019.06.048>.
- Yap, H.K., Ng, H.Y. dan Yeow, C.-H., 2016, High-Force Soft Printable Pneumatics for Soft Robotic Applications, *Soft Robotics*, Vol. 3, No. 3, pp. 144–158. Available at: <https://doi.org/10.1089/soro.2016.0030>.
- Yirmibesoglu, O.D., Morrow, J., Walker, S., Gosrich, W., Cañizares, R., Kim, H., Daalkhaijav, U., Fleming, C., Branyan, C. dan Menguc, Y., 2018, Direct 3D printing of silicone elastomer soft robots and their performance comparison with molded counterparts, in *2018 IEEE international conference on soft robotics (RoboSoft)*. IEEE, pp. 295–302.
- Yu, R., Xia, T., Wu, B., Yuan, J., Ma, L., Cheng, G.J. dan Liu, F., 2020, Highly Sensitive Flexible Piezoresistive Sensor with 3D Conductive Network, *ACS Applied Materials and Interfaces*, Vol. 12, No. 31, pp. 35291–35299. Available at: <https://doi.org/10.1021/acsami.0c09552>.
- Zhang, F., Saleh, E., Vaithilingam, J., Li, Y., Tuck, C.J., Hague, R.J., Wildman, R.D. dan He, Y., 2019, Reactive material jetting of polyimide insulators for complex circuit board design, *Additive Manufacturing*, Vol. 25, , pp. 477–484.
- Zhang, Z., Xiang, D., Wu, Y., Zhang, J., Li, Y., Wang, M., Li, Z., Zhao, C., Li, H., Wang, P. dan Li, Y., 2022, Effect of Carbon Black on the Strain Sensing Property of 3D Printed Conductive Polymer Composites, *Applied Composite Materials*, Vol. 29, No. 3, pp. 1235–1248. Available at: <https://doi.org/10.1007/s10443-022-10017-4>.
- Zhou, L., Ren, Lili, Chen, Y., Niu, S., Han, Z. dan Ren, Luquan, 2021, Bio-inspired soft grippers based on impactive gripping, *Advanced Science*, Vol. 8, No. 9, p. 2002017.

Zhou, L.-Y., Fu, J. dan He, Y., 2020, A review of 3D printing technologies for soft polymer materials, *Advanced Functional Materials*, Vol. 30, No. 28, p. 2000187.