UNIVERSITAS
GADJAH MADA
Analisis Sefalometri Pada Foto Lateral Wajah Sebagai Prediktor Kondisi Skeletal Dalam Arah Sagital
Shella Indri Novianty, Dr. drg. Ali Al Hasyimi, MDSc, Sp.Ort, Subsp.DDTK (K); Dr. drg. Anne Handrini Dewi, M.Kes; D
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

DAFTAR PUSTAKA

Afzal, A., & Qamruddin, I. (2005). Relation Between Centric Slide And Angle's Classification. *JCPSP*, *15*(8), 481–484.

Agarwal, S., Bhagchandani, J., Mehrotra, P., Kapoor, S., & Jaiswal, R.K. (2014). The SAR Angle: A Contemporary Sagittal Jaw Dysplasia Marker. *OJN*, 4(2), 16–20. https://doi.org/10.3126/ojn.v4i2.13891.

Al-Taai, N., Persson, M., Ransjo, M., Jaghagen, E.L., Fors, R., & Westerlund, A. (2022). Craniofacial Changes From 13 to 62 Years of Age. *Eur J Orthod*, 44, 556–565. https://doi.org/https://doi.org/10.1093/ejo/cjac011.

Alam, M.K. dkk. (2012). Cephalometric Evaluation For Bangladeshi Adult By Down's Analysis. *Int J Med,* 19(3), 258-261. https://www.scopus.com/inward/record.uri?eid=2-s2.0-84868218559&partnerID=40&md5=aaee91fd7201225873901ef2eee958dc.

Anderson, B. W., Kortz, M. W., Black, A. C., & Al Kharazi, K. A. (2023). *Anatomy, Head and Neck: Skull*. In: StatPearls [Internet]. Treasure Island (FL): StatPearls Publishing. https://www.ncbi.nlm.nih.gov/books/NBK499834/.

Angelieri, F., Carlin, V., Saez, D.M., Pozzi, R., Ribeiro, D.A. (2010). Mutagenicity and Cytotoxicity Assessment in Patients Undergoing Orthodontic Radiographs. *DMFR,* 39(7), 437-440. https://doi.org/10.1259/dmfr/24791952.

Anindita, P.S., Gosal, S. & Ginting, P.E.B. (2023). Prevalensi Maloklusi pada Anak Usia 9−12 Tahun di Daerah Pesisir Kecamatan Malalayang Kota Manado. *e-GiGi*, 12(1), 137–141.https://doi.org/10.35790/eg.v12i1.50363.

Arnett, W.G. & Bergman, R.T. (1993). Facial Keys To Orthodontic Planning. Part I Diagnosis And Treatment. *Am J Orthod Dentofacial Orthop*, 103, 299–312. https://doi.org/10.1016/0889-5406(93)70010-L.

Ayoub, F., Maria, S., Georges, R., & Ramzi, H.,(2019). Midsagittal Facial Soft Tissue Thickness Norms In An Adult Mediterranean Population. *Forensic Sci Int*, 294, 217.e1 – 217.e7. https://doi.org/10.1016/j.forsciint.2018.10.021.

Baik, C.Y. & Ververidou, M. (2004). A New Approach Of Assessing Sagittal Discrepancies: The Beta Angle. *Am J Orthod Dentofacial Orthop*, 126(1), 100–105. https://doi.org/10.1016/j.ajodo.2003.08.026.

Bansal, N., Jeetinder, S., Gurmeet, G., Monika, G., & Gurpreet, K. (2012) Reliability Of Natural Head Position In Orthodontic Diagnosis: A Cephalometric Study. *Contemp Clin Dent*, 3(2), 180-183. https://doi.org/10.4103/0976-237X.96824.

Barbera, A.L., Sampson, W.J. dan Townsend, G.C. (2009). An Evaluation Of Head Position And Craniofacial Reference Line Variation. *Homo*, 60(1), 1-28. https://doi.org/10.1016/j.jchb.2008.05.003.

Benn, D.K. & Vig, P.S. (2021). Estimation Of X-Ray Radiation Related Cancers In US Dental Offices: Is It Worth The Risk?. *Oral Surg Oral Med Oral Pathol Oral Radiol*, 132(5), 597–608. https://doi.org/10.1016/j.oooo.2021.01.027.

Berlin, L. (2011). Communicating The Harmful Effects Of Radiation Exposure

UNIVERSITAS
GADJAH MADA
Analisis Sefalometri Pada Foto Lateral Wajah Sebagai Prediktor Kondisi Skeletal Dalam Arah Sagital
Shella Indri Novianty, Dr. drg. Ali Al Hasyimi, MDSc, Sp.Ort, Subsp.DDTK (K); Dr. drg. Anne Handrini Dewi, M.Kes; D
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

From Medical Imaging: Malpractice Considerations. *Health Physics*, 101(5), 583-588.https://doi.org/10.1097/HP.0b013e3182259a81.

Bhad, W.A., Nayak, S. & Doshi, U.H. (2013). A New Approach of Assessing Sagittal Dysplasia: The W Angle. *Eur J Orthod*, 35(1), 66-70. https://doi.org/10.1093/ejo/cjr001.

Billiaert, K., Al-Yassary, M., Antonarakis, G.S., & Kiliaridis, S. (2021). Measuring The Difference In Natural Head Position Between The Standing And Sitting Positions Using An Inertial Measurement Unit. *J Oral Rehabil*, 48(10), 1144-1149. https://doi.org/10.1111/joor.13233.

Bishara, S.E., Treder, J.E. & Jakobsen, J.R. (1994). Facial And Dental Changes In Adulthood. *Am J Orthod Dentofacial Orthop*, 106, 175-86, https://doi.org/10.1016/S0889-5406(94)70036-2.

Bland, J. M., & Altman, D. G. (1986). Statistical Methods For Assessing Agreement Between Two Methods Of Clinical Measurement. *The Lancet,* 327(8476), 307–310.

Budiarjo, S.B. (2003). Osteogenesis Dan Tumbuh-Kembang Skelet Kraniofasial Manusia. *JDI*, 10(Edisi Khusus), 299-307.

Bulut, O. dkk. (2015). In Vivo Facial Soft Tissue Thickness Measurements For Turkish Sub-adults. *AJFS*, 47(4), 475-490. https://doi.org/10.1080/00450618.2014.998281.

Capote, R., Preston, K. & Kapadia, H. (2023). Craniofacial Growth and Development: A Primer for the Facial Trauma Surgeon. *Oral Maxillofac Surg Clin North Am*, 35(4), 501-513. https://doi.org/10.1016/j.coms.2023.04.007.

Carlson, D.S. (2015). Evolving Concepts Of Heredity And Genetics In Orthodontics. *Am J Orthod Dentofacial Orthop*, 148(6), 922-938 https://doi.org/10.1016/j.ajodo.2015.09.012.

Carr, C.H. (2012). Body Mass Index. *Encyclopedia of Immigrant Health*, 295-296. https://doi.org/10.1007/978-1-4419-5659-0_89.

Cassi, D. dkk. (2016). Natural Position Of The Head: Review Of Two-Dimensional And Three-Dimensional Methods Of Recording. *Br J Oral Surg*, 54(3) , 233-240. https://doi.org/10.1016/j.bjoms.2016.01.025.

Cenzato, N., Nobili, A. & Maspero, C. (2021). Prevalence Of Dental Malocclusions In Different Geographical Areas: Scoping Review. *Dent J*, 9(117), 1-10. https://doi.org/10.3390/dj9100117.

Cha, K.S. (2013). Soft-Tissue Thickness Of South Korean Adults With Normal Facial Profiles. *Korean J Orthod*, 43(4), 178-185. https://doi.org/10.4041/kjod.2013.43.4.178.

Chaimongkhol, T. dkk. (2026). Sex, Age, And Body Mass Index Influence On Facial Soft Tissue Thickness In A Thai Population Above Middle Age By Ultrasonographic Imaging. *Anat Sci Int*. https://doi.org/10.1007/s12565-026-00922-0.

Chauhan, V. & Wilkins, R.C. (2019). A Comprehensive Review Of The Literature On The Biological Effects From Dental X-Ray Exposures. *Int J Radiat Biol*, 95(2), 107-119. https://doi.org/10.1080/09553002.2019.1547436.

Chen, Y. dkk. (2023). Association of Body Mass Index (BMI) with Lip Morphology Characteristics: A Cross-Sectional Study Based on Chinese

UNIVERSITAS
GADJAH MADA
Analisis Sefalometri Pada Foto Lateral Wajah Sebagai Prediktor Kondisi Skeletal Dalam Arah Sagital
Shella Indri Novianty, Dr. drg. Ali Al Hasyimi, MDSc, Sp.Ort, Subsp.DDTK (K); Dr. drg. Anne Handrini Dewi, M.Kes; D
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Population. *Diagnostics*, 13(5). https://doi.org/10.3390/diagnostics13050997.

Chianchitlert, A., Luppanapornlarp, S., Saenghirunvattana, B., & Sirisoontorn, I. (2022). A Comparative Assessment Of The Upper Pharyngeal Airway Dimensions Among Different Anteroposterior Skeletal Patterns In 7-14 Year-Old Children: A Cephalometric Study. *Children*, 9(8). https://doi.org/10.3390/children9081163.

Cobourne, M.T. dan DiBiase, A.T. (2016) *Handbook of Orthodontics*. 2nd ed. UK: Elsevier Ltd.

Costea, M.C, Badea, M.E., Vasilache, S., & Mesaros, M. (2016). Effects of CO-CR Discrepancy in Daily Orthodontic Treatment Planning.*Cluj Med,* 89(2): 279-286.

Costello, B.J., Rivera, R.D., Shand, J., & Mooney, M. (2012). Growth and Development Considerations for Craniomaxillofacial Surgery. *Oral Maxillofac Surg Clin North Am*, 24(3), 377-396. https://doi.org/10.1016/j.coms.2012.05.007.

Currie, K. dkk. (2017). Posterior Cranial Base Natural Growth And Development: A Systematic Review. *Angle Orthod*, 87(6), 897-910. https://doi.org/10.2319/032717-218.1.

Devi, S.S. dkk. (2022). Reliability Of Frankfort Horizontal Plane With True Horizontal Plane In Cephalometric Measurements. *J Contemp Dent Pract*, 23(6), 601-605. https://doi.org/10.5005/jp-journals-10024-3344.

Diouf, J.S. dkk. (2015). Correlation Between Sagittal Photogrammetric Measurements Of The Soft Tissue Profile And Dental Arches Measurements. *Orthod Fr*, 86(4), 303-311. https://doi.org/10.1051/orthodfr/2015029.

Downs, W. (1956). Analysis Of Dentofacial Profile. *Angle Orthod*, 26(4), 191-212. https://doi.org/https://doi.org/10.1043/00033219(1956)026%3C0191:AOTDP%3E2.0.CO;2.

Favero, R. dkk. (2025). Rationalization Of The Use Of Radiographs In Orthodontics In Relation To Radiation Protection. *Dental Cadmos,* 93 (5), 335-344.

Farani, W. & Abdillah, M.I. (2021). Prevalensi Maloklusi Anak Usia 9-11 Tahun Di SD IT Insan Utama Yogyakarta. *IDJ*, 10(1), 26-31. https://doi.org/10.18196/di.v10i1.7534.

Fehrenbach, M.J., & Herring, S.W. (2022). *Illustrated Anatomy of The Head and Neck.* 6th edition. St. Louis: Elsevier Ltd.

Feng, X., Chen, X. & Ren, H. (2025). A Study On Gender Differences In The Maximum Attractiveness Values For Cephalometric Measures. *J Craniofac Surg*, 36(7), e1080-e1085. https://doi.org/10.1097/SCS.0000000000011763.

Ferrario, V.F., Dellavia, C., Tartaglia, G.M., Turci, M., & Sforza, C. (2004). Soft Tissue Facial Morphology In Obese Adolescents: A Three-Dimensional Noninvasive Assessment. *Angle Orthod*, 74(1), 37-42. https://www.scopus.com/inward/record.uri?eid=2-s2.0-1842862829&partnerID=40&md5=b51eaf4ba419e36b6edf84effc54635e.

Fitzgerald, R., Carqueville, J. & Yang, P.T. (2019). An Approach To Structural Facial Rejuvenation With Fillers In Women. *Int J Womens Dermatol*, 5(1),

UNIVERSITAS
GADJAH MADA
Analisis Sefalometri Pada Foto Lateral Wajah Sebagai Prediktor Kondisi Skeletal Dalam Arah Sagital
Shella Indri Novianty, Dr. drg. Ali Al Hasyimi, MDSc, Sp.Ort, Subsp.DDTK (K); Dr. drg. Anne Handrini Dewi, M.Kes; D
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

52-67. https://doi.org/10.1016/j.ijwd.2018.08.011.

Ghafari, J.G. (2016). Medically Necessary' Orthodontic Care: Challenges And Applications. *Semin Orthod*, 22(3), 167-176. https://doi.org/10.1053/j.sodo.2016.05.003.

Ghaffari, Z. dkk. (2020). Comparison Of Facial Soft Tissue Thickness In Males And Females And Class I Skeletal Pattern. *JBUMS*, 22(1), 370-375. https://www.scopus.com/inward/record.uri?eid=2-s2.0-85097494805&partnerID=40&md5=985c437a1524702ad03ae9f5225b4d65.

Ghodasra, R. & Brizuela, M. (2023). *Orthodontics: Cephalometric Analysis*. In: StatPearls [Internet]. Treasure Island (FL): StatPearls Publishing. https://www.ncbi.nlm.nih.gov/books/NBK594272/.

Ghonmode, S., Shrivastava, S., Kadaskar, A.R., & Bapat, S. (2023). Socioeconomic Burden Of Orthodontic Treatment: A Systematic Review. *Med Pharm Rep*, 96(2), 154-163. https://doi.org/10.15386/mpr-2457.

Gill, D.S. & Naini, F. (2011) *Orthodontics Principles and Practice.* Wiley-Blackwell.

Gomes, L.D.C.R., Horta, K.O.C., Gandini, L.G., Goncalves, M., & Goncalves, J.R. (2013). Photographic Assessment Of Cephalometric Measurements. *Angle Orthod.*, 83(6), 1049-1058. https://doi.org/10.2319/120712-925.1.

González, M.J., Romero, M. & Peñacoba, C. (2019). Psychosocial Dental Impact In Adult Orthodontic Patients: What About Health Competence. *Health Qual Life Outcomes*, 17(1), 1-8. https://doi.org/10.1186/s12955-019-1179-9.

Gorniak, S.L., Meng, H. & Pollonini, L. (2022). Correlation Between Subcutaneous Adipose Tissue Of The Head And Body Mass Index: Implications For Functional Neuroimaging, *Hum Move Sci*, 85, 102997. https://doi.org/10.1016/j.humov.2022.102997.

Gosman, J.H., Stout, S.D. & Larsen, C.S. (2011). Skeletal Biology Over The Life Span : A View From The Surfaces. *Yrbk Phys Anthropol*, 54, 86-98. https://doi.org/10.1002/ajpa.21612.

Graber, L.W., Vanarsdall, R.L, Vig, K.W.L., & Huang, G.J. (2017) *Orthodontics Current Principles and Techniques*. 6 ed. St. Louis, Missouri: Elsevier.

Graber, T. (1956). Problems And Limitations Of Cephalometric Analysis In Orthodontics. *J Am Dent Assoc*, 53(4), 439-454. https://doi.org/10.14219/jada.archive.1956.0204.

Grewal, H., Sapawat, P., Modi, P., & Aggarwal, S. (2019). Psychological Impact Of Orthodontic Treatment On Quality Of Life – A Longitudinal Study. *Int Orthod*, 17(2), 269-276.https://doi.org/10.1016/j.ortho.2019.03.009.

Gupta, A., Stead, T.S. & Ganti, L. (2024). Determining A Meaningful R-Squared Value In Clinical Medicine. *Acad Med Surgery*, 1-6. https://doi.org/10.62186/001c.125154.

Gupta, P., Singh, N., Tripathi, T., Gopal, R., & Rai, P. (2020). Tau Angle: A New Approach For Assessment Of True Sagittal Maxillomandibular Relationship. *Int J Clin Pediatr Dent.* 13(5), 497-500. https://doi.org/10.5005/jp-journals-10005-1832.

Gupta, S., Tandon, P., Singh, G.P., & Shastri, D. (2022). Comparative Assessment Of Cephalometric With Its Analogous Photographic Variables. *Natl J*

UNIVERSITAS
GADJAH MADA
Analisis Sefalometri Pada Foto Lateral Wajah Sebagai Prediktor Kondisi Skeletal Dalam Arah Sagital
Shella Indri Novianty, Dr. drg. Ali Al Hasyimi, MDSc, Sp.Ort, Subsp.DDTK (K); Dr. drg. Anne Handrini Dewi, M.Kes; D
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Maxillofac Surg, 13(1), 99-107. https://doi.org/10.4103/njms.NJMS_267_20.

Hamdan, A.L., Sataloff, R.T., Trollinger, V., & Hawkshaw, M.J. (2021) *Dentofacial Anomalies Implications for Voice and Wind Instrument Performance*. Switzerland: Springer Nature. https://doi.org/https://doi.org/10.1007/978-3-030-69109-7.

Hamid, T., Triwardhani, A. & Wardhana, L.K. (2022). Benefits And Risks Of Orthodontic Treatment: A Systematic Review. *IJDM*, 5(1), 18-26. https://doi.org/10.20473/ijdm.v5i1.2022.18-26.

Hamilton, D.F., Ghert, M. & Simpson, A.H.R.W. (2015). Interpreting Regression Models In Clinical Outcome Studies. *Bone Joint Res*, 4(9), 152-153. https://doi.org/10.1302/2046-3758.49.2000571.

Hanafi, M.G.S. dkk. (2025). Assessing The Contribution Of Orthodontic Profiles In Predicting Facial Soft Tissue Thickness For Forensic Facial Approximation. *Int J Legal Med*, 139(6), 2951-2964. https://doi.org/10.1007/s00414-025-03542-x.

Hayati, R. (2003). Kajian Tumbuh Kembang Dentokraniofasial Untuk Kedokteran Gigi. *JDI*, 10 (Edisi Khusus), 454-461.

Hona, T.W.P.T. & Stephan, C.N. (2024). Global Facial Soft Tissue Thicknesses For Craniofacial Identification (2023): A Review Of 140 Years Of Data Since Welcker's First Study. *Int J Legal Med*, 138(2), 519-535. https://doi.org/10.1007/s00414-023-03087-x.

Hujoel, P. dkk. (2006). Radiographs Associated With One Episode Of Orthodontic Therapy. *J Dent Educ*, 70(10), 1061-1065. https://doi.org/10.1002/j.0022-0337.2006.70.10.tb04178.x.

Hutto, J.R. & Vattoth, S. (2015). A Practical Review Of The Muscles Of Facial Mimicry With Special Emphasis On The Superficial Musculoaponeurotic System. *AJR.*, 204(1), W19-W26. https://doi.org/10.2214/AJR.14.12857.

Imanimoghaddam, M., Ketabachi, G., Tohidi, E., & Ardakani, A.H. (2020) Thickness of Facial Soft Tissue in Adult Patients with Class I, II and III Skeletal Patterns in Digital lateral Cephalometery. *J Dent Mater Tech*, 9(3), 116-122. https://doi.org/10.22038/JDMT.2020.45060.1334.

Istiqomah, K. (2016). Dental Health Service In Indonesian Rural Area Using Dental Health Education Volunteer Payment Concept. *ICHWB*, 239–244.

Iyyer, B.S. (2012) *Orthodontic: The Art and Science*. 5 ed. New Delhi: Arya Medi Publishing House Pvt.Ltd.

Jakobsone, G., Vuollo, V. & Pirttiniemi, P. (2020). Reproducibility Of Natural Head Position Assessed With Stereophotogrammetry. *Orthod Craniofac Res*, 23(1), 66-71.https://doi.org/10.1111/ocr.12344.

Jeelani, W., Fida, M. & Shaikh, A. (2017). Age And Sex-Related Variations In Facial Soft Tissue Thickness In A Sample Of Pakistani Children. *Aust J Forensic Sci*, 49(1), 45-58. https://doi.org/10.1080/00450618.2015.1122080.

Jiang, Y. dkk. (2026). Clinical Accuracy Of Cephalometric Analysis Using Deep Learning–Based Automated Landmark Identification On CBCT In Class I And Class II Malocclusions. *Sci Rep,* 16, 10283. https://doi.org/10.1038/s41598-026-41408-3

Jin, S.W., Sim, K.B. & Kim, S.D. (2016). Development And Growth Of The

UNIVERSITAS
GADJAH MADA
Analisis Sefalometri Pada Foto Lateral Wajah Sebagai Prediktor Kondisi Skeletal Dalam Arah Sagital
Shella Indri Novianty, Dr. drg. Ali Al Hasyimi, MDSc, Sp.Ort, Subsp.DDTK (K); Dr. drg. Anne Handrini Dewi, M.Kes; D
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Normal Cranial Vault: An Embryologic Review. *J Korean Neurosurg Soc*, 59(3), 192-196. https://doi.org/10.3340/jkns.2016.59.3.192.

Kadhom, Z.M. & Jumaa, N. (2020). Natural Head Position: A Review. *JBCD*, 32(3),19-22. https://doi.org/10.26477/jbcd.v32i3.2896.

Karsli, N. & Kutlu, E.T. (2023). Effect Of Body Mass Index On Soft Tissues In Adolescents With Skeletal Class I And Normal Facial Height. *PeerJ*, 11,1-13. https://doi.org/10.7717/peerj.16196.

Kasai, K. (1998). Soft Tissue Adaptability To Hard Tissues In Facial Profiles. *Am J Orthod Dentofacial Orthop.* 113(6), 674-684. https://doi.org/10.1016/s0889-5406(98)70228-8.

Kaur, M. & Garg, R.K. (2015). Analysis Of Facial Soft Tissue Changes With Aging And Their Effects On Facial Morphology : A Forensic Perspective. *Egypt J Forensic Sci*, 5(2), 46-56. https://doi.org/10.1016/j.ejfs.2014.07.006.

Kementrian Kesehatan Republik Indonesia, (2018) *Laporan nasional RISKESDAS 2018*. Indonesia: Badan Penelitian dan Pengembangan Kesehatan.

Khan, W.A., Faisal, S.S. & Hussain, S.S. (2018). Correlation Of Craniofacial Measurements Between Cephalometric Radiographs And Facial Photographs. *Annals ASH KM&DC*, 23(1), 37-45.

Kim, J., et al. (2026). Clinical Accuracy Of Cephalometric Analysis Using Deep Learning-Based Automated Landmark Identification On CBCT In Class I And Class II Malocclusions. *Sci Rep.* 16, 41408.

Kolokitha, O.E. & Chatzistavrou, E. (2012). Factors Influencing The Accuracy Of Cephalometric Prediction Of Soft Tissue Profile Changes Following Orthognathic Surgery. *J Maxillofac Oral Surg*, 11(1), 82-90. https://doi.org/10.1007/s12663-011-0253-6.

Koo, T.K. & Li, M.Y. (2016). A Guideline Of Selecting And Reporting Intraclass Correlation Coefficients For Reliability Research. *J Chiropr Med*, 15(2), 155-163. https://doi.org/10.1016/j.jcm.2016.02.012.

Kumar, S., Valiathan, A., Gautam, P., Chakravarthy, K., & Jayaswal, P. (2012). An Evaluation of The Pi analysis in The Assessment of Anteroposterior Jaw Relationship. *J Orthod,* 39(4), 262-269. https://doi.org/10.1179/1465312512Z.00000000039.

Liebgott, B. (2011) *The Anatomical Basis of Dentistry*. 3 ed. Missouri: Mosby Elsevier.

Littlewood, S., Mitchell, L., Lewis, B.R.K., Barber, S.K., & Jenkins, F.R. (2019) *An Introduction to Orthodontics*. 5 ed. UK: Oxford University Press.

Lombardo, G. *et al.* (2020). Worldwide Prevalence Of Malocclusion In The Different Stages Of Dentition: A Systematic Review And Meta-Analysis. *Eur J Paediatr Dent*, 21(2), 115-122. https://doi.org/10.23804/ejpd.2020.21.02.05.

Lowder, E.M. & Wilson, D.B. (2021). Pretrial Risk Assessment Validation Research: Range Restriction And Attenuation Of Predictive Validity Estimates. *Law Hum Behav*, 45(4), 324-335. https://doi.org/10.1037/lhb0000458.

Ludlow, J.B., Davies-Ludlow, L.E. & White, S.C. (2008). Patient Risk Related to Common Dental Radiographic Examinations: The Impact of 2007

UNIVERSITAS
GADJAH MADA
Analisis Sefalometri Pada Foto Lateral Wajah Sebagai Prediktor Kondisi Skeletal Dalam Arah Sagital
Shella Indri Novianty, Dr. drg. Ali Al Hasyimi, MDSc, Sp.Ort, Subsp.DDTK (K); Dr. drg. Anne Handrini Dewi, M.Kes; D
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

International Commission on Radiological Protection Recommendations Regarding Dose Calculation. *JADA*, 139(9),1237-1243. https://doi.org/10.14219/jada.archive.2008.0339.

Lux, C.J., Burden, D., Conradt, C., & Komposch, G. (2005). Age-Related Changes In Sagittal Relationship Between The Maxilla And Mandible. *Eur J Orthod*, 27(6), 568-578.https://doi.org/10.1093/ejo/cji061.

Madsen, D.P., Sampson, W.J. & Townsend, G.C. (2008). Craniofacial Reference Plane Variation And Natural Head Position. *Eur J Orthod*, 30(5), 532-540. https://doi.org/10.1093/ejo/cjn031.

Malyya, S.M. & Lam, E.W.N (2019). *Pharoah's Oral Radiology 8th Edition.*St.Louis: Elsevier.

Manhein, M. *et al.* (2000). In Vivo Facial Tissue Depth Measurements For Children And Adults. *J Forensic Sci*, 45(1), 48-60. https://doi.org/10.1520/JFS14640J.

Manlove, A.E., Romeo, G. & Venugopalan, S.R. (2020). Craniofacial Growth: Current Theories And Influence On Management. *Oral Maxillofac Surg Clin N Am*, 32(2),167–175. https://doi.org/10.1016/j.coms.2020.01.007.

Mariano, Z.G. dkk. (2025). Evaluation Of The Reproducibility Of Facial Profile Photographic Records Taken In Two Different Head Positions. *Dental Press J Orthod*, 30(1), e2524235. https://doi.org/10.1590/2177-6709.30.1.e2524235.oar.

Mathew, R., Sathasivam, H.P., Mohamednor, L., & Yugaraj, P. (2023). Knowledge, Attitude And Practice Of Patients Towards Orthodontic Treatment. *BMC Oral Health*, 23(1), 1-11.https://doi.org/10.1186/s12903-023-02780-y.

Mcnamara, J.A. (1984). A Method Of'cephalometric Evaluation. *Am J Orthod*, 86(6), 449-469. https://doi.org/10.1016/s0002-9416(84)90352-x.

Mehta, P., Sagarkar, R.M. & Mathew, S. (2017). Photographic Assessment Of Cephalometric Measurements In Skeletal Class II Cases: A Comparative Study. *J Clin Diagn Res*, 11(6), ZC60–ZC64. https://doi.org/10.7860/JCDR/2017/25042.10075.

Meiyappan, N., Tamizharasi, S., Senthilkumar, K.P., & Janardhanan, K. (2015) Natural Head Position: An Overview. *J Pharm Bioallied Sci*, 7(6), S424 - S427. https://doi.org/10.4103/0975-7406.163488.

Michelogiannakis, D. *et al.* (2025). Obesity And Orthodontic Treatment: A Scoping Review. *Semin Orthod*, 31(4), 564-578. https://doi.org/10.1053/j.sodo.2025.01.004.

Moore, K.L., Dalley, A.F. & Agur, A.M.R. (2010) *Clinically Oriented Anatomy*. 6 ed. Lippincot Williams & Wilkins.

Moorrees, C.F.A. (1994). Natural Head Position-A Revival. *Am J Orthod Dentofacial Orthop*, 105(5), 512-513. https://doi.org/10.1016/S0889-5406(94)70014-1.

Munandar, S. & Snow, M.D. (1995). Cephalometric Analysis Of Deutero-Malay Indonesians. *Aust Dent J*, 40(6), 361-8. https://doi.org/10.1111/j.1834-7819.1995.tb04837.x.

Naini, F.B. (2014). The Origin Of The Zero-Degree Meridian Used In Facial Aesthetic Analysis. *Aesthet Surg J*, 34(7), NP72-NP73. https://doi.org/10.1177/1090820X14534677.

UNIVERSITAS
GADJAH MADA
Analisis Sefalometri Pada Foto Lateral Wajah Sebagai Prediktor Kondisi Skeletal Dalam Arah Sagital
Shella Indri Novianty, Dr. drg. Ali Al Hasyimi, MDSc, Sp.Ort, Subsp.DDTK (K); Dr. drg. Anne Handrini Dewi, M.Kes; D
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Nanda, S., Wulandari, M., Iqbal, K., Safitri, S., & Oktapiani, R. (2025). Telaah Geomorfologis : Jalur Migrasi Nenek Moyang Bangsa Indonesia Proto Dan Eutro Melayu. *El-Jughrafiyah*, 05(02), 190-196. http://dx.doi.org/10.24014/jej.v5i2.36740

Neela, P.K., Mascarenhas, R. & Husain, A. (2009). A New Sagittal Dysplasia Indicator: The YEN Angle. *World J Orthod*, 19, 147-151.

Negida, A. (2020). Sample Size Calculation Guide - Part 7: How To Calculate The Sample Size Based On A Correlation. *Adv J Emerg Med*, 4(2), e34. https://doi.org/10.22114/ajem.v0i0.344.

Nguyen, J. dan Duong, H. (2023) *Anatomy, Head, And Neck : Face*. In: StatPearls [Internet]. Treasure Island (FL): StatPearls Publishing. https://www.ncbi.nlm.nih.gov/books/NBK551530/.

Nguyen, M.S. dkk. (2016). The Golden Proportion In Facial Soft-Tissues Of Vietnamese Females. *Stomatologija*, 18(3), 80-85.

Nie, X. (2005). Cranial Base In Craniofacial Development: Developmental Features, Influence On Facial Growth, Anomaly, And Molecular Basis. *Acta Odontol Scand*, 63(3), 127-135. https://doi.org/10.1080/00016350510019847.

Nielsen, I.L. (2022). Cephalometric Analysis: History And Clinical Application. *Taiwan J Orthod*, 34(4), 175-184. https://doi.org/10.38209/2708-2636.1323.

Novianty, S.I., Alhasyimi, A.A., Dewi, A.H. (2026). Facial Photography vs Cephalometry for Assessing Jaw Discrepancies: A Systematic Review. *J Contemp Dent Pract,* 27(2):190–200.

Ontiveros, P.O. *et al.* (2023). Cephalometric Analysis By Ricketts, Mcnamara, Steiner And Jarabak. *Int J Appl Dent Sci*, 9(3), 195-199. https://doi.org/10.22271/oral.2023.v9.i3c.1809.

Parveen, M., Muralidhar, N.V., Kiran, J., & Raghunath. (2024). A Comparative Study: Photogrammetry And Cephalometric Analysis For Orthodontic Treatment Planning. *Adv Hum Biol*, 14(4), 343-51. https://doi.org/10.21203/rs.3.rs-1571230/v1.

Patcas, R., Signorelli, L., Peltomäki, T, & Schätzle, M. (2013). Is The Use Of The Cervical Vertebrae Maturation Method Justified To Determine Skeletal Age? A Comparison Of Radiation Dose Of Two Strategies For Skeletal Age Estimation. *Eur J Orthod.* 35(5), 604-609. https://doi.org/10.1093/ejo/cjs043.

Patel, D.P. & Trivedi, R. (2013). Photography Versus Lateral Cephalogram: Role in Facial Diagnosis.*IJDR.*24(5),587-592.

PDGI (2026) *Jumlah Dokter Gigi Berdasarkan Kompetensi*, *PDGI*. https://pdgi.or.id/halaman/statistik (Diakses: 17 Maret 2026).

Pereira, A.L., De-Marchi, L.M., Scheibel, P.C., & Ramos, A.L. (2010). Reproducibility Of Natural Head Position In Profile Photographs Of Children Aged 8 To 12 Years With And Without The Aid Of A Cephalostat. *Dental Press J Orthod*, 15(1), 65-73. https://doi.org/10.1590/S2176-94512010000100008.

Perović, T. & Blažej, Z. (2018). Male And Female Characteristics Of Facial Soft Tissue Thickness In Different Orthodontic Malocclusions Evaluated By Cephalometric Radiography. *Med Sci Monit*, 24, 3415-3424.

UNIVERSITAS
GADJAH MADA
Analisis Sefalometri Pada Foto Lateral Wajah Sebagai Prediktor Kondisi Skeletal Dalam Arah Sagital
Shella Indri Novianty, Dr. drg. Ali Al Hasyimi, MDSc, Sp.Ort, Subsp.DDTK (K); Dr. drg. Anne Handrini Dewi, M.Kes; D
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

https://doi.org/10.12659/MSM.907485.

Persson, M. & Thilander, B. (1977). Palatal Suture Closure In Man From 15 To 35 Years Of Age. *Am J Orthod*, 72(1), 42-52. https://doi.org/https://doi.org/10.1016/0002-9416(77)90123-3.

Phulari, B.S. (2013) *An Atlas on Cephalometric Landmarks*. 1 ed. Jaypee Brothers Medical Publishers (P) Ltd. https://doi.org/10.5005/jp/books/11877.

Piombino, P. *et al.* (2023). Facial Soft Tissue Thickness Measurement Method And Relationship With BMI, Age, And Sex. *J Stomatol Oral Maxillofac Surg*, 124, 1-6. https://doi.org/https://doi.org/10.1016/j.jormas.2023.101420.

Prasanna, T.R., Navaneethan, Rengalakshmi, S., & Arvind, P. (2020). Reliability of Profile Photography for Determining Growth Pattern and Sagittal Jaw Relationship in Different Classes of Malocclusions. *Indian J Forensic Med Toxicol*. 14(4), 5955-5963. https://doi.org/https://dx.doi.org/10.37506/ijfmt.v14i4.12534.

Prendergast, P.M. (2012). Anatomy of the Face and Neck. in M.A. Shiffman dan A. Di Giuseppe (ed.) *Cosmetic Surgery Art and Techniques*. Berlin: Springer, 29–45. https://doi.org/10.1007/978-3-642-21837-8.

Proffit, W.R. *et al.* (2019) *Contemporary Orthodontics*. 6 ed. Philadelphia: Elsevier.

Purwanto, A. (2024) *Mengenal Wajah Kelas Menengah Indonesia*, *www.kompas.id*. https://www.kompas.id/baca/riset/2024/02/28/mengenal-wajah-kelas-menengah-indonesia (Diakses: 29 September 2024).

Rajbhoj, A.A., Stroo, M., Begnoni, G., Willems, G, & Cadenas de Llano-Pérula, M. (2022). Skeletal And Soft - Tissue Changes In Humans With Untreated Normal Occlusion Throughout Lifetime : A Systematic Review. *Odontology*. 0123456789 ,1-47. https://doi.org/10.1007/s10266-022-00757-x.

Rakasiwi, L.S. & Kautsar, A. (2021). Pengaruh Faktor Demografi Dan Sosial Ekonomi Terhadap Status Kesehatan Individu Di Indonesia. *Kajian Ekonomi dan Keuangan*, 5(2), 146-157. https://doi.org/10.31685/kek.v5i2.1008.

Ramírez, D.M., Jiménez, J.C., Ramírez, E.G., Paniagua, H.J., & Ruidíaz, V.C., (2013). Discrepancies In Cephalometric Measurements In Relation To Natural Head Position. *Revista Mexicana de Ortodoncia*, 1(1), e27-e32. https://doi.org/10.1016/S2395-9215(16)30117-9.

Rebekah, R., Jain, R.K., Balasubramaniam, A., & Sreenivasagan, S.. (2023). Photographic Frankfort Plane Subnasale Pogonion (FSA) Angle For Assessment Of Anteroposterior Discrepancies In Malocclusion Subjects: A Prospective Study. *J Orthod Sci*, 12(57), 1-5. https://doi.org/10.4103/jos.jos_7_23.

Richard, M.J., Morris, C., Deen, B.F., Gray, L., & Woodward, J.A. (2009). Analysis Of The Anatomic Changes Of The Aging Facial Skeleton Using Computer-Assisted Tomography. *Ophthalmic Plast Reconstr Surg.*25(5), 382-386. https://doi.org/10.1097/IOP.0b013e3181b2f766.

Rodríguez-López, S., Escobedo Martínez, M. F., Junquera, L., & García-Pola, M. (2021). Two-Dimensional Analysis of Digital Images through Vector Graphic Editors in Dentistry: New Calibration and Analysis Protocol Based on a Scoping Review. *Int J Environ Res Public Health*, 18(9), 4497.

UNIVERSITAS
GADJAH MADA
Analisis Sefalometri Pada Foto Lateral Wajah Sebagai Prediktor Kondisi Skeletal Dalam Arah Sagital
Shella Indri Novianty, Dr. drg. Ali Al Hasyimi, MDSc, Sp.Ort, Subsp.DDTK (K); Dr. drg. Anne Handrini Dewi, M.Kes; D
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

https://doi.org/10.3390/ijerph18094497

Sarianoferni & Astuti, E.R. (2022). The Effect Of Dental X-Ray On The Cells Of The Human Body. *MDJ*. 11(1), 13-17. https://doi.org/10.35856/mdj.v11i1.499.

Sarilita, E., Rynn, C., Mossey, P.A., Black, S., & Oscandar, F. (2020). Facial Average Soft Tissue Depth Variation Based On Skeletal Classes In Indonesian Adult Population. *Leg Med*, 43, 1-7. https://doi.org/https://doi.org/10.1016/j.legalmed.2019.101665.

Schwendicke, F. dkk (2021). Deep Learning For Cephalometric Landmark Detection: Systematic Review And Meta-Analysis. *Clin Oral Investig*, 25(7), 4299–4309. https://doi.org/10.1007/s00784-021-03990-w

Sheridan, P. (2017) *Clinical Photography in Dentitry A New Perspective*. Hanover Park, IL: Quintessence Publishing Co., Inc.

Shraddha, K., Shailesh, S., Prakash, M., Robin, M., Sandeep, S., & Rohit, K. (2020). Correlation Between Cephalometric And Facial Photographic Measurements Of Craniofacial Form A Cross Sectional Study. *MJCCS*, 4(3), 1-9. https://doi.org/10.238880/mjccs-16000258.

Signorelli, L., Patcas, R., Peltomäki, T, & Schätzle, M. (2016). Radiation Dose Of Cone-Beam Computed Tomography Compared To Conventional Radiographs In Orthodontics. *J Orofac Orthop*, 77(1), 9-15. https://doi.org/10.1007/s00056-015-0002-4.

Silvestre, F. dkk. (2025). Influence Of Skeletal Class, Occlusal Pattern, Age And Sex On Facial Soft Tissue Thickness: A Retrospective Study Using Cone Beam Computed Tomography In A Brazilian Population. *Acta Sci Health Sci*, 47. https://doi.org/10.4025/actascihealthsci.v47i1.73382.

Singh, S. & Purkait, R. (2026). Assessment Of Facial Soft-Tissue Depth Among North Indian Adults. *Forensic Imaging*, 45. https://doi.org/10.1016/j.fri.2026.200811.

Smith, E.A. dkk. (2022). Orbital Volume Changes During Growth And Development In Human Children Assessed Using Cone Beam Computed Tomography. *Head Face Med*, 18(1), 1-9. https://doi.org/10.1186/s13005-022-00310-9.

Sparke, A., (2025). Overview of the bones of the skull. Tersedia pada: https://teachmeanatomy.info/head/osteology/skull/

Sperber, G.H. (1976) *Craniofacial Embryology: Dental Practitioner Handbook No. 15*. 2 ed. Bristol: John Wright & Sons Limited.

Sreenivasagan, S. & Sivakumar, A. (2021). FSA Angle: A Soft Tissue Approach For Assessing Sagittal Skeletal Discrepancy. *Int J Clin Pediatr Dent*, 14(S1), S51-S53. https://doi.org/10.5005/jp-journals-10005-2017.

Sutardjo, I. (2011). Pertimbangan Dan Permasalahan Pemakaian Alat Interseptik Ortodonsi Secara Dini Pada Anak Masa Tumbuh Kembang. *Stomatognatic*, 8(1), 1-10.

Swift, A. dkk. (2021). The Facial Aging Process From The Inside Out. *Aesthet Surg J*, 41(10), 1107-1119. https://doi.org/10.1093/asj/sjaa339.

Taloumtzi, M. dkk. (2020). Skeletal Growth In Class II Malocclusion From Childhood To Adolescence: Does The Profile Straighten?. *Prog Orthod*,

UNIVERSITAS
GADJAH MADA
Analisis Sefalometri Pada Foto Lateral Wajah Sebagai Prediktor Kondisi Skeletal Dalam Arah Sagital
Shella Indri Novianty, Dr. drg. Ali Al Hasyimi, MDSc, Sp.Ort, Subsp.DDTK (K); Dr. drg. Anne Handrini Dewi, M.Kes; D
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

21(1). https://doi.org/10.1186/s40510-020-00313-9.

Thailander, B. (1995). Basic Mechanism In Craniofacial Growth. *Acta Odontol. Scand.*, 53(3), 144-151. https://doi.org/10.3109/00016359509005964.

Toneva, D. dkk. (2018). Facial Soft Tissue Thicknesses In Bulgarian Adults: Relation To Sex, Body Mass Index And Bilateral Asymmetry. *Folia Morphologica*, 77(3), 570-582.https://doi.org/10.5603/FM.a2017.0114.

Tortora, G.J. & Derrickson, B. (2011) *Principles of Anatomy & Physology organization, Support and Movement, and Control System of The Human Body 2*. 13 ed. John Wiley and Sons, Inc.

Utari, T.R. & Putri, M.K. (2019). Orthodontic Treatment Needs In Adolescents Aged 13-15 Years Using Orthodontic Treatment Needs Indicators. *JIDA*, 2(2), 49. https://doi.org/10.32793/jida.v2i2.402.

Vig, K.W.L. & Fields, H.W. (2000). Facial Growth And Management Of Orthodontic Problems. *Pediatr Clin North Am*, 47(5), 1085-1123. https://doi.org/10.1016/S0031-3955(05)70259-5.

Waitzman, A.A. dkk. (1992a). Craniofacial Skeletal Measurements Based On Computed Tomography: Part I. Accuracy And Reproducibility. *Cleft Palate Craniofac J*, 29(2), 112-117. https://doi.org/10.1597/1545-1569_1992_029_0112_csmboc_2.3.co_2.

Waitzman, A.A. dkk. (1992b). Craniofacial Skeletal Measurements Based On Computed Tomography: Part II. Normal Values And Growth Trends. *Cleft Palate Craniofac J*, 29(2),118–128. https://doi.org/10.1597/1545-1569_1992_029_0112_csmboc_2.3.co_2.

Walter, S. D., Eliasziw, M., & Donner, A. (1998). Sample Size And Optimal Designs For Reliability Studies. *Stat Med, 17*(1), 101–110

Westbrook, K.E. dkk. (2024) *Anatomy, Head and Neck: Facial Muscles*. StatPearls [Internet]. Treasure Island (FL): StatPearls Publishing.

White, S.C. & Mallya, S.M. (2012). Update On The Biological Effects Of Ionizing Radiation, Relative Dose Factors And Radiation Hygiene. *Aust Dent J*, 57, 2-8. https://doi.org/10.1111/j.1834-7819.2011.01665.x.

Whitney, Z., Jain, M. & Zito, P. (2024) *Anatomy, Skin, Superficial Musculoaponeurotic System (SMAS) Fascia*. In: StatPearls [Internet]. Treasure Island (FL): StatPearls Publishing. Tersedia pada: https://www.ncbi.nlm.nih.gov/books/NBK519014/.

Yunus, R.E. (2024). Radiology Loading And Coverage Hours In Indonesia. *KJR*, 25(7), 595-596.https://doi.org/10.3348/kjr.2024.0440.

Zhang, X. dkk. (2007). Correlations Between Cephalometric And Facial Photographic Measurements Of Craniofacial Form. *Am J Orthod Dentofac Orthop*, 131(1), 67-71. https://doi.org/10.1016/j.ajodo.2005.02.033.