UNIVERSITAS
GADJAH MADA
Strategi Pengendalian Trematodosis pada Sapi Potong melalui Pendekatan Sistem Dinamik Berbasis Kajian Epidemiologi, Analisis Spasial, dan Ekonomi Veteriner di Kabupaten Manokwari Papua Barat
Purwaningsih, Prof. Dr. drh. Widagdo Sri Nugroho, M.P.; Dr. Prima Widayani, S.Si., M.Si.; Prof. Dr. Ir. Tri Anggraeni K
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

DAFTAR PUSTAKA

Abubakar, M. 2020. *Livestock Health and Farming*. https://doi.org/10.5772/intechopen.77836

Adediran, O. A., Adebiyi, A. L., and Uwalaka, E. C. 2014. Prevalence of Fasciola species in ruminants under extensive management system in Ibadan southwestern Nigeria. *African Journal of Medicine and Medical Sciences*, *43, 137–141*

Affeltranger, B. 2007. *Hidup Akrab dengan Bencana: Seri Pertama*. MPBI (Masyarakat Penanggulangan Bencana Indonesia)

Afshan, K., Fortes-Lima, C. A., Artigas, P., Valero, M. A., Qayyum, M., and Mas-Coma, S. 2014. Impact of climate change and man-made irrigation systems on the transmission risk, long-term trend and seasonality of human and animal fascioliasis in Pakistan. *Geospatial Health*, *8(2): 317-334*. https://doi.org/10.4081/gh.2014.22

Agatsuma, T., Arakawa, Y., Iwagami, M., Honzako, Y., Cahyaningsih, U., Kang, S.-Y., and Hong, S.-J. 2000. Molecular evidence of natural hybridization between *Fasciola hepatica* and *F. gigantica*. *Parasitology International 49*.

Agresti, A. 2007. *An Introduction to Categorical Data Analysis* (Second Edition).

Ahmad, M., Khan, M. N., Sajid, M. S., Muhammad, G., Qudoos, A., and Rizwan, H. M. 2017. Prevalence, economic analysis and chemotherapeutic control of small ruminant fasciolosis in the Sargodha district of Punjab, Pakistan. *Veterinaria Italiana*, *53(1): 47–53*. https://doi.org/10.12834/VetIt.114.316.6

Ahmad-Najib, M., Wan-Nor-amilah, W. A. W., Kin, W. W., Arizam, M. F., and Noor-Izani, N. J. 2021. Prevalence and risk factors of bovine fascioliasis in Kelantan, Malaysia: A cross-sectional study. *Tropical Life Sciences Research*, *32(2): 1–14*. https://doi.org/10.21315/tlsr2021.32.2.1

Aiman, A., Shahardar, R., Wani, Z., and Allaie, I. 2018. Comparative efficacy of fenbendazole, ivermectin and oxyclozanide against gastro-intestinal helminths of cattle in North Kashmir. *Journal of Pharmacognosy and Phytochemistry*, *7(6): 2232–2235*

Akashambatwa, C. L., Zuwarimwe, J., and Teweldemedhin, M. 2017. Communal livestock husbandry practices and their impact on market participation: A case study from Zambezi region in Namibia. *Journal of Natural Sciences Research*, *7(8): 93–102*

Akter, S., Prank, M.R., Islam, S., Akter, S., Hasnine, I., Ahmed, M.U., and Al Faruk, Md. S. 2023. Prevalence of Gastrointestinal Parasite of Cattle in Ullapara Upazila, Bangladesh. *The Journal of Advances in Parasitology*, *10*. https://doi.org/10.17582/journal.jap/2023/10.1.7

Alaba, A. E., Oluwalana, P. O., and Olayiwola, J. O. 2023. Prevalence of Fasciola Infection in Cattle- Ready- for -Slaughtering at some Abattoirs in Oyo, Oyo State, Nigeria. *Applied Science and Biotechnology Journal for Advanced Research*, *2(6): 11–17*. https://doi.org/10.31033/abjar.2.6.2

UNIVERSITAS
GADJAH MADA
Strategi Pengendalian Trematodosis pada Sapi Potong melalui Pendekatan Sistem Dinamik Berbasis Kajian Epidemiologi, Analisis Spasial, dan Ekonomi Veteriner di Kabupaten Manokwari Papua Barat
Purwaningsih, Prof. Dr. drh. Widagdo Sri Nugroho, M.P.; Dr. Prima Widayani, S.Si., M.Si.; Prof. Dr. Ir. Tri Anggraeni K
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Alba, A., Vazquez, A. A., and Hurtrez-Boussès, S. 2021. Towards the comprehension of fasciolosis (re-)emergence: An integrative overview. *Parasitology*, *148(4): 385–407*. https://doi.org/10.1017/S0031182020002255

Albuquerque, R. B. da F. e., Pereira, S. A., de Melo, S. N., Belo, V. S., de Arruda, M. M., Mazetto, D., and Figueiredo, F. B. 2022. Spatial distribution analysis of bovine fascioliasis cases recorded in an abattoir in the state of Santa Catarina, Brazil. *Ciencia Rural*, *52(3)*. https://doi.org/10.1590/0103-8478cr20210030

Aleixo, M. A., Freitas, D. F., Dutra, L. H., Malone, J., Martins, I. V. F., and Molento, M. B. 2015. Fasciola hepatica: Epidemiology, perspectives in the diagnostic and the use of geoprocessing systems for prevalence studies. *Semina:Ciencias Agrarias, Londrina*, *36(3): 1451–1465*. https://doi.org/10.5433/1679-0359.2015v36n3p1451

Alemu, A., and Abebe, B. 2015. Fasciolosis: Prevalence, Evaluation of Flotation and Simple Sedimentation Diagnostic Techniques and Monetary Loss due to Liver Condemnation in Cattle Slaughtered at Wolaita Soddo Municipal Abattoir, Southern Ethiopia. *Food Science and Quality Management*, *43, 84–97*

Ali, I. H., Jibril, S. A., and Bose. 2022. *Determinants of women participation in livestock production in central zone of Bauchi State, Nigeria*. *5(1): 239–249*

Alimi, T., and Manyong, V. M. 2000. *Partial budget analysis for on-farm research*. International Institute of Tropical Agriculture (IITA)

Andhika, L. R. 2019. Model Sistem Dinamis: Simulasi Formulasi Kebijakan Publik. *Jurnal Ekonomi & Kebijakan Publik*, *10(1): 73–86*

Andrade, R. B., Forero, J., and Ospina, J. D. 2020. Prevalence of trematodes and host risk factors associated with dairy cattle in Colombia. *Revista Veterinaria*, *31(2): 171–177*

Angelo, T., Starkloff, N. C., Civitello, D. J., Mahalila, M. P., and Kinung'hi, S. 2025. Mapping of snail intermediate host habitats reveals variability in schistosome and non-schistosome trematode transmission in an endemic setting. *Current Research in Parasitology and Vector-Borne Diseases*, *8*. https://doi.org/10.1016/j.crpvbd.2025.100299

Anonim. 2013. *Control of liver and rumen fluke in cattle*. COWS. https://www.cattleparasites.org.uk/app/uploads/2018/04/Control-liver-and-rumen-fluke-in-cattle.pdf

Anucherngchai, S., Chontananarth, T., Tejangkura, T., and Wongsawad, C. 2020. Molecular classification of rumen fluke eggs in fecal specimens from Suphanburi Province, Thailand, based on cytochrome C oxidase subunit 1. *Veterinary Parasitology: Regional Studies and Reports*, *20*. https://doi.org/10.1016/j.vprsr.2020.100382

Aragaw, K., and Tilahun, H. 2019. Coprological study of trematode infections and associated host risk factors in cattle during the dry season in and around Bahir Dar, northwest Ethiopia. *Veterinary and Animal Science*, *7, 1–7*. https://doi.org/10.1016/j.vas.2018.11.002

UNIVERSITAS
GADJAH MADA
Strategi Pengendalian Trematodosis pada Sapi Potong melalui Pendekatan Sistem Dinamik Berbasis Kajian Epidemiologi, Analisis Spasial, dan Ekonomi Veteriner di Kabupaten Manokwari Papua Barat
Purwaningsih, Prof. Dr. drh. Widagdo Sri Nugroho, M.P.; Dr. Prima Widayani, S.Si., M.Si.; Prof. Dr. Ir. Tri Anggraeni K
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Arif, R., Fitri, H. O., Nurzuliana, D., and Santriagung, A. M. 2023. Kejadian Infeksi Multispesies Cacing Parasit pada Sapi Perah di PT Nusantara Agri Sejati. *Jurnal Veteriner Dan Biomedis*, *1(2): 103–107*. https://doi.org/10.29244/jvetbiomed.1.2.103-107

Ariyanto, J. 2022. *Model Dinamis Pengendalian Kejadian Penyakit Akibat Kerja pada Perusahaan Mie Instant di Makassar*. Disertasi. Fakultas Kesehatan Masyarakat. Universitas Hasanuddin

Arsenault, J., Dubreuil, P., Higgins, R., and Bélanger, D. 2008. Risk factors and impacts of clinical and subclinical mastitis in commercial meat-producing sheep flocks in Quebec, Canada. *Preventive Veterinary Medicine*, *87(3–4): 373–393*. https://doi.org/10.1016/J.PREVETMED.2008.05.006

Ashrafi, K., Valero, M. A., Panova, M., Periago, M. V., Massoud, J., and Mas-Coma, S. 2006. Phenotypic analysis of adults of Fasciola hepatica, Fasciola gigantica and intermediate forms from the endemic region of Gilan, Iran. *Parasitology International*, *55(4): 249–260*. https://doi.org/10.1016/j.parint.2006.06.003

Atanga, H. M., Ntonifor, N. H., and Mahamat, O. 2024. Prevalence of bovine fasciolosis and direct financial losses in cattle slaughtered in Bamenda and Bafoussam abattoirs, Western Highlands, Cameroon. *Veterinary Medicine and Science*, *10(6): e70002*. https://doi.org/10.1002/vms3.70002

Auplish, A., Vu, T. T. T., Pham Duc, P., Green, A., Tiwari, H., Housen, T., Stevenson, M. A., and Dhand, N. 2024. Capacity and needs assessment of veterinary services in Vietnam in biosecurity, biosafety and One Health. *PLOS ONE*, *19(1): e0295898*. https://doi.org/10.1371/journal.pone.0295898

Axella, O., and Suryani, E. 2012. Aplikasi Model Sistem Dinamik untuk Menganalisis Permintaan dan Ketersediaan Listrik Sektor Industri (Studi Kasus: Jawa Timur). *Jurnal Teknik ITS*, *1, 339–344*

Ayele, B., and Leta, S. 2021. Knowledge and preventive practices of livestock farmers on infectious causes of reproductive disorders in dairy cows in the Kembata Tambaro zone, southern Ethiopia. *Animal Diseases*, *1(1)*, https://doi.org/10.1186/s44149-021-00014-8

Bahar, S., Rachman, R., Corfield, J., and Pengelly, B. 2019. A strategy of assistance (guidance) for farmers to manage Bali cattle (*Bos javanicus*) improvement technology in South Sulawesi, Indonesia. *IOP Conf. Series: Earth and Environmental Science*, *383*. https://doi.org/10.1088/1755-1315/383/1/012048

Baker, D. G. 2007. *Flynn's Parasites of Laboratory Animals. American College of Laboratory Animal Medicine*. USA: Blackwell Publishing

Bakornas. 2007. *Pengenalan Karakteristik Bencana dan Upaya Mitigasi. Arahan—Jakarta*

Banks, J. 1998. *Handbook of Simulation: Principles, Methodology, Advances, Applications, and Practices.* Jhon Wiley & Son, Inc

Bargues, M. D., Artigas, P., Angles, R., Osca, D., Duran, P., Buchon, P., Gonzales-Pomar, R. K., Pinto-Mendieta, J., and Mas-Coma, S. 2020. Genetic uniformity, geographical spread and anthropogenic habitat modifications of

UNIVERSITAS
GADJAH MADA
Strategi Pengendalian Trematodosis pada Sapi Potong melalui Pendekatan Sistem Dinamik Berbasis Kajian Epidemiologi, Analisis Spasial, dan Ekonomi Veteriner di Kabupaten Manokwari Papua Barat
Purwaningsih, Prof. Dr. drh. Widagdo Sri Nugroho, M.P.; Dr. Prima Widayani, S.Si., M.Si.; Prof. Dr. Ir. Tri Anggraeni K
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

lymnaeid vectors found in a One Health initiative in the highest human fascioliasis hyperendemic of the Bolivian Altiplano. *Parasites & Vectors*, *13(1): 171*. https://doi.org/10.1186/s13071-020-04045-x

Bargues, M. D., Gayo, V., Sanchis, J., Artigas, P., Khoubbane, M., Birriel, S., and Mas-Coma, S. 2017. DNA multigene characterization of Fasciola hepatica and Lymnaea neotropica and its fascioliasis transmission capacity in Uruguay, with historical correlation, human report review and infection risk analysis. *PLOS Neglected Tropical Diseases*, *11(2): e0005352*. https://doi.org/10.1371/journal.pntd.0005352

Bargues, M. D., and Mas-Coma, S. 2005. Reviewing lymnaeid vectors of fascioliasis by ribosomal DNA sequence analyses. *Journal of Helminthology*, *79(3): 257–267.* https://doi.org/10.1079/joh2005297

Barlas, Y. 1996. Formal aspects of model validity and validation in system dynamics. *System Dinamics Review*, *12(3): 183–210*

Beesley, N. J., Caminade, C., Charlier, J., Flynn, R. J., Hodgkinson, J. E., Martinez-Moreno, A., Martinez-Valladares, M., Perez, J., Rinaldi, L., and Williams, D. J. L. 2018. Fasciola and fasciolosis in ruminants in Europe: Identifying research needs. *Transboundary and Emerging Diseases*, *65*, *199–216*. https://doi.org/10.1111/tbed.12682

Behm, C. A., and Sangster, N. C. 1999. *Pathology, Pathophysiology and clinical aspects of fasciolosis*. Welling ford: CABI Publishing

Bekele, M., Tesfay, H., and Getachew, Y. 2010. Bovine Fasciolosis: Prevalence and its economic loss due to liver condemnation at Adwa Municipal Abattoir, North Ethiopia. *EJAST*, *1(1): 39–47*

Benesh, D. P., Chubb, J. C., and Parker, G. A. 2022. Adaptive division of growth and development between hosts in helminths with two-host life cycles. *Evolution*, *76*. https://doi.org/10.1111/evo.14574

Bennema, S. C., Ducheyne, E., Vercruysse, J., Claerebout, E., Hendrickx, G., and Charlier, J. 2011. Relative importance of management, meteorological and environmental factors in the spatial distribution of Fasciola hepatica in dairy cattle in a temperate climate zone. *International Journal for Parasitology*, *41(2): 225–233*. https://doi.org/10.1016/j.ijpara.2010.09.003

Bennett, R., and Ijpelaar, J. 2005. Updated Estimates of the Costs Associated with Thirtyfour Endemic Livestock Diseases in Great Britain: A Note. In *Journal of Agricultural Economics.56(1)*. http://www.rdg.ac.uk/livestockdisea

Bessell, P. R., Salmon, G., Schnier, C., Tjasink, K., Al-Riyami, L., and Peters, A. 2023. A high-level estimation of the net economic benefits to small-scale livestock producers arising from animal health product distribution initiatives. *Frontiers in Veterinary Science*, *10*, *1171989*. https://doi.org/10.3389/fvets.2023.1171989

Bezie, W., Aemero, M., Tegegne, Y., Eshetu, T., Addisu, A., Birhanie, M., Derso, A., and Zeleke, A. J. 2021. In vivo and in vitro efficacy of a single dose of albendazole against hookworm infection in northwest Ethiopia: Open-label trial. *Tropical Medicine and Health*, *49(1): 25*. https://doi.org/10.1186/s41182-021-00308-0

UNIVERSITAS
GADJAH MADA
Strategi Pengendalian Trematodosis pada Sapi Potong melalui Pendekatan Sistem Dinamik Berbasis Kajian Epidemiologi, Analisis Spasial, dan Ekonomi Veteriner di Kabupaten Manokwari Papua Barat
Purwaningsih, Prof. Dr. drh. Widagdo Sri Nugroho, M.P.; Dr. Prima Widayani, S.Si., M.Si.; Prof. Dr. Ir. Tri Anggraeni K
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Bhaumik, S. K., Estrin, S., and Mickiewicz, T. 2017. Ownership identity, strategy and performance: Business group affiliates versus independent firms in India. *Asia Pac J Manag*, *34*, *281–311*. https://doi.org/10.1007/s10490-016-9477-9

Bhusal, N., Bhatt, B. R., Shrestha, S., and Chapagain, A. 2022. Prevalence of Fasciolosis in Cattle Farm of Tilottama Municipality, Rupandehi, Nepal. *Veterinary Sciences: Research and Reviews*, *8(2)*. https://doi.org/10.17582/journal.vsrr/2022/8.2.90.95

Bitterlich, N., Degenhardt, F., and Bischof, W. 2003. The importance of sensitivity and specificity in the evaluation of diagnostic tests. *Methods of Information in Medicine*, *42(4): 451–453*

Blythe, S. 2013. Dynamic system models and the construction of complexity. *Communication Design Quarterly Review*, *1*, *23–27*. https://doi.org/10.1145/2466489.2466495

Bowman, G. R. 2014. *Georgi's Parasitology for Veterinarians*. W.B. Saunders Company

BPS. 2022. *Provinsi Papua Barat dalam Angka 2022*

Briggs. 2007. *Spatial Statistics*. UT-Dallas GISC 6382 Spring.

BSN. 2008. *SNI 3932_2008 Daging Sapi - Bagian Karkas dan Non-Karkas*

Budiharta, S., and Suardana, I. W. 2007. *Buku Ajar Epidemiologi dan Ekonomi Veteriner*. Penerbit Universitas Udayana

Budiono, N. G., Satrija, F., Ridwan, Y., Nur, D., and Hasmawati. 2018. Trematodoses in cattle and buffalo around schistosomiasis endemic areas in Central Sulawesi Province of Indonesia. *Jurnal Ilmu Pertanian Indonesia*, *23(2): 112–126*. https://doi.org/10.18343/jipi.23.2.112

Bulkaini, B. 2022. Production Performance and Carcass Quality of Male Bali Cattle by Feeding Fermented Pineapple Peel. *AJARCDE (Asian Journal of Applied Research for Community Development and Empowerment)*, *6(2): 29–34*. https://doi.org/10.29165/ajarcde.v6i2.96

Cañete, R., Yong, M., Sánchez, J., Wong, L., and Gutiérrez, A. 2004. Population dynamics of intermediate snail hosts of Fasciola hepatica and some environmental factors in San Juan y Martinez municipality, Cuba. *Memórias Do Instituto Oswaldo Cruz*, *99(3): 257–262*. https://doi.org/10.1590/S0074-02762004000300003

Cassou, E., Jaffee, S. M., and Ru, J. 2018. *The Challenge of Agricultural Pollution*. World Bank Publications. https://doi.org/10.1596/978-1-4648-1201-9

Castro-Trejo, L., Garcja-Vasquez, Z., and Casildo-Nieto, J. 1990. The Susceptibility of Lymnaeid Snails to Paramphistomum cervi Infections in Mexico. *Veterinary Parasitology.* (157–161)

Cattleya, R., Indrasanti, D., and Yuwono, E. 2024. Prevalensi, identifikasi telur trematoda dan pengaruh umur terhadap trematodosis pada ternak kambing di Kecamatan Sumbang, Kabupaten Banyumas. *Angon Journal of Animal Science and Technology*, *6(1): 7–17*

Ceballos, M. C., Sant'Anna, A. C., Boivin, X., de Oliveira Costa, F., de Carvalhal, M. V., and Paranhos da Costa, M. J. R. 2018. Impact of good practices of

UNIVERSITAS
GADJAH MADA
Strategi Pengendalian Trematodosis pada Sapi Potong melalui Pendekatan Sistem Dinamik Berbasis Kajian Epidemiologi, Analisis Spasial, dan Ekonomi Veteriner di Kabupaten Manokwari Papua Barat
Purwaningsih, Prof. Dr. drh. Widagdo Sri Nugroho, M.P.; Dr. Prima Widayani, S.Si., M.Si.; Prof. Dr. Ir. Tri Anggraeni K
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

handling training on beef cattle welfare and stockpeople attitudes and behaviors. *Livestock Science*, *216*, *24–31*

Charlier, J., Bennema, S. C., Caron, Y., Counotte, M., Ducheyne, E., Hendrickx, G., and Vercruysse, J. 2011. Towards assessing fine-scale indicators for the spatial transmission risk of Fasciola hepatica in cattle. *Geospatial Health*, *5(2): 239-245*. https://doi.org/10.4081/gh.2011.176

Charlier, J., Soenen, K., Roeck, E. D., Hantson, W., Ducheyne, E., Coillie, F. V., Wulf, R. D., Hendrickx, G., and Vercruysse, J. 2014. Longitudinal study on the temporal and micro-spatial distribution of Galba truncatula in four farms in Belgium as a base for small-scale risk mapping of Fasciola hepatica. *Parasites & Vectors*, *7(528)*. http://www.parasitesandvectors.com/content/7/1/528

Che-Kamaruddin, N., and Isa, N. M. M. 2023. Assessment of Fasciola and Paramphistomes co-infection in large ruminants through faecal egg counts around Taiping, Malaysia. *Tropical Biomedicine*, *40(3): 344–350*. https://doi.org/10.47665/tb.40.3.011

Clements, B. W., and Casani, J. A. P. 2016. *Disasters and Public Health: Planning and Response*. Elsevier Ltd

Colston, M., and Mearns, R. 2023. Liver fluke in cattle and sheep: Getting ahead of a rapidly adapting parasite. *IN PRACTICE*, *45(6): 332–343*

Collyer, J. 2024. Fasciola hepatica: can the coproantigen ELISA replace the faecal egg sedimentation test? *Veterinary Evidence*, *9*(4). https://doi.org/10.18849/ve.v9i4.698

Coronado, J., Torrel-Pajares, T., and Vargas-Rocha, L. 2024. Relationship between number of adult rumen fluke (Calicophoron microbothrioides) and eggs per gram of feces in culled dairy cattle in Peru: A pilot study. *Revista Colombiana de Ciencias Pecuarias*, *37(2): 113–121*. https://doi.org/10.17533/udea.rccp.v37n3a1

Costa, H. C. M., Benchimol, M., and Peres, C. A. 2021. Wild ungulate responses to anthropogenic land use: A comparative Pantropical analysis. *Mammal Review*, *51(4): 528–539*. https://doi.org/10.1111/mam.12252

Cruz-Mendoza, I., Figueroa, J. A., Correa, D., Ramos-Martínez, E., Lecumberri-López, J., and Quiroz-Romero, H. 2004. Dynamics of Fasciola hepatica infection in two species of snails in a rural locality of Mexico. *Veterinary Parasitology*, *121(1–2)*, *87–93.* https://doi.org/10.1016/j.vetpar.2004.02.006

Cuervo, P. F., Mera Y Sierra, R., Artigas, P., Fantozzi, M. C., Bargues, M. D., and Mas-Coma, S. 2025. Impact of climate change on the spread of fascioliasis into the extreme south of South America. *PLOS Neglected Tropical Diseases*, *19(8), e0013433*. https://doi.org/10.1371/journal.pntd.0013433

Cwiklinski, K., O'Neill, S. M., Donnelly, S., and Dalton, J. P. 2016. A prospective view of animal and human Fasciolosis. *Parasite Immunology*, *38(9): 558–568*. https://doi.org/10.1111/pim.12343

Dahlan, M. S. 2011. *Statistik untuk kedokteran dan kesehatan*. Penerbit Salemba.

D'Almeida, S. C. G., Freitas, D. F., Carneiro, M. B., Camargo, P. F., Azevedo, J. C., and Martins, I. V. F. 2016. The population density of *Lymnaea columella*

UNIVERSITAS
GADJAH MADA
Strategi Pengendalian Trematodosis pada Sapi Potong melalui Pendekatan Sistem Dinamik Berbasis Kajian Epidemiologi, Analisis Spasial, dan Ekonomi Veteriner di Kabupaten Manokwari Papua Barat
Purwaningsih, Prof. Dr. drh. Widagdo Sri Nugroho, M.P.; Dr. Prima Widayani, S.Si., M.Si.; Prof. Dr. Ir. Tri Anggraeni K
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

(Say, 1817) (Mollusca, Lymnaeidae) an intermediate host of Fasciola hepatica (Linnaeus, 1758), in the Caparaó microregion, ES, Brazil. *Brazilian Journal of Biology*, *76*(2), 334–340. https://doi.org/10.1590/1519-6984.14314

Damayanti, L. P. E., Almet, J., and Detha, A. I. R. 2019. Deteksi dan prevalensi fasciolosis pada sapi bali di Rumah Potong Hewan (RPH) Oeba Kota Kupang. *Jurnal Veteriner Nusantara*, *2(1): 13–18*

De Bont, J., and Vercruysse, J. 1997. The epidemiology and control of cattle schistomiasis. *Parasitology Today*, *13*, 255–262

De Carvalho, M. D. C., Sueparno, S., & Ngadiyono, N. 2012. Pertumbuhan dan Produksi Karkas Sapi Peranakan Ongole dan Simmental Peranakan Ongole Jantan yang Dipelihara secara Feedlot. *Buletin Peternakan*, *34(1): 38*. https://doi.org/10.21059/buletinpeternak.v34i1.105

De Kock, K. N., Wolmarans, C. T., and Bornman, M. 2003. Distribution and habitats of the snail Lymnaea truncatula, intermediate host of the liver fluke Fasciola hepatica, in South Africa. *Journal of the South African Veterinary LAssociation*, *74*(4) 117–122. https://doi.org/10.4102/jsava.v74i4.523

De, N. V., Minh, P. N., Le, T. H., Dung, D. T., Duong, T. T., Tuan, B. V., Dong, L. T., Chau, N. V. V., Cuervo, P. F., Bargues, M. D., Valero, M. A., Gabrielli, A. F., Montresor, A., & Mas-Coma, S. (2024). A multidisciplinary analysis of over 53,000 fascioliasis patients along the 1995–2019 countrywide spread in Vietnam defines a new epidemiological baseline for One Health approaches. *One Health*, *19*, *100869*. https://doi.org/10.1016/j.onehlt.2024.100869

Delafosse, A. 2022. Rumen fluke infections (Paramphistomidae) in diarrhoeal cattle in western France and association with production parameters. *Veterinary Parasitology: Regional Studies and Reports*, *29*. https://doi.org/10.1016/j.vprsr.2022.100694

Demssie, A., Fentahun, B., Ababu, B. G., Mulie, M., Murad, B., and Mekonnen, A. 2012. An Abattoir Survey on the Prevalence and Monitory Loss of Fasciolosis in Cattle in Jimma Town, Ethiopia. *Global Veterinaria*, *8*, *381–385*

Dermauw, V., Meas, S., Chea, B., Onkelinx, T., Sorn, S., Holl, D., Charlier, J., Vercruysse, J., and Dorny, P. 2017. Effects of anthelmintic treatment and feed supplementation on parasite infections and morbidity parameters in Cambodian cattle. *Veterinary Parasitology*, *235*, *113–122*. https://doi.org/10.1016/j.vetpar.2017.01.018

Destoumieux-Garzón, D., Mavingui, P., Boetsch, G., Boissier, J., Darriet, F., Duboz, P., Fritsch, C., Giraudoux, P., Le Roux, F., Morand, S., Paillard, C., Pontier, D., Sueur, C., and Voituron, Y. 2018. The One Health Concept: 10 Years Old and a Long Road Ahead. *Frontiers in Veterinary Science*, *5*, *14*. https://doi.org/10.3389/fvets.2018.00014

Dey, A. R., Begum, N., Anisuzzaman, Islam, M. T., and Alam, M. Z. 2022. A large-scale epidemiological investigation on trematode infections in small ruminants in Bangladesh. *Veterinary Medicine and Science*, *8(3): 1219–1228*. https://doi.org/10.1002/vms3.748

UNIVERSITAS
GADJAH MADA
Strategi Pengendalian Trematodosis pada Sapi Potong melalui Pendekatan Sistem Dinamik Berbasis Kajian Epidemiologi, Analisis Spasial, dan Ekonomi Veteriner di Kabupaten Manokwari Papua Barat
Purwaningsih, Prof. Dr. drh. Widagdo Sri Nugroho, M.P.; Dr. Prima Widayani, S.Si., M.Si.; Prof. Dr. Ir. Tri Anggraeni K
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Dhakal, D. N., Adhikari, J. N., Regmi, R. S., Adhikari, S., and Bhattarai, B. P. 202). Prevalence of gastrointestinal parasites in bovines along the elevation gradients of Annapurna Landscape, Nepal. *Nepalese Journal of Zoology*, *6(51)*: *25–34*. https://doi.org/10.3126/njz.v6iS1.50527

Dickin, S. K., Schuster-Wallace, C. J., and Elliott, S. J. 2013. Developing a Vulnerability Mapping Methodology: Applying the Water-Associated Disease Index to Dengue in Malaysia. *PLoS ONE*, *8(5): e63584*. https://doi.org/10.1371/journal.pone.0063584

Dijkhuizen, A. A., Huirne, R. B. M., and Morris, R. S. 1997. Economic decision making in animal health management. In *Animal Health Economics*.*13–23*. Post Graduate Foundation in Veterinary Science University of Sidney

Dixon, A., Hanthorn, C., Pendell, D., Cernicchiaro, N., and Renter, D. 2022. Economic assessments from experimental research trials of feedlot cattle health and performance: A scoping review. *Translational Animal Science*, *6*, *1–16*. https://doi.org/10.1093/tas/txac077

Djuardi, Y. & Ismid. (2008). *Buku Ajar Parasitologi Kedokteran*. Penerbit FKUI, Jakarta

Dobson, R. J., Hosking, B. C., Jacobson, C. I., Cotter, J. I., Besier, R. B., Stein, P. A., and Reid, S. A. 2012. Preserving new anthelmintics: A simple method for estimating faecal egg count reduction test (FECRT) confidence limits when efficacy and/or nematode aggregation is high. *Veterinary Parasitology*, *186*, *79–92*. https://doi.org/10.1016/j.vetpar.2011.11.049

Dodangeh, S., Daryani, A., Sharif, M., Gholami, S., Kialashaki, E., Moosazadeh, M., and Sarvi, S. 2019. Freshwater snails as the intermediate host of trematodes in Iran: A systematic review. *Epidemiology and Health*, *41*. https://doi.org/10.4178/EPIH.E2019001

Dohoo, I., Martin, S. W., and Stryhn, H. 2003. *Veterinary Epidemiologic Research*. AVC inc. Charlottetown. Prince Edward Island. Canada

Dreyfuss, G., Vignoles, P., and Rondelaud, D. 2018. Relationships between the distribution of *Galba truncatula* (Gastropoda: Lymnaeidae) climatic conditions and the altitude of municipalities in Haute Vienne (France). *Annales de Limnologie - International Journal of Limnology*, *54*, *19*. https://doi.org/10.1051/limn/2018010

Dube, A., Kalinda, C., Manyangadze, T., Mindu, T., and Chimbari, M. J. 2023. Effects of temperature on the life history traits of intermediate host snails of fascioliasis: A systematic review. *PLOS Neglected Tropical Diseases*, *17(12)*, e0011812. https://doi.org/10.1371/journal.pntd.0011812

Ducheyne, E., Charlier, J., Vercruysse, J., Rinaldi, L., Biggeri, A., Demeler, J., Brandt, C., De Waal, T., Selemetas, N., Höglund, J., Kaba, J., Kowalczyk, S. J., and Hendrickx, G. 2015. Modelling the spatial distribution of Fasciola hepatica in dairy cattle in Europe. *Geospatial Health*, *9(2), 261*. https://doi.org/10.4081/gh.2015.348

Dunkerley, D. 2021. Rainfall intensity in geomorphology: Challenges and opportunities. *Progress in Physical Geography: Earth and Environment*, *45(4): 488–513*. https://doi.org/10.1177/0309133320967893

UNIVERSITAS
GADJAH MADA
Strategi Pengendalian Trematodosis pada Sapi Potong melalui Pendekatan Sistem Dinamik Berbasis Kajian Epidemiologi, Analisis Spasial, dan Ekonomi Veteriner di Kabupaten Manokwari Papua Barat
Purwaningsih, Prof. Dr. drh. Widagdo Sri Nugroho, M.P.; Dr. Prima Widayani, S.Si., M.Si.; Prof. Dr. Ir. Tri Anggraeni K
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Durr, P. A., and Gatrell, A. C. 2004. *GIS and spatial analysis in veterinary science*. CABI Publishing

Duthaler, U., Rinaldi, L., Maurelli, M. P., Vargas, M., Utzinger, J., Cringoli, G., and Keiser, J. 2010. Fasciola hepatica: Comparison of the sedimentation and FLOTAC techniques for the detection and quantification of faecal egg counts in rats. *Experimental Parasitology*, *126*(2), 161–166. https://doi.org/10.1016/j.exppara.2010.04.020

Elelu, N., Ambali, A., Coles, G. C., and Eisler, M. C. 2016. Cross-sectional study of Fasciola gigantica and other trematode infections of cattle in Edu Local Government Area, Kwara State, north-central Nigeria. *Parasites and Vectors*, *9(1): 1–11*. https://doi.org/10.1186/s13071-016-1737-5

Elelu, N., and Eisler, M. C. 2018. A review of bovine fasciolosis and other trematode infections in Nigeria. *Journal of Helminthology*, *92(2): 128–141*. https://doi.org/10.1017/S0022149X17000402

Elliot, P., Wakefield, J., Best, N., and Briggs, D. 2001. *Spatial Epidemiology: Methods and Applications*. Oxford University Press

Elliott, P., and Wartenberg, D. 2004. Spatial epidemiology: Current approaches and future challenges. *Environmental Health Perspectives*, *112(9): 998–1006*. https://doi.org/10.1289/ehp.6735

Elly, J. M. 2009. *Sistem Informasi Geografis*. Graha Ilmu

El-Tahawy, A. S., Bazh, E. K., and Khalafalla, R. E. 2017. Epidemiology of bovine fascioliasis in the Nile Delta region of Egypt: Its prevalence, evaluation of risk factors, and its economic significance. *Veterinary World*, *10(10): 1241–1249*. https://doi.org/10.14202/vetworld.2017.1241-1249

Emes, E., Wieland, B., Magnusson, U., and Dione, M. 2023. How farm practices and antibiotic use drive disease incidence in smallholder livestock farms: Evidence from a survey in Uganda. *One Health*, *17*, *100627*. https://doi.org/10.1016/J.ONEHLT.2023.100627

Faez, A. M., Najib, M. A., Noraini, A. G., Kin, W. W., Abd Rahman, A., Wan Nor Alimah Amilah, W. A. W., and Noor Izani, N. J. 2023. Seasonal Occurrence of Cattle Fascioliasis in Kelantan, Malaysia. *Veterinary Sciences*, *10(3): 202*. https://doi.org/10.3390/vetsci10030202

Fairweather, I., and Boray, J. C. 1999. Fasciolicides: Efficacy, Actions, Resistance and its Management. *The Veterinary Journal*, *158(2): 81–112*. https://doi.org/10.1053/TVJL.1999.0377

FAO. 2005. Capacity Building for Surveilalance and Control of Zoonotic Disease. *Animal Production and Health Proceeding*. FAO/WHO/OIE Expert and Technical Consultation

FAO. 2009. *The state of food and agriculture: Livestock in the balance*. Food and Agriculture Organization of the United Nations. http://www.fao.org/catalog/inter-e.htm

FAO. 2016. Economic analysis of animal diseases. *FAO Animal Production; Health Guidelines, 18*

Feshchenko, D. V., Bakhur, T. I., Selçuk, B. H., Antipov, A. A., Zghozinska, O. A., Dubova, O. A., Yevstafyeva, V. O., Goncharenko, V. P., Shahanenko, R. V., Shahanenko, V. S., and Melnychuk, V. V. 2019. Mollusks (Gastropoda)

UNIVERSITAS
GADJAH MADA
Strategi Pengendalian Trematodosis pada Sapi Potong melalui Pendekatan Sistem Dinamik Berbasis Kajian Epidemiologi, Analisis Spasial, dan Ekonomi Veteriner di Kabupaten Manokwari Papua Barat
Purwaningsih, Prof. Dr. drh. Widagdo Sri Nugroho, M.P.; Dr. Prima Widayani, S.Si., M.Si.; Prof. Dr. Ir. Tri Anggraeni K
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

as intermediate hosts of cattles' trematodes (Trematoda) in conditions of Dnipro basin's small ponds (Northern Ukraine). *Acta Veterinaria Eurasia*, *45(1): 16–21.* https://doi.org/10.26650/actavet.2019.18009

Feyisa, T. T. 2021. Review on Epidemiology, Control and Public Health Importance of Bovine Fasciolosis. *Austin J Vet Sci & Anim Husb*, *8(2): 1–9*

Firmansyah, I., Widiatmaka, Pramudya, B., and Budiharsono, S. 2019. The dynamic model of paddy field conversion control in Citarum watershed. *IOP Conference Series: Earth and Environmental Science, 399(1): 01200909. Https://Doi.Org/10.1088/1755-1315/399/1/012*

Forrester, J. W. 1994. System dynamics, systems thinking, and soft OR. *System Dynamics Review*, *10(2–3): 245–256*

Forrester, J. W. 1999. *Industrial Dynamics*. Pennsylvania State University. Pegasus Communications

Forstmaier, T., Knubben-Schweizer, G., Strube, C., Zablotski, Y., and Wenzel, C. 2021. Rumen (Calicophoron/paramphistomum spp.) and liver flukes (Fasciola hepatica) in cattle—Prevalence, distribution, and impact of management factors in Germany. *Animals*, *11(9)*. https://doi.org/10.3390/ani11092727

Freitas, D. F., Martins, I., dos Santos, G. M., doa Santos, A. R., and da Silva Gomes, D. 201). Bioclimatic distribution and prevalence maps for Fasciola hepatica in Espírito Santo State, Brazil. *Journal of Venomous Animals and Toxins Including Tropical Diseases*, *20(32)*. https://doi.org/10.1186/1678-9199-20-32

Frias, H., Maraví, C., Arista-Ruiz, M. A., Yari-Briones, D. I., Paredes-Valderrama, J. R., Bravo, Y. R., Cortez, J. V., Segura, G. T., Ruiz, R. E., Lapa Lopez, R. M., and Valderrama, N. L. M. 202). Prevalence, coinfection, and risk factors associated with Fasciola hepatica and other gastrointestinal parasites in cattle from the Peruvian Amazon. *Veterinary World*, *16(3): 546–553*. https://doi.org/10.14202/vetworld.2023.546-553

Fuentes, M. V. 200). Remote sensing and climate data as a key for understanding fasciolosis transmission in the Andes: Review and update of an ongoing interdisciplinary project. *Geospatial Health*, *1(1): 59*. https://doi.org/10.4081/gh.2006.281

Galavani, H., Haniloo, A., Raeghi, S., Ghatee, M. A., and Karamian, M. 2024. Bioclimatic analysis and spatial distribution of fascioliasis causative agents by assessment of Lymnaeidae snails in northwestern provinces of Iran. *Parasites & Vectors*, *17(1): 244*. https://doi.org/10.1186/s13071-024-06298-2

Gale, P., Drew, T., Phipps, L. P., David, G., and Wooldridge, M. 2009. The effect of climate change on the occurrence and prevalence of livestock diseases in Great Britain: A review. *Journal of Applied Microbiology*, *106(5): 1409–1423*. https://doi.org/10.1111/j.1365-2672.2008.04036.x

Garforth, C. J., Bailey, A. P., and Tranter, R. B. 2013. Farmers' attitudes to disease risk management in England: A comparative analysis of sheep and pig

UNIVERSITAS
GADJAH MADA
Strategi Pengendalian Trematodosis pada Sapi Potong melalui Pendekatan Sistem Dinamik Berbasis Kajian Epidemiologi, Analisis Spasial, dan Ekonomi Veteriner di Kabupaten Manokwari Papua Barat
Purwaningsih, Prof. Dr. drh. Widagdo Sri Nugroho, M.P.; Dr. Prima Widayani, S.Si., M.Si.; Prof. Dr. Ir. Tri Anggraeni K
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

farmers. *Preventive Veterinary Medicine*, *110(3–4): 456–466*. https://doi.org/10.1016/J.PREVETMED.2013.02.018

Gates, M. C., Earl, L., and Enticott, G. 2021. Factors influencing the performance of voluntary farmer disease reporting in passive surveillance systems: A scoping review. *Preventive Veterinary Medicine*, *196*, *105487*. https://doi.org/10.1016/J.PREVETMED.2021.105487

Gboeloh, H., and Barine, L. 2012. Seasonal prevalence of Fasciola gigantica in slaughtter cattle in major abattoirs in port Harcourt. *Sciences and Engineering Research*, *2(9): 336–340*

Georgiadis, P., Vlachos, D., and Iakovou, E. 2005. A system dynamics modeling framework for the strategic supply chain management of food chains. *Journal of Food Engineering*, *70(3): 351–364*. https://doi.org/10.1016/j.jfoodeng.2004.06.030

Ghanimatdan, M., Chalechale, A., Rezaei, F., Rokni, M. B., and Shahrokhi, S. R. 2019. Bioclimatic Analysis and Spatial Distribution of Livestock Fasci-oliasis in Iran. *Iran Journal of Parasitology*, *14(1): 41–51*

González-Warleta, M., Lladosa, S., Castro-Hermida, J. A., Martínez-Ibeas, A. M., Conesa, D., Muñoz, F., López-Quílez, A., Manga-González, Y., and Mezo, M. 2013. Bovine paramphistomosis in Galicia (Spain): Prevalence, intensity, aetiology and geospatial distribution of the infection. *Veterinary Parasitology*, *191(3–4): 252–263*. https://doi.org/10.1016/j.vetpar.2012.09.006

Guerreiro, P., Costa, D. F. A., Limede, A. C., Congio, G. F. S., Meschiatti, M. A. P., Bernardes, P. A., and Santos, F. A. P. 2025. Effects of Monensin, Calcareous Algae, and Essential Oils on Performance, Carcass Traits, and Methane Emissions Across Different Breeds of Feedlot-Finished Beef Cattle. *Ruminants*, *5(1), 2*. https://doi.org/10.3390/ruminants5010002

Hadebe, M. I., Manyangadze, T., Kalinda, C., and Chimbari, M. J. 2025. Factors contributing to the abundance and spatial distribution of the invasive intermediate host snail (Pseudosuccinea columella) in uMgungundlovu district, KwaZulu-Natal, South Africa. *BMC Veterinary Research*, *21(1), 254*. https://doi.org/10.1186/s12917-025-04703-1

Hajian-Tilaki, K. 2013. Receiver operating characteristic (ROC) curve analysis for medical diagnostic test evaluation. *Caspian J. Intern Med*, *4(2): 627–635*.

Hajipour, N., Mirshekar, F., Hajibemani, A., and Ghorani, M. 2021. Prevalence and risk factors associated with amphistome parasites in cattle in Iran. *Veterinary Medicine and Science*, *7(1): 105–111*. https://doi.org/10.1002/vms3.330

Halvarsson, P., Gustafsson, K., and Höglund, J. 2022. Farmers' perception on the control of gastrointestinal parasites in organic and conventional sheep production in Sweden. *Veterinary Parasitology: Regional Studies and Reports*, *30*. https://doi.org/10.1016/j.vprsr.2022.100713

Hambal, M., Ayuni, R., Vanda, H., Amiruddin, A., and Athaillah, F. 2020. Occurrence of Fasciola gigantica and Paramphistomum spp infection in Aceh cattle. *E3S Web of Conferences 151*, *1–4*. https://doi.org/10.1051/e3sconf/202015101025

UNIVERSITAS
GADJAH MADA
Strategi Pengendalian Trematodosis pada Sapi Potong melalui Pendekatan Sistem Dinamik Berbasis Kajian Epidemiologi, Analisis Spasial, dan Ekonomi Veteriner di Kabupaten Manokwari Papua Barat
Purwaningsih, Prof. Dr. drh. Widagdo Sri Nugroho, M.P.; Dr. Prima Widayani, S.Si., M.Si.; Prof. Dr. Ir. Tri Anggraeni K
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Hambal, M., Sayuti, A., and Dermawan, A. 2013. Tingkat kerentanan Fasciola gigantica pada sapi dan kerbau di Kecamatan Lhoong Kabupaten Aceh Besar. *Jurnal Medika Veterinaria*, *7(1): 49–53*

Hamid, P. H., Kristianingrum, Y. P., Prastowo, J., and Da Silva, L. M. R. 2016. Gastrointestinal parasites of cattle in central Java. *American Journal of Animal and Veterinary Sciences*, *11(3): 119–124*. https://doi.org/10.3844/ajavsp.2016.119.124

Hamza, K. H., Rich, K., and Wheat, D. 2012. The Role of System Dynamics Approaches in Aquatic Disease Management: An Application to Sea Lice Control in Norway. *Policy Paper*

Hanifati, A. A. 2019. *Pemodelan Spasial Tingkat Risiko Penyakit Ispa Menggunakan Metode Fuzzy-AHP di Kecamatan Jombang, Kota Cilegon*. Universitas Gadjah Mada

Hansen, J., and Perry, B. 1994. *The Epidemiology, Diagnosis and Control of Helminth Parasites of Ruminants: A Handbook.* International Laboratory for Research on Animal Diseases (ILRAD)

Harmini, Asmarantaka, R. W., and Atmakusuma, J. 2011. Model Dinamis Sistem Ketersediaan Daging Sapi Nasional. *Jurnal Ekonomi Pembangunan*, *12(1): 128–146*

Hartrisari. 2007. *Sistem DInamik: Konsep Sistem Untuk Industri dan Lingkungan.* Institut Pertanian Bogor

Hasan, Y., Fathan, S., Laya, N. K., Datau, F., Boekoesoe, Y., and Bahua, M. I. 2022. Studi partisipasi kelompok peternak dalam usaha ternak Sapi Bali. *Gorontalo Journal of Equatoria Animals*, *1(2): 51–58*. https://ejurnal.ung.ac.id/index.php/gijea

Hasymi, A. 200). *Statistika Dasar: Konsep-Konsep Dasar Penelitian.* Http://Omegahat.Blogspot.Co.Id/2008/01/Konsep-Konsep-Dasar-Penelitian-Bagian-4.Html

Hechinger, R. F. 2007. *Trematodes as Indicators of the Diversity and Abundance of Benthic Invertebrates, Fishes and Birds*. University of California, San Diego: California Sea Grant College Program

Hemphill, A. 2010. Development and applications of cestode and trematode laboratory models. *Parasitology*, *137*, *329–333*. https://doi.org/10.1017/S0031182010000132

Hernandez, S. R., Davis, D. B., Credille, B. C., Tucker, J. J., and Stewart, R. L. 2022. Assessment of effectiveness of deworming options in recently weaned beef cattle utilizing different anthelmintic programs in the southeast. *Translational Animal Science*, *6*: 1-8. https://doi.org/10.1093/tas/txac148

Hernandez-Hernandez, J. C., Gonzalez-gardino, R., Ortiz-Perez, D. O., Villa-Mancera, A., Arias-Vazquez, M. S., and Paz-Silva, A. 2023. Prevalence of flukes (Fasciola hepatica and paramphistomids) in cattle in south-eastern Mexico. *Helminthologia*, *60(2): 141–151*. https://doi.org/10.2478/helm¬2023¬0017

Hetherington, J. B., Wiethoelter, A. K., Negin, J., and Mor, S. M. 2017. Livestock ownership, animal source foods and child nutritional outcomes in seven

UNIVERSITAS
GADJAH MADA
Strategi Pengendalian Trematodosis pada Sapi Potong melalui Pendekatan Sistem Dinamik Berbasis Kajian Epidemiologi, Analisis Spasial, dan Ekonomi Veteriner di Kabupaten Manokwari Papua Barat
Purwaningsih, Prof. Dr. drh. Widagdo Sri Nugroho, M.P.; Dr. Prima Widayani, S.Si., M.Si.; Prof. Dr. Ir. Tri Anggraeni K
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

rural village clusters in Sub-Saharan Africa. *Agriculture & Food Security*, *6(1): 1–11*. https://doi.org/10.1186/s40066-016-0079-z

Hoang Quang, V., Levecke, B., Do Trung, D., Devleesschauwer, B., Vu Thi Lam, B., Goossens, K., Polman, K., Callens, S., Dorny, P., and Dermauw, V. 2024. Fasciola spp. in Southeast Asia: A systematic review. *PLOS Neglected Tropical Diseases*, *18(1): e0011904*. https://doi.org/10.1371/journal.pntd.0011904

Horak, I. G. 1971. Paramphistomiasis of Domestic Ruminants. *Adv. Parasitol*, *9*, 33–71

Horri, M., Suyanto, and Jusnita, R. A. E. 2023. Disease Control Management Strategy in Bali Cattle. *International Journal Publishing INFLUENCE: International Journal of Science Review*, *5(1): 333–342*

Hosmer, D. W., and Lemeshow, S. 2013. *Applied Logistic Regression* (3rd ed.). New York: John Wiley & Sons, Inc

Howell, A., Baylis, M., Smith, R., Pinchbeck, G., and Williams, D. 2015. Epidemiology and impact of Fasciola hepatica exposure in high-yielding dairy herds. *Preventive Veterinary Medicine*, *121(1–2): 41–48*. https://doi.org/10.1016/j.prevetmed.2015.05.013

Howell, A., Mugisha, L., Davies, J., LaCourse, E. J., Claridge, J., Williams, D. J., Kelly-Hope, L., Betson, M., Kabatereine, N. B., and Stothard, J. R. 2012. Bovine fasciolosis at increasing altitudes: Parasitological and malacological sampling on the slopes of Mount Elgon, Uganda. *Parasites & Vectors*, *5(1): 196*. https://doi.org/10.1186/1756-3305-5-196

Huang, W. Y., He, B., Wang, C. R., and Zhu, X. Q. 2004. Characterisation of Fasciola species from Mainland China by ITS-2 ribosomal DNA sequence. *Veterinary Parasitology*, *120(1–2): 75–83*. https://doi.org/10.1016/j.vetpar.2003.12.006

Hugho, E. A., Nagagi, Y. P., Lyaruu, L. J., Mosha, V. V., Senyael, N., Mwita, M. M., Mabahi, R. W., Temba, V. M., Hebel, M., Nyati, M., Mmbaga, B. T., Ndyetabura, T. O., and Lukambagire, A. S. 2025. Inverted Patterns of Schistosomiasis and Fascioliasis and Risk Factors Among Humans and Livestock in Northern Tanzania. *Pathogens*, *14(1): 87*. https://doi.org/10.3390/pathogens14010087

Hunter, A. (1994). *Specific Disease in Tropics*. *2*

Husain, Z., Nugroho, T. A. E., and Laya, Ni. K. 2021. Tingkat Kejadian Trematodosis pada Ternak Kambing. *Jambura Journal of Animal Science*, *3(2): 129–134*

Huson, K. M., Oliver, N. A. M., and Robinson, M. W. 2017. Paramphistomosis of Ruminants: An Emerging Parasitic Disease in Europe. *Trends in Parasitology*, *33*(11): 836–844. https://doi.org/10.1016/j.pt.2017.07.002

Hussein, Y., Hussein Sheikh Hassan, Y., Tkue Gebrewahd, T., and Kumar, N. 2017. Prevalence of Bovine Trematodes and Associated Risk Factors at Abergelle Prevalence of Bovine Trematodes and Associated Risk Factors at Abergelle Export Abattoir, Mekelle, Tigray, Ethiopia. In *Ethiopian Journal of Veterinary Science and Animal Production (EJVSAP)*, *1(1): 25–34*. https://www.researchgate.net/publication/373545633

UNIVERSITAS
GADJAH MADA
Strategi Pengendalian Trematodosis pada Sapi Potong melalui Pendekatan Sistem Dinamik Berbasis Kajian Epidemiologi, Analisis Spasial, dan Ekonomi Veteriner di Kabupaten Manokwari Papua Barat
Purwaningsih, Prof. Dr. drh. Widagdo Sri Nugroho, M.P.; Dr. Prima Widayani, S.Si., M.Si.; Prof. Dr. Ir. Tri Anggraeni K
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Hyndman, R. J., and Koehler, A. B. 2005. Another look at measures of forecast accuracy. *International Journal of Forecasting*, *22(4): 679–688*. http://www.forecasters.org/data/m3comp/m3comp.htm

Ibrahim, N. 2017. Fascioliasis: Systematic Review. *Advances in Biological Research*, *11*(5), 278–285. https://doi.org/10.5829/idosi.abr.2017.278.285

Ichikawa-Seki, M., Peng, M., Hayashi, K., Shoriki, T., Mohanta, U. K., Shibahara, T., and Itagaki, T. 2017. Nuclear and mitochondrial DNA analysis reveals that hybridization between Fasciola hepatica and Fasciola gigantica occurred in China. *Parasitology*, *144(2): 206–213*. https://doi.org/10.1017/S003118201600161X

Idris, A., Novita, M., and Kamal, S. 2018. Spesies mollusca di ekosistem mangrove Kecamatan Baitussalam Kabupaten Aceh Besar sebagai referensi pendukung materi keanekaragaman hayati. *Jurnal Biotik*, *6(2): 87–96*

Iglesias-Piñeiro, J., González-Warleta, M., Castro-Hermida, J. A., Córdoba, M., González-Lanza, C., Manga-González, Y., and Mezo, M. 2016. Transmission of Calicophoron daubneyi and Fasciola hepatica in Galicia (Spain): Temporal follow-up in the intermediate and definitive hosts. *Parasites & Vectors*, *9(1): 610*. https://doi.org/10.1186/s13071-016-1892-8

Ikeme, M. M., and Obioha, E. 1973. Fasciola gigantica infestations in trade cattle in Eastern Nigeria. *Bulletin of Epizootic Disease of Africa*, *21: 259–264*

Indohun. 2015. *Pedoman Aplikasi Hard Skill One Health. Bab: Epidemiologi dan Analisis Risiko.* Indohun National Coordinating Office Kampus Baru UI Depok Fakultas Kesehatan Masyarakat. Jawa Barat

Indrasanti, D., Samsi, M., Sufriyanto, S., Nafi, M. I., and Anandita, I. 2021. Trematodosis pada Sapi Potong di Kecamatan Sumbang, Kabupaten Banyumas. *Prosiding Seminar Nasional LPPM Unsoed. 10(1)*

Indrawan, R., and Yaniawati, P. 2017. *Metodologi Penelitian Kuantitatif, Kualitatif, dan Campuran untuk Manajemen, Pembangunan dan Pendidikan*. PT. Refika Aditama

International Strategy for Disaster Reduction (ISDR). 2005. *Kerangka Kerja Aksi Hyogo 2005-2015. Membangun Ketahanan Bangsa dan Komunitas. Hasil Konferensi Sedunia tentang Peredaman Bencana. 18-23 Januari*

Iqbal, G. 2023. Mini-Review on Molecular Markers for the Identification of Fish Nematode Parasites. *International Journal of Oceanography & Aquaculture*, *7(3)*. https://doi.org/10.23880/ijoac-16000251

Iqbal, M. N., Shahzad, K. A., and Muhammad, A. 2013. Identification and prevalence of Paramphistomum cervi in naturally infected water buffaloes of central Punjab, Pakistan. *Veterinaria*, *1(1): 9–12*

Islam, M. T. 2014. Geographical Information System (GIS) in Veterinary Epidemiology: Bangladesh Perspective. *BDvet INewsletter*, *2*, 8–10. http://www.ph.ucla.eduJepi/snow.html

Itagaki, T., Hayashi, K., and Ohari, Y. 2022. The causative agents of fascioliasis in animals and humans: Parthenweogenetic Fasciola in Asia and other regions. *Infection, Genetics and Evolution*, *99*. https://doi.org/10.1016/j.meegid.2022.105248

UNIVERSITAS
GADJAH MADA
Strategi Pengendalian Trematodosis pada Sapi Potong melalui Pendekatan Sistem Dinamik Berbasis Kajian Epidemiologi, Analisis Spasial, dan Ekonomi Veteriner di Kabupaten Manokwari Papua Barat
Purwaningsih, Prof. Dr. drh. Widagdo Sri Nugroho, M.P.; Dr. Prima Widayani, S.Si., M.Si.; Prof. Dr. Ir. Tri Anggraeni K
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Itagaki, T., and Tsutsumi, K. I. 1998. Triploid form of Fasciola in Japan] genetic relationships between Fasciola hepatica and Fasciola gigantica determined by ITS!1 sequence of nuclear rDNA p. *International Journal for Parasitology*, *28: 777–781*

Iyai, D. A., Ako, A., Siradjuddin, S. N., and Nohong, B. 2023. Livestock Forage Resources in Manokwari Lowland Valley; A Case Study of West Papua' Abundancy, Richness, and Potential. *Advances in Animal and Veterinary Sciences*, *11(9): 1492–1505*. https://doi.org/10.17582/journal.aavs/2023/11.9.1492.1505

Jain, R., Nisha, N., Kandpal, A., and Nikam, V. R. 2025. A deep dive into the impact assessment of agricultural, natural resource management, livestock, and fisheries technologies. *Discover Agriculture*, *3(1): 171*. https://doi.org/10.1007/s44279-025-00323-3

Jaja, I. F., Mushonga, B., Green, E., and Muchenje, V. 2017. Financial loss estimation of bovine fasciolosis in slaughtered cattle in South Africa. *Parasite Epidemiology and Control*, *2(4): 27–34*. https://doi.org/10.1016/j.parepi.2017.10.001

Jamil, I., Reza Ferasyi, T., Hambal, M., and Fahrimal, Y. 2017. Prevalence of F. gigantica and pathological changes in liver of Simeulue Buffalo. *International Journal of Tropical Veterinary and Biomedical Research*, *2(1): 8–11*

Japa, O., Siriwechviriya, P., and Prakhammin, K. 2020. Occurrence of fluke infection in beef cattle around Phayao Lake, Phayao, Thailand. *Veterinary World*, *13(2): 334–337*. https://doi.org/10.14202/vetworld.2020.334-337

Jean-Richard, V., Crump, L., Abicho, A. A., Naré, N. B., Greter, H., Hattendorf, J., Schelling, E., and Zinsstag, J. 2014. Prevalence of Fasciola gigantica infection in slaughtered animals in south-eastern Lake Chad area in relation to husbandry practices and seasonal water levels. *BMC Veterinary Research*, *10*. https://doi.org/10.1186/1746-6148-10-81

Jones, R. A., Williams, H. W., Dalesman, S., Ayodeji, S., Thomas, R. K., and Brophy, P. M. 2017. The prevalence and development of digenean parasites within their intermediate snail host, Galba truncatula, in a geographic area where the presence of Calicophoron daubneyi has recently been confirmed. *Veterinary Parasitology*, *240*: *68–74*. https://doi.org/10.1016/j.vetpar.2017.03.021

Juliana, F. 2022. Helminthiasis pada Sapi dan Kambing di Rumah Potong Hewan Kota Banda Aceh. *Jurnal Imliah Guru Madrasah*, *1(1): 20–30*

Kahl, A., Von Samson-Himmelstjerna, G., Helm, C., Hodgkinson, J., Williams, D., Weiher, W., Terhalle, W., Steuber, S., Ganter, M., and Krücken, J. 2023. Efficacy of flukicides against Fasciola hepatica and first report of triclabendazole resistance on German sheep farms. *International Journal for Parasitology: Drugs and Drug Resistance*, *23: 94–105*. https://doi.org/10.1016/j.ijpddr.2023.11.001

Kamel, I. H., Metwally, A. M., Zaki, D. A., Alam, R. R., Ali, A. E., Elshaarawy, G. A., El Hady, S. I. A., Samy, A. G., and Elabd, M. A. 2025. Nutrition literacy across adolescence stages in Egypt: A quartile-based analysis for tailored

UNIVERSITAS
GADJAH MADA
Strategi Pengendalian Trematodosis pada Sapi Potong melalui Pendekatan Sistem Dinamik Berbasis Kajian Epidemiologi, Analisis Spasial, dan Ekonomi Veteriner di Kabupaten Manokwari Papua Barat
Purwaningsih, Prof. Dr. drh. Widagdo Sri Nugroho, M.P.; Dr. Prima Widayani, S.Si., M.Si.; Prof. Dr. Ir. Tri Anggraeni K
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

educational strategies. *BMC Public Health*, *25(1): 2389*. https://doi.org/10.1186/s12889-025-23583-6

Kaplan, R. M. 2001. Fasciola hepatica: A review of the economic impact in cattle and considerations for control. *Veterinary Theraupetic*, *2(1): 40–50*

Kaplan, R. M., Denwood, M. J., Nielsen, M. K., Thamsborg, S. M., Torgerson, P. R., Gilleard, J. S., Dobson, R. J., Vercruysse, J., and Levecke, B. 2023. World Association for the Advancement of Veterinary Parasitology (W.A.A.V.P) guideline for diagnosing anthelmintic resistance using the faecal egg count reduction test in ruminants, horses and swine. *Veterinary Parasitology*, *318*. https://doi.org/10.1016/j.vetpar.2023.109936

Kappes, A., Tozooneyi, T., Shakil, G., Railey, A. F., McIntyre, K. M., Mayberry, D. E., Rushton, J., Pendell, D. L., and Marsh, T. L. 2023. Livestock health and disease economics: A scoping review of selected literature. *Frontiers in Veterinary Science*, *10*. https://doi.org/10.3389/fvets.2023.1168649

Kassai, T. 1999. *Veterinary Helmintology. University of science*. Butterworth Heinemann

Kay, R. D., Edwards, W. M., and Duffi, P. A. 2007. *Farm Management*. McGraw-Hill Companies, Inc.

Keane, M. P., McGee, M., O'Riordan, E. G., Kelly, A. K., and Earley, B. 2017. Effect of space allowance and floor type on performance, welfare and physiological measurements of finishing beef heifers. *Animal*, *11(12): 2285–2294*. https://doi.org/10.1017/S1751731117001288

Keane, M. P., McGee, M., O'Riordan, E. G., Kelly, A. K., and Earley, B. 2018. Effect of floor type on performance, lying time and dirt scores of finishing beef cattle: A meta-analysis. *Livestock Science*, *212*: *57–60*. https://doi.org/10.1016/J.LIVSCI.2018.03.012

Kebede, I. A., Beriso, T. E., Mengistu, T. S., and Gebremeskel, H. F. 2023. Study on Cattle Trematodosis and Related Risk Factors in Damot Sore District, Wolaita Zone, Southern Ethiopia. *Journal of Parasitology Research*, https://doi.org/10.1155/2023/6687665

Keiser, J., and Utzinger, J. 2009. Food-Borne Trematodiases. *Clinical Microbiology Review*, *22(3): 466–483*. https://doi.org/10.1128/CMR.00012-09

Kelley, J. M., Elliott, T. P., Beddoe, T., Anderson, G., Skuce, P., and Spithill, T. W. 2016. Current Threat of Triclabendazole Resistance in Fasciola hepatica. *Trends in Parasitology*, *32(6): 458–469*. https://doi.org/10.1016/J.PT.2016.03.002

Keyyu, J. D., Monrad, J., Kyvsgaard, N. C., Kassuku, A. A., Kyvsgaard, J., and Kassuku, N. C. 2005. Epidemiology of Fasciola gigantica and Amphistomes in Cattle on Traditional, Small-scale Dairy and Large-scale Dairy Farms in the Southern Highlands of Tanzania. *Tropical Animal Health and Production*, *37(4): 303–314*

Khadijah, S., Ariff, Z., Nurlaili, M. R., Sakiinah, A., Izzudin, A. H., Mursyidah, A. K., Rita, N., and Nur Aida, H. 2017. Fasciola and Paramphistomum infection in large ruminants. *International Journal of Agronomy and Agricultural Research International*, *10*(June): 19–26

UNIVERSITAS
GADJAH MADA
Strategi Pengendalian Trematodosis pada Sapi Potong melalui Pendekatan Sistem Dinamik Berbasis Kajian Epidemiologi, Analisis Spasial, dan Ekonomi Veteriner di Kabupaten Manokwari Papua Barat
Purwaningsih, Prof. Dr. drh. Widagdo Sri Nugroho, M.P.; Dr. Prima Widayani, S.Si., M.Si.; Prof. Dr. Ir. Tri Anggraeni K
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Khairani, S. 2015. *Fasciolosis: Epidemiologi dan Kerugian Ekonomi Berdasarkan Pemeriksaan Histopatologis Hepar Sapi yang Dipotong di Rumah Potong Hewan Aikmel, Masbagik dan Pancor*. Universitas Airlangga.

Khan, J., Akhtar, T., Maqbool, A., and Anees, A. 2006. Epidemiology of Paramphistomiasis in buffaloes under different managemental conditions at four districts of Punjab province, Pakistan. *Iranian Journal of Veterinary Research, 7(3): 68-72*

Khan, U. J., Tanveer, A., Maqbool, A., and Masood, S. 2008. Epidemiological studies of paramphistomosis in cattle. *Veterinary Archiv*, *78(3): 243–251*.

Khedr, A. A., Abdel-Hakeem, S. S., Mahmoud, W. G., Abdel-Hakeem, S. S., Al-Hakami, A. M., Tolba, M. E. M., Abd-Elrahman, S. M., and Khalifa, M. M. 2025. An overview of fasciolosis in human and cattle populations in New Valley, Egypt. *Frontiers in Veterinary Science*, *12:* 1572946. https://doi.org/10.3389/fvets.2025.1572946

Khedri, J., Radfar, M. H., Borji, H., and Mirzaei, M. 2015. Prevalence and intensity of Paramphistomum spp. In cattle from South-Eastern Iran. *Iranian Journal of Parasitology*, *10(2): 268–272*

Khosravi, M., Díaz-Morales, D. M., Thieltges, D. W., Wahl, M., and Vajedsamiei, J. 2023. Thermal optima of cercarial emergence in trematodes from a marine high-temperature ecosystem, the Persian Gulf. *Scientific Reports*, *13(1)*. https://doi.org/10.1038/s41598-023-31670-0

Kiani, B., Gholamian, M. R., Hamzehei, A., and Hosseini, S. 2009. Using Causal Loop Diagram to achieve a better understanding of e-business models. *International Journal of Electronic Business Management*, *7(3): 159–167*

Kipp, K., Cummings, D. B., Goehl, D., Wade, H. H., Davidson, J. M., Renter, D., Verocai, G. G., and Rash, L. 2023. Evaluation of a refugia-based strategy for gastrointestinal nematodes on weight gain and fecal egg counts in naturally infected stocker calves administered combination anthelmintics. *Veterinary Parasitology*, *319*, 109955. https://doi.org/10.1016/j.vetpar.2023.109955

Kipyegen, C. K., Muleke, C. I., and Otachi, E. O. 2022. Human and animal fasciolosis: Coprological survey in Narok, Baringo and Kisumu counties, Kenya. *Onderstepoort Journal of Veterinary Research*, *89(1)*. https://doi.org/10.4102/ojvr.v89i1.1954

Kleinbaum, D. G., and Klein, M. 2010. *Logistic Regression: A Self-Learning Text* (3rd ed). New York: Springer

Knippenberg, R., Dicks, M., Bain, B., and Dow, M. 2015. Estimating the financial return on a veterinary education. *Journal of the American Veterinary Medical Association*, *246(4): 422–424*. https://doi.org/10.2460/javma.246.4.422

Koraag, M. E., Octaviani, O., Massie, R. G. A., Senewe, F. P., and Djohan, D. 2024. Environmental factors associated with *Oncomelania hupensis lindoensis* snails in a schistosomiasis-endemic area in Napu, Central Sulawesi. *Journal of Water and Health*, *22(9): 1641–1649*. https://doi.org/10.2166/wh.2024.108

UNIVERSITAS
GADJAH MADA
Strategi Pengendalian Trematodosis pada Sapi Potong melalui Pendekatan Sistem Dinamik Berbasis Kajian Epidemiologi, Analisis Spasial, dan Ekonomi Veteriner di Kabupaten Manokwari Papua Barat
Purwaningsih, Prof. Dr. drh. Widagdo Sri Nugroho, M.P.; Dr. Prima Widayani, S.Si., M.Si.; Prof. Dr. Ir. Tri Anggraeni K
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Kouadio, J. N., Giovanoli Evack, J., Achi, L. Y., Fritsche, D., Ouattara, M., Silué, K. D., Bonfoh, B., Hattendorf, J., Utzinger, J., Zinsstag, J., Balmer, O., and N'Goran, E. K. 2020. Prevalence and distribution of livestock schistosomiasis and fascioliasis in Côte d'Ivoire: Results from a cross-sectional survey. *BMC Veterinary Research*, *16(1)*. https://doi.org/10.1186/s12917-020-02667-y

Kristiyani, F., Aini, N., and Wijayanti, A. D. 2019. Evaluasi pengobatan trematodosis menggunakan albendazole pada sapi di Kecamatan Pakem, Sleman, Daerah Istimewa Yogyakarta. *Jurnal Sain Veteriner*, *37(1): 104–111*. https://doi.org/10.22146/jsv.42944

Kryazhev, A. 2016. Ecology and epizootology of trematodosis in cattle, treatment and prevention in dairy cattle farms of Vologda region. *Russian Journal of Parasitology*, *38(4): 496–501*. https://doi.org/10.12737/23073

Kumar, S. K., and Palanivel, K. 2020. Spatial epidemiology in veterinary disease surveillance. *Journal of Dairy, Veterinary & Animal Research*, *9*(5). https://doi.org/10.15406/jdvar.2020.09.00297

Kurnia, D., Lefiana, D., Sujatmiko, Noor, P. S., Zelpina, E., and Ardyes, R. 2022. Prevalensi Trematoda GAstrointestinal pada Sapi di Pasar Ternak Payakumbuh. *Jurnal Vitek Bidang Kedokteran Hewan*, *12(1): 35–39*

Kurnianto, H., Ramanoon, S. Z., Aziz, N. A. A., and Indarjulianto, S. 2022. Prevalence, risk factors, and infection intensity of fasciolosis in dairy cattle in Boyolali, Indonesia. *Veterinary World*, *15(6): 1438–1448*. https://doi.org/10.14202/vetworld.2022.1438-1448

Kusmiati, R., Syaputri, Y., Abun, and Safitri, R. 2024. Pretreatment and fermentation of lignocellulose from oil palm fronds as a potential source of fibre for ruminant feed: A review. *Journal of Sustainable Agriculture and Environment*, *3(3)*, sae2.70003. https://doi.org/10.1002/sae2.70003

Kusumastuti, T., Widiati, R., and Bintara, S. 2018. Partial budget analysis to determine additional income of Etawa crossbred goat farmers using breeding system in Kulon Progo Regency, Yogyakarta, Indonesia. *Proceedings of the 1st International Conference on Food and Agriculture*. the 1st International Conference on Food and Agriculture. https://doi.org/10.2991/fanres-18.2018.12

Lan, Z., Zhang, X.H., Xing, J.L., Zhang, A.H., Wang, H.R., Zhang, X.C., Gao, J.F., and Wang, C.R. 2024. Global prevalence of liver disease in human and domestic animals caused by *Fasciola*: A systematic review and meta-analysis. *Journal of Global Health*, *14*, 04223. https://doi.org/10.7189/jogh.14.04223

Law, M. A., and Kelton, D. 1991. *Simulation Modelling and Analysis*. Mc Graw-Hill

Lee, J., and Wong, S. W. D. 2001. *Statistical Analysis with Arcview GIS.* New York: John Willey & Sons. Inc, United State of America

Léger, E., Borlase, A., Fall, C. B., Diouf, N. D., Diop, S. D., Yasenev, L., Catalano, S., Thiam, C. T., Ndiaye, A., Emery, A., Morrell, A., Rabone, M., Ndao, M., Faye, B., Rollinson, D., Rudge, J. W., Sène, M., and Webster, J. P. 2020. Prevalence and distribution of schistosomiasis in human, livestock, and

UNIVERSITAS
GADJAH MADA
Strategi Pengendalian Trematodosis pada Sapi Potong melalui Pendekatan Sistem Dinamik Berbasis Kajian Epidemiologi, Analisis Spasial, dan Ekonomi Veteriner di Kabupaten Manokwari Papua Barat
Purwaningsih, Prof. Dr. drh. Widagdo Sri Nugroho, M.P.; Dr. Prima Widayani, S.Si., M.Si.; Prof. Dr. Ir. Tri Anggraeni K
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

snail populations in northern Senegal: a One Health epidemiological study of a multi-host system. *The Lancet Planetary Health*, *4(8): e330–e342.* https://doi.org/10.1016/S2542-5196(20)30129-7

Lestari, A. A. I. T. J., Adnyana, I. B. W., and Oka, I. B. M. 2017. Prevalence and pathology infestation Paramphistomum spp on rumen Bali cattle slaughtered in Abattoirs City of Denpasar. *Indonesia Medicus Veterinus*, *6(1): 20–29*. https://doi.org/10.19087/imv.2017.6.1.20

Li, N., Hou, B., Tian, W., Li, S., Buyin, B., Hai, Y., and Hasi. 2024. Identification of freshwater snail species and survey of their trematode infections in Ordos, China. *International Journal for Parasitology: Parasites and Wildlife*, *26*. https://doi.org/10.1016/j.ijppaw.2023.100896

Ligda, P., Claerebout, E., Kostopoulou, D., Zdragas, A., Casaert, S., Robertson, L. J., and Sotiraki, S. 2020. Cryptosporidium and Giardia in surface water and drinking water: Animal sources and towards the use of a machine-learning approach as a tool for predicting contamination. *Environmental Pollution*, *264*. https://doi.org/10.1016/j.envpol.2020.114766

Lin, R. Q., Dong, S. J., Nie, K., Wang, C. R., Song, H. Q., Li, A. X., Huang, W. Y., and Zhu, X. Q. 2007. Sequence analysis of the first internal transcribed spacer of rDNA supports the existence of the intermediate Fasciola between F. hepatica and F. gigantica in mainland China. *Parasitology Research*, *101(3): 813–817*. https://doi.org/10.1007/s00436-007-0512-0

Lindahl, J. F., Mutua, F., and Grace, D. 2020. Evaluating farm-level livestock interventions in low-income countries: A scoping review of what works, how, and why. *Animal Health Research Reviews*, *21(2): 108–121*. https://doi.org/10.1017/S1466252320000146

Lita, E. P., Ben, O. J., Jubara, A. S., and Laki, D. T. 2020. Prevalence, economic losses and epidemiology of fascioliasis in cattle presented at slaughter slabs of Juba County, Central Equatoria State, South Sudan. *International Journal of Veterinary Sciences and Animal Husbandry*, *5(1): 115–118*

Lloyd, J., Joe, B., and Stephen, L. 2007. *Stomach Fluke (Paramphistomes) in Ruminant*. Primefact 452

Loan, D. T., Nguyen, L. T., Bich, T. N., Vi, N. T. Y., and Matsumoto, Y. 2025. Distribution and *Fasciola* infection rates of *Lymnaea* snails and cattle in high-salinity areas of Mekong Delta, Vietnam. *Journal of Veterinary Medical Science*, *87(3): 291–300*. https://doi.org/10.1292/jvms.24-0528

Loeillot, T., Gisclard, M., Trabucco, B., Charrier, F., Jori, F., Antoine-Moussiaux, N., and Delabouglise, A. 2025. Assessing the adoption of biosecurity measures among extensive livestock producers: A case study in the free-range pig sector of Corsica. *BMC Veterinary Research*, *21(1)*. https://doi.org/10.1186/s12917-024-04441-w

Luo, D., Zhang, H., Gu, D., Mu, X., Song, H., Yang, Y., Xu, M., Luo, J., and Hu, Y. 2023. *Dispersal and evolution of the invasive snail* Pomacea canaliculata*, an intermediate host of* Angiostrongylus cantonensis*: A field study around its initial introduction site in China*. Ecology. https://doi.org/10.1101/2023.12.29.573677

UNIVERSITAS
GADJAH MADA
Strategi Pengendalian Trematodosis pada Sapi Potong melalui Pendekatan Sistem Dinamik Berbasis Kajian Epidemiologi, Analisis Spasial, dan Ekonomi Veteriner di Kabupaten Manokwari Papua Barat
Purwaningsih, Prof. Dr. drh. Widagdo Sri Nugroho, M.P.; Dr. Prima Widayani, S.Si., M.Si.; Prof. Dr. Ir. Tri Anggraeni K
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Luque-Fernandez, M. A. 2019. Command to compute cross-validated area under the curve for ROC analysis after predictive modeling for binary outcomes. *The Stata Journal*, *19(3): 615–625*. https://doi.org/10.1177/1536867X19874237

Lyons, G. J., and Duggan, J. 2015. System dynamics modelling to support policy analysis for sustainable health care. *Journal of Simulation*, *9(2): 129–139*. https://doi.org/10.1057/jos.2014.15

Madsen, H., and Hung, N. M. 2014. An overview of freshwater snails in Asia with main focus on Vietnam. *Acta Tropica*, *140*: *105–117*. https://doi.org/10.1016/J.ACTATROPICA.2014.08.005

Makridakis, S. G., Wheelwright, S. C., and Hyndman, R. J. (1998). *Forecasting: methods and applications* (3rd ed., p. 642). John Wiley & Sons

Malatji, M. P., Pfukenyi, D. M., and Mukaratirwa, S. 2019. Fasciola species and their vertebrate and snail intermediate hosts in East and Southern Africa: A review. *Journal of Helminthology*, *94: e63.* https://doi.org/10.1017/S0022149X19000531

Mananoma, T., and Soetopo, W. 2008. Pemodelan sebagai Sarana dalam Mencapai Solusi Optimal. *Jurnal Teknik Sipil*, *8(3): 184–192*

Maqbool, A., Block Allama Iqbal Town Lahore, U., Sikandar Hayat, C., Akhtar, T., and Ahmad Hashmi, H. 2002. Epidemiology of fasciolosis in buffaloes under different managemental conditions. *VETERINARSKI ARHIV*, *72(4): 221–228*

Marquardt, W. C., Demaree, R. S., and Grieve, R. B. 2000. *Parasitology and Vector Biology*. Londin: Harcourt Academic Press

Martin, G. L., and Cabrera, E. C. 2018. Morphological characterization of emerging cercariae among lymnaeid snails from Barangay Cawongan, Padre Garcia, Batangas, Philippines. *Journal of Parasitology Research*, https://doi.org/10.1155/2018/5241217

Martin, S. W., Meek, A. H., and Willeberg, P. 1987. *Veterinary Epidemiology: Principles and methods*. Ames: Iowa State University Press

Martindah, E., Sawitri, D. H., Sani, Y., Yulistiani, D., Kusumaningrum, D. A., Widiawati, Y., Sisriyeni, D., Gloriana, S., and McCoascker, K. 2022. Investigation of Helminth Infections on Smallholder Farming Beef Cattle at Palm-Cow Integration in East Kalimantan and Riau provinces, Indonesia. *Proceedings of the 9th International Seminar on Tropical Animal Production (ISTAP 2021)*, *18*. https://doi.org/10.2991/absr.k.220207.027

Martindah, E., Sawitri, D. H., Wardhana, A. H., and Ekawasti, F. 2023. Prevalence of Amphistomes and Fasciola in large ruminants reared by smallholders in Lampung and Banten Provinces, Indonesia. *Veterinary World*, *16(10): 2104–2109*. https://doi.org/10.14202/vetworld.2023.2104-2109

Martins, I. V., Rauta De Avelar, B., Pereira, M. J. S., and Henrique da Fonseca, A. 2012. Application of a geographical information system approach for risk analysis of fascioliasis in southern Espírito Santo state, Brazil. *Geospatial Health*, *6(3): 87*. https://doi.org/10.4081/gh.2012.126

Martviset, P., Chantree, P., Geadkaew-Krenc, A., Piyatadsananon, P., Jirojwong, R., Wangboon, C., Jamklang, M., Chumkiew, S., Poomkhokrak, R., Kosa,

UNIVERSITAS
GADJAH MADA
Strategi Pengendalian Trematodosis pada Sapi Potong melalui Pendekatan Sistem Dinamik Berbasis Kajian Epidemiologi, Analisis Spasial, dan Ekonomi Veteriner di Kabupaten Manokwari Papua Barat
Purwaningsih, Prof. Dr. drh. Widagdo Sri Nugroho, M.P.; Dr. Prima Widayani, S.Si., M.Si.; Prof. Dr. Ir. Tri Anggraeni K
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

N., Chaimon, S., Sanannam, B., Grams, R., and Phadungsil, W. 2024. Investigation of *Fasciola gigantica* in freshwater snail *Radix* (*Lymnaea*) spp. In the highly parasite-prevalent area of Nakhon Ratchasima Province, Thailand. *International Journal of Veterinary Science and Medicine*, *12(1): 125–133*. https://doi.org/10.1080/23144599.2024.2396700

Marzban, C. 2004. The ROC curve and the area under it as performance. *Weather and Forecasting*, *19*, *1106–1114*. https://doi.org/10.1175/825.1

Mas-Coma, S., Bargues, M. D., and Valero, M. A. 2005. Fascioliasis and other plant-borne trematode zoonoses. *International Journal for Parasitology*, *35(11–12): 1255–1278*. https://doi.org/10.1016/j.ijpara.2005.07.010

Mas-Coma, S., Valero, M. A., and Bargues, M. D. 2009. Fasciola, lymnaeids, and human fascioliasis with a global overview of disease transmission, epidemiology, evolutionary genetic, molecular epidemiology, and control. *Advances in Parasitology*, *69: 41–146*

Mas-Coma, S., Valero, M. A., and Bargues, M. D. 2022. Human and Animal Fascioliasis: Origins and Worldwide Evolving Scenario. *Clinical Microbiology Reviews*, *35(4): e00088-19*. https://doi.org/10.1128/cmr.00088-19

Materu, G. S., Nzalawahe, J., Sengupta, M. E., Stensgaard, A. S., Katakweba, A., Vennervald, B. J., and Kinung'hi, S. 2024. Prevalence, Distribution and Risk Factors for Trematode Infections in Domesticated Ruminants in the Lake Victoria and Southern Highland Ecological Zones of Tanzania: A Cross-Sectional Study. *Veterinary Sciences*, *11(12)*. https://doi.org/10.3390/vetsci11120595

May-Tec, A. L., Herrera-Castillo, N. A., Vidal-Martínez, V. M., and Aguirre-Macedo, M. L. 2020. Following the infection dynamics of the tropical trematode Oligogonotylus mayae in its intermediate and definitive hosts for 13 years. *Journal of Helminthology*. https://doi.org/10.1017/S0022149X20000875

McManus, C., Barcellos, J. O. J., Formenton, B. K., Hermuche, P. M., Carvalho, O. A., Guimaraes, R. F., Gianezini, M., Dias, E. A., Lampert, V. N., Zago, D., and Neto, J. B. 2016. Dynamics of cattle production in Brazil. *PLOS ONE*, *11(1)*. https://doi.org/10.1371/journal.pone.0147138

McPhail, B. A., Tomusiak, S., Veinot, H., Dodds, N., and Hanington, P. C. 2025. *Snail-trematode dynamics in central Alberta wetlands: A longitudinal survey of infections and interactions*. bioRxiv. https://doi.org/10.1101/2025.05.26.656203

Meaza, M., Keda, A., Serda, B., and Sulayman, M. 2017. Prevalence, gross pathological lesions and financial losses of bovine fasciolosis in Arba Minch Municipal Abattoir, Gamo Gofa Zone, Southern Ethiopia. *Journal of Veterinary Medicine and Animal Health*, *9(8): 186–192*. https://doi.org/10.5897/JVMAH2016.0523

Medeiros, C., Scholte, R. G. C., D'ávila, S., Caldeira, R. L., and Carvalho, O. D. S. 2014. Spatial distribution of Lymnaeidae (Mollusca, Basommatophora), intermediate host of Fasciola hepatica Linnaeus, 1758 (Trematoda,

UNIVERSITAS
GADJAH MADA
Strategi Pengendalian Trematodosis pada Sapi Potong melalui Pendekatan Sistem Dinamik Berbasis Kajian Epidemiologi, Analisis Spasial, dan Ekonomi Veteriner di Kabupaten Manokwari Papua Barat
Purwaningsih, Prof. Dr. drh. Widagdo Sri Nugroho, M.P.; Dr. Prima Widayani, S.Si., M.Si.; Prof. Dr. Ir. Tri Anggraeni K
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Digenea) in Brazil. *Revista Do Instituto de Medicina Tropical de São Paulo*, *56(3): 235–252*. https://doi.org/10.1590/S0036-46652014000300010

Megersa, B., Hussein, B., Shemsu, J., Kassahun, R., Merera, O., Moje, N., Edao, B. M., Waktole, H., Ashenafi, H., and Ayana, D. 2024. Trematode infection in ruminants and diversity of snail hosts across three agro-ecological zones in Ethiopia. *BMC Veterinary Research*, *20(1)*. https://doi.org/10.1186/s12917-024-04049-0

Meharenet, B., and Shitu, D. 2021. Concurrent Infection of Fascioliasis andTrypanosomosis and Associated Risk Factors in Local Zebu Breed Cattle of Western Ethiopia. *Veterinary Medicine: Research and Reports*, *12: 15–22*. https://doi.org/10.2147/VMRR.S285165

Mehlhorn, H. 2008. *Encyclopedia of Parasitology*. New York: Springer.

Melaku, S., and Addis, M. 2012. Prevalence and Intensity of Paramphistomum in Ruminants Slaughtered at Debre Zeit Industrial Abattoir, Ethiopia. *Global Veterinaria*, *8(3): 315–319*

Mentz, M. B., Wiest, J. M., and Gonçalves, P. C. 2004. Viability of bovine's Fasciola hepatica eggs in a system of anaerobic Biodigestion. *Arq. Bras. Med. Vet. Zootec.*, *56(4): 550–553*

Mereta, S. T., Abaya, S. W., Tulu, F. D., Takele, K., Ahmednur, M., Melka, G. A., Nanyingi, M., Vineer, H. R., Graham-Brown, J., Caminade, C., and Mor, S. M. 2023. Effects of Land-Use and Environmental Factors on Snail Distribution and Trematode Infection in Ethiopia. *Tropical Medicine and Infectious Disease*, *8(3): 154*. https://doi.org/10.3390/tropicalmed8030154

Mereta, S. T., Bedewi, J., Yewhalaw, D., Mandefro, B., Abdie, Y., Tegegne, D., Birke, W., Mulat, W. L., and Kloos, H. 2019. Environmental determinants of distribution of freshwater snails and trematode infection in the Omo Gibe River Basin, southwest Ethiopia. *Infectious Diseases of Poverty*, *8(1)*. https://doi.org/10.1186/s40249-019-0604-y

Meshgi, B., Modabbernia, G., and Meshgi, K. 2025. Exploring Fasciola infection dynamics in Coastal Caspian Sea region: Implications of growing degree days (GDD) and Malone index across varied climatic zones in Iran. *Parasitology Research*, *124(2): 22*. https://doi.org/10.1007/s00436-025-08465-5

Michael, A. 2004. *Infectious prevalence of ovine fasciolosis in irrigation schemes along the upper Awash River Basin and effect of strategic anthelmintic treatment in selected up stream areas.* Addis Ababa University.

Mir, I., and Bhat, A. H. 2020. Knowledge and Risks of Zoonotic Diseases among Livestock Farmers in Budgam District of Kashmir Valley. *International Journal of Current Microbiology and Applied Sciences*, *9(4): 2924–2934*. https://doi.org/10.20546/ijcmas.2020.904.342

Mlangwa, J. E. D., and Samui, K. L. 1996. The nature of animal health economics in relation to veterinary epidemiology. *Revue Scientifique et Technique*, *15(3): 797–812*. https://doi.org/10.20506/RST.15.3.961

Mlekwa, R. S., Nzalawahe, J., and Kassuku, A. A. 2017. Prevalence of trematode infection in cattle and common flukecides used against flukes in Kilosa

UNIVERSITAS
GADJAH MADA
Strategi Pengendalian Trematodosis pada Sapi Potong melalui Pendekatan Sistem Dinamik Berbasis Kajian Epidemiologi, Analisis Spasial, dan Ekonomi Veteriner di Kabupaten Manokwari Papua Barat
Purwaningsih, Prof. Dr. drh. Widagdo Sri Nugroho, M.P.; Dr. Prima Widayani, S.Si., M.Si.; Prof. Dr. Ir. Tri Anggraeni K
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

District, Tanzania. *Tanzania Veterinary Association Proceedings*, *34*, *78–86*

Mohammed, N. A. I., Madsen, H., and Ahmed, A. A. A. R. M. 2016. Types of trematodes infecting freshwater snails found in irrigation canals in the East Nile locality, Khartoum, Sudan. *Infectious Diseases of Poverty*, *5(1).* https://doi.org/10.1186/s40249-016-0108-y

Molento, M. B., Bennema, S., Bertot, J., Pritsch, I. C., and Arenal, A. 2018. Bovine fascioliasis in Brazil: Economic impact and forecasting. *Veterinary Parasitology: Regional Studies and Reports*, *12: 1–3*. https://doi.org/10.1016/j.vprsr.2017.12.004

Morgan, E. R., Lanusse, C., Rinaldi, L., Charlier, J., and Vercruysse, J. 2022. Confounding factors affecting faecal egg count reduction as a measure of anthelmintic efficacy. *Parasite*, *29*, *20*. https://doi.org/10.1051/parasite/2022017

Mpisana, Z., Jaja, I. F., Byaruhanga, C., and Marufu, M. C. 2022. Body condition scores, fluke intensity, liver pathology, and carcass quality of different dairy cattle genotypes infected with Fasciola species at high throughput abattoirs in South Africa. *Parasitology Research*, *121(6): 1671–1682*. https://doi.org/10.1007/s00436-022-07504-9

Mubarok, F., Suratma, N., and Dwinata, I. 2015. Prevalensi Trematoda Di Sentra Pembibitan Sapi Bali Desa Sobangan, Kecamatan Mengwi, Kabupaten Badung. *Indonesia Medicus Veterinus*, *4(1): 48–53*

Muhammadi, Erman, A., and Budhi, S. 2001. *Analisis Sistem Dinamis, Lingkungan Hidup, Ekonomi, Manajemen.* Penerbit UMJ Press

Mukti, T., Oka, I. B. M., and Dwinata, I. M. 2016. Prevalensi Cacing Nematoda Saluran Pencernaan pada Kambing Peranakan Ettawa di Kecamatan Siliragung, Kabupaten Banyuwangi Jawa Timur. *Indonesia Medicus Veterinus Agustus*, *5(4): 330–336*

Munyaneza, C., Bizimana, F., Mukumbo, F., Gatesi, S., Sibomana, E., Munyampuhwe, S., and Dutuze, M. F. 2025. Knowledge, attitudes, practices (KAP), and risk factors toward zoonotic diseases among smallholder livestock farmers in Bugesera district of Rwanda. *Frontiers in Public Health*, *13*. https://doi.org/10.3389/fpubh.2025.1569682

Mustefa, W. S., and Wako, M. B. 2023. Prevalence of bovine fasciolosis in and around anchar woreda, West Hararghe, Eastern Ethiopia. *Acta Entomology and Zoology*, *4(1): 01–09*. https://doi.org/10.33545/27080013.2023.v4.i1a.89

Namirembe, D., Huyse, T., Wangalwa, R., Tumusiime, J., and Tolo, C. U. 2024. Liver fluke and schistosome cross-infection risk between livestock and wild mammals in Western Uganda, a One Health approach. *International Journal for Parasitology: Parasites and Wildlife*, *25*, 101022. https://doi.org/10.1016/J.IJPPAW.2024.101022

Ndfon, G. T., and Ukoli, F. M. A. 1989. Ecology of fresh-water snails in south-western Nigeria, I: distribution and habitat preferences. *Hydrobiology*, *171*, *231–253*.

UNIVERSITAS
GADJAH MADA
Strategi Pengendalian Trematodosis pada Sapi Potong melalui Pendekatan Sistem Dinamik Berbasis Kajian Epidemiologi, Analisis Spasial, dan Ekonomi Veteriner di Kabupaten Manokwari Papua Barat
Purwaningsih, Prof. Dr. drh. Widagdo Sri Nugroho, M.P.; Dr. Prima Widayani, S.Si., M.Si.; Prof. Dr. Ir. Tri Anggraeni K
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Ngcamphalala, P. I., Nyagura, I., Malatji, M. P., and Mukaratirwa, S. 2025. Susceptibility of lymnaeid snails to Fasciola hepatica and Fasciola gigantica (Digenea: Fasciolidae): A systematic review and meta-analysis. *PeerJ*, *13: e18976*. https://doi.org/10.7717/peerj.18976

Nguyen, N. T., Le, T. C., Vo, M. D. C., Van Cao, H., Nguyen, L. T., Ho, K. T., Nguyen, Q. N., Tran, V. Q., and Matsumoto, Y. 2017. High prevalence of cattle fascioliasis in coastal areas of Thua Thien Hue province, Vietnam. *Journal of Veterinary Medical Science*, *79(6): 1035–1042*. https://doi.org/10.1292/jvms.16-0331

Nguyen, S. T., Nguyen, D. T., van Nguyen, T., Huynh, V. V., Le, D. Q., Fukuda, Y., and Nakai, Y. 2012. Prevalence of Fasciola in cattle and of its intermediate host Lymnaea snails in central Vietnam. *Tropical Animal Health and Production*, *44(8): 1847–1853*. https://doi.org/10.1007/s11250-012-0147-8

Ninditya, V. I., Ekawasti, F., Prastowo, J., Widiyono, I., and Nurcahyo, W. 2024. Prevalence of gastrointestinal parasites in cattle in Indonesia: A meta-analysis and systematic review. *Veterinary World*, *17(11): 2675–2687*. https://doi.org/10.14202/vetworld.2024.2675-2687

Njau, B. C., Kasali, O. B., Scholtens, R. G., and Akalework, N. 1989. The influence of watering practices on the transmission of Fasciola among sheep in the Ethiopian highlands. *Veterinary Research Communications*, *13: 67–74*

Njoku-Tony, R. F. 2011. Effects of some pysico-chemical parameters on abundance of intermediate snails of animal trematodes in Imo State. *Nigeria*, *3*, *15–21*.

Nkurunziza, S., Nishemezwe, G., Ntirandekura, J.-B., Niyokwizera, P., Nyabongo, L., Omore, A., and Odhiambo, R. 2024. Prevalence and associated risk factors assessment of bovine fasciolosis in the Imbo Region, Burundi. *Parasitology Research*, *123(1): 33.* https://doi.org/10.1007/s00436-023-08040-w

Novobilský, A., Sollenberg, S., and Höglund, J. 2015. Distribution of Fasciola hepatica in Swedish dairy cattle and associations with pasture management factors. *Geospatial Health*, *9(2): 293–300*

Nugroho, T. A. E. 2023. Paramphistomiasis pada sapi di Danau Limboto Kabupaten Gorontalo. *Jurnal Pendidikan Masyarakat Dan Pengabdian*, *03(4): 915–919*. https://doi.org/10.37905/dikmas.3.4.915-920.2023

Nunnally, J. C. 1967. *Psychometric Theory*. Mc Graw-Hill

Nurhidayah, N., Satrija, F., Satrija, F., Retnani, E. B., Retnani, E. B., Astuti, D. A., Murtini, S., and Murtini, S. 2020. Prevalence and risk factors of trematode infection in swamp buffaloes reared under different agro-climatic conditions in Java Island of Indonesia. *Veterinary World*, *13(4): 687–694*. https://doi.org/10.14202/vetworld.2020.687-694

Nuroniah, S. N. 2003. *Penjadwalan Produksi dengan Pendekatan Metode DInamik (Studi Kasus di PT Goodyear Indonesia, tbk)*. IPB Press.

Nzalawahe, J. 2021. Trematode Infections in Freshwater Snails and Seasonal Variations in Iringa and Arumeru Districts, Tanzania. *Tanzania Veterinary Journal*, *36(1): 23–33*. https://doi.org/10.4314/tvj.v36i1.3

UNIVERSITAS
GADJAH MADA
Strategi Pengendalian Trematodosis pada Sapi Potong melalui Pendekatan Sistem Dinamik Berbasis Kajian Epidemiologi, Analisis Spasial, dan Ekonomi Veteriner di Kabupaten Manokwari Papua Barat
Purwaningsih, Prof. Dr. drh. Widagdo Sri Nugroho, M.P.; Dr. Prima Widayani, S.Si., M.Si.; Prof. Dr. Ir. Tri Anggraeni K
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Nzalawahe, J., Hannah, R., Kassuku, A. A., Stothard, J. R., Coles, G., and Eisler, M. C. 2018. Evaluating the effectiveness of trematocides against Fasciola gigantica and amphistomes infections in cattle, using faecal egg count reduction tests in Iringa Rural and Arumeru Districts, Tanzania. *Parasites & Vectors*, *11(1): 384*. https://doi.org/10.1186/s13071-018-2965-7

Nzalawahe, J., Kassuku, A. A., Stothard, J. R., Coles, G. C., and Eisler, M. C. 2014. Trematode infections in cattle in Arumeru District, Tanzania are associated with irrigation. *Parasites and Vectors*, *7(1)*. https://doi.org/10.1186/1756-3305-7-107

Nzalawahe, J., Kassuku, A., Stothard, J., and Eisler, M. 2015. Associations between trematode infections in cattle and freshwater snails in highland and lowland areas of Iringa Rural District, Tanzania. *Parasitology*, *142(11): 1430–1439*.

Odeniran, P. O., Omolabi, K. F., and Ademola, I. O. 2020. Economic model of bovine fasciolosis in Nigeria: An update. *Tropical Animal Health and Production*, *52(6): 3359–3363*. https://doi.org/10.1007/s11250-020-02367-7

Ogbaje, L. J., Malann, Y. D., Azare, B. A., Njoku, M., and Jegede, O. C. 2024. Prevalence of fascioliasis in slaughtered cattle in six Area Councils in Federal Capital Territory, Abuja, Nigeria. *Zoologist (The)*, *24: 14–17*. https://doi.org/10.4314/tzool.v24i1.3

Ogunrinade, A., and Ogunrinade, B. I. 1980. Economic importance of bovine fascioliasis in Nigeria. *Trop. Anim. Hlth Prod*, *12: 155–160*.

Ogwal, A., Okello, D. M., Aliro, T., Owiny, D. O., and Ndyomugyenyi, E. K. 2025. Prevalence of Bovine Fasciolosis, Financial Losses and Risk Factors Associated with the Disease in Lira and Gulu Districts, Northern Uganda. *Veterinary Medicine International*, *2025(1): 7757654*. https://doi.org/10.1155/vmi/7757654

Okajima, J., Shibata, K., Takahashi, E., Nagafuchi, T., Okajima, K., and Nonaka, N. 2016. Current status and its epidemiological consideration of *Fasciola* and *Eurytrema* infections in beef cattle of Japan. *Journal of Veterinary Medical Science*, *78(5): 785–790*. https://doi.org/10.1292/jvms.15-0469

Olsen, A., Frankena, K., Bødker, R., Toft, N., Thamsborg, S. M., Enemark, H. L., and Halasa, T. 2015. Prevalence, risk factors and spatial analysis of liver fluke infections in Danish cattle herds. *Parasites and Vectors*, *8(1)*. https://doi.org/10.1186/s13071-015-0773-x

Opio, L. G., Abdelfattah, E. M., Terry, J., Odongo, S., and Okello, E. 2021. Prevalence of fascioliasis and associated economic losses in cattle slaughtered at lira municipality abattoir in northern Uganda. *Animals*, *11(3): 1–10*. https://doi.org/10.3390/ani11030681

Osgood, N. 2011. *Basics of Causal Loop Diagrams*

Oso, O. G., Sunday, J. O., and Odaibo, A. B. 2023. Temporal modelling of Lymnaea natalensis (Krauss, 1848) in tropical aquatic habitats. *Onderstepoort Journal of Veterinary Research*, *90(1)*. https://doi.org/10.4102/ojvr.v90i1.2023

UNIVERSITAS
GADJAH MADA
Strategi Pengendalian Trematodosis pada Sapi Potong melalui Pendekatan Sistem Dinamik Berbasis Kajian Epidemiologi, Analisis Spasial, dan Ekonomi Veteriner di Kabupaten Manokwari Papua Barat
Purwaningsih, Prof. Dr. drh. Widagdo Sri Nugroho, M.P.; Dr. Prima Widayani, S.Si., M.Si.; Prof. Dr. Ir. Tri Anggraeni K
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Otte, M. J., and Chilonda, P. 2001. *Animal Health Economics: An Introduction. Livestock Information. Sector Analysis and Policy Brach.* Animal Production and Health Division (AGA), FAO

Ozlu, H., Atasever, M., and Atasever, M. A. 2020. Knowledge, attitude, and practices of cattle farmers regarding zoonotic diseases in Erzurum, Turkey. *Austral Journal of Veterinary Sciences*, *52(3): 79–85.* http://dx.doi.org/10.4067/S0719-81322020000300079

Pannu, A., and N. El-Saeiti, I. 2025. Evaluating predictive accuracy and model selection in logictic regression: A statistical approach using sensitivity, specificity, and ROC analysis. *International Journal of Management*, *16(1): 16–23*. https://doi.org/10.34218/IJM_16_01_002

Paramanandi, D. A., Bagus, I., Rama Wisesa, G., and Kusumarini, S. 2020. Tingkat Kejadian Fascioliosis pada Idul Adha 1440 H di Kota Malang. *Vet Bio Clin J*, *2(2): 21–26*

Parandin, F., Noormohamadi, H., Soleymani, E., Etemadi, S., Mirbadie, S. R., Rahimi Esboei, B., Feizi, F., Payami, S., Zeinali, M., and Mizani, A. 2024. Spatial Modeling and Risk Mapping of Human Fascioliasis in Iran: A Geographical Information System-Based Survey from 2013 - 2022. *Archives of Clinical Infectious Diseases*, *19(6)*. https://doi.org/10.5812/archcid-148819

Pekagirbas, M., Duran, M., and Eren, H. 2020. The prevalence of liver trematodes in slaughtered ruminants in Aydin Province. *Animal Health, Production and Higiene*, *9(2): 707–710*. https://doi.org/10.32707/ercivet.595620

Peña-Espinoza, M., Thamsborg, S. M., Demeler, J., and Enemark, H. L. 2014. Field efficacy of four anthelmintics and confirmation of drug-resistant nematodes by controlled efficacy test and pyrosequencing on a sheep and goat farm in Denmark. *Veterinary Parasitology*, *206(3–4): 208–215*. https://doi.org/10.1016/j.vetpar.2014.10.017

Periago, M. V., Valero, M. A., El Sayed, M., Ashrafi, K., El Wakeel, A., Mohamed, M. Y., Desquesnes, M., Curtale, F., & Mas-Coma, S. 2008. First phenotypic description of Fasciola hepatica/Fasciola gigantica intermediate forms from the human endemic area of the Nile Delta, Egypt. *Infection, Genetics and Evolution*, *8(1): 51–58*. https://doi.org/10.1016/j.meegid.2007.10.001

Perrucci, S., Pinello, E., Fichi, G., Ciardi, E., Bàrberi, P., Moonen, C., Ragaglini, G., and Bibbiani, C. 2007. Parasitic infections in an organic grazing cattle herd in Tuscany using geographic information systems to determine risk factors. *Veterinaria Italiana*, *43(3): 415–424*

Perry, B., and Grace, D. 2009. The impacts of livestock diseases and their control on growth and development processes that are pro-poor. *Philosophical Transactions of the Royal Society B: Biological Sciences*, *364*(1530), 2643–2655. https://doi.org/10.1098/rstb.2009.0097

Pfeiffer, D. U. 2002. *Veterinary Epidemiology—An Introduction*. Epidemiology Division, Department of Veterinary Clinical Sciences, The Royal Veterinary College, University of London, London

Pfeiffer, D., Robinson, T., Stevenson, M., Stevens, K., Rogers, D., and Clements, A. C. A. 2008. *Spatial analysis in epidemiology*. Oxford University Press

UNIVERSITAS
GADJAH MADA
Strategi Pengendalian Trematodosis pada Sapi Potong melalui Pendekatan Sistem Dinamik Berbasis Kajian Epidemiologi, Analisis Spasial, dan Ekonomi Veteriner di Kabupaten Manokwari Papua Barat
Purwaningsih, Prof. Dr. drh. Widagdo Sri Nugroho, M.P.; Dr. Prima Widayani, S.Si., M.Si.; Prof. Dr. Ir. Tri Anggraeni K
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Pfukenyi, D. M., Monrad, J., and Mukaratirwa, S. 2005. Epidemiology of trematode infections in cattle in Zimbabwe: A review. *Journal of the South African Veterinary Association*, *76*, *9–17*

Pfukenyi, D. M., Mukaratirwa, S., Willingham, A. L., and Monrad, J. 2006. Epidemiological studies of Fasciola gigantica infections in cattle in the highveld and lowveld communal grazing areas of Zimbabwe. *Onderstepoort Journal of Veterinary Research*, *73(1): 37–51*. https://doi.org/10.4102/ojvr.v73i1.168

Phalee, A., Wongsawad, C., Rojanapaibul, A., and Chai, J. Y. 2015. Experimental life history and biological characteristics of Fasciola gigantica (Digenea: Fasciolidae). *Korean Journal of Parasitology*, *53(1): 59–64*. https://doi.org/10.3347/kjp.2015.53.1.59

Phiri, A. M., Phiri, I. K., Chota, A., and Monrad, J. 2007. Trematode infections in freshwater snails and cattle from the Kafue wetlands of Zambia during a period of highest cattle-water contact. *Journal of Helminthology*, *81(1): 85–92*. https://doi.org/10.1017/S0022149X07387786

Portugaliza, H. P., Balaso, I. M. C., Descallar, J. C. B., and Lañada, E. B. 2019. Prevalence, risk factors, and spatial distribution of Fasciola in carabao and intermediate host in Baybay, Leyte, Philippines. *Veterinary Parasitology: Regional Studies and Reports*, *15*. https://doi.org/10.1016/j.vprsr.2018.100261

Prahasta, E. 2009. *Sistem Informasi Geogafris Konsep=Konsep Dasar*. Informatika Bandung

Prasetyono, Rakhmawati, Y., As'ad, A. F., and Muhammad, E. 2021. Profit sharing risk: Accountability values in local cattle sharing system. *Mimbar: Jurnal Sosial Dan Pembangunan*, *37(1)*. https://doi.org/10.29313/mimbar.v37i1.6009

Pritchett, J., Thilmany, D., and Johnson, K. 2005. Animal Disease Economic Impacts: A Survey of Literature and Typology of Research Approaches. *International Food and Agribusiness Management Review*, *8(1)*

Priyastama, R. 2017. *Pengolahan data dan analisis data. Start Up.* PT. Anak Hebat Indonesia

Purnomo, H. 2003. A System Dynamic Model for Developing Policy Options of Sustanaible and Equitable Forest Management. *Trop. For. Manage. J. IX*, *9(2): 45–62*

Purwaningsih, and Nurhayati, D. 2022. Trematodosis pada Sapi yang Disembelih di Rumah Potong Hewan Kabupaten Manokwari Propinsi Papua Barat. *Jurnal Veteriner*, *23(3): 391–400*. https://doi.org/10.19087/jveteriner.2022.23.3.391

Purwaningsih, P., Noviyanti, N., and Putra, R. P. 2017. Distribusi dan Faktor Risiko Fasciolosis pada Sapi Bali di Distrik Prafi, Kabupaten Manokwari, Provinsi Papua Barat. *Acta Veterinaria Indonesiana*, *5(2): 120–126.* https://doi.org/10.29244/avi.5.2.120-126

Purwaningsih, P., Noviyanti, N., and Putra, R. P. 2018. Prevalensi dan faktor risiko paramphistomiasis pada sapi Bali di Distrik Prafi, Kabupaten Manokwari,

UNIVERSITAS
GADJAH MADA
Strategi Pengendalian Trematodosis pada Sapi Potong melalui Pendekatan Sistem Dinamik Berbasis Kajian Epidemiologi, Analisis Spasial, dan Ekonomi Veteriner di Kabupaten Manokwari Papua Barat
Purwaningsih, Prof. Dr. drh. Widagdo Sri Nugroho, M.P.; Dr. Prima Widayani, S.Si., M.Si.; Prof. Dr. Ir. Tri Anggraeni K
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Provinsi Papua Barat. *Jurnal Veteriner*, *19(1): 91*. https://doi.org/10.19087/jveteriner.2018.19.1.91

Purwaningsih, P., Palulungan, J. A., Tethool, A. N., Noviyanti, N., Satrija, F., and Murtini, S. 2022. Seasonal dynamics of Fasciola gigantica transmission in Prafi district, Manokwari Regency, West Papua, Indonesia. *Veterinary World*, *15(11): 2558–2564*. https://doi.org/10.14202/vetworld.2022.2558-2564

Purwono, E. 2019. Gambaran Kasus Fasciolosis (Cacing Hati) Pada Sapi Bali Berdasarkan Data Hasil Pemeriksaan Hewan Qurban Di Kabupaten Manokwari Tahun 2018. *Jurnal Triton*, *10(1): 69–74*

Putri, R., Ibrahim, A., and Wiedosari, E. 2022. Kejadian dan Dampak Ekonomi Fasciolosis pada Sapi yang Disembelih sebagai Hewan Kurban di Kecamatan Ngaglik, Kabupaten Sleman. *Prosiding Seminar Teknologi Dan Agribisnis Peternakan IX*, *680–684*

Qiang, N., Li, T., Jia, L., Zhang, X., Feng, X., Yin, K., Zhu, Z., Ran, J., Bergquist, R., Han, L., and Zhou, X.-N. 2025. Capacity building for zoonosis control in China: Assessing needs and gaps by the one health lens. *One Health*, *21*, 101231. https://doi.org/10.1016/j.onehlt.2025.101231

Qin, H., Gao, X., Wang, H., and Xiao, J. 2016. Relative importance of meteorological and geographical factors in the distribution of *Fasciola hepatica* infestation in farmed sheep in Qinghai province, China. *Parasite*, *23*, *59*. https://doi.org/10.1051/parasite/2016070

Quang, V. H., Dermauw, V., Do Trung, D., Lam, B. V. T., Hien, N. T. T., Ha, N. N., Thanh, D. T. H., Devleesschauwer, B., De Jong, T., Paredis, L., De Wilde, N., Casaert, S., Polman, K., Callens, S., Dorny, P., and Levecke, B. 2024. *Prevalence and risk factors related to* Fasciola *spp. transmission in Northern Vietnam: A cross-sectional study in multiple hosts*. Public and Global Health. https://doi.org/10.1101/2024.07.10.24310192

Qureshi, A. W., Tanveer, A., Maqbool, A., and Niaz, S. 2012. Seasonal and monthly prevalence pattern of fasciolosis in buffaloes and its relation to some climatic factors in northeastern areas of Punjab, Pakistan. *Iranian Journal of Veterinary Research*, *13(2): 134–137*

Radostits, O. M., Gay, C. C., Hinchcliff. K. W., and Constable, P. D. 2007. *Veterinary Medicine: A text book of the disease of cattle, horses, sheep, pigs, goats (10th ed.). Saunders Elsevier.* WB Saunders

Rafiq, N., Ayaz, S., Niaz, S., Haleem, S., Ullah, R., Bari, A., Bourhia, M., and Ali, E. A. 2022. Changes in the Prevalence of Natural Paramphistomum Cercariae Infection in Indoplanorbis and Lymnaea Intermediate Hosts Influenced by Meteorological Factors. *Journal of Tropical Medicine*. https://doi.org/10.1155/2022/8719834

Rafiq, N., Ayaz, S., Niaz, S., Kamal, M., and Khan, L. 2023. Epidemiological analysis of Paramphistomum spesies in ruminants in selected Districts of Khyber Pakhtunkhwa (KPK), Pakistan. *Bioscience Journal*, *39*. https://doi.org/10.14393/BJ-v39n0a2023-66497

Rahman, A. K. M. A., Islam, S. S., Talukder, Md. H., Hassan, Md. K., Dhand, N. K., and Ward, M. P. 2017. Fascioliasis risk factors and space-time clusters

UNIVERSITAS
GADJAH MADA
Strategi Pengendalian Trematodosis pada Sapi Potong melalui Pendekatan Sistem Dinamik Berbasis Kajian Epidemiologi, Analisis Spasial, dan Ekonomi Veteriner di Kabupaten Manokwari Papua Barat
Purwaningsih, Prof. Dr. drh. Widagdo Sri Nugroho, M.P.; Dr. Prima Widayani, S.Si., M.Si.; Prof. Dr. Ir. Tri Anggraeni K
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

in domestic ruminants in Bangladesh. *Parasites & Vectors*, *10(1): 228*. https://doi.org/10.1186/s13071-017-2168-7

Rajabidfard, A., and Williamson, I. P. 2000. *Spatial Data Infrastructures: Concepts; SDI Hierarchy and Future Directions.* Spatial Data Reseacrh Group, Department of Geomatics, The University of Melbourne

Ramadhan, H. S., Maradon, G. G., Candra, A. A., Pertiwi, V. R., Habsari, I. K., Usman, N. A., and Putri, D. D. 2024. Infeksi Parasit Trematoda pada Saluran Gastrointestinal Sapi Potong di Peternakan Rakyat Kecamatan Candipuro Kabupaten Lampung Selatan. *Jurnal Peternakan Terapan (PETERPAN)*, *6(2): 71–78*

Rangel-Ruiz, L. J., Albores-Brahms, S. T., and Gamboa-Aguilar, J. 2003. Seasonal trends of Paramphistomum cervi in Tabasco, Mexico. *Veterinary Parasitology*, *116(3): 217–222*. https://doi.org/10.1016/j.vetpar.2003.07.002

Rashid, M., Zahra, N., Chudhary, A., Rehman, T. U., Aleem, M. T., Alouffi, A., Mohammed, A., Rashid, M. I., Ehsan, M., Malik, M. I., Hussain Dilber, G., Bakhsh, A., and Almutairi, M. M. 2022. Cost-benefit ratio of anthelmintic treatment and its comparative efficacy in commercial dairy farms. *Frontiers in Veterinary Science*, *9*, 1047497. https://doi.org/10.3389/fvets.2022.1047497

Rassol, A. M., Ahmed, A. M., Sobhy, H. M., Abdelgayed, S. S., and Hekal, S. H. 2020. Effects of Fascioliasis on the Economic Losses of Beef Liver at Abu Simbel Abattoir, Aswan Governorate, Egypt. *Advances in Animal and Veterinary Sciences*, *8(11): 1175–1179*. https://doi.org/10.17582/journal.aavs/2020/8.11.1175.1179

Raunelli, F., and Gonzalez, S. 2009. Strategic control and prevalence of fasciola hepatica in Cajamarca, Peru. A Pilot Study. *Inter J Appl Res Vet Med*, *7(4): 145–152*

Reza, A. D., Mahendra, A. S., Riadi, A. A., Aryanto, A. E. P., Agustin, H. N., Dewangga, A., Indrawan, M., Dadiono, M. S., and Setyawan, A. D. 2024. Diversity of gastropods (Animalia: Mollusca) in the upper Bengawan Solo River, Central Java, Indonesia: Native versus alien species. *Nternational Journal of Bonorowo Wetlands*, *14(2): 83–95*. https://doi.org/10.13057/bonorowo/w140204

Riandi, L. V., Ferdian, R., Hambal, M., and Bakrie, M. 2021. Prevalence and Intensity of Trematode Flukes in Different Hair Color of Aceh Cattle. *Proceedings of the 2nd International Conference on Veterinary, Animal, and Environmental Sciences (ICVAES 2020)*, *12*, *87–91*. https://doi.org/10.2991/absr.k.210420.019

Ribeiro, W. L., and Vilela, V. L. R. 2023. Editorial: Alternatives for the control of parasites to promote sustainable livestock. *Frontiers in Veterinary Science*. https://doi.org/10.3389/fvets.2022.1097432

Rich, K. M., Perry, B. D., and Kaitibie, S. 2009. Commodity-based trade and market access for developing country livestock products: The case of beef exports from Ethiopia. *International Food and Agribusiness Management Review*, *12(3)*

UNIVERSITAS
GADJAH MADA
Strategi Pengendalian Trematodosis pada Sapi Potong melalui Pendekatan Sistem Dinamik Berbasis Kajian Epidemiologi, Analisis Spasial, dan Ekonomi Veteriner di Kabupaten Manokwari Papua Barat
Purwaningsih, Prof. Dr. drh. Widagdo Sri Nugroho, M.P.; Dr. Prima Widayani, S.Si., M.Si.; Prof. Dr. Ir. Tri Anggraeni K
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Rich, K. M., and Hamza, K. 2013. *Using system dynamics methods for the impact assessment of animal diseases: Applications to Rift Valley Fever and food safety interventions in pigs* Working Paper for the International Livestock Research Institute, *1–46*. Norwegian Institute of International Affairs (NUPI).

Rich, K. M., and Perry, B. D. 2011. The economic and poverty impacts of animal diseases in developing countries: New roles, new demands for economics and epidemiology. *Preventive Veterinary Medicine*, *101(3–4): 133–147*. https://doi.org/10.1016/j.prevetmed.2010.08.002

Rinca, K. F., Prastowo, J., Widodo, D. P., and Nugraheni, Y. R. 2019. Trematodosis occurrence in cattle along the Progo River, Yogyakarta, Indonesia. *Veterinary World*, *12(4): 593–597*. https://doi.org/10.14202/vetworld.2019.593-597

Rita, N., Mursyidah, A. K., and Khadijah, S. 2017. The prevalence of helminthiasis in cattle, Terengganu, Peninsular Malaysia. *Tropical Biomedicine*, *34(2): 324–331*

Riyanto, A. 2009. *Pengolahan dan Analisis Data Kesehatan.* Numed

Rizwan, H. M., Sajid, M. S., Iqbal, Z., Nadeem, R., Ahmad, M., Sultan, M., Saqib, M., Abbas, H., Shamim, A., Qudoos, A., and Haenlein, G. F. 2021. Correlation of the Gastrointestinal Parasitism with the Phytominerals in the Grazing Sheep (Ovis aries). *International Journal of Agriculture and Biology*, *26(1)*. https://doi.org/10.17957/IJAB/15.1809

Roche, S. M., Von Massow, M., Renaud, D., Shock, D. A., Jones-Bitton, A., and Kelton, D. 2020. Cost-benefit of implementing a participatory extension model for improving on-farm adoption of Johne's disease control recommendations. *Journal of Dairy Science*, *103(1): 451–472*. https://doi.org/10.3168/jds.2019-16708

Rodrigues, B., Sarturi, J., Samia, L., Alvarenga, R., Berndt, A., Souza, F., Reis, B., and Silva, K. 2023. 135 Growth Performance, Carcass Characteristics, and Methane Emissions of Feedlot Young Bulls. *Ournal of Animal Science*. https://doi.org/10.1093/jas/skad068.095

Rodríguez-Vivas, R. I., Grisi, L., De León, A. A. P., Villela, H. S., De Jesús Torres-Acostaa, J. F., Sánchez, H. F., Salas, D. R., Cruz, R. R., Saldierna, F., and Carrasco, D. G. 2017. Potential economic impact assessment for cattle parasites in Mexico. Review. *Revista Mexicana De Ciencias Pecuarias*, *8(1): 61–74*. https://doi.org/10.22319/rmcp.v8i1.4305

Rohmah, M., Sunarso, A., Hermadi, H. A., Hastutiek, P., Permatasari, D. A., and Kusnoto. 2024. Prevalence and Infection's Degree of Gastrointestinal Nematode Worm in Friesian Holstein Dairy Cows at KUTT Suka Makmur Pasuruan Regency. *Journal of Parasite Science*, *8(2): 55–58*. https://doi.org/10.20473/jops.v8i2.60504

Rosilawati, K., Ramli, S., and Bahari, S. A. R. 2017. Fascioliasis in an adult draught buffalo in Malaysia: A case report. *Malaysian Journal of Veterinary Research*, *8(1): 169–172*

Rowe, S., Nydam, D., Godden, S., Gorden, P., Lago, A., Vasques, A., Royster, A., Timmerman, J., Thomas, M., and Lynch, R. 2021. Partial budget analysis

UNIVERSITAS
GADJAH MADA
Strategi Pengendalian Trematodosis pada Sapi Potong melalui Pendekatan Sistem Dinamik Berbasis Kajian Epidemiologi, Analisis Spasial, dan Ekonomi Veteriner di Kabupaten Manokwari Papua Barat
Purwaningsih, Prof. Dr. drh. Widagdo Sri Nugroho, M.P.; Dr. Prima Widayani, S.Si., M.Si.; Prof. Dr. Ir. Tri Anggraeni K
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

of culture- and algorithm-guided selective dry cow therapy. *Journal of Dairy Science*, *104(5): 5652–5664*

Ruopp, M. D., Perkins, N. J., Whitcomb, B. W., and Schisterman, E. F. 2008. Youden Index and Optimal Cut-Point Estimated from Observations Affected by a Lower Limit of Detection. *Biometrical Journal*, *50(3): 419–430*. https://doi.org/10.1002/bimj.200710415

Rushton, J. 2009. *The economics of animal health and production*. CABI

Sabourin, E., Alda, P., Vázquez, A., Hurtrez-Boussès, S., and Vittecoq, M. 2018. Impact of Human Activities on Fasciolosis Transmission. *Trends in Parasitology*, *34(10): 891–903*. https://doi.org/10.1016/j.pt.2018.08.004

Sadahiro, Y. 2006. Course #7 Advance Urban Analysis E. Lecture Title. In *Spatial Analysis Using GIS, Associate Professor of The Department of Urban. 16–26*. Enginering, University of Tokyo

Salwiyah, S., Purnama, M. F., and Syukur, S. 2022. Ecological index of freshwater gastropods in Kolaka District, Southeast Sulawesi, Indonesia. *Biodiversitas Journal of Biological Diversity*, *23(6)*. https://doi.org/10.13057/biodiv/d230630

Samad, M. A. 2020. A systemic review of research findings on buffalo health and production published during the last six decades in Bangladesh. *Journal of Veterinary Medical and One Health Research*, *2(1)*. https://doi.org/10.36111/jvmohr.2020.2(1).0016

Samar, G. K. 2021. *The implications of large-scale land acquisitions on agrarian societies, a gender perspective: The case of oil palm development in Ghana* [University of Calgary]. https://doi.org/10.11575/prism/39229

Samkhan, Susanta, D. H., and Isnaini, M. F. 2013. Analisis Spasial Penyakit Hewan Menular Strategis dengan Menggunakan Geographic Information System (GIS) Program Pemetaan Quantum GIS versi 1.8 Lisboa. *Buletin Laboratorium Veteriner Balai Besar Veteriner Wates Jogjakarta*, *13(3): 2–20*

Sanchís, J., Sánchez-Andrade, R., Macchi, M. I., Piñeiro, P., Suárez, J. L., Cazapal-Monteiro, C., Maldini, G., Venzal, J. M., Paz-Silva, A., and Arias, M. S. 2013. Infection by Paramphistomidae trematodes in cattle from two agricultural regions in NW Uruguay and NW Spain. *Veterinary Parasitology*, *191(1–2): 165–171*. https://doi.org/10.1016/J.VETPAR.2012.07.028

Sangwan, A. K., Jackson, B., De Glanville, W., Pfeiffer, D. U., and Stevens, K. B. 2016. Spatial analysis and identification of environmental risk factors affecting the distribution of Indoplanorbis and Lymnaea species in semi-arid and irrigated areas of Haryana, India. *Parasite Epidemiology and Control*, *1(3): 252–262*. https://doi.org/10.1016/j.parepi.2016.05.005

Saputra, K., Sutriyono, and Brata, B. 2018. Populasi dan Distribusi Keong Mas (*Pomacea canaliculata L.*) sebagai Sumber Pakan Ternak pada Ekosistem Persawahan di Kota Bengkulu. *Jurnal Sain Peternakan Indonesia*, *13(2): 189–201*. https://doi.org/10.31186/jspi.id.13.2.189-201

Sargison, N., Francis, E., Davison, C., Bronsvoort, B. M. de C., Handel, I., and Mazeri, S. 2016. Observations on the biology, epidemiology and economic

UNIVERSITAS
GADJAH MADA
Strategi Pengendalian Trematodosis pada Sapi Potong melalui Pendekatan Sistem Dinamik Berbasis Kajian Epidemiologi, Analisis Spasial, dan Ekonomi Veteriner di Kabupaten Manokwari Papua Barat
Purwaningsih, Prof. Dr. drh. Widagdo Sri Nugroho, M.P.; Dr. Prima Widayani, S.Si., M.Si.; Prof. Dr. Ir. Tri Anggraeni K
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

relevance of rumen flukes (*Paramphistomidae*) in cattle kept in a temperate environment. *Veterinary Parasitology*, *219*, *7–16*. https://doi.org/10.1016/j.vetpar.2016.01.010

Sari, E. A. 2015. *Prevalensi dan Faktor-faktor Penyebab Kejadian Fasciolosis pada Sapi Bali di Kecamatan Ujung Loe, Kabupaten Bulukumba*. Universitas Hasanuddin

Satrio, P., and Suryani, E. 2017. Penerapan model sistem dinamik untuk operasional aset unit transmisi dan visualisasi luaran model dengan menggunakan dashboard (Studi kasus: PT. PLN Persero App Semarang). *Jurnal Teknik ITS*, *6(2): 327–332*

Satyawardana, W., Ridwan, Y., and Satrija, F. 2018. Trematodosis pada Sapi Potong di Wilayah Sentra Peternakan Rakyat (SPR) Kecamatan Kasiman, Kabupaten Bojonegoro. *Acta Veterinaria Indonesia*, *6(2): 1–7*.

Sbughea, C. 2016. Simulation of the Production Process Dynamics using Vensim and Stella. *Economics and Applied Informatics*, *45–52*

Schillhorn van Veen, T. W. 1980. Fascioliasis (*Fasciola gigantica*) in West Africa: A review. *Veterinary Bulletin*, *50*: *529–533*

Schmidt, G. D., and Roberts, L. S. 2000. *Foundations of Parasitology*. McGraw-Hill Companies, Inc. New York. USA. 207

Schwab, D., Wurz, A., Grass, I., Rakotomalala, A. A. N. A., Osen, K., Soazafy, M. R., Martin, D. A., and Tscharntke, T. 2021. Decreasing predation rates and shifting predator compositions along a land-use gradient in Madagascar's vanilla landscapes. *Journal of Applied Ecology*, *58(2): 360–371*. https://doi.org/10.1111/1365-2664.13766

Schweizer, G., Braun, U., Deplazes. P., and Torgerson, R. 2005. Estimating the financial losses due to bovine fasciolosis in Switzerland. *The Veterinary Record*

Scott, L. M., and Warmerdam, M. 2006. *Spatial Statistics for Public Health and Safety*. ESRI: Geoprocessing, Spatial Statistic

Sejuti, S., Alim, M., Hossain, K., Yasin, M., Labony, S., Anisuzzaman, and Mondal, M. 2021. Trematode infections in cattle and their vector snails in Rajshahi district in Bangladesh. *Bangladesh Veterinarian*, *38(1–2): 24–32*. https://doi.org/10.3329/bvet.v38i1-2.63674

Selbach, C., and Poulin, R. 2020. Some like it hotter: Trematode transmission under changing temperature conditions. *Oecologia*, *194(4): 745–755*. https://doi.org/10.1007/s00442-020-04800-y

Selemetas, N., Ducheyne, E., Phelan, P., O'Kiely, P., Hendrickx, G., and De Waal, T. 2015. Spatial analysis and risk mapping of Fasciola hepatica infection in dairy herds in Ireland. *Geospatial Health*, *9(2): 281*. https://doi.org/10.4081/gh.2015.350

Siama, A., Eteme Enama, S., Kalmobe, J., Abah, S., Foutchou, A., and Njan Nloga, A. M. 2023. Abundance, Distribution, and Diversity of Freshwater Snail and Prevalences of Their Infection by Cercaria of Fasciola gigantica and Schistosoma spp at Mayo-Vreck River, Far North Region of Cameroon. *Journal of Tropical Medicine*, *1–18*. https://doi.org/10.1155/2023/9527349

UNIVERSITAS
GADJAH MADA
Strategi Pengendalian Trematodosis pada Sapi Potong melalui Pendekatan Sistem Dinamik Berbasis Kajian Epidemiologi, Analisis Spasial, dan Ekonomi Veteriner di Kabupaten Manokwari Papua Barat
Purwaningsih, Prof. Dr. drh. Widagdo Sri Nugroho, M.P.; Dr. Prima Widayani, S.Si., M.Si.; Prof. Dr. Ir. Tri Anggraeni K
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Silva, A. E. P., Freitas, C. D. C., Dutra, L. V., and Molento, M. B. (2020). Correlation between climate data and land altitude for Fasciola hepatica infection in cattle in Santa Catarina, Brazil. *Revista Brasileira de Parasitologia Veterinária*, *29(3)*, e008520. https://doi.org/10.1590/s1984-29612020065

Simoonga, C., Utzinger, J., Brooker, S., Vounatsou, P., Appleton, C. C., Stensgaard, A. S., Olsen, A., and Kristensen, T. K. 2009. Remote sensing, geographical information system and spatial analysis for schistosomiasis epidemiology and ecology in Africa. In *Parasitology.136(13): 1683–1693*. https://doi.org/10.1017/S0031182009006222

Sinambela, M., Simorangkir, A., and Sinaga, T. 2024. Lymnaea Rubiginosa as a Host Found in the Babura River, Medan City. *Eduvest - Journal of Universal Studies*, *4(7): 6279–6287*. https://doi.org/10.59188/eduvest.v4i7.1546

Siria, B. 2016. *Long-term dynamics of tropical rainforests, climate, fire, human impact and land-use change in Indonesia* [Universität Göttingen]. https://doi.org/10.53846/goediss-5639

Siswanto, Hartono, M., Edy Santosa, P., Suharyati, S., Larasati, H., and Sirat, M. M. P. (2018). Prevalensi cacing hati sapi perah pada peternakan rakyat di Provinsi Lampung. *Jurnal Ilmiah Peternakan Terpadu*, *6(3): 167–172*.

Smith, C. D., Morgan, E. R., and Jones, R. A. 2024. Environmental influences on the distribution and ecology of the fluke intermediate host *Galba truncatula*: A systematic review. *Parasitology*, *151(11): 1201–1224*. https://doi.org/10.1017/S0031182024000957

Soekartawi. 2006. *Analisis Usaha Tani*. Universitas Indonesia Press, Jakarta.

Stacey, K. F., Parsons, D. J., Christiansen, K. H., and Burton, C. H. 2007. Assessing the effect of interventions on the risk of cattle and sheep carrying Escherichia coli O157:H7 to the abattoir using a stochastic model. *Preventive Veterinary Medicine*, *79(1): 32–45*. https://doi.org/10.1016/J.PREVETMED.2006.11.007

Sterman, J. D. 2004. *Business Dynamics: Systems Thinking and Modelling for a Complex World.* Mc Graw Hill Inc

Studer, A., and Poulin, R. 2013. Cercarial survival in an intertidal trematode: A multifactorial experiment with temperature, salinity and ultraviolet radiation. *Parasitology Research*, *112(1): 243–249*. https://doi.org/10.1007/s00436-012-3131-3

Sufi, I. M., Cahyaningsih, U., and Sudarnika, E. 2017. Eimeria Species composition and factors influencing oocysts shedding in dairy farm, Bandung, Indonesia. *Biotropia*, *24(2): 104–113*. https://doi.org/10.11598/btb.201

Suhardono, and Copeman, D. 2014. Population dinamics of Lymnaea rubiginosa in rice fields and its infection with larvae of trematodes. *Jurnal Ilmu Ternak Dan Veteriner*. https://doi.org/10.14334/jitv.v5i4.189

Suhardono, Roberts, J. A., and Copeman, D. B. 2006. The effect of temperature and humidity on longevity of metacercariae of Fasciola gigantica. *Tropical Animal Health and Production*, *38(5): 371–377*. https://doi.org/10.1007/s11250-006-4310-y

UNIVERSITAS
GADJAH MADA
Strategi Pengendalian Trematodosis pada Sapi Potong melalui Pendekatan Sistem Dinamik Berbasis Kajian Epidemiologi, Analisis Spasial, dan Ekonomi Veteriner di Kabupaten Manokwari Papua Barat
Purwaningsih, Prof. Dr. drh. Widagdo Sri Nugroho, M.P.; Dr. Prima Widayani, S.Si., M.Si.; Prof. Dr. Ir. Tri Anggraeni K
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Sumiarto, B., and Budiharta, S. 2018. *Epidemiologi Veteriner Analitik*. Gadjah Mada University Press, Yogyakarta

Sunaryo. 2015. Analisis Spasial untuk Penyakit Berbasis Lingkungan. *Seminar Nasional Upaya Pengendalian Penyakit Berbasis Wilayah*

Suratiyah, K. 2015. *Ilmu Usaha Tani Edisi Revisi*. Penebar Swadaya, Jakarta.

Susana, I. W. W., Imanudin, O., and Widianingrum, D. 2024. Deteksi Larva Cacing Pada Sapi dengan Pola Pemeliharaan yang Berbeda di Wilayah Kabupaten Sumedang. *Tropical Livestock Science Journal*, *2(2): 115–124*. https://doi.org/10.31949/tlsj.v2i2.9011

Swai, E. S., and Ulicky, E. 2009. An evaluation of the economic losses resulting from condemnation of cattle livers and loss of carcass weight due to fasciolosis: A case study from Hai town abattoir, Kilimanjaro region, Tanzania. *Livestock Research for Rural Development*, *21(11)*. http://www.lrrd.org/lrrd21/11/swai21186.htm

Tabesh, H., Saki, A., and Pourmotahari, F. 2013. Comparing Two Formulas of Sample Size Determination for Prevalence Studies. *Iranian Journal of Health Sciences*, *1(2): 56–60*. https://doi.org/10.18869/ACADPUB.JHS.1.2.56

Tackie, D., Bartlett, J., Adu-Gyamfi, A., Nunoo, N., and Perry, B. 2020. Do socioeconomic factors matter in acreage owned and acreage farmed by small livestock producers in Georgia? *Journal of Agricultural Science*, *12(8)*. https://doi.org/10.5539/jas.v12n8p42

Tanabe, M., Caravedo, M., White, A., and Cabada, M. 2024. An Update on the Pathogenesis of Fascioliasis: What Do We Know? *Research and Reports in Tropical Medicine*, *15*: *13–24*. https://doi.org/10.2147/RRTM.S397138

Taylor, M. A., Coopand, R. L., and Wall, R. L. 2016. *Veterinary Parasitology*. Wiley Blackwell

Tenorio, J., and Molina, E. C. 2021. Monsters in our food: Foodborne trematodosis in the Philippines and beyond. *Veterinary Integrative Sciences*, *19(3): 467–485*. https://doi.org/10.12982/VIS.2021.038

Thrusfield, M. 2018. *Veterinary Epidemiology*. John Wiley & Sons Ltd.

Tidman, R., Abela-Ridder, B., and De Castañeda, R. R. 2021. The impact of climate change on neglected tropical diseases: A systematic review. *Transactions of The Royal Society of Tropical Medicine and Hygiene*, *115(2): 147–168*. https://doi.org/10.1093/trstmh/traa192

Tisdell, C. A., Harrison, S.R., and Ramsay, G. C. 1999. The economic impacts of endemic diseases and disease control programmes. *Rev. Sci. Tech. Off. Int. Epiz*, *18(2): 380–398*

Topchiyeva, Sh. A., Namazova, A. A., and Mammadova, S. M. 2017. Investigation of the proteolytic activity of liver trematodes in goats of Khizi-Khachmaz zone of Azerbaijan. *International Journal of Environment, Agriculture and Biotechnology*, *2(4): 2098–2101*. https://doi.org/10.22161/ijeab/2.4.68

Traoré, S. I., Achi, L. Y., Krauth, S. J., Sanogo, M., Zinsstag, J., Utzinger, J., and N'Goran, E. K. 2021. Distribution of bovine Fasciola gigantica (Cobbold, 1885) in the district des Savanes, northern Côte d'Ivoire. *Geospatial Health*, *16(2)*. https://doi.org/10.4081/gh.2021.976

UNIVERSITAS
GADJAH MADA
Strategi Pengendalian Trematodosis pada Sapi Potong melalui Pendekatan Sistem Dinamik Berbasis Kajian Epidemiologi, Analisis Spasial, dan Ekonomi Veteriner di Kabupaten Manokwari Papua Barat
Purwaningsih, Prof. Dr. drh. Widagdo Sri Nugroho, M.P.; Dr. Prima Widayani, S.Si., M.Si.; Prof. Dr. Ir. Tri Anggraeni K
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Tukahirwa, L., Mugisha, A., Kankya, C., Kyewalabyea, E., Ninsiima, A., Kusiimakwe, D., Mugabi, K., Bikakko, W., Miller, B., Bagnol, B., Yawed, A., Stanley, M., Owembabazi, L., Kisembo, S., and Amuguni, H. 2023. The Role of Extension Training in Enhancing Participation of Women Smallholder Goat and Chicken Farmers in The Livestock Vaccine Value Chain, Sembabule District, Uganda. *International Journal of Agriculture Extension and Rural Development Studies*, *10(3): 42–63*. https://doi.org/10.37745/ijaerds.15/vol10n34263

Tumusiime, M., Manishimwe, J. C., and Ntampaka, P. 2023. Prevalence of Bovine Trematodiases and Associated Risk Factors in Nyagatare District, Rwanda. *Veterinary Medicine: Research and Reports*, *14*: *221–231*. https://doi.org/10.2147/vmrr.s430581

Tung, C. P., Tsao, J. H., Tien, Y. C., Lin, C. Y., and Jhong, B. C. 2019. Development of a novel climate adaptation algorithm for climate risk assessment. *Water (Switzerland)*, *11(3): 1–17*. https://doi.org/10.3390/w11030497

Turuna, G., and Adugna, B. 2019. Prevalence of Major Bovine Trematodes (Fasciola and Paramphistomum) in Cattle Slaughtered at Nekemte Municipal Abattoir, East Wollega, Oromia Regional State, Ethiopia. *Journal of Biology, Agriculture and Healthcare*, *9(7): 1–5*. https://doi.org/10.7176/JBAH

Tyasi, T., Ng'ambi, J., and Mogashoa, S. 2022. Breeding practices and trait preferences of goat keepers at Lepelle-Nkumpi local municipality, South Africa: Implication for the design of breeding programmes. *Tropical Animal Health and Production*, *54(1)*. https://doi.org/10.1007/s11250-022-03078-x

Umar, A., Nwosu, C. O., and Philip, H. R. 2009. Seasonal prevalence and economic impotance of bovine fasciliasis in Jalingo Abatoir, Taraba State, Nigeria. *Nigerian Veterinary Journal*, *30: 44–50*

Underwood, W. J., Blauwiekel, R., Delano, M. L., Gillesby, R., Mischler, S. A., and Schoell, A. 2015. Biology and Diseases of Ruminants (Sheep, Goats, and Cattle). In *Laboratory Animal Medicine*, *623–694*. Elsevier. https://doi.org/10.1016/B978-0-12-409527-4.00015-8

Urquhart, G. M., Amour, J. L., Dunn, A. M., and Jennings, F. W. 2007. *Veterinary Parasitology*. USA: Blackwell Pblishing.

Utrera-Quintana, F., Covarrubias-Balderas, A., Olmedo-Juárez, A., Cruz-Aviña, J., Córdova-Izquierdo, A., Pérez-Mendoza, N., and Villa-Mancera, A. 2022. Fasciolosis prevalence, risk factors and economic losses due to bovine liver condemnation in abattoirs in Mexico. *Microbial Pathogenesis*, *173*. https://doi.org/10.1016/j.micpath.2022.105851

Uwalaka, E. C., Akpabio, U., and Adediran, O. A. 2019. Prevalence of fascioliasis and paramphistomiasis in cattle in Umuahia, Abia State, Nigeria. *Malaysian Journal of Veterinary Research*, *10(2): 100–105*

Valderrama-Bhraunxs, N., Bonifacio, L., Tumusiime, J., Kapour, G., Namirembe, D., Umba-Tolo, C., Kagoro-Rugunda, G., Mitashi-Mulopo, P., Mandinga, J., Jacobs, L., and Huyse, T. 2025. Snail intermediate host occurrence recorded

UNIVERSITAS
GADJAH MADA
Strategi Pengendalian Trematodosis pada Sapi Potong melalui Pendekatan Sistem Dinamik Berbasis Kajian Epidemiologi, Analisis Spasial, dan Ekonomi Veteriner di Kabupaten Manokwari Papua Barat
Purwaningsih, Prof. Dr. drh. Widagdo Sri Nugroho, M.P.; Dr. Prima Widayani, S.Si., M.Si.; Prof. Dr. Ir. Tri Anggraeni K
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

by citizen scientists in rural Uganda and the Democratic Republic of the Congo. *GigaByte*, *2025*. https://doi.org/10.46471/gigabyte.162

Vázquez, A. A., Alda, P., Lounnas, M., Sabourin, E., Alba, A., Pointier, J. P., and Hurtrez-Boussès, S. 2018. Lymnaeid snails hosts of *Fasciola hepatica* and *Fasciola gigantica* (Trematoda: Digenea): a worldwide review. *CABI Reviews*, *1–15*. https://doi.org/10.1079/PAVSNNR201813062

Villanueva, M. A., Mingala, C. N., Tubalinal, G. A. S., Gaban, P. B. V., Nakajima, C., and Suzuki, Y. 2018. Emerging Infectious Diseases in Water Buffalo: An Economic and Public Health Concern. In M. A. Villanueva, C. N. Mingala, G. A. S. Tubalinal, P. B. V. Gaban, C. Nakajima, and Y. Suzuki (Eds.), *Emerging Infectious Diseases in Water Buffalo—An Economic and Public Health Concern*. InTech. https://doi.org/10.5772/intechopen.73395

Vineer, R. H., Verschave, S. H., Claerebout, E., Vercruysse, J., Shaw, D., Charlier, J., and Morgan, E. R. 2020. GLOWORM-PARA: a flexible framework to simulate the population dynamics of the parasitic phase of gastrointestinal nematodes infecting grazing livestock. *International Journal for Parasitology: Parasites and Wildlife*, *50(2): 133–144*. https://doi.org/10.1016/j.ijpara.2019.11.005

Voinov, A. 2008. Understanding and communicating sustainability: Global versus regional perspectives. *Environment, Development and Sustainability*, *10(4): 487–501*. https://doi.org/10.1007/s10668-006-9076-x

Vyas, S., Mckay-Demeler, J., Ward, M., and Calvani, N. 2025. A contemporary map of *Fasciola hepatica* distribution in sheep and cattle in New South Wales. *Australian Veterinary Journal*, avj.13465. https://doi.org/10.1111/avj.13465

Wahyudi, M., Safi, M., and Zarlis, M. 2021. Model Dinamis Analisis Keputusan Penanganan Penyebaran Covid-19 Menggunakan Causal Loop Diagram. *Jurnal Informatika*, *8(2): 106–110*

Warman, A. T., Atmoko, B. A., Ibrahim, A., Baliarti, E., and Panjono. 2023. Breeding profile and reproductive performance of beef cattle kept by smallholder farmers in Monta District, Bima Regency, Indonesia. *Multidisciplinary Reviews*, *6(2): 2023012*. https://doi.org/10.31893/multirev.2023012

Weatherhead, J., Gazzinelli-Guimarães, P., Knight, J., Fujiwara, R., Hotez, P., Bottazzi, M., and Corry, D. 2020. Host Immunity and Inflammation to Pulmonary Helminth Infections. *Frontiers in Immunology*, *11(594520)*. https://doi.org/10.3389/fimmu.2020.594520

Widiati, R., and Kusumastuti, T. A. 2013. *Manajemen Agribisnis: Aplikasi pada Industri Peternakan*. CGS Press. PT Citra Gama Sakti

Widodo, K. H., Abdullah, A., Pramudya, K., and Pujawan, N. 2010. *Supply Chain Management Agroindustri yang Berkelanjutan*. Lubuk Agung. Bandung

Wijayanti, P., Noviani, R., Koesuma, S., Wibowo, Y. A., Nirwansyah, A. W., Wardhani, P. I., Hafida, S. H., Sriyanto, S., Andriani, A., and Muzaqi, F. 2025. Evaluating hazard, vulnerability, and capacity through local knowledge for volcano risk reduction. *Jàmbá: Journal of Disaster Risk Studies*, *17(1)*. https://doi.org/10.4102/jamba.v17i1.1876

UNIVERSITAS
GADJAH MADA
Strategi Pengendalian Trematodosis pada Sapi Potong melalui Pendekatan Sistem Dinamik Berbasis Kajian Epidemiologi, Analisis Spasial, dan Ekonomi Veteriner di Kabupaten Manokwari Papua Barat
Purwaningsih, Prof. Dr. drh. Widagdo Sri Nugroho, M.P.; Dr. Prima Widayani, S.Si., M.Si.; Prof. Dr. Ir. Tri Anggraeni K
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Williams, M., Ellis, J., Wood, K., and Penner, G. 2023. PSIX-18 A Meta-Analysis on Undigestible Neutral Detergent Fiber as a Predictor for Feedlot Cattle Performance and Carcass Characteristics. *Journal of Animal Science*. https://doi.org/10.1093/jas/skad281.509

Willy, B., Beyene, A. B., and Amare, D. M. 2023. The determinants of beef cattle market participation on beef cattle producers' welfare: A case study of West Shewa Zone, Oromia Region, Ethiopia. *Advances in Agricukture*. https://doi.org/10.1155/2023/8822032

Winarso, A., Kale, N. D., Rihi, D. M., Hurek, D. T. M., Pello, P. S., Beti, V. N., Moi, M. M., Boru, M. J. N., Manafe, R. Y., Parera, M. D. E., Jo, M. G. M., Nadja, Y. R., Dhiu, D. T., Cantona, M., Amleni, L. D., Koanak, S. J., Nawa, Y. V., Daki, A. N., and Pora, J. F. T. L. 2021. Prevalensi trematodosis pada sapi bali di Kupang dengan pemeriksaan feses metode filtrasi. *ARSHI Veterinary Letters*, *5(1): 13–14*. https://doi.org/10.29244/avl.5.1.13-14

Windsor, P. A., and Hill, J. 2022. Provision of High-Quality Molasses Blocks to Improve Productivity and Address Greenhouse Gas Emissions from Smallholder Cattle and Buffalo: Studies from Lao PDR. *Animals*, *12(23)*: 3319. https://doi.org/10.3390/ani12233319

Wirabhuana, A. 2009. *Penentuan Skenario Alokasi Sumber Daya Peralatan sebagai Usaha Peningkatan Kinerja Sistem Manufaktur Berdasarkan Model Simulasi Sistem Diskrit Berbasis Komputer.* Fakultas Sains dan Teknologi. Universitas Islam Negeri (UIN) Sunan Kalijaga

WOAH. 2013. *OIE Tool for the Evaluation of Performance of Veterinary Services (OIE PVS Tool)* (Sixth edition)

Wolff-Hughes, D. L., Troiano, R. P., Boyer, W. R., Fitzhugh, E. C., and McClain, J. J. 2016. Use of population-referenced total activity counts percentiles to assess and classify physical activity of population groups. *Preventive Medicine*, *87: 35–40*. https://doi.org/10.1016/j.ypmed.2016.02.019

Wood, I. B., Amaral, N. K., Bairden, K., Duncan, J. L., Kassai, T., Malone, J. B., Pankavich, J. A., Reinecke, R. K., Slocombe, O., Taylor, S. M., and Vercruysse, J. 1995. World Association for the Advancement of Veterinary Parasitology (W.A.A.V.P.) second edition of guidelines for evaluating the efficacy of anthelmintics in ruminants (bovine, ovine, caprine). In *Veterinary Parasitology*, *58: 181–213*

Xiao-Ping, W., Tang-Hua, C., Shan, O., Liu-Feng, X., and Tao, Q. 2008. The Summer Freshwater Snails Community Structure in Poyang Lake. *Jiangxi Science*, *26(2): 280–283*

Yaro, C. A., Kogi, E., and Iyaji. 2018. Bovine fascioliosis in Niger state, Nigeria: Effects of climatic and elevation factors on its distribution. *MOJ Public Health*, *7(5): 275–280*. https://doi.org/10.15406/mojph.2018.07.00243

Yasin, M. G., Alim, M. A., Anisuzzaman, M., Ahasan, S. A., Munsi, M. N., Chowdhury, E. H., Hatta, T., Tsuji, N., and Mondal, M. M. H. 2018. Trematode infections in farm animals and their vector snails in Saint Martin's Island, the Southeastern offshore area of Bangladesh in the Bay of Bengal. *Journal of Veterinary Medical Science*, *80(4): 684–688*. https://doi.org/10.1292/jvms.17-0308

UNIVERSITAS
GADJAH MADA
Strategi Pengendalian Trematodosis pada Sapi Potong melalui Pendekatan Sistem Dinamik Berbasis Kajian Epidemiologi, Analisis Spasial, dan Ekonomi Veteriner di Kabupaten Manokwari Papua Barat
Purwaningsih, Prof. Dr. drh. Widagdo Sri Nugroho, M.P.; Dr. Prima Widayani, S.Si., M.Si.; Prof. Dr. Ir. Tri Anggraeni K
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Yimam, M., and Makonnen, Y. J. 2000. Dry season bovine fasciolosis in Northwestern part of Ethiopia. *Revue Med. Vet*, *151(6): 493–500*

Yuen, F. T., and Chan, S. L. 2010. System Dynamics Modelling in CRM: Window Fashions Gallery. In *International Journal of Engineering Business Management*, *2(2): 77–84*

Yuliza, D. S., P., and Sirupang, F. M. 2015. Prevalence of paramphistomiasis on Bali cattle in Libureng Sub-District, Bone Regency. *Jurnal Ilmu Dan Industri Peternakan*, *2(2): 149–161*

Yumnam, U., Singh, T. S., and Dolma, K. G. 2024. Study on the prevalence of trematode cercariae infection in freshwater snails in Manipur, India. *J Parasit Dis.*, *48(4): 950–958*

Yuriadi, Y., Tjahajati, I., Mulyani, G. T., Muqit, K., and Rahmanita, A. 2021. Efficacy of Albendazole Against Strongylus sp. And Hematology Changes on Equine in Yogyakarta Special Region. *Jurnal Sain Veteriner*, *39(2): 130*. https://doi.org/10.22146/jsv.60110

Zajac, A., M., and Conboy, G. A. 2012. *Veterinary Clinical Prasitology.* Blackwell Publishing, Ames

Zárate-Rendón, D. A., Padilla, D. G., Carcausto, S. P., Del Águila, A., Wetzel, E., and Vásquez, J. Ñ. 2023. Spatial analysis and risk mapping of Fasciola hepatica infection in dairy cattle at the Peruvian central highlands. *Parasite Epidemiology and Control*, *23*: e00329. https://doi.org/10.1016/j.parepi.2023.e00329

Zelpina, E., Noor, P. S., Siregar, R., Sujatmiko, S., Lutfi, U. M., Amir, Y. S., and Lefiana, D. 2023. Fasciolosis Prevalence in Sacrificial Cattle of West Sumatra, Indonesia. *World's Veterinary Journal*, *13(3): 420–424.* https://doi.org/10.54203/SCIL.2023.WVJ46

Zewde, A., Bayu, Y., and Wondimu, A. 2019. Prevalence of Bovine Fasciolosis and Its Economic Loss due to Liver Condemnation at Wolaita Sodo Municipal Abattair, Ethiopia. *Veterinary Medicine International*, https://doi.org/10.1155/2019/9572373

Zhang, F., Zhang, X., Xu, Z., Dong, K., Li, Z., and Liu, Y. 2024. Cleaning of Abnormal Wind Speed Power Data Based on Quartile RANSAC Regression. *Energis*, *17*(5697). https://doi.org/10.3390/en17225697

Zhang, J.-L., Si, H.F., Zhou, X.Z., Shang, X.F., Li, B., and Zhang, J.Y. 2019. High prevalence of fasciolosis and evaluation of the efficacy of anthelmintics against Fasciola hepatica in buffaloes in Guangxi, China. *International Journal for Parasitology: Parasites and Wildlife*, *8: 82–87*. https://doi.org/10.1016/j.ijppaw.2018.12.010

Zhang, W., and Lu, Q. 2024. The impact of epidemic experiences on biosecurity behavior of pig farmers: An analysis based on protection motivation theory. *One Health*, *19*. https://doi.org/10.1016/j.onehlt.2024.100936