

DAFTAR PUSTAKA

- Agustsson, T. T., Baldvinsdottir, T., Jonasson, J. G., Olafsdottir, E., Steinhorsdottir, V., Sigurdsson, G., Thorsson, A. V., Carroll, P. V., Korbonits, M., dan Benediktsson, R. (2015). The epidemiology of pituitary adenomas in Iceland, 1955-2012: a nationwide population-based study. *European Journal of Endocrinology*, 173(5), 655–664. <https://doi.org/10.1530/EJE-15-0189>
- Anik, I., Anik, Y., Cabuk, B., Caklili, M., Pirhan, D., Ozturk, O., Cirak, M., dan Ceylan, S. (2018). Visual Outcome of an Endoscopic Endonasal Transsphenoidal Approach in Pituitary Macroadenomas: Quantitative Assessment with Diffusion Tensor Imaging Early and Long-Term Results. *World Neurosurgery*, 112, e691–e701. <https://doi.org/10.1016/j.wneu.2018.01.134>
- Arai, N., Inaba, M., Ichijyo, T., Kagami, H., dan Mine, Y. (2017). Thyrotropin-producing pituitary adenoma simultaneously existing with Graves' disease: a case report. *Journal of Medical Case Reports*, 11(1), 9. <https://doi.org/10.1186/s13256-016-1172-4>
- Banskota, S., dan Adamson, D. C. (2021). Pituitary Adenomas: From Diagnosis to Therapeutics. *Biomedicines*, 9(5). <https://doi.org/10.3390/biomedicines9050494>
- Beck-Peccoz, P., Lania, A., Beckers, A., Chatterjee, K., dan Wemeau, J.-L. (2013). 2013 European thyroid association guidelines for the diagnosis and treatment of thyrotropin-secreting pituitary tumors. *European Thyroid Journal*, 2(2), 76–82. <https://doi.org/10.1159/000351007>
- Beck-Peccoz, P., Persani, L., dan Lania, A. (2022). Thyrotropin-Secreting Pituitary Adenomas. In *Endotext : Comprehensive Endocrinology Book*. MD Text.

- Bogusławska, A., Gilis-Januszewska, A., dan Korbonits, M. (2022). Genetics of Pituitary Adenomas BT - Pituitary Adenomas: The European Neuroendocrine Association's Young Researcher Committee Overview. In G. Tamagno dan M. D. Gahete (Eds.), *Pituitary Adenomas* (pp. 83–125). Springer International Publishing. https://doi.org/10.1007/978-3-030-90475-3_4
- Butenschoen, V. M., Schwendinger, N., von Werder, A., Bette, S., Wienke, M., Meyer, B., dan Gempt, J. (2021). Visual acuity and its postoperative outcome after transsphenoidal adenoma resection. *Neurosurgical Review*, 44(4), 2245–2251. <https://doi.org/10.1007/s10143-020-01408-x>
- Cahyanur, R., Soewondo, P., Darmowidjojo, B., Aman, R. A., dan Dewiasty, E. (2019). Gambaran Klinis dan Proporsi Hipotiroidisme Sekunder pada Pasien Adenoma Hipofisis di Rumah Sakit Cipto Mangunkusumo. *Journal Of The Indonesian Medical Association*, 68(6), 216–222. <https://doi.org/10.47830/jinma-vol.68.6-2018-57>
- Chen, L., White, W. L., Spetzler, R. F., dan Xu, B. (2011). A prospective study of nonfunctioning pituitary adenomas: presentation, management, and clinical outcome. *Journal of Neuro-Oncology*, 102(1), 129–138. <https://doi.org/10.1007/s11060-010-0302-x>
- Cohen, A. R., Cooper, P. R., Kupersmith, M. J., Flamm, E. S., dan Ransohoff, J. (1985). Visual Recovery after Transsphenoidal Removal of Pituitary Adenomas. *Neurosurgery*, 17(3), 446–452. <https://doi.org/10.1227/00006123-198509000-00008>
- De Herdt, C., Philipse, E., dan De Block, C. (2021). Endocrine Tumours : Thyrotropin-secreting pituitary adenoma: a structured review of 535 adult cases. *European Journal of Endocrinology*, 185(2), R65–R74. <https://doi.org/10.1530/EJE-21-0162>

- Dekkers, O. M., de Keizer, R. J. W., Roelfsema, F., vd Klaauw, A. A., Honkoop, P. J., van Dulken, H., Smit, J. W. A., Romijn, J. A., dan Pereira, A. M. (2007). Progressive improvement of impaired visual acuity during the first year after transsphenoidal surgery for non-functioning pituitary macroadenoma. *Pituitary*, 10(1), 61–65. <https://doi.org/10.1007/s11102-007-0007-0>
- Dutta, P., Gyurmey, T., Bansal, R., Pathak, A., Dhandapani, S., Rai, A., Bhansali, A., dan Mukherjee, K. (2016). Visual outcome in 2000 eyes following microscopic transsphenoidal surgery for pituitary adenomas: Protracted blindness should not be a deterrent. *Neurology India*, 64(6), 1247. <https://doi.org/10.4103/0028-3886.193829>
- Febriyanti Pratama Putri, E., Kartika, A., Hanindya Sari, R., Veulina Ginting, D., dan Yollamanda, P. (2022). Visual Field Improvement After Pituitary Tumor Resection. *CASE REPORT Jurnal Oftalmologi 2022*, 4(1), 35–43.
- Frara, S., Losa, M., Doga, M., Formenti, A. M., Mortini, P., Mazziotti, G., dan Giustina, A. (2018). High Prevalence of Radiological Vertebral Fractures in Patients With TSH-Secreting Pituitary Adenoma. *Journal of the Endocrine Society*, 2(9), 1089–1099. <https://doi.org/10.1210/js.2018-00091>
- Freda, P. U., Beckers, A. M., Katznelson, L., Molitch, M. E., Montori, V. M., Post, K. D., dan Vance, M. L. (2011). Pituitary incidentaloma: an endocrine society clinical practice guideline. *The Journal of Clinical Endocrinology and Metabolism*, 96(4), 894–904. <https://doi.org/10.1210/jc.2010-1048>
- Han, K. E., Choi, H., Kim, S.-J., Lee, S. M., dan Lee, J.-E. (2024a). Clinical efficacy of optical coherence tomography parameters to predict the visual field outcome following pituitary adenoma surgery. *PLOS ONE*, 19(11), e0313521. <https://doi.org/10.1371/journal.pone.0313521>

- Hanakita, S., dan Oya, S. (2024). Surgical Outcomes following Reoperation for Recurrent Intracranial Meningiomas. *Journal of Clinical Medicine*, 13(12), 3356. <https://doi.org/10.3390/jcm13123356>
- Hernandez, M. A. L., Lopez, D. J., Narag, J., Seng, K., dan Khu, K. J. (2025). Post-operative outcomes of Pituitary Macroadenoma Patients in a Tertiary Hospital in the Philippines. *Journal of the ASEAN Federation of Endocrine Societies*. <https://doi.org/10.15605/jafes.040.02.14>
- Ho, R.-W., Huang, H.-M., dan Ho, J.-T. (2015). The Influence of Pituitary Adenoma Size on Vision and Visual Outcomes after Trans-Sphenoidal Adenectomy: A Report of 78 Cases. *Journal of Korean Neurosurgical Society*, 57(1), 23. <https://doi.org/10.3340/jkns.2015.57.1.23>
- Honegger, J., Zimmermann, S., Psaras, T., Petrick, M., Mittelbronn, M., Ernemann, U., Reincke, M., dan Dietz, K. (2008). Growth modelling of non-functioning pituitary adenomas in patients referred for surgery. *European Journal of Endocrinology*, 158(3), 287–294. <https://doi.org/10.1530/EJE-07-0502>
- Hossen, M. K., Wazed, R. S., Sarkar, S., Saha, S., Dasgupta, A., dan Hossain, M. S. (2025). Association between duration of visual symptoms and early postoperative visual outcome following pituitary macroadenoma surgery. *Journal of Shaheed Suhrawardy Medical College*, 15(2), 15–20. <https://doi.org/10.3329/jssmc.v15i2.81863>
- Kemchoknatee, P., Singhakul, C., Arjkongharn, N., Vongsa, N., Tangon, D., dan Srisombut, T. (2024a). Insights into Visual Outcomes and Determinants in Pituitary Adenoma Surgery: A 5-Year Retrospective Cohort Study. *Clinical Ophthalmology*, 18, 1779–1788. <https://doi.org/10.2147/OPTH.S463303>

KEMENKES. (2020). *Panduan Penatalaksanaan Tumor Otak*. Komite Penanggulangan Kanker Nasional.

Komotar, R. J., Starke, R. M., Raper, D. M. S., Anand, V. K., dan Schwartz, T. H. (2012). Endoscopic endonasal compared with microscopic transsphenoidal and open transcranial resection of giant pituitary adenomas. *Pituitary*, 15(2), 150–159. <https://doi.org/10.1007/s11102-011-0359-3>

Kong, F., Cheng, W., dan Zhan, Q. (2024). Clinical study on the selection of endoscopes and microscopes for transsphenoidal surgery of non-aggressive pituitary macroadenoma and microadenoma and the influencing factors of hyposmia after endoscopic transsphenoidal surgery. *Frontiers in Neurology*, 15. <https://doi.org/10.3389/fneur.2024.1321099>

Krahulik, D., Blazek, F., Hampl, M., Hrabalek, L., Krahulik, J., dan Karhanova, M. (2025). Visual outcomes in patients with meningiomas compressing optic nerve. *Frontiers in Neurology*, 16. <https://doi.org/10.3389/fneur.2025.1606661>

Kurian, D. E., V, R., Horo, S., Chacko, A. G., Prabhu, K., Mahasampath, G., dan Korah, S. (2022). Predictive value of retinal nerve fibre layer thickness for postoperative visual improvement in patients with pituitary macroadenoma. *BMJ Open Ophthalmology*, 7(1), e000964. <https://doi.org/10.1136/bmjophth-2021-000964>

Lee, J. P., Park, I. W., dan Chung, Y. S. (2011). The volume of tumor mass and visual field defect in patients with pituitary macroadenoma. *Korean Journal of Ophthalmology : KJO*, 25(1), 37–41. <https://doi.org/10.3341/kjo.2011.25.1.37>

Luomaranta, T., Raappana, A., Saarela, V., dan Liinamaa, M. J. (2017). Factors Affecting the Visual Outcome of Pituitary Adenoma Patients Treated with

- Endoscopic Transsphenoidal Surgery. *World Neurosurgery*, 105, 422–431.
<https://doi.org/10.1016/j.wneu.2017.05.144>
- Melmed, S. (2020). Pituitary-Tumor Endocrinopathies. *New England Journal of Medicine*, 382(10), 937–950. <https://doi.org/10.1056/nejmra1810772>
- Mohan, A., Mandakaparambil, R., Kanno, P., Muriyil, P., dan J, B. (2022). Predictors of early visual outcome after endoscopic trans sphenoidal excision of pituitary adenomas. *International Journal of Medical Reviews and Case Reports*, (0), 1.
<https://doi.org/10.5455/IJMRCR.172-1646367058>
- Molitch, M. E. (2017). Diagnosis and treatment of pituitary adenomas: A review. *JAMA - Journal of the American Medical Association*, 317(5), 516–524.
<https://doi.org/10.1001/jama.2016.19699>
- Møller, M. W., Andersen, M. S., Glintborg, D., Pedersen, C. B., Halle, B., Kristensen, B. W., dan Poulsen, F. R. (2020). Endoscopic vs. microscopic transsphenoidal pituitary surgery: a single centre study. *Scientific Reports*, 10(1), 21942.
<https://doi.org/10.1038/s41598-020-78823-z>
- Muskens, I. S., Zamanipoor Najafabadi, A. H., Briceno, V., Lamba, N., Senders, J. T., van Furth, W. R., Verstegen, M. J. T., Smith, T. R. S., Mekary, R. A., Eenhorst, C. A. E., dan Broekman, M. L. D. (2017). Visual outcomes after endoscopic endonasal pituitary adenoma resection: a systematic review and meta-analysis. *Pituitary*, 20(5), 539–552. <https://doi.org/10.1007/s11102-017-0815-9>
- Nair, S. S., Varsha, A. S., Hegde, A., Raju, B., Nayak, R., Menon, G., dan Menon, S. (2024). Correlation of pre-operative and post-operative retinal nerve fibre layer thickness with visual outcome following decompression of pituitary macroadenoma. *Clinical Neurology and Neurosurgery*, 244, 108446.
<https://doi.org/10.1016/j.clineuro.2024.108446>

- Ng, B. C. F., Mak, C. H.-K., Steffi, C. S. Y., Wing, S. K., Shing, T. T., dan Ching, C. F. (2022). A Factorial Analysis on Visual Outcomes of Transsphenoidal Surgery for Pituitary Macroadenoma. *Asian Journal of Neurosurgery*, 17(02), 280–285. <https://doi.org/10.1055/s-0042-1751011>
- Njami, V. A., Epee, E., Nguifo Fongang, E. J., Bello, F., Ekoumelon, R., Bukam, E. D., Sobngwi, E., dan Djientcheu, V. de P. (2018). Visual outcome of surgically managed pituitary adenomas followed-up at the Yaoundé Central Hospital. *British Journal of Neurosurgery*, 32(5), 521–527. <https://doi.org/10.1080/02688697.2018.1498449>
- Osorio, R. C., Oh, J. Y., Choudhary, N., Lad, M., Savastano, L., dan Aghi, M. K. (2022). Pituitary adenomas and cerebrovascular disease: A review on pathophysiology, prevalence, and treatment. *Frontiers in Endocrinology*, 13. <https://doi.org/10.3389/fendo.2022.1064216>
- Park, J. H., Roh, T. H., Kim, J.-H., dan Kim, S.-H. (2021). Pituitary Adenoma Confined Within the Pituitary Stalk: A Case Report and Literature Review. *J Neurointensive Care*, 4(2), 76–80. <https://doi.org/10.32587/jnic.2021.00416>
- Park, S. H., Kang, M. S., Kim, S. Y., Lee, J.-E., Shin, J. H., Choi, H., dan Kim, S. J. (2021). Analysis of factors affecting visual field recovery following surgery for pituitary adenoma. *International Ophthalmology*, 41(6), 2019–2026. <https://doi.org/10.1007/s10792-021-01757-6>
- Pelsma, I. C. M., Verstegen, M. J. T., de Vries, F., Notting, I. C., Broekman, M. L. D., van Furth, W. R., Biermasz, N. R., dan Pereira, A. M. (2020). Quality of care evaluation in non-functioning pituitary adenoma with chiasm compression: visual outcomes and timing of intervention clinical recommendations based on a systematic literature review and cohort study. *Pituitary*, 23(4), 417–429. <https://doi.org/10.1007/s11102-020-01044-0>

Phoominaonin, I., Ariyaprakai, C., Sriamornrattanakul, K., Mongkolratnan, A., Niljianskul, N., Akharathamachote, N., Wongsuriyanan, S., dan Chonhenchob, A. (2024). Postoperative Visual Outcomes and the Influence of Optic Nerve Status on Visual Acuity in Endoscopic Endonasal Surgery of Non-functioning Pituitary Macroadenoma Patients. *Vajira Medical Journal : Journal of Urban Medicine*, e269270. <https://doi.org/10.62691/vmj.2024.269270>

Pivonello, R., Isidori, A. M., De Martino, M. C., Newell-Price, J., Biller, B. M. K., dan Colao, A. (2016). Complications of Cushing's syndrome: state of the art. *The Lancet. Diabetes dan Endocrinology*, 4(7), 611–629. [https://doi.org/10.1016/S2213-8587\(16\)00086-3](https://doi.org/10.1016/S2213-8587(16)00086-3)

Qaisrani, S., Nazar, S., Chaudhary, M., dan Bashir, A. (2025). Correlation of Tumor Size with Visual Status amongst Patients with Pituitary Adenoma. *Pakistan Journal of Intensive Care Medicine*, 5(02), 122. <https://doi.org/10.54112/pjicm.v5i02.122>

Redmond, J. G., Maclachlan, L. R., Barber, J., Ayvaz, F., Amato, D., Jayalath, R., Ananthababu, P., dan Olson, S. (2023). A retrospective cohort study assessing geometrical parameters related to visual deterioration in pituitary macroadenoma. *Journal of Clinical Neuroscience*, 107, 1–7. <https://doi.org/10.1016/j.jocn.2022.11.002>

Samperi, I., Lithgow, K., dan Karavitaki, N. (2019). Hyperprolactinaemia. *Journal of Clinical Medicine*, 8(12), 1–24. <https://doi.org/10.3390/jcm8122203>

Setyowati, R., Wicaksono, A. S., Hartanto, R. A., Mahayana, I. T., dan Prawiroranu, S. (2019). Visual Finding in Patient with Pituitary Macroadenoma underwent Transphenoid Surgery. *Ophthalmologica Indonesiana*, 45(2), 76. <https://doi.org/10.35749/journal.v45i2.178>

Shoeb, Meena, U. S., dan Kumawat, S. (2024). Factors affecting visual outcomes of pituitary macroadenoma following transsphenoidal surgery. *Romanian Neurosurgery*, 466–470. <https://doi.org/10.33962/roneuro-2024-176>

Tatsi, C., dan Stratakis, C. A. (2019). The Genetics of Pituitary Adenomas. *Journal of Clinical Medicine*, 9(1), 30. <https://doi.org/10.3390/jcm9010030>

Thotakura, A., Patibandla, M., Panigrahi, M., dan Addagada, G. (2017). Predictors of visual outcome with transsphenoidal excision of pituitary adenomas having suprasellar extension: A prospective series of 100 cases and brief review of the literature. *Asian Journal of Neurosurgery*, 12(01), 1–5. <https://doi.org/10.4103/1793-5482.149995>

Toader, C., Dobrin, N., Tataru, C.-I., Covache-Busuioc, R.-A., Bratu, B.-G., Glavan, L. A., Costin, H. P., Corlatescu, A. D., Dumitrascu, D.-I., dan Ciurea, A. V. (2024). From Genes to Therapy: Pituitary Adenomas in the Era of Precision Medicine. In *Biomedicines* (Vol. 12, Number 1, p. 23). <https://doi.org/10.3390/biomedicines12010023>

Tritos, N. A., dan Miller, K. K. (2023a). Diagnosis and Management of Pituitary Adenomas: A Review. *JAMA*, 329(16), 1386–1398. <https://doi.org/10.1001/jama.2023.5444>

Uvelius, E., Valdemarsson, S., Bengzon, J., Hammar, B., dan Siesjö, P. (2023). Visual acuity in patients with non-functioning pituitary adenoma: Prognostic factors and long-term outcome after surgery. *Brain and Spine*, 3, 102667. <https://doi.org/10.1016/j.bas.2023.102667>

Uy, B., Wilson, B., Kim, W. J., Prashant, G., dan Bergsneider, M. (2019). Visual Outcomes After Pituitary Surgery. *Neurosurgery Clinics of North America*, 30(4), 483–489. <https://doi.org/10.1016/j.nec.2019.06.002>

- Vaidya, K., Tagoe, N. N., Essuman, Y. A., dan Poudel, M. (2025). Ocular manifestations of pituitary adenoma in patients presenting at a tertiary eye hospital in Nepal. *Nepal Journal of Neuroscience*, 22(2), 40–46. <https://doi.org/10.3126/njn.v22i2.78943>
- van Eersel, M. E. A., Meeuwisse-Pasterkamp, S. H., Muller Kobold, A. C., Meiners, L. C., den Dunnen, W. F., Hofland, L. J., dan van den Berg, G. (2017). Treatment of a thyrotropin-secreting pituitary adenoma (TSH-oma) with pasireotide LAR. In *Clinical endocrinology* (Vol. 87, Number 6, pp. 877–879). <https://doi.org/10.1111/cen.13431>
- Yu, F. F., Chen, L. L., Su, Y. H., Huo, L. H., Lin, X. X., dan Liao, R. D. (2015). Factors influencing improvement of visual field after trans-sphenoidal resection of pituitary macroadenomas: A retrospective cohort study. *International Journal of Ophthalmology*, 8(6), 1224–1228. <https://doi.org/10.3980/j.issn.2222-3959.2015.06.27>