

DAFTAR PUSTAKA

- Alfarra, M.R., 2015, Document Clustering and Classification, <https://www.slideshare.net/mralfarra/document-clustering-and-classification>, diakses pada 20 September 2017 pukul 11.40.
- Bide, P., Shedge, R., 2015, Improved Document Clustering using K-means Algorithm, *In Electrical, Computer, and Communication Technologies 2015*, IEEE, hlm. 178-182.
- Caiquan X., Zhen H., Ke L., Xuan L., 2016, An Improved K-means Text Clustering by Optimizing Initial Cluster Centers, *7th International Conference on Cloud Computing and Big Data*, hlm. 265-268.
- Juneja, P., Jain, H., Deshmukh, T., Somani, S., Tripathy, B.K., 2017, Context-Aware Clustering using GloVe and K-means, *International Journal of Software Engineering & Applications (IJSEA)* 8(4), Juli 2017.
- Kassambara, A., 2017, Determining The Optimal Number Of Clusters: 3 Must Know Methods, <http://www.sthda.com/english/articles/29-cluster-validation-essentials/96-determining-the-optimal-number-of-clusters-3-must-know-methods/> diakses pada 6 Februari 2018 pukul 08.35.
- Kodinariya, T.M. dan Makwana, P.R., 2014, Survey on Exiting Method for Selecting Initial Centroids in K-means Clustering, *International Journal of Engineering Development and Research*, Vol. 2, hlm. 2865-2868.
- Novindasari, I., 2018, Klasifikasi Jawaban Pertanyaan Uraian menggunakan Convolutional Neural Network, *Skripsi*, Fakultas Matematika dan Ilmu Pengetahuan Alam, Universitas Gadjah Mada, Yogyakarta
- Mehrens, W.A., dan Lehmann, I.J., 1973, *Measurement and evaluation in education and psychology*, New York: Holt, Rinehart and Winston. Inc.
- Mikolov, T., Chen, K., Corrado, G., dan Dean, J., 2013, Efficient Estimation of Word Representation in Vector Space. *arXiv preprint arXiv:1301.3781*.
- Peng, G., Yuefen, W., Bikun, C., Zhu, F., 2016, K-means Document Clustering Based on Latent Dirichlet Allocation, *Proceeding of Western Decision Sciences Institute 2016*, Las Vegas.
- Pennington, J., Socher, R., Manning, C.D., 2014, *GloVe: Global Vectors for Word Representation*, *Conference on Empirical Methods in Natural Language Processing (EMNLP)* 2014.
- Rousseeuw, P.J., 1987, Silhouettes: a graphical aid to the interpretation and validation of cluster analysis, *Journal of Computational Applied Mathematics*, vol. 20(1), hlm.53–65.

- Sarwan, N.S., 2017, An Intuitive Understanding of Word Embeddings: From Count Vectors to Word2Vec, <https://www.analyticsvidhya.com/blog/2017/06/word-embeddings-count-word2veec/>, diakses 21 Januari pukul 19.30.
- Singh, A., Avantika Y., dan Ajay R., 2013, K-means with Three different Distance Metrics , *International Journal of Computer Applications* (0975 – 8887), Vol. 67, April 2013.
- Sinha, A. dan Jana, P.K., 2016, *A Novel K-means based Clustering Algorithm for Big Data*, *International Conference on Advances in Computing, Communications and Informatics* (ICACCI), 21-24 September 2016.
- Sudjana, N., 2009, *Penilaian Hasil Proses Belajar Mengajar*, Bandung : PT. Remaja Rosdakarya.
- Suwarto, 2010, Mengungkap Karakteristik Tes Uraian, *Widyatama*, Vol. 19(2).
- Tan, P., Steinbach, M., dan Kumar, V. , 2005, *Introduction to Data Mining*, United States : Addison-Wesley.