UNIVERSITAS
GADJAH MADA
**Kinetika Ekstraksi Senyawa Bioaktif Kapulaga Jawa (Amomum compactum Sol. Ex Maton) Menggunakan
Metode Microwave-Assisted Extraction**
Rifa Fahmida, Dr. Ir. Devi Yuni Susanti, S.T.P., M.Sc., IPU, ASEAN Eng., APEC Eng.; Dr. Widiastuti Setyaningsih S.T
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

DAFTAR PUSTAKA

Abdullah, Ahmad, N., Tian, W., Zengliu, S., Zou, Y., Farooq, S., Huang, Q., & Xiao, J. (2022). Recent advances in the extraction, chemical composition, therapeutic potential, and delivery of cardamom phytochemicals. *Frontiers in Nutrition*, *9*(September), 1–19. https://doi.org/10.3389/fnut.2022.1024820.

Ballard, T. S., Mallikarjunan, P., Zhou, K., & O'Keefe, S. (2010). *Microwave*-assisted extraction of phenolic antioxidant compounds from peanut skins. *Food chemistry*, *120*(4), 1185-1192.

Balyan, U., & Sarkar, B. (2017). Aqueous extraction kinetics of phenolic compounds from jamun (Syzygium cumini L.) seeds. *International Journal of Food Properties*, *20*(2), 372–389. https://doi.org/10.1080/10942912.2016.1163266.

Bourhis, K., Blanc, S., Mathe, C., Dupin, J. C., & Vieillescazes, C. (2011). Spectroscopic and chromatographic analysis of yellow flavonoidic lakes: Quercetin chromophore. Applied Clay Science, 53(4), 598–607. https://doi.org/10.1016/j.clay.2011.05.009

Boukettaya, N., Mhemdi, H., & Kechaou, N. (2025). Multi-stage *microwave*-assisted extraction of phenolic compounds from Tunisian walnut (Juglans regia L.) bark. *Processes*, *13*(9), 2914.

Cai, X., Zhao, X., Miao, W., Wu, Z., Liu, H. M., & Wang, X. (2022). Optimization and Kinetics Modeling of *Microwave*-Assisted Subcritical n-Butane Extraction of Tigernut Oil. *Journal of Oleo Science*, *71*(12), 1799–1811. https://doi.org/10.5650/jos.ess22258

Calderon, A. M., Cortes, C., Zulueta, A., Frigola, A., & Esteve, M. J. (2019). Green solvents and Ultrasound-Assisted Extraction of bioactive orange (Citrus sinensis) peel compounds. *Scientific Reports*, *9*(1), 1–8. https://doi.org/10.1038/s41598-019-52717-1

Castillo, N. E. T., Teresa-mart, G. D., Alonzo-mac, M., Carmen, T., Eduardo, J., Parra-sald, R., Melchor-mart, E. M., & Cardador-mart, A. (2023). *Antioxidant Activity and GC-MS Profile of Cardamom (Elettaria cardamomum) Essential Oil Obtained by a Combined Extraction Method — Instant Controlled Pressure Drop Technology Coupled with Sonication*.

Chaaban, H., Ioannou, I., Chebil, L., Slimane, M., Gérardin, C., Paris, C., Charbonnel, C., Chekir, L., & Ghoul, M. (2017). Effect of heat processing on thermal stability and antioxidant activity of six flavonoids. *Journal of Food Processing and Preservation*, *41*(5). https://doi.org/10.1111/jfpp.13203.

Chaves, J.O., et al. 2020. Extraction of flavonoids from natural sources using modern techniques. Frontiers in Chemistry. 8: 507887, https://doi.org/10.3389/fchem.2020.507887.

Delgadillo-Puga, C., Torre-Villalvazo, I., Cariño-Cervantes, Y. Y., García-Luna, C., Soberanes-Chávez, P., de Gortari, P., ... & Cisneros-Zevallos, L. (2023). Cardamom (Elettaria cardamomum (L.) Maton) seeds intake increases energy expenditure and reduces fat mass in mice by modulating neural circuits that regulate adipose tissue lipolysis and mitochondrial oxidative metabolism in liver and skeletal muscle. *International Journal of Molecular Sciences*, *24*(4), 3909.

UNIVERSITAS
GADJAH MADA
**Kinetika Ekstraksi Senyawa Bioaktif Kapulaga Jawa (Amomum compactum Sol. Ex Maton) Menggunakan
Metode Microwave-Assisted Extraction**
Rifa Fahmida, Dr. Ir. Devi Yuni Susanti, S.T.P., M.Sc., IPU, ASEAN Eng., APEC Eng.; Dr. Widiastuti Setyaningsih S.T
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Dewanto, V., Xianzhong, W., Adom, K. K., & Liu, R. H. (2002). Thermal processing enhances the nutritional value of tomatoes by increasing total antioxidant activity. *Journal of Agricultural and Food Chemistry*, *50*(10), 3010–3014. https://doi.org/10.1021/jf0115589

Fathimah, R. N., Setyaningsih, W., Carrera, C., Astari, A. D., Masithoh, R. E., Suryaningtyas, I. T., & Palma, M. (2021). A *microwave*-based technique to determine saccharides and polyols contents in Spirulina (Arthrospira platensis). *Arabian Journal of Chemistry*, *14*(4), 103094. https://doi.org/10.1016/j.arabjc.2021.103094

González-Centeno, M. R., Comas-Serra, F., Femenia, A., Rosselló, C., & Simal, S. (2015). Effect of power ultrasound application on aqueous extraction of phenolic compounds and antioxidant capacity from grape pomace (Vitis vinifera L.): Experimental kinetics and modeling. *Ultrasonics Sonochemistry*, *22*, 506–514. https://doi.org/10.1016/j.ultsonch.2014.05.027

Haminiuk, C. W. I., Maciel, G. M., Plata-Oviedo, M. S. V., & Peralta, R. M. (2012). Phenolic compounds in fruits - an overview. *International Journal of Food Science and Technology*, *47*(10), 2023–2044. https://doi.org/10.1111/j.1365-2621.2012.03067.x

Hartady, T., Balia, R. L., Syamsunarno, M. R. A. A., Jasni, S., & Priosoeryanto, B. P. (2020). Bioactivity of amomum compactum soland ex maton (java cardamom) as a natural antibacterial. *Systematic Reviews in Pharmacy*, *11*(9), 384–387. https://doi.org/10.31838/srp.2020.9.55

Hashemi, B., Shiri, F., Švec, F., & Nováková, L. (2022). Green solvents and approaches recently applied for extraction of natural bioactive compounds. *TrAC - Trends in Analytical Chemistry*, *157*. https://doi.org/10.1016/j.trac.2022.116732.

Huang, W. C., Li, B., Qi, X., & Mao, X. (2020). New type of green extractant for oil production: Citric acid/citric acid sodium extraction system. Food Chemistry, 310. https://doi.org/10.1016/j.foodchem.2019.125815

Hussein, J. (2025). Principles and applications of high-performance liquid chromatography (HPLC): A Review. *Biomedical and Pharmacology Journal*, *18*(2), 1085-1089.

Inyang, U. E., Oboh, I. O., & Etuk, B. R. (2018). Kinetic Models for Drying Techniques—Food Materials. *Advances in Chemical Engineering and Science*, *08*(02), 27–48. https://doi.org/10.4236/aces.2018.82003

Izza, H. F., Susanti, D. Y., Mariyam, S., & Saputro, A. D. (2023). Performance of *microwave*-assisted extraction of proanthocyanidins from red sorghum grain in various power and citric acid concentration. *Journal of the Saudi Society of Agricultural Sciences*, *22*(7), 480–492. https://doi.org/10.1016/j.jssas.2023.05.002

Jha, A. K., & Sit, N. (2022). Extraction of bioactive compounds from plant materials using combination of various novel methods: A review. *Trends in Food Science and Technology*, *119*(July 2021), 579–591. https://doi.org/10.1016/j.tifs.2021.11.019.

Juliana, D., Aisyah, S. I., Priosoeryanto, B. P., Nurcholis, W. 2022. Optimization of cardamom (Amomum compactum) fruit extraction using the Box– Behnken

UNIVERSITAS
GADJAH MADA
**Kinetika Ekstraksi Senyawa Bioaktif Kapulaga Jawa (Amomum compactum Sol. Ex Maton) Menggunakan
Metode Microwave-Assisted Extraction**
Rifa Fahmida, Dr. Ir. Devi Yuni Susanti, S.T.P., M.Sc., IPU, ASEAN Eng., APEC Eng.; Dr. Widiastuti Setyaningsih S.T
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

design focused on polyphenol extraction with antioxidant activity. Journal of Applied Pharmaceutical Science 12(6): 194-209. DOI: 10.7324/JAPS.2022.120619.

Kaderides, K., Papaoikonomou, L., Sera, M., & Goula, A.M. 2019. *Microwave*-assisted extraction of phenolics from pomegranate peels. Chemical Engineering & Processing. 137: 1–11, https://doi.org/10.1016/j.cep.2019.01.006.

Khodadoust, S., Sadeghi, H., Pebdani, A. A., Mohammadi, J., & Salehi, A. (2017). Optimization of ultrasound-assisted extraction of colchicine compound from Colchicum haussknechtii by using respone surface methodology. Journal of the Saudi Society of Agricultural Sciences, 16(2), 163–170.

Koraqi, H., Aydar, A. Y., Khalid, W., Ercisli, S., Rustagi, S., Ramniwas, S., & Pandiselvam, R. (2024). Ultrasound-assisted extraction with natural deep eutectic solvent for phenolic compounds *recovery* from Rosa damascene Mill.: Experimental design optimization using central composite design. *Microchemical Journal*, *196*(November 2023), 109585. https://doi.org/10.1016/j.microc.2023.109585

Kumar, R., Methven, L., & Oruna-Concha, M. J. (2023). A Comparative Study of Ethanol and Citric Acid Solutions for Extracting Betalains and Total Phenolic Content from Freeze-Dried Beetroot Powder. *Molecules*, *28*(17). https://doi.org/10.3390/molecules28176405

Latifasari, N., Faizah, F., & Kurniawati, A. D. (2024). Effect of Time Extraction Cardamom Seeds in Aquos Solvent on Physical, Total Phenol, and Flavonoid Properties. *Journal of Applied Food Technology*, *11*(1), 1–7. https://doi.org/10.17728/jaft.21051.

Liu, J., Guo, X., Yang, T., Wang, X., & Liang, Y. (2025). Study on the extraction and stability of total flavonoids from Millettia speciosa Champ. *Plos one*, *20*(7), e0326570.

Lovrić, V., Putnik, P., Bursać Kovačević, D., Jukić, M., & Dragović-Uzelac, V. (2017). The Effect of *Microwave*-Assisted Extraction on the Phenolic Compounds and Antioxidant Capacity of Blackthorn Flowers. *Food Technology and Biotechnology*, *55*(2), 243–250. https://doi.org/10.17113/ftb.55.02.17.4687

Ly, B. C. K., Dyer, E. B., Feig, J. L., Chien, A. L., & Del Bino, S. (2020). Research Techniques Made Simple: Cutaneous Colorimetry: A Reliable Technique for Objective Skin Color Measurement. *Journal of Investigative Dermatology*, *140*(1), 3-12.e1. https://doi.org/10.1016/j.jid.2019.11.003

Mandal, V., Mohan, Y., & Hemalatha, S. (2007). *Microwave* Assisted Extraction – An Innovative and Promising Extraction Tool for Medicinal Plant Research. *Phcog Rev.*, *1*(1), 7–18.

Maulida, A., Qardhawi, R., Lubis, Y.M., & Moulana, R. 2023. Solid–liquid extraction kinetics of avocado oil. International Journal of Technology. 14(5): 982–992, https://doi.org/10.14716/ijtech.v14i5.6370.

Moulana, R., Rohaya, S., Teknologi, J., Pertanian, H., Pertanian, F., & Kuala, U. S. (2012). EFEKTIVITAS PENGGUNAAN JENIS PELARUT DAN ASAM DALAM PROSES EKSTRAKSI PIGMEN ANTOSIANIN KELOPAK

UNIVERSITAS GADJAH MADA
Kinetika Ekstraksi Senyawa Bioaktif Kapulaga Jawa (Amomum compactum Sol. Ex Maton) Menggunakan Metode Microwave-Assisted Extraction
Rifa Fahmida, Dr. Ir. Devi Yuni Susanti, S.T.P., M.Sc., IPU, ASEAN Eng., APEC Eng.; Dr. Widiastuti Setyaningsih S.T
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

BUNGA ROSELLA (Hibiscus sabdariffa L) EFFECTIVENESS OF THE USAGE OF VARIOUS SOLVENTS AND ACIDS IN EXTRACTION PROCESS OF ANTHOCYANIN PIGMENTS FROM ROSELLA FLOW. *Jurusan Teknologi Hasil Pertanian, Fakultas Pertanian, Universitas Syiah Kuala, Darussalam, Banda Aceh - 23111, Indonesia *)Email: Ryanmoulana@gmail.Com*, *3*, 20–25.

Mubarokah, A., Kurniawan, K., & Kusumaningtyas, N. M. (2023). *Penetapan Kadar Senyawa Flavonoid Ekstrak Etanol 96 %, Metanol 96 %, Etil Asetat 96 % Rimpang Lengkuas Merah (Alpinia purpurata K . Schum)*.

Muzolf-Panek, M., & Stuper-Szablewska, K. (2021). Comprehensive study on the antioxidant capacity and phenolic profiles of black seed and other spices and herbs: effect of solvent and time of extraction. *Journal of Food Measurement and Characterization*, *15*(5), 4561–4574. https://doi.org/10.1007/s11694-021-01028-z.

Naczk, M., & Shahidi, F. (2004). Extraction and analysis of phenolics in food. *Journal of Chromatography A*, 1054, 95–111.

Ningsih, A. W., S. Klau, I. C., Pangestu, Z. P., Pitaloka, A. Y., Rohmah, N. W., Sesi, F. G., & Norsyah, M. B. F. F. N. (2023). Artikel Review : Studi Fitokimia dan Aktivitas Farmakologi pada Tumbuhan Kapulaga (Elletaria cardamomum (L.) Maton). *FARMASIS: Jurnal Sains Farmasi*, *4*(1), 42–47. https://doi.org/10.36456/farmasis.v4i1.6408

Nofriyaldi, A., & Agustien, G. S. (2020). PENGARUH VARIASI KONSENSTRASI CROSCARMELLOSE SODIUM TERHADAP SIFAT FISIK FAST DISINTEGRATING TABLET EKSTRAK ETANOL BIJI KAPULAGA (Amomum compactum Soland. ex Maton) SEBAGAI SUPERDISINTEGRAN. *Healthy Tadulako Journal (Jurnal Kesehatan Tadulako*, *6*(3), 1–95.

Nour, A. H., Alara, O. R., Nour, A. H., Omer, M. S., & Ahmed, N. (2016). *Microwave*-Assisted Extraction of Bioactive Compounds (Review). *Intech*, *11*(tourism), 13. https://www.intechopen.com/books/advanced-biometric-technologies/liveness-detection-in-biometrics

Nurcholis, W., Alfadzrin, R., Izzati, N., Arianti, R., Vinnai, B. Á., Sabri, F., Kristóf, E., & Artika, I. M. (2022). Effects of Methods and Durations of Extraction on Total Flavonoid and Phenolic Contents and Antioxidant Activity of Java Cardamom (Amomum compactum Soland Ex Maton) Fruit. *Plants*, *11*(17), 1–13. https://doi.org/10.3390/plants11172221

Nurcholis, W., Sya'bani Putri, D. N., Husnawati, H., Aisyah, S. I., & Priosoeryanto, B. P. (2021). Total flavonoid content and antioxidant activity of ethanol and ethyl acetate extracts from accessions of Amomum compactum fruits. *Annals of Agricultural Sciences*, *66*(1), 58–62. https://doi.org/10.1016/j.aoas.2021.04.001.

Nurhidajah, Rosidi, A., Sya'di, Y. K., & Yonata, D. (2022). Efektivitas Berbagai Pelarut Organik Pada Ekstraksi Senyawa Fungsional Beras Hitam. Agrointek : Jurnal Teknologi Industri Pertanian, 16(1), 76–83.

Pamungkas, K. D., Karyadi, J. N. W., Setyaningsih, W., & Susanti, D. Y. (2025). *Microwave*-Assisted Extraction's Kinetics of Phycobiliprotein from Spirulina

UNIVERSITAS GADJAH MADA
Kinetika Ekstraksi Senyawa Bioaktif Kapulaga Jawa (Amomum compactum Sol. Ex Maton) Menggunakan Metode Microwave-Assisted Extraction
Rifa Fahmida, Dr. Ir. Devi Yuni Susanti, S.T.P., M.Sc., IPU, ASEAN Eng., APEC Eng.; Dr. Widiastuti Setyaningsih S.T
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Platensis: Influence of Citric Acid Concentration. *Trends in Sciences*, *22*(7). https://doi.org/10.48048/tis.2025.10042

Patel, K., Panchal, N., Ingle, P., & Professor, A. (2019). Review of Extraction Techniques. *Www.Arcjournals.Org International Journal of Advanced Research in Chemical Science*, *6*(3), 2349–0403. http://dx.doi.org/10.20431/2349-0403.0603002

Pavlić, B., Kaplan, M., Zeković, Z., Canli, O., Jovičić, N., Bursać Kovačević, D., Bebek Markovinović, A., Putnik, P., & Bera, O. (2023). Kinetics of *Microwave*-Assisted Extraction Process Applied on *Recovery* of Peppermint Polyphenols: Experiments and Modeling. *Plants*, *12*(6), 1–17. https://doi.org/10.3390/plants12061391

Primurdia, E. ., & Kusnadi, J. (2019). AKTIVITAS ANTIOKSIDAN MINUMAN PROBIOTIK SARI KURMA (Phoenix dactilyfera L.) dengan ISOLAT L. Plantarum dan L. casei Antioxidant. *Jurnal Pangan Dan Agroindustri*, *2*(3), 98–109.

Pujimulyani, D., Raharjo, S., Marsono, Y., & Santoso, U. (2010). Pengaruh Blanching Terhadap Aktivitas Antioksidan, Kadar Fenol, Flavonoid, dan Tanin Terkondensasi Kunir Putih (Curcuma mangga Val.). Agritech, 30(3), 141–147.

Rahath Kubra, I., Kumar, D., & Rao, L. J. M. (2013). Effect of *microwave*-assisted extraction on the release of polyphenols from ginger (Zingiber officinale). *International Journal of Food Science and Technology*, *48*(9), 1828-1833.

Ramadan, M. F., Khider, M., Elbanna, K., Abulreesh, H. H., & Assiri, A. M. A. (2022). Rediscovery of cold pressed cardamom (Elettaria cardamomum L.) oil: a good source of fat-soluble bioactives with functional and health-enhancing traits. *Rendiconti Lincei*, *33*(3), 631–642. https://doi.org/10.1007/s12210-022-01081-w.

Reuhs, B. L., & Rounds, M. A. (2010). High-performance liquid chromatography. In *Food analysis* (pp. 499-512). Boston, MA: Springer US.

Robbins, R. J. (2003). Phenolic acids in foods: An overview of analytical methodology. *Journal of Agricultural and Food Chemistry*, 51, 2866–2887.

Rodrigues, R. D. P., Silva, A. S. e., Carlos, T. A. V., Bastos, A. K. P., de Santiago-Aguiar, R. S., & Rocha, M. V. P. (2020). Application of protic ionic liquids in the *microwave*-assisted extraction of phycobiliproteins from Arthrospira platensis with antioxidant activity. *Separation and Purification Technology*, *252*(July), 117448. https://doi.org/10.1016/j.seppur.2020.117448

Roy, M. K., Juneja, L. R., Isobe, S., & Tsushida, T. (2009). Steam processed broccoli (Brassica oleracea) has higher antioxidant activity in chemical and cellular assay systems. *Food Chemistry*, *114*(1), 263–269. https://doi.org/10.1016/j.foodchem.2008.09.050

Safarik, I., & Prochazkova, J. (2023). Semiquantitative color catcher and smartphone-based analysis of synthetic food dyes in alcohol containing beverages. *Talanta*, *262*(March), 124686. https://doi.org/10.1016/j.talanta.2023.124686.

Saha, U., Mondal, S., Hazra, S., & Nahar, N. (2023). Effect of different solvents on

UNIVERSITAS
GADJAH MADA
**Kinetika Ekstraksi Senyawa Bioaktif Kapulaga Jawa (Amomum compactum Sol. Ex Maton) Menggunakan
Metode Microwave-Assisted Extraction**
Rifa Fahmida, Dr. Ir. Devi Yuni Susanti, S.T.P., M.Sc., IPU, ASEAN Eng., APEC Eng.; Dr. Widiastuti Setyaningsih S.T
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

color extraction and comparative study of their color profile and antioxidant profile of Palash and Jaba flower petals. Journal of Advance Zoology, 44, 1770–1780.

Setyaningsih, W., Warni, W. O. R. S., Larasati, I. D., Yanti, R., & Utami, T. (2025). Bioprocess strategies for maximizing SCOBY growth and evaluating fermentation dynamics on phenolic content and antioxidant activity in Roselle-based Kombucha. *Phytomedicine Plus*, *5*(2), 100791.

Shahidi, F. & Ambigaipalan, P. 2015. Phenolics and polyphenolics in foods and spices. Journal of Functional Foods. 18: 820–897, https://doi.org/10.1016/j.jff.2015.06.018.

Sharma, M., & Dash, K. K. (2022). *Microwave* and ultrasound assisted extraction of phytocompounds from black jamun pulp: Kinetic and thermodynamics characteristics. *Innovative Food Science and Emerging Technologies*, *75*(December 2021), 102913. https://doi.org/10.1016/j.ifset.2021.102913

Simonin, J. P. (2016). On the comparison of pseudo-first order and pseudo-second order rate laws in the modeling of adsorption kinetics. *Chemical Engineering Journal*, *300*, 254–263. https://doi.org/10.1016/j.cej.2016.04.079.

Singh, G., Kapoor, I. P. S., Singh, P., Heluani, C. S., Lampasona, M. P., & Catalan, C. A. N. (2008). Chemistry, antioxidant and antimicrobial investigations on essential oil and extracts of cardamom (*Elettaria cardamomum*). *Food and Chemical Toxicology*, 46, 280–287.

Sonar, M.P. & Rathod, V.K. 2020. *Microwave*-assisted extraction of marmelosin from Aegle marmelos. Chemical Data Collections. 30: 100545, https://doi.org/10.1016/j.cdc.2020.100545.

Sonti, S. M. S. (2023). A review on High Performance Liquid Chromatography. *Journal of Pharma Insights and Research*, *1*(2), 079-84.

Sridhar, A., Vaishampayan, V., Senthil Kumar, P., Ponnuchamy, M., & Kapoor, A. (2022). Extraction techniques in food industry: Insights into process parameters and their optimization. *Food and Chemical Toxicology*, *166*(May), 113207. https://doi.org/10.1016/j.fct.2022.113207

Susanti, D. Y., Sediawan, W. B., Fahrurrozi, M., Hidayat, M., & Putri, A. Y. (2021). Encapsulation of red sorghum extract rich in proanthocyanidins: Process formulation and mechanistic model of foam-mat drying at various temperature. *Chemical Engineering and Processing-Process Intensification*, *164*, 108375.

Susanti DY, Sediawan WB, Fahrurrozi M, Hidayat M (2020a). Studies on kinetics and optimum agitation of phenolic content extraction from intact red sorghum. In: Proc 6th Int Conf Exhib Sust Energy Adv Mater (ICE-SEAM 2019), Surakarta, Indonesia, 16–17 Oct 2019. Springer, Singapore, pp 755–767. https://doi.org/10.1007/978-981-15-4481-1_72.

Susanti, D. Y., Sediawan, W. B., Fahrurrozi, M., & Hidayat, M. (2021). The effects of ultrasound wave on the extraction of proanthocyanidins from red sorghum grain using green solvent and a kinetics model of the extraction. *Key Engineering Materials*, *884*, 212-219.

Tarigan, A., & Saragih, H. (2023). Identifikasi Kandungan Senyawa Bioaktif Buah Kapulaga (*Amomum compactum*). *Jurnal Gizi*, *12*(1), 46.

UNIVERSITAS GADJAH MADA
Kinetika Ekstraksi Senyawa Bioaktif Kapulaga Jawa (Amomum compactum Sol. Ex Maton) Menggunakan Metode Microwave-Assisted Extraction
Rifa Fahmida, Dr. Ir. Devi Yuni Susanti, S.T.P., M.Sc., IPU, ASEAN Eng., APEC Eng.; Dr. Widiastuti Setyaningsih S.T
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

https://doi.org/10.26714/jg.12.1.2023.46-51

Torun, M., Dincer, C., Topuz, A., Sahin–Nadeem, H., & Ozdemir, F. (2015). Aqueous extraction kinetics of soluble solids, phenolics and flavonoids from sage (Salvia fruticosa Miller) leaves. *Journal of Food Science and Technology*, *52*(5), 2797–2805. https://doi.org/10.1007/s13197-014-1308-8.

Ucan Turkmen, F., & Inan, E. (2025). Investigation of antioxidant activities and phenolic profiles of the methanol extracts of Rumex acetosella, Mentha pulegium, Piper cubeba, and Elettaria cardamomum. *Plant Biosystems-An International Journal Dealing with all Aspects of Plant Biology*, *159*(3), 570-580.

Vo, T. P., Nguyen, M. T., Nguyen, T. A., Nguyen, G. V., Nguyen, H. N., Pham, G. B., & Nguyen, D. Q. (2026). Improving the *recovery* of phenolics and flavonoids from Coriandrum sativum L. leaves using *microwave*-enzymatic-assisted extraction. *Sustainable Food Technology*.

Vo, T.P., et al. 2023. Optimizing ultrasonic- and *microwave*-assisted extraction to recover phenolics and flavonoids from passion fruit peels. ACS Omega. 8(45): 40812–40824, https://doi.org/10.1021/acsomega.3c04550.

Wang, J. & Guo, X. 2020. Adsorption kinetic models: Physical meanings and applications. Journal of Hazardous Materials. 390: 122156, https://doi.org/10.1016/j.jhazmat.2020.122156.

Winarsi, H., Nuraeni, I., Roselina, A., & Andreas, A. (2020). Sensory and antioxidant evaluation of functional drinks based on cardamom rhizomes (Amomum cardamomum willd.). *Food Research*, *4*(6), 2169–2175. https://doi.org/10.26656/fr.2017.4(6).265

Yudhani, R. D., Pesik, R. N., Azzahro, S., Anisa, A. F., & Hendriyani, R. (2020). Acute Toxicity Test of Amomum cardamomum (Kapulaga) Seed Extract on Hepatic Trasaminase Enzyme in Winstar Rats. *Indonesian Journal of Clinical Pharmacy*, *9*(4), 288. https://doi.org/10.15416/ijcp.2020.9.4.288

Yulinar, F., & Suharti, P. H. (2023). Seleksi Proses Ekstraksi Daun Sirih Pada Pra Rancangan Pabrik Hand Sanitizer Daun Sirih Dengan Kapasitas Produksi 480 Ton/Tahun. *DISTILAT: Jurnal Teknologi Separasi*, *8*(1), 146–153. https://doi.org/10.33795/distilat.v8i1.305

Yusoff, M. H., Gan, C. Y., & Shafie, M. H. (2023). Characterization of citric acid monohydrate-glycerol based deep eutectic solvents which could be used as an extraction medium for hydrophilic bioactive components. *Journal of Molecular Liquids*, *389*(August), 122879. https://doi.org/10.1016/j.molliq.2023.122879

Yusuf, M., Universitas, A., Karawang, B. P., Rusdin, A., Buana, U., Karawang, P., & Kusumawati, A. H. (2021). Amomum compactum: a review of pharmacological of studies Farhamzah Farhamzah. *Plant Cell Biotechnology and Molecular Biology*, *22*(33&34), 61–69.

Zhang, J., Zhang, M., Ju, R., Chen, K., Bhandari, B., & Wang, H. (2023). Advances in efficient extraction of essential oils from spices and its application in food industry: A critical review. *Critical Reviews in Food Science and Nutrition*, *63*(33), 11482–11503. https://doi.org/10.1080/10408398.2022.2092834.

Zhang, F., Sun, Z., Li, X., Kong, B., Sun, F., Cao, C., Chen Q., & Liu, Q. (2023).

UNIVERSITAS
GADJAH MADA
**Kinetika Ekstraksi Senyawa Bioaktif Kapulaga Jawa (Amomum compactum Sol. Ex Maton) Menggunakan
Metode Microwave-Assisted Extraction**
Rifa Fahmida, Dr. Ir. Devi Yuni Susanti, S.T.P., M.Sc., IPU, ASEAN Eng., APEC Eng.; Dr. Widiastuti Setyaningsih S.T
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Ultrasound-assisted alkaline extraction of protein from Tenebrio molitor larvae: Extraction kinetics, physiochemical, and functional traits. *Ultrasonics Sonochemistry*, *95*, 106379.