UNIVERSITAS
GADJAH MADA
Studi Komparasi Karakteristik Kimia Crude Oil dan Hasil Fraksinasi Ekstrak Tembakau terhadap Aktivitas Biologis Fusarium proliferatum
Falikhatun Nisa', Prof. Ir. Achmadi Priyatmojo, M.Sc., Ph.D., IPU.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

DAFTAR PUSTAKA

Ayaz, M., Ullah, F., Sadiq, A., Ullah, F., Ovais, M., Ahmed, J., & Prasad, H. (2019). Synergistic interactions of phytochemicals with antimicrobial agents : potential strategy to counteract drug resistance. *Chemico-Biological Interactions*, *308*(May), 294–303. https://doi.org/10.1016/j.cbi.2019.05.050

Banoži, M., Banjari, I., Flanjak, I., Paštar, M., Vladi, J., & Jokic, S. (2021). Optimization of MAE for the separation of nicotine and phenolics from tobacco waste by using the response surface. *Molecules*, *26*(4363). https://doi.org/https://doi.org/10.3390/molecules26144363

Banožić, M., Banjari, I., Jakovljević, M., Šubarić, D., Tomas, S., Babić, J., & Jokić, S. (2019). Optimization of ultrasound-assisted extraction of some bioactive compounds from tobacco waste. *Molecules*, *24*(8). https://doi.org/10.3390/molecules24081611

Besati, M., Safarnejad, M. R., Aliahmadi, A., Farzaneh, M., Rezadoost, H., & Rafati, H. (2024). Optimization and characterization of essential oil-loaded nanoemulsions for enhanced antiviral activity against tobacco mosaic virus (TMV) in tobacco plants. *Industrial Crops and Products*, *220*(May). https://doi.org/10.1016/j.indcrop.2024.119253

BPS (Badan pusat Statistik). (2024). *Produksi Tanaman Perkebunan (Ribu Ton), 2024*. https://www.bps.go.id/id/statistics-table/2/MTMyIzI=/produksi-tanaman-perkebunan--ribu-ton-.html

Caesar, L. K., & Cech, N. B. (2019). Synergy and antagonism in natural product extracts: when 1 + 1 does not equal 2. *Natural Product Reports*, *36*(6), 869–888. https://doi.org/10.1039/c9np00011a

Campaniello, D., Corbo, M. R., & Sinigaglia, M. (2010). Antifungal activity of eugenol against *Penicillium, Aspergillus,* and *Fusarium* Species. *Journal of Food Protection*, *73*(6), 1124–1128. https://doi.org/https://doi.org/10.4315/0362-028x-73_6_1124

Cheng, Y.-J., Wu, Y.-J., Lee, F.-W., Ou, L.-Y., Chen, C.-N., Chu, Y.-Y., & Kuan, Y.-C. (2022). Impact of storage condition on chemical composition and antifungal activity of pomelo extract against *Colletotrichum gloeosporioides* and anthracnose in post-harvest mango. *Plants*, *11*(2064). https://doi.org/https://doi.org/10.3390/ plants11152064

Cortes, S. (2020). *10.7: Functional Groups and IR Tables*. LibreTexts Chemistry. https://chem.libretexts.org/Ancillary_Materials/Laboratory_Experiments/Wet_Lab_Experiments/Organic_Chemistry_Labs/Lab_I/10%3A_Infrared_Spectroscopy/10.07%3A_Functional_Groups_and_IR_Tables?utm_

Dananjaya, S. H. S., Udayangani, R. M. C., Yeop, S., Edussuriya, M., & Nikapitiya, C. (2017). In vitro and in vivo antifungal efficacy of plant based lawsone against *Fusarium oxysporum* species complex. *Microbiological Research*, *201*(August 2016), 21–29. https://doi.org/10.1016/j.micres.2017.04.011

Dębczak, A., Lehnert, K., Bauer, V., Ormos, R., Rüttler, F., & Vetter, W. (2025). Isolation and purification of solanesol from post-distillation residue of burley tobacco leaves by countercurrent separation methods. *Separation and Purification Technology*, *364*(March). https://doi.org/10.1016/j.seppur.2025.132398

UNIVERSITAS
GADJAH MADA
Studi Komparasi Karakteristik Kimia Crude Oil dan Hasil Fraksinasi Ekstrak Tembakau terhadap Aktivitas Biologis Fusarium proliferatum
Falikhatun Nisa', Prof. Ir. Achmadi Priyatmojo, M.Sc., Ph.D., IPU.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Desrini, S., Ducloux, J., Hamion, G., & Bodet, C. (2023). Antibiofilm activity of invasive plants against *Candida albicans* : Focus on Baccharis halimifolia Essential Oil and Its Compounds. *Chemistry and Biodiversity*, *20*, 1–12. https://doi.org/10.1002/cbdv.202300130

Dethoup, T., Songkumarn, P., & Rueangrit, S. (2018). Fungicidal activity of Thai medicinal plant extracts against *Alternaria brassicicola* causing black spot of Chinese kale. *Eur J Plant Pathol*, *152*, 157–167. https://doi.org/https://doi.org/10.1007/s10658-018-1460-5

Dias, A. L. B., Sousa, W. C., Batista, H. R. F., Alves, C. C. F., Souchie, E. L., Silva, F. G., Pereira, P. S., Sperandio, E. M., Cazal, C. M., Forim, M. R., & Miranda D., M. L. (2020). Chemical composition and in vitro inhibitory effects of essential oils from fruit peel of three Citrus species and limonene on mycelial growth of *Sclerotinia sclerotiorum*. *Brazilian Journal of Biology*, *80*(2), 460–464. https://doi.org/https://doi.org/10.1590/1519-6984.216848

Ekapratiwi, Y., Rachmadiva, Virgine, K. A., Fauzantoro, A., Gozan, M., & Jufri, M. (2019). The effect of tobacco extracts based biolarvicide emulsion formulation against *Aedes aegypti* larvae. *AIP Conference Proceedings*, *2092*(April). https://doi.org/10.1063/1.5096713

El-banna, A. A., Ghareeb, D. A., Abdulmalek, S. A., Abdelrahim, F. A., Darwish, R. S., & Dawood, H. M. (2023). Chemometric-enhanced metabolic profiling of different plant parts belonging to two *Bougainvillea* species using UPLC-MS / MS spectrometry : Correlation to in vitro anti-inflammatory activity. *Industrial Crops & Products*, *206*(October). https://doi.org/https://doi.org/10.1016/j.indcrop.2023.117726

Eugenia, M., Berardo, V., Ren, J., Daniela, M., & Colman, S. L. (2024). Antifungal and antibacterial activities of *Cannabis sativa* L. resins . *Journal of Ethnopharmacology*, *318*(June 2023). https://doi.org/10.1016/j.jep.2023.116839

Farkas, N., & Kramar, J. A. (2021). Dynamic light scattering distributions by any means. *Journal of Nanoparticle Research*, *23*(120). https://doi.org/https://doi.org/10.1007/s11051-021-05220-6

Feng, S., Lu, W., Jian, Y., Chen, Y., Meng, R., Deng, J., Liu, Q., & Francesco, A. Di. (2021). Biocontrol effect and possible mechanism of food-borne sulfide 3-methylthio-1-propanol against *Botrytis cinerea* in postharvest tomato. *Frontiers in Plant Science*, *12*(December), 1–13. https://doi.org/10.3389/fpls.2021.763755

Fernanda, S. A., Amru, B. A., Rahmani, H. A., Gozan, M., Irsyad, N. S., Bahar, M., Puspita, O. S., Zulfa, F., & Pramono, A. (2021). Antibacterial potential of *Nicotiana tabacum* L. var virginia pyrolysis extract against *Staphylococcus aureus, Enterococcus faecalis, Escherichia coli*, and *Pseudomonas aeruginosa*. *IOP Conference Series: Earth and Environmental Science*, *755*(1). https://doi.org/10.1088/1755-1315/755/1/012013

Gao, T., Zhang, Y., Shi, J., Mohamed, S. R., Xu, J., & Liu, X. (2021). The antioxidant guaiacol exerts fungicidal activity against fungal growth and deoxynivalenol production in *Fusarium graminearum*. *Frontiers in Microbiology*, *12*(November), 1–10. https://doi.org/10.3389/fmicb.2021.762844

Gao, Y., Ren, H., He, S., Duan, S., Xing, S., Li, X., & Huang, Q. (2022). Antifungal activity of the volatile organic compounds produced by *Ceratocystis fimbriata* strains WSJK-1 and Mby. *Frontiers in Microbiology*, *October*, 1–13. https://doi.org/10.3389/fmicb.2022.1034939

UNIVERSITAS
GADJAH MADA
Studi Komparasi Karakteristik Kimia Crude Oil dan Hasil Fraksinasi Ekstrak Tembakau terhadap Aktivitas Biologis Fusarium proliferatum
Falikhatun Nisa', Prof. Ir. Achmadi Priyatmojo, M.Sc., Ph.D., IPU.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Gómez-Mejía, E., Sacristán, I., Rosales-Conrado, N., León-González, M. E., & Madrid, Y. (2023). Effect of storage and drying treatments on antioxidant activity and phenolic composition of lemon and clementine peel extracts. *Molecules*, *28*(1624). https://doi.org/https://doi.org/10.3390/molecules28041624

Gozan, M., Yasman, Wulan, P. P. D. K., & Dawitri, E. (2014). Tobacco leaves pyrolysis for repellent active compound production. *International Journal of Applied Engineering Research*, *9*(21), 9739–9750.

Gui, Z., Yuan, X., Yang, J., Du, Y., & Zhang, P. (2024). An updated review on chemical constituents from *Nicotiana tabacum* L .: Chemical diversity and pharmacological properties. *Industrial Crops & Products*, *214*(April), 118497. https://doi.org/10.1016/j.indcrop.2024.118497

Haryuni, Dewi, T. S. K., Suprapti, E., Rahman, S. F., & Gozan, M. (2019). The effect of *Beauveria bassiana* on the effectiveness of *Nicotiana tabacum* extract as biopesticide against *Hypothenemus hampei* to robusta coffee. *International Journal of Technology*, *10*(1), 159–166. https://doi.org/https://doi.org/10.14716/ijtech.v10i1.2215

Hwang, Young-Hee, Matsushita, Y.-I., Sugamoto, K., & Matsui, T. (2005). Antimicrobial effect of the wood Vinegar from *Cryptomeria japonica* sapwood on plant pathogenic microorganisms. *Journal of Microbiology and Biotechnology*, *15*(5), 1106–1109.

Jian, W., Chen, Y., Liu, S., Ou, X., Sun, L., Gong, H., Mu, Q., Li, Z., & Zhao, Z. (2024). Biocontrol efficacy and mechanism of endophytic *Bacillus velezensis* HE-23 from aucklandia lappa roots against the gray mold of postharvest tomato. *Postharvest Biology and Technology*, *217*(April), 113104. https://doi.org/10.1016/j.postharvbio.2024.113104

Jouaneh, T. M. M., Motta, N., Wu, C., Coffey, C., Via, C. W., Kirk, R. D., & Bertin, M. J. (2022). Analysis of botanicals and botanical supplements by LC-MS / MS-based molecular networking : Approaches for annotating plant metabolites and authentication. *Fitoterapia*, *159*(March), 105200. https://doi.org/10.1016/j.fitote.2022.105200

Jufri, M., Irmayanti, E., & Gozan, M. (2016). Formulation of tobacco based mosquito repellent to avoid dengue fever. *International Journal of PharmTech Research*, *9*(7), 140–145.

Kaur, P., Gupta, R. C., Dey, A., & Kumar, D. (2019). Simultaneous quantification of oleanolic acid, ursolic acid, betulinic acid and lupeol in different populations of five Swertia species by using HPTLC densitometry: Comparison of different extraction methods and solvent selection. *Industrial Crops & Products*, *130*(October 2018), 537–546. https://doi.org/10.1016/j.indcrop.2018.12.089

Kedia, A., Dwivedy, A. K., & Jha, D. K. (2016). Efficacy of *Mentha spicata* essential oil in suppression of *Aspergillus flavus* and aflatoxin contamination in chickpea with particular emphasis to mode of antifungal action. 647–653. https://doi.org/10.1007/s00709-015-0871-9

Khelouf, I., Jabri, I., Lakoud, A., & Hammami, M. (2023). Comparative chemical composition and antioxidant activity of olive leaves *Olea europaea* L . of Tunisian and Algerian varieties. *Heliyon*, *9*(12), e22217. https://doi.org/10.1016/j.heliyon.2023.e22217

UNIVERSITAS
GADJAH MADA
Studi Komparasi Karakteristik Kimia Crude Oil dan Hasil Fraksinasi Ekstrak Tembakau terhadap Aktivitas Biologis Fusarium proliferatum
Falikhatun Nisa', Prof. Ir. Achmadi Priyatmojo, M.Sc., Ph.D., IPU.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Kubica, P., Kot-wasik, A., Wasik, A., & Namie, J. (2013). “Dilute & Shoot” approach for rapid determination of trace amounts of nicotine in zero-level e-liquids by reversed phase liquid chromatography and hydrophilic interactions liquid chromatography coupled with tandem mass spectrometry-electrospray ionization. *Journal of Chromatography A*, *1289*, 13–18. https://doi.org/10.1016/j.chroma.2013.02.078

Kułakowski, M., & Górzyńska, K. (2025). Variation in response of three Epichloë species , causal agents of ‘choke disease’ in grasses , to the novel fungicide mefentrifluconazole. *Journal of Plant Diseases and Protection*, *132*(14), 1–8. https://doi.org/10.1007/s41348-024-00999-7

Kumar, S., Nilima, P., Pallavi, M., Ashwini, K., & Deepak, M. (2025). Influence of solvent polarity on phytocompound fingerprinting of cinnamon bark: Insights from HPTLC Analysis. *Food Analytical Methods*, *18*, 1942–1953. https://doi.org/10.1007/s12161-025-02842-7

Laher, F., Aremu, A. O., Staden, J. Van, & Finnie, J. F. (2013). Evaluating the effect of storage on the biological activity and chemical composition of three South African medicinal plants. *South African Journal of Botany*, *88*, 414–418. https://doi.org/10.1016/j.sajb.2013.09.003

Leal, M., Moreno, M. A., Albornoz, P. L., Mercado, M. I., Zampini, I. C., & Isla, M. I. (2023). *Nicotiana tabacum* leaf waste: morphological characterization and chemical-functional analysis of extracts obtained from powder leaves by using green solvents. *Molecules*, *28*(3), 1–16. https://doi.org/10.3390/molecules28031396

Lee, D., Lee, M., Bin, S., Hwang, K., & Park, I. (2023). Antifungal mode of action of bay, allspice, and ajowan essential oils and their constituents against *Colletotrichum gloeosporioides* via overproduction of reactive oxygen species and downregulation of ergosterol biosynthetic genes. *Industrial Crops & Products*, *197*(April). https://doi.org/10.1016/j.indcrop.2023.116684

Li, Q., Zhu, H., Jiang, T., Hou, R., Li, J., Yan, X., & Wang, J. (2026). Polianthes tuberosa L . Extract suppresses melanogenesis through concurrent Inhibition of cAMP / CREB and MAPK signaling pathways. *Scientific Reports*, *16*(6137), 1–15. https://doi.org/https://doi.org/10.1038/s41598-026-36962-9

Liao, H., Yang, J., Wen, J., Nie, H., Zhao, J., Xu, F., Liu, X., & Dong, X. (2024). β-Caryophyllene oxide inhibits lysine acetylation of histones in *Fusarium proliferatum* to block ribosomal biosynthesis and function. *Pesticide Biochemistry and Physiology*, *206*(November), 106213. https://doi.org/10.1016/j.pestbp.2024.106213

Linnaeus. (1996). *Nicotiana tabacum (NIOTA)*. 2023. https://gd.eppo.int/taxon/NIOTA

Liu, W., & Su, E. (2024). Food Bioscience Screening, evaluation and identification of promising plant extracts for development of novel natural preservatives. *Food Bioscience*, *58*(January), 103672. https://doi.org/10.1016/j.fbio.2024.103672

Loona, D., Singh, R., Chittaragi, A., & Patil, B. (2025). In-vitro and field evaluation of foliar fungicides for the management of Alternaria leaf blight in Radish (*Raphanus sativus* L .). *Crop Protection*, *187*(June 2024), 106967. https://doi.org/10.1016/j.cropro.2024.106967

UNIVERSITAS
GADJAH MADA
Studi Komparasi Karakteristik Kimia Crude Oil dan Hasil Fraksinasi Ekstrak Tembakau terhadap Aktivitas Biologis Fusarium proliferatum
Falikhatun Nisa', Prof. Ir. Achmadi Priyatmojo, M.Sc., Ph.D., IPU.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Lu, P., Wu, R., Xu, G., & Zhang, B. (2025). Effective separation of nicotine from tobacco extract by silica gel. *Chemical Engineering Research and Design*, *217*(March), 502–513. https://doi.org/10.1016/j.cherd.2025.04.030

Madrid, A., Silva, V., Fuentes, B., Muñoz, E., Venegas, C., & Montenegro, I. (2025). Anti-candida Efficacy of *Myrceugenia exsucca* essential oil: An in vitro and in silico evaluation. *Journal of Herbal Medicine*, *54*(June), 101052. https://doi.org/10.1016/j.hermed.2025.101052

Maiw, D., & Miaffo, D. (2025). Physicochemical characterization and antidiabetic potential of the food formulation from *Momordica balsamina* leaf and *Vigna subterranea* seed in dexamethasone-induced insulin resistance rats. *Food Chemistry Advances*, *9*(November). https://doi.org/https://doi.org/10.1016/j.focha.2025.101173

Martelanc, M., Radovanovi, T., & Butinar, L. (2026). Identification of volatile organic compounds as natural antifungal agents against *Botrytis cinerea* in grape-based systems. *Foods*, *15*(1), 1–18. https://doi.org/https://doi.org/10.3390/foods15010119

Medeiros, D., Barbosa-filho, J., Scotti, L., & Lima, E. (2020). Isoeugenol and hybrid acetamides against *Candida albicans* Isolated from the oral cavity. Pharmaceuticals, 13(291), 1–13. https://doi.org/doi:10.3390/ph13100291

Movasaghi, Z., Rehman, S., & Rehman, I. (2008). Fourier Transform Infrared (FTIR) spectroscopy of biological tissues. *Applied Spectroscopy Reviews*, *4928*(45), 134–179. https://doi.org/10.1080/05704920701829043

Muñoz, E., Rossi, D. C. P., Jabes, D. L., Barbosa, D. A., Cunha, F. F. M., Nunes, L. R., Arruda, D. C., & Taborda, C. P. (2020). In vitro and in vivo inhibitory activity of limonene against different isolates of *Candida* spp. *Journal of Fungi*, *6*(183). https://doi.org/doi:10.3390/jof6030183

Musthafa, S. A., Dabdouba, W., Sadiqa, M., & Munuswamy-Ramanujam, G. (2022). Syringaldehyde isolated from Abutilon indicum Linn. Leaves exhibits broad spectrum anti-microbial activity. *Materials Today: Proceedings*, *50*, 335–339. https://doi.org/10.1016/j.matpr.2021.08.062

Najaf, M., Hosaini, V., Mohammadi-sani, A., & Koocheki, A. (2016). Physical stability, flow properties and droplets characteristics of Balangu (*Lallemantia royleana*) seed gum / whey protein stabilized submicron emulsions. *Food Hydrocolloids*, *59*, 2–8. https://doi.org/10.1016/j.foodhyd.2016.02.017

Niu, C., Wang, C., Yang, Y., Chen, R., & Zhang, J. (2020). Carvacrol Induces Candida albicans apoptosis associated with Ca 2 + / calcineurin pathway. *10*(April), 1–12. https://doi.org/10.3389/fcimb.2020.00192

Nur Salsabila, N., Tarik Ibrahim, J., & Mumpuni Ningsih, G. (2024). Analysis The Competitiveness of Indonesian Tobacco Exports to International Markets 2003-2022. *International Journal of Scientific Research and Management (IJSRM)*, *12*(01), 479–487. https://doi.org/10.18535/ijsrm/v12i01.ah01

Nurhidayati, T., Safitri, W. Y., Purnobasuki, H., Sucipto, & Hariyanto. (2023). Response of tobacco (*Nicotiana tabacum* L.) under waterlogging stress based on agronomic characters. *December 2022*.

UNIVERSITAS
GADJAH MADA
Studi Komparasi Karakteristik Kimia Crude Oil dan Hasil Fraksinasi Ekstrak Tembakau terhadap Aktivitas Biologis Fusarium proliferatum
Falikhatun Nisa', Prof. Ir. Achmadi Priyatmojo, M.Sc., Ph.D., IPU.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Paillat, L., Périchet, C., Lavoine, S., Meierhenrich, U., & Fernandez, X. (2012). Validated high-performance thin-layer chromatography method for the determination of nicotine in tobacco (*Nicotiana tabacum* L .) extracts. *Journal of Planar Chromatography*, *25*, 23–29. https://doi.org/10.1556/JPC.25.2012.1.4

Pascual-Villalobos, M. J., Cantó-Tejero, M., Vallejo, R., Guirao, P., Rodríguez-Rojo, S., & Cocero, M. J. (2017). Use of nanoemulsions of plant essential oils as aphid repellents. *Industrial Crops and Products*, *110*(June), 45–57. https://doi.org/10.1016/j.indcrop.2017.05.019

Paul, S. K., Gupta, D. R., Ino, M., Sujon, S. P., & Ueno, M. (2025). 3-Methyl pentanoic acid suppress gray mold disease potentially targeting cell-wall integrity (CWI) and mitogen-activated protein kinase (MAPK) pathways in *Botrytis cinerea*. *BMC Microbiology*, *25*(470). https://doi.org/https://doi.org/10.1186/s12866-025-04180-4

Perdana Harahap, A. F., Fauzantoro, A., Haryuni, H., Koernia Dewi, T. S., Suprapti, E., Arya Ramadhan, M. Y., Yoo, Y. J., & Gozan, M. (2020). Field efficacy of *Nicotiana tabacum* L. var Virginia extract against coffee borer beetle (*Hypothenemus hampei*) attacking coffee berries in plantation area. *International Journal of Agronomy*, *2020*. https://doi.org/10.1155/2020/8898063

Prajapati, D., Devi, K. A., Chouhan, P., Pal, A., & Saharan, V. (2022). Plant-based nanoemulsions for agricultural application. In *Bio-Based Nanoemulsions for Agri-Food Applications*. Elsevier Inc. https://doi.org/10.1016/B978-0-323-89846-1.00005-X

Pramunadipta, S., Widiastuti, A., Wibowo, A., & Priyatmojo, A. (2022). rep-PCR analysis of *Fusarium proliferatum* causing sheath rot disease and its relationship to light, pH, temperature and rice varieties. *Archives of Phytopathology and Plant Protection*, *55*(8), 973–990. https://doi.org/10.1080/03235408.2022.2081484

Pramunadipta, S., Widiastuti, A., Wibowo, A., Suga, H., & Priyatmojo, A. (2020). Short Communication: *Sarocladium oryzae* associated with sheath rot disease of rice in Indonesia. *Biodiversitas*, *21*(3), 1243–1249. https://doi.org/10.13057/biodiv/d210352

Qu, C., Li, Z., & Wang, X. (2022). UHPLC-HRMS-based untargeted lipidomics reveal mechanism of antifungal activity of carvacrol against *Aspergillus flavus*. *Foods*, *11*(93). https://doi.org/https://doi.org/10.3390/foods11010093

Ren, L., Zhou, J., Yin, H., Qin, N., Yao, F., Ma, D., & Zhao, X. (2022). Antifungal activity and control efficiency of endophytic *Bacillus velezensis* ZJ1 strain and its volatile compounds against *Alternaria solani* and *Botrytis cinerea*. *Journal of Plant Pathology*, *104*, 575–589. https://doi.org/10.1007/s42161-022-01056-8

Saleh, T. A. Q., Hassan, A. N. A., & Ibrahum, I. J. (2009). Isolate and Purify the Diagnosis and Complex Study of Nicotine and Its Impact and Water Extracts of the Tobacco Plant To Some Species of Bacterial Pathogenicity. *Journal of University of Anbar for Pure Science*, *3*(3), 58–65. https://doi.org/10.37652/juaps.2009.15577

Saracino, I. M., Foschi, C., Pavoni, M., Spigarelli, R., Valerii, M. C., & Spisni, E. (2022). Antifungal Activity of Natural Compounds vs . *Candida* spp .: a mixture of cinnamaldehyde and eugenol shows promising in vitro results. *Antibiotics*, *11*(73). https://doi.org/https://doi.org/10.3390/antibiotics11010073

UNIVERSITAS
GADJAH MADA
Studi Komparasi Karakteristik Kimia Crude Oil dan Hasil Fraksinasi Ekstrak Tembakau terhadap Aktivitas Biologis Fusarium proliferatum
Falikhatun Nisa', Prof. Ir. Achmadi Priyatmojo, M.Sc., Ph.D., IPU.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Saraswathy, A., & Hallberg, R. (2005). Mycelial pellet formation by *Penicillium ochrochloron* species due to exposure to pyrene. *Microbiological Research*, *160*, 375—383. https://doi.org/10.1016/j.micres.2005.03.001

Sastrohamidjojo, H. (2001). *Spektroskopi*. Liberty Yogyakarta.

Shen, J., & Shao, X. (2006). Determination of tobacco alkaloids by gas chromatography-mass spectrometry using cloud point extraction as a preconcentration step. *Analytica Chimica Acta*, *561*(1–2), 83–87. https://doi.org/10.1016/j.aca.2006.01.002

Shin, S., Bong, S., Moon, H., Jeon, H., Kim, H., Choi, G. J., Lee, D. Y., & Son, H. (2024). Oxaloacetate anaplerosis differently contributes to pathogenicity in plant pathogenic fungi *Fusarium graminearum* and *F. oxysporum*. *PLOS Pathogens*, *9*(September), 1–28. https://doi.org/10.1371/journal.ppat.1012544

Silva, H. D., Cerqueira, M. A., & Vicente, A. A. (2015). Influence of surfactant and processing conditions in the stability of oil-in-water nanoemulsions. *Journal of Food Engineering*, *167*, 89–98. https://doi.org/10.1016/j.jfoodeng.2015.07.037

Singh, R. S. G., Negi, P. S., & Radha, C. (2013). Phenolic composition, antioxidant and antimicrobial activities of free and bound phenolic extracts of *Moringa oleifera* seed flour. *Journal of Functional Foods*, *5*(4), 1883–1891. https://doi.org/10.1016/j.jff.2013.09.009

Soliman, S. S. M., Semreen, M. H., El-keblawy, A. A., Abdullah, A., Uppuluri, P., & Ibrahim, A. S. (2017). *Assessment of herbal drugs for promising anti- Candida activity*. 1–9. https://doi.org/10.1186/s12906-017-1760-x

Stulanovic, N., Bensaada, D., Belde, L., Adam, D., Hanikenne, M., Focant, J., Stefanuto, P., & Rigali, S. (2025). Antifungal and other bioactive properties of the volatilome of *Streptomyces scabiei*. *Applied and Environmental Microbiology*, *91*(10). https://doi.org/doi: 10.1128/aem.00863-25

Sui, X., Han, X., Wang, X., Wan, J., Wen, M., Zhao, D., Zheng, Y., Zhang, C., Xu, C., & Wang, Y. (2025). 2-Nonanol produced by *Bacillus velezensis* EM-1: a new biocontrol agent against tobacco brown spot. *Frontiers in Microbiology*, *April*, 1–11. https://doi.org/10.3389/fmicb.2025.1582372

Sun, Y., Shuai, L., Luo, D., & Ba, L. (2023). The inhibitory mechanism of eugenol on *Lasiodiplodia theobromae* and its induced disease resistance of passion fruit. *Agronomy*, *13*(1408). https://doi.org/https://doi.org/10.3390/agronomy13051408

Tang, D. S., Zhang, L., Chen, H. L., Liang, Y. R., Lu, J. L., Liang, H. L., & Zheng, X. Q. (2007). Extraction and purification of solanesol from tobacco. (I). Extraction and silica gel column chromatography separation of solanesol. *Separation and Purification Technology*, *56*(3), 291–295. https://doi.org/10.1016/j.seppur.2007.01.040

Tej, R., Rodríguez-Mallol, C., Rodríguez-Arcos, R., Karray-Bouraoui, N., & Molinero-Ruiz, L. (2018). Inhibitory effect of *Lycium europaeum* extracts on phytopathogenic soil-borne fungi and the reduction of late wilt in maize. *Eur J Plant Pathol*, *152*, 249–265. https://doi.org/https://doi.org/10.1007/s10658-018-1469-9

UNIVERSITAS
GADJAH MADA
Studi Komparasi Karakteristik Kimia Crude Oil dan Hasil Fraksinasi Ekstrak Tembakau terhadap Aktivitas Biologis Fusarium proliferatum
Falikhatun Nisa', Prof. Ir. Achmadi Priyatmojo, M.Sc., Ph.D., IPU.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Wang, X., Xie, Y., Li, Z., Chen, Q., Sun, J., Han, X., Liu, R., Hu, Z., Liang, C., Zhang, C., & Jing, C. (2022). Honokiol inhibits growth and improves control efficiency against *Phytophthora nicotianae* through disrupting redox homeostasis and energy metabolism. *Industrial Crops and Products*, *178*(February), 114656. https://doi.org/10.1016/j.indcrop.2022.114656

Wenwen, Z., Yuru, C., Shaofeng, L., Kewei, D., Yan, C., & Shijie, Y. (2015). Separation and purification of chlorogenic acid from tobacco by-products by polyamide and silicagel column chromatography. *African Journal of Biotechnology*, *14*(20), 1731–1736. https://doi.org/10.5897/ajb2015.14554

Wilson, I. D., & Poole, C. F. (2023). Planar chromatography – current practice and future prospects. *Journal of Chromatography B*, *1214*(September 2022), 123553. https://doi.org/10.1016/j.jchromb.2022.123553

Witasari, L. D., Wahyu, K. W., Anugrahani, B. J., Kurniawan, D. C., Haryanto, A., Nandika, D., Karlinasari, L., Arinana, A., Batubara, I., Santoso, D., Rachmayanti, Y., Firmansyah, D., & Sudiana, I. K. (2022). Antimicrobial activities of fungus comb extracts isolated from Indomalayan termite (*Macrotermes gilvus* Hagen) mound. *AMB Express*, *12*(14). https://doi.org/10.1186/s13568-022-01359-0

Wu, X., Kumar, S., Patra, B., Wang, J., & Pattanaik, S. (2025). An overview of the regulation of specialized metabolism in tobacco. *Current Plant Biology*, *41*(December 2024), 100431. https://doi.org/10.1016/j.cpb.2024.100431

Yan, B., Jia, H., Wei, J., Huang, C., Huang, B., Mao, D., Wang, J., Wang, J., & Huang, S. (2021). Extraction, purification and anti-TMV effects of α (β)-2,7,11-cembratriene-4,6-diol from tobacco leaves. *Industrial Crops and Products*, *174*(June), 114197. https://doi.org/10.1016/j.indcrop.2021.114197

Yang, C., Xie, S., Ni, L., Liu, S., Li, M., & Xu, K. (2021). *Chemical Constituents from Nicotiana tabacum L . and Their Antifungal Activity*. 1–5. https://doi.org/10.1177/1934578X211059578

Yang, Y., Chen, Y., Cai, J., Liu, X., & Huang, G. (2021). Antifungal activity of volatile compounds generated by endophytic fungi *Sarocladium brachiariae* HND5 against *Fusarium oxysporum*. 1–20. https://doi.org/10.1371/journal.pone.0260747

Yang, Y., Ma, W., Johnson, E. T., Xie, Y., & Zhao, R. (2025). Antifungal effects of three natural branched medium-chain fatty acids and their potential as fumigants against *Aspergillus flavus* in stored peanut seeds. *Food Control*, *168*(October 2024), 110950. https://doi.org/10.1016/j.foodcont.2024.110950

Yin, J., Wu, S., Yang, Y., Wang, D., Ma, Y., Zhao, Y., Sheth, S., Huang, H., Song, B., & Chen, Z. (2024). In addition to damaging the plasma membrane, phenolic monoterpenoid carvacrol can bind to the minor groove of dNA of phytopathogenic fungi to potentially control tea leaf spot caused by *Lasiodiplodia theobromae*. *Phytopathology*, *114*, 700–716. https://doi.org/https://doi.org/10.1094/PHYTO-07-23-0263-R

Yu, H., & Hwang, S. (2024). The Host Range of *Fusarium proliferatum* in Western Canada. *Pathogens*, *13*(407), 1–13. https://doi.org/https://doi.org/10.3390/pathogens13050407

UNIVERSITAS
GADJAH MADA
Studi Komparasi Karakteristik Kimia Crude Oil dan Hasil Fraksinasi Ekstrak Tembakau terhadap Aktivitas Biologis Fusarium proliferatum
Falikhatun Nisa', Prof. Ir. Achmadi Priyatmojo, M.Sc., Ph.D., IPU.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Yu, H., Lin, Z.-X., Xiang, W.-L., Huang, M., Tang, J., Lu, Y., Zhao, Q.-H., Zhang, Q., Rao, Y., & Liu, L. (2022). Antifungal activity and mechanism of D -limonene against foodborne opportunistic pathogen Candida tropicalis. *LWT*, *159*, 113144. https://doi.org/10.1016/j.lwt.2022.113144

Zabka, M., & Pavela, R. (2013). Antifungal efficacy of some natural phenolic compounds against significant pathogenic and toxinogenic filamentous fungi. *Chemosphere*, *93*, 1051–1056. https://doi.org/10.1016/j.chemosphere.2013.05.076

Zarai, Z., Boujelbene, E., Salem, N. Ben, Gargouri, Y., & Sayari, A. (2013). Antioxidant and antimicrobial activities of various solvent extracts , piperine and piperic acid from *Piper nigrum*. *LWT - Food Science and Technology*, *50*(2), 634–641. https://doi.org/10.1016/j.lwt.2012.07.036

Zhang, W., Pan, X., Fu, J., Cheng, W., & Lin, H. (2024). Phytochemicals derived from *Nicotiana tabacum* L . plant contribute to pharmaceutical development. *Frontiers in Pharmacology*, *April*, 1–19. https://doi.org/10.3389/fphar.2024.1372456

Zhao, D., Yang, X., Wu, S., He, H., Tan, Q., Chen, X., & Shi, L. (2020). First report of *Fusarium proliferatum* causing root rot of Gerbera in China. *Journal of Plant Diseases and Protection*, *127*(2), 279–282. https://doi.org/10.1007/s41348-019-00281-1

Zhou, S.-W., Zhu, Y., Qin, X.-J., Li, Y., Noiprasert, S., Apiwongsrichai, K., Xu, F.-R., Liu, X.-Y., & Dong, X. (2026). D-limonene inhibits the growth of *Fusarium proliferatum* by decreasing H3K9ac and H3K27ac modifications. *BMC Genomics*, *27*(55). https://doi.org/https://doi.org/10.1186/s12864-025-12389-w

Zhou, X., Ma, H., Xiong, S., Zhang, L., Zhu, X., Zhu, Y., & Zhou, L.-R. (2023). Evaluation of the inhibitory efficacy of eugenol against the pathogen of fusarium wilt in ginger seedlings. *Horticulturae*, *9*(1024), 1–11. https://doi.org/https://doi.org/10.3390/horticulturae9091024

Ziani, I., Bouakline, H., Merzouki, M., Fauconnier, M. L., Sher, F., Bentouhami, N. E., Asehraou, A., & El Bachiri, A. (2025). Purification of bioactive compounds from rosemary by-products for innovative solutions in food industry. *Industrial Crops and Products*, *223*(September 2024), 120125. https://doi.org/10.1016/j.indcrop.2024.120125