

## DAFTAR PUSTAKA

- Abu-Sultaneh, S., Iyer, N. P., Fernández, A., Gaies, M., González-Dambrauskas, S., Hotz, J. C., Kneyber, M. C. J., López-Fernández, Y. M., Rotta, A. T., Werho, D. K., Baranwal, A. K., Blackwood, B., Craven, H. J., Curley, M. A. Q., Essouri, S., Fioretto, J. R., Hartmann, S. M. M., Jouvett, P., Korang, S. K., ... Khemani, R. G. (2023). Operational Definitions Related to Pediatric Ventilator Liberation. *Chest*, 163(5), 1130–1143. <https://doi.org/10.1016/J.CHEST.2022.12.010>
- Alsabri, M., Hamid, A. K., Abo-elnour, D. E., Shehada, W., Rath, S., & Aboali, A. A. (2025). Outcomes of early high-flow nasal cannula (HFNC) use in pediatric respiratory distress in acute settings: a meta-analysis. *European Journal of Pediatrics* 2025 184:7, 184(7), 393-. <https://doi.org/10.1007/S00431-025-06219-0>
- Bice, T., & Carson, S. (2019). Acute Respiratory Distress Syndrome: Cost (Early and Long-Term). *Seminars in Respiratory and Critical Care Medicine*, 40(01), 137–144. <https://doi.org/10.1055/s-0039-1685463>
- BPJS Kesehatan. (2024, December 18). *PELUNCURAN DATA SAMPEL BPJS KESEHATAN 2024 (2015-2023)*. BPJS Kesehatan. <https://data.bpjs-kesehatan.go.id/bpjs-portal/action/blog-detail.cbi?id=779e0f02-bd13-11ef-a976-9b1ff87869bd>
- BPJS Kesehatan. (2025, December 2). *PELUNCURAN DATA SAMPEL BPJS KESEHATAN 2025 (2015-2024)*. BPJS Kesehatan. <https://data.bpjs-kesehatan.go.id/bpjs-portal/action/blog-detail.cbi?id=853f0fd6-cf24-11f0-8091-9fbaba5817bf>
- Briggs, A., Sculpher, M., & Claxton, K. (2006). *Decision modelling for health economic evaluation*. Oup Oxford.
- Brun Vergara, M., Garcia Ruiz, J., & Guzman, J. (2023). The Evolution of Health Benefits Packages in Colombia: Thirty Years of Successes and Failures. *Health Systems and Reform*, 9(3). <https://doi.org/10.1080/23288604.2024.2343174>

- Buendía, J. A., Acuña-Cordero, R., & Rodriguez-Martinez, C. E. (2021). The cost-utility of early use of high-flow nasal cannula in bronchiolitis. *Health Economics Review*, 11(1), 1–8. <https://doi.org/10.1186/S13561-021-00339-7/FIGURES/4>
- Burhan, E., Susanto, A. D., Nasution, S. A., Ginanjar, E., Pitoyo, C. W., Susilo, A., Firdaus, I., Santoso, A., Juzar, D. A., Arif, S. K., Wulung, N. G. H. L., Adityaningsih, D., Syam, A. F., Rasmin, M., Rengganis, I., Sukrisman, L., Damayanti, T., Wiyono, W. H., Prasenohadi, ... Dharmawan, I. (2022). *PEDOMAN TATALAKSANA COVID-19 Edisi 4*. PDPI; PERKI; PAPDI; PERDATIN; IDAI.
- Collins, C., Chan, T., Roberts, J. S., Haaland, W. L., & Wright, D. R. (2017). High-Flow Nasal Cannula in Bronchiolitis: Modeling the Economic Effects of a Ward-Based Protocol. *Hospital Pediatrics*, 7(8), 451–459. <https://doi.org/10.1542/hpeds.2016-0167>
- Damayanti, A. N., Rejeki, I. P. S., & Marpaung, F. R. (2022). Pediatric Sepsis by Multi-Drugs Resistance Organism: Length of Stay, Prognosis, and Hospitalization Cost Evaluation. *Indonesian Journal of Clinical Pathology and Medical Laboratory*, 28(2), 165–169.
- Deeks, J. J., Higgins, J. P. T., Altman, D. G., & Group, C. S. M. (2019). Analysing data and undertaking meta-analyses. *Cochrane Handbook for Systematic Reviews of Interventions*, 241–284.
- Drummond, M. F., Sculpher, M. J., Claxton, K., Stoddart, G. L., & Torrance, G. W. (2015). *Methods for the economic evaluation of health care programmes*. Oxford university press.
- Emeriaud, G., López-Fernández, Y. M., Iyer, N. P., Bembea, M. M., Agulnik, A., Barbaro, R. P., Baudin, F., Bhalla, A., Brunow De Carvalho, W., Carroll, C. L., Cheifetz, I. M., Chisti, M. J., Cruces, P., Curley, M. A. Q., Dahmer, M. K., Dalton, H. J., Erickson, S. J., Essouri, S., Fernández, A., ... Khemani, R. G. (2023). Executive Summary of the Second International Guidelines for the Diagnosis and Management of Pediatric Acute Respiratory Distress Syndrome

- (PALICC-2). *Pediatric Critical Care Medicine*, 24(2), 143–168.  
<https://doi.org/10.1097/PCC.00000000000003147>
- Emeriaud, G., Pons-Ódena, M., Bhalla, A. K., Shein, S. L., Killien, E. Y., Modesto i Alapont, V., Rowan, C., Baudin, F., Lin, J. C., Grégoire, G., Napolitano, N., Mayordomo-Colunga, J., Diaz, F., Cruces, P., Medina, A., Smith, L., Khemani, R. G., Sforza, J., Poterala, R., ... Harrell, A. (2023). Noninvasive Ventilation for Pediatric Acute Respiratory Distress Syndrome: Experience from the 2016/2017 Pediatric Acute Respiratory Distress Syndrome Incidence and Epidemiology Prospective Cohort Study. *Pediatric Critical Care Medicine*, 24(9), 715–726. <https://doi.org/10.1097/PCC.00000000000003281>
- Ergul, A. B., Caliskan, E., Samsa, H., Gokcek, I., Kaya, A., Zararsiz, G. E., & Torun, Y. A. (2018). Using a high-flow nasal cannula provides superior results to OxyMask delivery in moderate to severe bronchiolitis: a randomized controlled study. *European Journal of Pediatrics* 2018 177:8, 177(8), 1299–1307. <https://doi.org/10.1007/S00431-018-3191-1>
- Franklin, D., Babl, F. E., George, S., Oakley, E., Borland, M. L., Neutze, J., Acworth, J., Craig, S., Jones, M., Gannon, B., Shellshear, D., McCay, H., Wallace, A., Hoepfner, T., Wildman, M., Mattes, J., Pham, T. M. T., Miller, L., Williams, A., ... Schibler, A. (2023). Effect of Early High-Flow Nasal Oxygen vs Standard Oxygen Therapy on Length of Hospital Stay in Hospitalized Children With Acute Hypoxemic Respiratory Failure: The PARIS-2 Randomized Clinical Trial. *JAMA*, 329(3), 224–234. <https://doi.org/10.1001/JAMA.2022.21805>
- Franklin, D., Babl, F. E., Schlapbach, L. J., Oakley, E., Craig, S., Neutze, J., Furyk, J., Fraser, J. F., Jones, M., Whitty, J. A., Dalziel, S. R., & Schibler, A. (2018). A Randomized Trial of High-Flow Oxygen Therapy in Infants with Bronchiolitis. *New England Journal of Medicine*, 378(12), 1121–1131. <https://doi.org/10.1056/NEJMOA1714855>;PAGEGROUP:STRING:PUBLIC ATION
- Franklin, D., Miller, L., Pham, T. M. T., Frampton, C., Moloney, S., Waugh, J., Fairless, S., Hobbins, S., Grew, S., George, S., Fahy, R., Morel, D., & Schibler,

- A. (2024). Nasal high flow therapy for bronchiolitis. *Journal of Paediatrics and Child Health*, 60(7), 288–293. <https://doi.org/10.1111/JPC.16557>;SUBPAGE:STRING:FULL
- Goey, M. R., Hartawan, I. N. B., Wati, D. K., Suparyatha, I. B. G., & Sinardja, S. (2024). The Association between Dynamic Pressure Gradient and Mortality in Patients with Acute Respiratory Distress Syndrome in a Pediatric Intensive Care Unit: A Single-Center Retrospective Cohort. *Bali Journal of Anesthesiology*, 8(3), 137–140. [https://doi.org/10.4103/BJOA.BJOA\\_68\\_24](https://doi.org/10.4103/BJOA.BJOA_68_24)
- Graf, B. (2024). *Consumer Price Index Manual: Concepts and Methods: Washington: International Monetary Fund.*
- Hakkaart-van Roijen, L., Peeters, S., & Kanter, T. (2024). Costing manual: methods and reference prices for economic evaluations in healthcare. *Zorginstituut Nederland.*
- Heidemann, S. M., Nair, A., Bulut, Y., & Sapru, A. (2017). Pathophysiology and Management of Acute Respiratory Distress Syndrome in Children. *Pediatric Clinics of North America*, 64(5), 1017–1037. <https://doi.org/10.1016/J.PCL.2017.06.004>
- Heikkilä, P., Forma, L., & Korppi, M. (2016). High-flow oxygen therapy is more cost-effective for bronchiolitis than standard treatment-A decision-tree analysis. *Pediatric Pulmonology*, 51(12), 1393–1402. <https://doi.org/10.1002/PPUL.23467>
- Husereau, D., Drummond, M., Augustovski, F., de Bekker-Grob, E., Briggs, A. H., Carswell, C., Caulley, L., Chaiyakunapruk, N., Greenberg, D., Loder, E., Mauskopf, J., Mullins, C. D., Petrou, S., Pwu, R.-F., & Staniszewska, S. (2022). Consolidated Health Economic Evaluation Reporting Standards 2022 (CHEERS 2022) statement: updated reporting guidance for health economic evaluations. *MDM Policy & Practice*, 7(1). <https://doi.org/10.1177/23814683211061097>
- ICD10Data.com. (2026a). 2026 ICD-10-CM Diagnosis Code J80: Acute respiratory distress syndrome. <https://www.icd10data.com/ICD10CM/Codes/J00-J99/J80-J84/J80-/J80>

- ICD10Data.com. (2026b). *2026 ICD-10-CM Diagnosis Code P22.0: Respiratory distress syndrome of newborn.*  
<https://www.icd10data.com/ICD10CM/Codes/P00-P96/P19-P29/P22-/P22.0>
- Ikatan Dokter Anak Indonesia. (2019). *Kumpulan PANDUAN PELAYANAN NEONATAL UKK NEONATOLOGI PP IDAI: Edisi Pertama 2018.* Ikatan Dokter Anak Indonesia.
- Kallet, R. H., Zhuo, H., Ho, K., Lipnick, M. S., Gomez, A., & Matthay, M. A. (2017). Lung Injury Etiology and Other Factors Influencing the Relationship Between Dead-Space Fraction and Mortality in ARDS. *Https://Home.Liebertpub.Com/Rcare*, 62(10), 1241–1248.  
<https://doi.org/10.4187/RESPCARE.05589>
- Kaur, A., Jayashree, M., Prinja, S., Singh, R., & Baranwal, A. K. (2021). Cost analysis of pediatric intensive care: a low-middle income country perspective. *BMC Health Services Research*, 21(1), 168. <https://doi.org/10.1186/s12913-021-06166-0>
- Kemenkes RI. (2024). *Keputusan Direktur Jenderal Pelayanan Kesehatan Nomor HK.02.02/D/45193/2024 tentang Pedoman Penetapan Tarif Layanan Badan Layanan Umum Rumah Sakit di Lingkungan Kementerian Kesehatan di luar Tarif Indonesian Case Based Groups (INA-CBGs).* Kemenkes RI.
- Kementerian Kesehatan RI. (2017a). *KEPUTUSAN MENTERI KESEHATAN REPUBLIK INDONESIA NOMOR HK.01.07/MENKES/132/2017 TENTANG PEDOMAN NASIONAL PELAYANAN KEDOKTERAN TATA LAKSANA TRAUMA.* Kementerian Kesehatan RI.
- Kementerian Kesehatan RI. (2017b). *KEPUTUSAN MENTERI KESEHATAN REPUBLIK INDONESIA NOMOR HK.01.07/MENKES/342/2017 TENTANG PEDOMAN NASIONAL PELAYANAN KEDOKTERAN TATA LAKSANA SEPSIS .* In 2017. Kementerian Kesehatan RI.
- Kementerian Kesehatan RI. (2019). *KEPUTUSAN MENTERI KESEHATAN REPUBLIK INDONESIA NOMOR HK.01.07/MENKES/214/2019*

*TENTANG PEDOMAN NASIONAL PELAYANAN KEDOKTERAN TATA LAKSANA ASFIKSIA.* Kementerian Kesehatan RI.

Kementerian Kesehatan RI. (2023). *PERATURAN MENTERI KESEHATAN REPUBLIK INDONESIA NOMOR 3 TAHUN 2023 TENTANG STANDAR TARIF PELAYANAN KESEHATAN DALAM PENYELENGGARAAN PROGRAM JAMINAN KESEHATAN.*

Kepreotes, E., Whitehead, B., Attia, J., Oldmeadow, C., Collison, A., Searles, A., Goddard, B., Hilton, J., Lee, M., & Mattes, J. (2017). High-flow warm humidified oxygen versus standard low-flow nasal cannula oxygen for moderate bronchiolitis (HFWHO RCT): an open, phase 4, randomised controlled trial. *The Lancet*, 389(10072), 930–939. [https://doi.org/10.1016/S0140-6736\(17\)30061-2](https://doi.org/10.1016/S0140-6736(17)30061-2)

Khemani, R. G., Smith, L., Lopez-Fernandez, Y. M., Kwok, J., Morzov, R., Klein, M. J., Yehya, N., Willson, D., Kneyber, M. C. J., Lillie, J., Fernandez, A., Newth, C. J. L., Jouvett, P., Thomas, N. J., Abaleke, E., Ackerman, K. G., Acuña, C., Adu-Darko, M., Affolter, J. T., ... Zurek, J. (2019). Paediatric acute respiratory distress syndrome incidence and epidemiology (PARDIE): an international, observational study. *The Lancet Respiratory Medicine*, 7(2), 115–128. [https://doi.org/10.1016/S2213-2600\(18\)30344-8](https://doi.org/10.1016/S2213-2600(18)30344-8)

Komite Penilaian Teknologi Indonesia. (2022). *Pedoman Umum Penilaian Teknologi Kesehatan di Indonesia.* Lembaga Penerbit Badan Kebijakan Pembangunan Kesehatan.

Laksono, A. D., Wulandari, R. D., Rohmah, N., Rukmini, R., & Tumaji, T. (2023). Regional disparities in hospital utilisation in Indonesia: a cross-sectional analysis data from the 2018 Indonesian Basic Health Survey. *BMJ Open*, 13(1), e064532. <https://doi.org/10.1136/BMJOPEN-2022-064532>

Lazuardi, L., Utarini, A., Trisnantoro, L., Mahendradhata, Y., Puspandari, D. A., Meliala, A., Sulisty, D. H., Hafidz, F., Sanjaya, G. Y., Putri, L. P., Bismantara, H., Astari, L. A., Sary, R., Astuti, Y., Supriyadi, D., Kurniawati, A., Rohmi, H., Munfaah, G. N., & Wulandari, H. (2023). *Pedoman Penyusunan Tesis Universitas Gadjah Mada, Fakultas Kedokteran, Kesehatan Masyarakat, dan*

*Keperawatan Program Magister Kebijakan dan Manajemen Kesehatan.*

Program Studi Magister KMK FK-KMK UGM.

Luo, J., Duke, T., Chisti, M. J., Kepreotes, E., Kalinowski, V., & Li, J. (2019). Efficacy of High-Flow Nasal Cannula vs Standard Oxygen Therapy or Nasal Continuous Positive Airway Pressure in Children with Respiratory Distress: A Meta-Analysis. *The Journal of Pediatrics*, 215, 199-208.e8. <https://doi.org/10.1016/J.JPEDI.2019.07.059>

Muharmawan, A. (2024, October 20). *Launching Proses Bisnis HTA untuk Layanan Kesehatan yang Lebih Baik*. <https://kemkes.go.id/id/launching-proses-bisnis-hta-untuk-layanan-kesehatan-yang-lebih-baik>

NCBI. (n.d.-a). *Oxygen Inhalation Therapy - MeSH - NCBI*. Retrieved 16 April 2025, from <https://www.ncbi.nlm.nih.gov/mesh/?term=oxygen+inhalation+therapy>

NCBI. (n.d.-b). *Respiratory Distress Syndrome - MeSH - NCBI*. Retrieved 16 April 2026, from <https://www.ncbi.nlm.nih.gov/mesh/68012128>

Nemzoff, C., Ruiz, F., Chalkidou, K., Mehndiratta, A., Guinness, L., Cluzeau, F., & Shah, H. (2021). Adaptive health technology assessment to facilitate priority setting in low- and middle-income countries. *BMJ Global Health*, 6(4), 4549. <https://doi.org/10.1136/BMJGH-2020-004549>

Nemzoff, C., Shah, H. A., Heupink, L. F., Regan, L., Ghosh, S., Pincombe, M., Guzman, J., Sweeney, S., Ruiz, F., & Vassall, A. (2023). Adaptive Health Technology Assessment: A Scoping Review of Methods. *Value in Health*, 26(10), 1549–1557. <https://doi.org/10.1016/J.JVAL.2023.05.017>

Pemerintah Indonesia. (1995). *Undang-Undang No. 10 Tahun 1995 tentang Kepabeanan*. Pemerintah Indonesia.

Pemerintah Indonesia. (2021). *Undang-Undang Republik Indonesia No. 7 Tahun 2021 tentang Harmonisasi Peraturan Perpajakan*. Pemerintah Indonesia.

Pemerintah Kabupaten Kuningan. (2021). *Peraturan Bupati Kuningan Nomor 40 Tahun 2021 tentang Tarif Badan Layanan Umum Daerah Rumah Sakit Umum Daerah 45 Kabupaten Kuningan*. Pemerintah Kabupaten Kuningan.

Perhimpunan Dokter Paru Indonesia. (2021). *PANDUAN UMUM PRAKTIK KLINIS PENYAKIT PARU DAN PERNAPASAN*. PERHIMPUNAN DOKTER PARU INDONESIA.

Pilar, J., Modesto i Alapont, V., Lopez-Fernandez, Y. M., Lopez-Macias, O., Garcia-Urabayen, D., & Amores-Hernandez, I. (2017). High-flow nasal cannula therapy versus non-invasive ventilation in children with severe acute asthma exacerbation: An observational cohort study. *Medicina Intensiva*, 41(7), 418–424. <https://doi.org/10.1016/J.MEDIN.2017.01.001>

PricewaterhouseCoopers. (n.d.). *Value-added tax (VAT) rates*. Retrieved 28 April 2026, from <https://taxsummaries.pwc.com/quick-charts/value-added-tax-vat-rates#qc-2c158969-35ef2a19-971fb017-9b6bf943>

Ramnarayan, P., Richards-Belle, A., Drikite, L., Saull, M., Orzechowska, I., Darnell, R., Sadique, Z., Lester, J., Morris, K. P., Tume, L. N., Davis, P. J., Peters, M. J., Feltbower, R. G., Grieve, R., Thomas, K., Mouncey, P. R., Harrison, D. A., Rowan, K. M., Group, F.-A. S.-U. R. I. and the P. C. C. S. S., ... Norman, L. (2022). Effect of High-Flow Nasal Cannula Therapy vs Continuous Positive Airway Pressure Therapy on Liberation From Respiratory Support in Acutely Ill Children Admitted to Pediatric Critical Care Units: A Randomized Clinical Trial. *JAMA*, 328(2), 162–172. <https://doi.org/10.1001/JAMA.2022.9615>

Sadique, Z., Zapata, S. M., Grieve, R., Richards-Belle, A., Lawson, I., Darnell, R., Lester, J., Morris, K. P., Tume, L. N., Davis, P. J., Peters, M. J., Feltbower, R. G., Mouncey, P. R., Harrison, D. A., Rowan, K. M., & Ramnarayan, P. (2024). Cost-effectiveness of high flow nasal cannula therapy versus continuous positive airway pressure for non-invasive respiratory support in paediatric critical care. *Critical Care*, 28(1), 386. <https://doi.org/10.1186/s13054-024-05148-y>

Sarini, & Imroatun, T. (2023). *KEPERAWATAN PADA ANAK DENGAN GANGGUAN SISTEM PERNAPASAN (RESPIRATORIK)*. Pustaka Pranala.

Schouten, L. R. A., Veltkamp, F., Bos, A. P., Van Woensel, J. B. M., Serpa Neto, A., Schultz, M. J., & Wösten-Van Asperen, R. M. (2016). Incidence and Mortality

of Acute Respiratory Distress Syndrome in Children: A Systematic Review and Meta-Analysis. *Critical Care Medicine*, 44(4), 819–829.  
<https://doi.org/10.1097/CCM.0000000000001388>

Selvaraj, S., Muthu, S., Chandramouli, H., & Periyasamy, B. (2022). Efficacy of oxygen delivered through high flow nasal cannula versus non rebreathing mask in infants with mild and moderate bronchiolitis: an open-labelled randomised controlled trial. *J Clin Diagn Res*.

Sitthikarnkha, P., Samransamruajkit, R., Prapphal, N., Deerojanawong, J., & Sritippayawan, S. (2018). High-Flow Nasal Cannula versus Conventional Oxygen Therapy in Children with Respiratory Distress. *Indian Journal of Critical Care Medicine: Peer-Reviewed, Official Publication of Indian Society of Critical Care Medicine*, 22(5), 321.  
[https://doi.org/10.4103/IJCCM.IJCCM\\_181\\_17](https://doi.org/10.4103/IJCCM.IJCCM_181_17)

Wan, X., Wang, W., Liu, J., & Tong, T. (2014). Estimating the sample mean and standard deviation from the sample size, median, range and/or interquartile range. *BMC Medical Research Methodology* 2014 14:1, 14(1), 135-.  
<https://doi.org/10.1186/1471-2288-14-135>

Wardati, Y., Sinuraya, R. K., Kusuma, A. S. W., Subarnas, A., Diantini, A., & Suwantika, A. A. (2023). Cost-minimization analysis of pneumonia treatment in Indonesia. *Pharmacia* 70(2): 391-394, 70(2), 391–394.  
<https://doi.org/10.3897/PHARMACIA.70.E100334>

Wardhani, D., Firdaus, F. R., Yunita, N., & Abdul, R. (2025). Cost-Effectiveness Analysis of The Antibiotic Ampicillin and Cefuroxime for Bronchopneumonia Patients Toddlers at Secondary Hospital in Surabaya. *Pharmaceutical Journal of Indonesia*, 10(2).

World Bank. (2024). *World Bank Country Classification*. World Bank.  
[https://training.iarc.who.int/wp-content/uploads/2024/11/2025\\_World\\_Bank\\_classification.xlsx](https://training.iarc.who.int/wp-content/uploads/2024/11/2025_World_Bank_classification.xlsx)

Yuwono, W. A., Khairani, S., Lizikri, A., & Sandhiutami, N. M. D. (2026). Analysis of the Rationality of Antibiotic Use in Pediatric Bronchopneumonia Patients and its Impact on Clinical Outcomes and Costs at RS Columbia Asia Pulomas

Jakarta Period April 2024–April 2025. *Enrichment: Journal of Multidisciplinary Research and Development*, 3(11), 3894–3913.