UNIVERSITAS GADJAH MADA
Performance Analysis of a Solar Charge Controller Based on a SEPIC Converter and P&O MPPT Integrated with a Single-Axis Solar Tracker
Mohammad Abdul Ghany, Dr. Ir. Fahmizal, S.T., M.Sc., IPM
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

REFERENCES

[1] A. J. Alateeq, "Design of an MPPT charge controller using a DC-DC buck-boost converter under system disturbances," *IJAAES*, 2025, research results indicate that the PI + P&O control system is faster and more stable. [Online]. Available: https://doi.org/10.21833/ijaas.2025.12.007

[2] S. V. *et al.*, "Investigation of modified SEPIC converter with P&O based MPPT for solar PV," in *IEEE SSDEE*, 2025, the modified SEPIC converter provides more stable voltage management and high efficiency. [Online]. Available: https://doi.org/10.1109/SSDEE64538.2025.10968737

[3] N. Gupta *et al.*, "Review on classical and emerging MPPT algorithms for solar PV systems," *IEEE*, 2024, comparison of efficiency, cost, and technical complexity among various MPPT algorithms. [Online]. Available: https://doi.org/10.30501/jree.2024.407775.1650

[4] V. A. Kumar *et al.*, "Smart solar PV charge controller system for off grid applications," in *IEEE ICCPCT*, 2024, utilizes a Raspberry Pi for energy flow optimization and system monitoring. [Online]. Available: https://doi.org/10.1109/ICCPCT61902.2024.10673056

[5] J. Park *et al.*, "Solar energy harvesting buck-boost converter with battery-charging mode," *IEEE Trans. Ind. Elec.*, 2021, the system achieves a maximum power efficiency of 93.7%. [Online]. Available: https://doi.org/10.1109/TIE.2020.2975491

[6] M. Mojsilovic *et al.*, "Implementation of MPPT methods with SEPIC converter," in *INFOTEH-JAHORINA*, 2020, sEPIC offers the advantages of a non-inverted output voltage and continuous input current. [Online]. Available: https://doi.org/10.1109/INFOTEH48170.2020.9066296

[7] S. S. Jaafar *et al.*, "Comparative performance evaluation of dual-axis solar trackers: Enhancing solar harvesting efficiency," *J. Mechatron. Electr. Power Veh. Technol.*, 2024, the DASTS system increases energy output by 45% compared to fixed solar panels by maintaining power stability through continuous sun position tracking. [Online]. Available: https://doi.org/10.55981/j.mev.2024.808

[8] T. K. Shailo *et al.*, "Development and analysis of an intelligent single-axis solar tracking system for optimized solar energy collection," in *IEEE 4th Int. Conf.*

UNIVERSITAS
GADJAH MADA
Performance Analysis of a Solar Charge Controller Based on a SEPIC Converter and P&O MPPT Integrated with a Single-Axis Solar Tracker
Mohammad Abdul Ghany, Dr. Ir. Fahmizal, S.T., M.Sc., IPM
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Robot. Electr. Signal Process. Tech. (ICREST), 2025, the intelligent single-axis tracking system utilizes a linear actuator capable of operating without an LDR by tracking the sun's position based on time interval calculations. [Online]. Available: https://doi.org/10.1109/ICREST63960.2025.10914378

[9] M. L. Kanche *et al.*, "A comprehensive review of MPPT techniques used in solar PV systems," *MDPI Energies*, 2023, demonstrates that the P&O algorithm is the most efficient based on tracking speed. [Online]. Available: https://doi.org/10.3390/en16052206

[10] A. Chebab *et al.*, "An improved adaptable step-size P&O MPPT approach for standalone PV systems," *Elsevier (SIMPAT)*, 2022, significantly reduces power losses and steady-state oscillations. [Online]. Available: https://doi.org/10.1016/j.simpat.2022.102655

[11] Y. V. Kasture *et al.*, "Efficient P&O algorithm and drift avoidance using SEPIC converter," *IJELL*, 2019, enhancements to the P&O parameters successfully track the MPP accurately and avoid the drift phenomenon. [Online]. Available: https://doi.org/10.35940/IJITEE.J8804.0881019

[12] P. Sathish, "Design and development of PI controlled based MPPT for PV systems," in *IEEE ICEMS*, 2018, the PI controller proves effective in maintaining output power despite light fluctuations. [Online]. Available: https://doi.org/10.23919/ICEMS.2018.8549278

[13] S. Reddhia and A. V. R. Teja, "Fast global MPPT algorithm using buck-boost topology to track under any operating conditions," in *IEEE IECON*, 2024, the Buck-Boost topology tracks power across the entire operating range, including shading conditions. [Online]. Available: https://doi.org/10.1109/IECON55916.2024.10905240

[14] Erickson and Maksimovic, *Fundamentals of Power Electronics (Book)*. Kluwer Academic, 2001, provides the state-space averaging method to accurately model DC-DC converters.

[15] D. W. Hart, "Power electronics," in *Introduction to DC-DC Converters and Power Computations*. McGraw-Hill, 2011, the buck-boost converter exhibits an output voltage characteristic of $V_o = -V_S[D/(1-D)]$, where the polarity is inverted relative to the input.

UNIVERSITAS
GADJAH MADA
Performance Analysis of a Solar Charge Controller Based on a SEPIC Converter and P&O MPPT Integrated with a Single-Axis Solar Tracker
Mohammad Abdul Ghany, Dr. Ir. Fahmizal, S.T., M.Sc., IPM
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

[16] T.-T. Chen *et al.*, "Design of digital battery charger system based on PV-Module," in *IEEE FUZZ-IEEE*, 2011, the SEPIC converter is highly suitable due to its wide input range without inverting the voltage polarity. [Online]. Available: https://doi.org/10.1109/FUZZY.2011.6007402

[17] S. Venkatanarayanan *et al.*, "MPPT for PV using coupled inductor SEPIC converter," *IEEE*, 2016, the use of coupled inductors minimizes current ripple and improves magnetic system efficiency. [Online]. Available: https://doi.org/10.1109/ICEETS.2016.7583824

[18] M. Mahti *et al.*, "Feasibility analysis of modified high gain SEPIC based DC-DC converter," *IJRT*, 2019, the modified SEPIC provides voltage gain up to 10 times with an efficiency above 90%. [Online]. Available: https://doi.org/10.1109/ICIET48527.2019.9290529

[19] S. J. Chiang *et al.*, "Modeling and control of PV charger system with SEPIC converter," *IEEE Trans. Ind. Elec.*, 2009, successfully balances power flow to the battery and load through three charging stages. [Online]. Available: https://doi.org/10.1109/TIE.2008.2005144

[20] V. Bhim *et al.*, "Performance evaluation of P&O algorithm for MPPT with buck-boost charge controller," in *Springer (ICATS)*, 2021, exhibits high efficiency in tracking the MPP and transferring power to the battery. [Online]. Available: https://doi.org/10.1007/s40313-021-00781-2

[21] S. Gupta, "Hardware implementation of low cost MPPT using arduino," *IJERT*, 2020, the designed device proves to be feasible and economical in maintaining efficiency. [Online]. Available: https://doi.org/10.1109/iSSSC50941.2020.9358816

[22] T. Alanteeq *et al.*, "Solar charge controller with MPPT for low-power applications," *Int. Journal Photoenergy*, 2019, the Arduino-based prototype successfully tracks the MPP with high accuracy and highly economical production costs. [Online]. Available: https://doi.org/10.1155/2019/5026464

[23] A. R. Kashyap *et al.*, "Input voltage control of SEPIC for maximum power point tracking," *IEEE*, 2013, the developed model proves accurate in stably regulating the PV terminal voltage. [Online]. Available: https://doi.org/10.1109/PECI.2013.6506030

[24] F. K. Ati *et al.*, "Comparison of different MPPT control strategies for solar charge controller," in *IEEE IPARC*, 2020, the P&O and IC algorithms

UNIVERSITAS GADJAH MADA
Performance Analysis of a Solar Charge Controller Based on a SEPIC Converter and P&O MPPT Integrated with a Single-Axis Solar Tracker
Mohammad Abdul Ghany, Dr. Ir. Fahmizal, S.T., M.Sc., IPM
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

demonstrate optimal performance in MPP tracking. [Online]. Available: https://doi.org/10.1109/PARC49193.2020.236559

[25] D. F. Zaid *et al.*, "Comparative analysis of buck and boost converters applied to MPPT," *IEEE*, 2016, results indicate that the selection of the converter topology is highly dependent on system load characteristics. [Online]. Available: https://doi.org/10.1109/COBEP.2017.8257383

[26] S. R. Utama *et al.*, "Design and development of MPPT for 100 watt solar panel base on buck boost," in *AIP Conf. Proceedings*, 2019, the Buck-Boost converter is capable of regulating a stable battery charging voltage at 14.4V. [Online]. Available: https://doi.org/10.1063/1.5133926

[27] G. M. N., "Performance evaluation and hardware implementation of MPPT system," *IEEE TAP Energy*, 2017, the P&O algorithm on a Buck-Boost converter provides the most optimal and stable energy extraction. [Online]. Available: https://doi.org/10.1109/TAPENERGY.2017.8397375

[28] A. M. Andilah *et al.*, "Implementation of P&O MPPT with direct control method," *IEEEJ*, 2014, direct control simplifies the system; the Buck-Boost converter is more flexible compared to the Buck topology.

[29] J. L. Seguel *et al.*, "An enhanced solar battery charger using a DC-DC SEPIC and fuzzy logic-based control," *MDPI Processes*, 2025, provides smoother and more efficient maximum power point tracking for off-grid systems. [Online]. Available: https://doi.org/10.3390/pr13010099

[30] N. Obeidi *et al.*, "A current sensorless control of buck-boost converter for MPPT," *MDPI Energies*, 2022, successfully tracks the maximum power point with high accuracy without the need for a current sensor. [Online]. Available: https://doi.org/10.3390/en15207811

[31] L. R. Cortes *et al.*, "Distributed application of the four-switch buck-boost converter," in *IEEE PEDG*, 2021, the use of an FSBB increases system flexibility in handling PV module variations. [Online]. Available: https://doi.org/10.1109/PEDG51384.2021.9494175

[32] A. A. Utodo, "Design of a PV based power supply with a non-inverting buck-boost," in *IEEE PowerAfrica*, 2019, the system is capable of providing a stable PV output voltage despite varying input voltages. [Online]. Available: https://doi.org/10.1109/PowerAfrica.2019.8928656

UNIVERSITAS
GADJAH MADA
Performance Analysis of a Solar Charge Controller Based on a SEPIC Converter and P&O MPPT Integrated with a Single-Axis Solar Tracker
Mohammad Abdul Ghany, Dr. Ir. Fahmizal, S.T., M.Sc., IPM
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

[33] B. A. Taladar *et al.*, "A modified P&O algorithm with ZVS buck boost converter," *AJKECES*, 2018, the modified algorithm successfully optimizes the system, achieving a converter efficiency of 95.87%. [Online]. Available: https://doi.org/10.1109/ICPEICES.2018.8897408

[34] L. S. M. *et al.*, "Design and implementation self-switching MPPT SEPIC converter," in *E3S Web of Conf*, 2018, the implementation of this system can increase PV output power by up to 41.5% compared to systems without MPPT. [Online]. Available: https://doi.org/10.1051/e3sconf/20184301010

[35] C. L. Espinosa, "Asynchronous non-inverting buck-boost DC to DC converter," *IEEE*, 2017, the non-inverting converter successfully optimizes battery charging without requiring additional weight. [Online]. Available: https://doi.org/10.1109/URUCON.2017.8171863

[36] T. S. *et al.*, "Solar battery charger using a multi-stage converter," in *IEEE BSM*, 2017, the integration of a multi-stage converter is capable of balancing solar power fluctuations with battery requirements. [Online]. Available: https://doi.org/10.1109/RSM.2017.8069171

[37] M. K. Kazimierczuk, *Pulse-Width Modulated DC-DC Power Converters (Book)*. John Wiley & Sons, 2016, provides a design guide for PWM converters, including voltage regulation, protection, and component loss analysis.

[38] S. Bayungs *et al.*, "Modeling of E-Vehicle charging station using Soft-Switching SEPIC converter," in *IEEE ICONSTEM*, 2016, the use of a PI controller in MPPT successfully reduces voltage and current ripples in vehicle batteries. [Online]. Available: https://doi.org/10.1109/ICECAA55415.2022.9936098

[39] M.-H. Wang and M.-J. Chen, "Two-stage fault diagnosis method based on the extension theory for PV power systems," *International Journal of Photoenergy*, vol. 2012, 2012, proposes a two-stage fault diagnosis system using Extension Theory to accurately detect the location of faulty PV modules. [Online]. Available: https://doi.org/10.1155/2012/892690

[40] R. Oprea *et al.*, "Determination of optimum tilt angle for fixed photovoltaic modules in iasi, romania," in *IEEE 8th Int. Conf. Modern Power Syst. (MPS)*, 2019, monthly adjustment of the tilt angle provides an average irradiation gain of 4.76% compared to using a fixed annual angle. [Online]. Available: https://doi.org/10.1109/MPS.2019.8759661

UNIVERSITAS
GADJAH MADA
Performance Analysis of a Solar Charge Controller Based on a SEPIC Converter and P&O MPPT Integrated with a Single-Axis Solar Tracker
Mohammad Abdul Ghany, Dr. Ir. Fahmizal, S.T., M.Sc., IPM
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

[41] C. N. Savithri *et al.*, "Tilt angle determination for solar tracker," in *IEEE Intell. Comput. Control Eng. Bus. Syst. (ICCEBS)*, 2023, implementation of a solar tracker using LDR sensors and a microcontroller feedback loop to ensure the panel remains perpendicular to the highest light intensity. [Online]. Available: https://doi.org/10.1109/ICCEBS58601.2023.10448776