

DAFTAR PUSTAKA

- Aronson JK, 2014, *Side Effects of Drugs Annual 35*, Elsevier, Netherlands, hal. 227.
- Arora A, 2010, *5 Steps to Combat Asthma and Allergies*, Sterling Publishers, New Delhi, hal. 120-121.
- Azqueta A, Shaposhnikov S, Collins AR, 2009, DNA oxidation: investigating its key role in environmental mutagenesis with the Comet assay, *Mutation Research*, 674(1-2): 101–108.
- Berger P, Leitner NKV, Dore M, Legube B, 1999, Ozone and hydroxyl radicals induced oxidation of clycine, *Water Resources*, 33(2): 433–441.
- Bird DL, Robinson DS, 2015, *Modern Dental Assisting; Eleventh Edition*, Elsevier, Canada, hal. 103.
- Brand dan Isselhard, 2014, *Anatomy of Orofacial Structures; A Comprhensive Approach*, Elsevier, Canada, hal. 295-297.
- Carlin V, Fracalossi ACC, Miranda SR, Noguti J, Silva VHP, Oshima CTF, Ribeiro DA, 2013, Chromosome breakage and cellular death are induced in oral epithelial cells of hairdressers: a preliminary study, *Toxicology Mechanisms and Methods*, 23(2): 108-112.
- Celik A, Cavas T, Ergene-Gözükara S, 2003, Cytogenetic biomonitoring in petrol station attendants: micronucleus test in exfoliated buccal cells, *Mutagenesis*, 18:417–421.
- Colbert D, 2007, *The Seven Pillars of Health*, Charisma House Book Group, USA, hal. 162.
- Cormack DH, 2001, *Essential Histology Second Edition*, Lippincott Williams & Wilkins, Phyladhelpia, hal. 54.
- Dawson DV, Drake DR, Hill JR, Brogden KA, Fischer CL, Wertz PW, 2013, Organization, barrier function and antimicrobial lipids of the oral mucosa, *International Journal of Cosmetic Science*, 35: 220-223.
- EPA's Health and Environmental Effect Profile for Phenylenediamine, 2000, *p-Phenylendiamine*, United States Environmental Protection Agency, <http://www.epa.gov> (20/07/2017).

- Galiotte MP, Kohler P, Mussi G, Gilka J, Gattas F, 2008, Assesment of Occupational Genotoxic Risk among Brazilian Hairdresser, SP CEP: 05405-000.
- Garant, PR, 2003, *Oral Cells and Tissues*, Quintesseence Publishing Co, Canada, hal. 81.
- Garrigue, JL, Ballantyne M, Kumaravel T, Lloyd M, Nohynek GJ, Kirkland D, Toutain H, 2006, In vitro genotoxicity of para-phenylenediamine and its N-monoacetyl or N,N'-diacetyl metabolites, *Mutation Research*, 608: 58-71.
- Geens T, Aerts E, Borguet M, Haufroid V, Godderis L, 2016, Exposure of hairdresser to aromatic diamines: an interventional study confirming the protective effect of adequate glove use, *Occupational Environment Medical*, 73:221-228.
- Hamdouk M, Abdelraheem M, Taha A, Cristina D, Ionel C, Alexandru C, 2011, The Association between Prolonged Occupational Exposure to Paraphenylenediamine (Hair-dye) and Renal Impairment, *Arab Journal of Nephrology and Transplantation*, 4(1): 21-25.
- Holland N, Bolognesi C, Kirsch-Volders M, Bonassi S, Zeiger E, Knasmueller S, Fenech M, 2008, The micronucleus assay in human buccal cells as a tool for biomonitoring DNA damage: The HUMN project perspective on current status and knowledge gaps, *Mutation Research*, 659: 93-108.
- Huang YC, Hung WC, Kang WY, Chen WT, Chai CY, 2007, p-Phenylenediamine induced DNA damage in SV-40 immortalized human uroepithelial cells and expression of mutant p53 and COX-2 proteins, *Toxicol. Letter*, 170: 116-123.
- Hueber-Becker F, Nohynek JG, Dufour EK, Meuling WJA, Albertus ThHJ de Bie, Toutain H, Bolt HM, 2007, Occupational exposure of hairdressers to [C]-phenylenediamine-containing oxidative hair dyes: A mass balance study, *Food and Chemical Toxicology*, 45(1): 160-169.
- IARC Working Group, 1987, *IARC Monographs on the evaluation of the carcinogenic risk of chemical to man*, IARC publication.
- IARC Monographs on the Evaluation of Carcinogenic Risks to Humans, 2008, *Hairdressers and Barbers and Hair Colourants*, WHO Press, 99(17): 499-646.
- Karaton NR, 1996, Teknik Sitologi Eksfoliatif di dalam Mulut, *Jurnal Kedokteran Gigi Universitas Indonesia*, 3(3): 105-109.

- Kesidi S, Maloth NM, Reddy KV, Geetha P, 2017, Genotoxic and cytotoxic biomonitoring in patients exposed to full mouth radiographs – A radiological and cytological study, *Journal of Oral and Maxillofacial Radiology*, 5(1):1-6
- Kezic S, Visser MJ, Verberk MM, 2009, Individual Suceptibility to Occupational Contact Dermatitis, *Industrial Health*, 47:469-78.
- Kim KH, Kabir E, Jahan SA, 2016, The use of personal hair dye and its implications for human health, *Environment International*, 89-90: 222-227.
- Kumar V, Abbas AK, Fausto N, Mitchell, RN, 2007, *Robbins: Basic Pathology 8th Edition*, Elsevier Saunders, Philadelphia, hal. 4-15.
- Kumar V, Abbas AK, Aster JC, 2015, *Robbins and Cotran: Pathologic Basis of Disease*, Elsevier Saunders, Philadelphia, hal. 32-50.
- Lind ML, Johnddon S, Meding B, 2005, Permeability of hair dye compound p-phenylenediamine, toluene-2,5-diaminesulfate and resorcinol through protective gloves in hairdressing, *The Annals of Occupational Hygiene*, 53: 289-296.
- Linder MC, 1992, *Biokimia Nutrisi dan Metabolisme dengan Pemakaian secara Klinis*, Jakarta, UI Press, hal.33.
- Lloyd GK, Ligget, MP, Kynoch, SR, Davies, RE, 1997, Assesment of the acute toxicity and potential irritancy of hair dye constituents, *Food and Cosmetic Toxicology*, 15(6): 607-610.
- Mitchell, Kumar, Abbas, Fausto, 2009, *Buku Saku Dasar Patologis Penyakit Robbins & Cotran Edisi Ketujuh*, Penerbit EGC, Jakarta, hal. 9-11.
- Mitchell RN, Cotran, RZ, 2007, *Buku Ajar Patologi Robbins Edisi 7 Volume 1*, Penerbit Buku Kedokteran EGC, Jakarta.
- Mitsui T, 1997, *New Cosmetic Science*, Elsevier, Netherlands, hal. 431-435.
- Mohan H, Mohan S, 2011, *Essential Pathology for Dental Student; Fourth Edition*, Jaypee Brothers Medical Publisher, New Delhi, hal. 37.
- Morel OJX, dan Christie RM, 2011, *Chemical Reviews*, 111: 2537-2561.
- Morshita M, Park K, 2010, *Biodrug Delivery Systems; Fundamentals, Applications and Clinical Development*, CRC Press, Perancis, hal. 121.

- Moss SL, Klyvert M, 1980, *Dental and Oral Tissue: An Introduction for Paraprofessionals in Dentistry*, Lea & Febiger, Philadelphia, hal. 27-43.
- Naib ZM, 1985, *Exfoliative Cytopathology*, Little Brown and co., Boston.
- Nanci A, 2013, *Ten Cate's Oral Histology: Development, Structure and Function 8th Edition*, Elsevier Mosby, Missouri.
- Newman MC, Clements WH, 2008, *Toxicology; A Comprehensive Treatment*, CRC Press, USA, hal. 43.
- Notoatmodjo S, 2010, *Metodologi Penelitian Kesehatan*, Rineka Cipta, Jakarta, hal. 127.
- Otsuka-Tanaka Y, Oommen S, Kawasaki M, Kawasaki K, Imam N, Jalani-Ghazani F, Hindges R, Sharpe PT, Ohazama A, 2013, Oral lining mucosa development depends on mesenchymal microRNAs, *Journal of Dental Research*, 92(3): 229-234.
- Pérez-Sayáns M, Somoza-Martín JM, Barros-Angueira F, Reboiras-López MD, Gándara-Vila P, Gándara-Rey JM, García-García A, 2009, Exfoliative cytology for diagnosing oral cancer, *Biotechnic & Histochemistry*, 85(3): 177-187.
- Pramod JR, 2014, *Textbook of Oral Medicine*, Jaypee Brothers Medical Publishers, New Delhi, hal. 46.
- Pukkala E, Noksi-Koivisto P, Roponen P, 1992, Changing cancer risk pattern among Finnish hairdresser, *International Archive of Occupational Environmental Health*, 64:39-42.
- Reddy S, 2008, *Essentials of Clinical Periodontology and Periodontics*, Jaypee, New Delhi, hal. 11.
- Sabirin IPR, 2015, Sitopatologi Eksfoliatif Mukosa Oral sebagai Pemeriksaan Penunjang Kedokteran Gigi, *Jurnal Kedokteran dan Kesehatan*, 2(1): 157-161.
- Safai B, Good RA, 2013, *Comprehensive Immunology*, Plenum Medical Book Company, New York, hal. 224.
- Sherrow V, 2001, *For Appearance' Sake; The Historical Encyclopedia of Good Looks, Beauty, and Grooming*, The Oryx Press, Canada.
- Sherrow V, 2006, *Encyclopedia of Hair: A Cultural History*, Greenwood Press, USA, hal. 153.

- Shetty S, Gokul S, 2012, Keratiization and its Disorder, *Oman Medical Journal*, 27(5): 348-357.
- Somantri I, 2007, *Asuhan Keperawatan pada Pasien dengan Gangguan Sistem Pernapasan*, Penerbit Salemba Medika, Jakarta, hal.5.
- Squier CA, Brogden KA, 2011, *Human Oral Mucosa; Development, Structure, and Function*, Blackwell Publishing, UK.
- Sudiana, IK, 2008, *Patobiologi Molekuler Kanker*, Penerbit Salemba Medika, Jakarta, hal. 46.
- Sudiono J, Kurniadhi B, Hendrawan A, Djimantoro B, 2003, *Ilmu Patologi*, Penerbit Buku Kedokteran EGC, Jakarta, h. 3-4 dan 22-23.
- Swenberg JA, 1993, Cell Proliferation and Chemical Carcinogenesis: Conference Summary and Future Directions, *Environmental Health Perspective*, 101 (Suppl 5): 153-158.
- Thomas P, Fenech MF, Holland N, Bolognessi C, Kirsch-Volders M, Bonassi S, Zeiger E, Knasmueller S, 2009, Buccal micronucleus cytome assay, *nature protocols*, 4(6): 825-837
- Toedt J, Koza D, Cleft-Toedt KV, 2005, *Chemical Composition of Everyday Products*, Greenwood Press, London, h.34-35.
- Tolbert, PE, Shy CM, Allen JW, 1992, Micronuclei and other nuclear abnormalities in buccal smears: methods and development, *Mutation Research*, 271:69-77.
- Valko M, Izakovic M, Mazur M, Rhodes CJ, Telser J, 2004. Role of oxygen radicals in DNA damage and cancer incidence. *Molecular and Cellular Biochemistry*. 266, 37–56.
- Vinuth PAD, Haranal S, Thippanna CK, Naresh N, Moger G, 2015, Genotoxic and cytotoxic effects of X-ray on buccal epithelial cells following panoramic radiography: A pediatric study, *Journal of Cytology*, 32(2): 102-106.
- Wong R, Chien H, Luh D, 2005, Correlation between chemical-safety knowledge and personal attitudes among Taiwanese hairdressing students, *American Journal of Industrial Medicine*, 47: 45-53.
- Work Cover New South Wales, 2003, Health and safety guidelines for hairdresser: Hazardous substances, pp 9.

Yee KH, Jonarta AL, Tandelilin RTC, 2015, Micronucleus frequency in exfoliated buccal cells from hairdresser who expose to hair products, *Dental Journal*, 48(2): 74-79.

Zanoni TB, Hudari F, Munnia A, Peluso M, Godschalk RW, Zanoni MVB, Hartog GJM, Bast A, Barros SBM, Maria-Engler SS, Hageman GJ, Oliveira DP, 2015, The oxidation of p-phenylenediamine, an ingredient used for permanent hair dyeing purposes, leads to the formation of hydroxyl radicals: Oxidative stress and DNA damage in human immortalized keratinocytes, *Science Direct Toxicology*, 239: 194-204.