

DAFTAR PUSTAKA

- Adawi, H. (2016). *Surface effect of ferromagnetic nanoparticles on transition between single- and multi-domain structure or between single-domain structure and superparamagnetic phase* (Master's thesis, Wright State University).
- Ali, M., Pi, X., Liu, Y., dan Yang, D. (2017). Electronic and magnetic properties of graphene, silicene and germanene with varying vacancy concentration. *AIP Advances*, 7(4).
- Birch, F. (1947). Finite elastic strain of cubic crystals. *Physical Review*, 71, 809.
- Born, M. dan Oppenheimer, R. (1927). Zur Quantentheorie der Molekeln. *Annalen der Physik*, 389, 457.
- Burke, K. dan Wagner, L. O. (2013). DFT in a nutshell. *International Journal of Quantum Chemistry*, 113, 96–101.
- Chaudhuri, S., Lueders, M., Franke, K. J., dan Dappe, Y. J. (2015). First-principles study of stanene on Au(111): Structural and electronic properties. *Physical Chemistry Chemical Physics*, 17(10), 6705–6712.
- Choy, T. S., Chen, J., dan Hershfield, S. (1999). Correlation between spin polarization and magnetic moment in ferromagnetic alloys. *Journal of Applied Physics*, 86(1), 562–564.
- Dhull, N. (2024). What is stanene? *Azonano*.
- Elias, D., Nair, R., Mohiuddin, T., Morozov, S., Blake, P., Halsall, M., Ferrari, A., Boukhvalov, D., Katsnelson, M., dan Geim, A. (2009). Control of graphene's properties by reversible hydrogenation: Evidence for graphane. *Science*, 323, 610.
- Geim, A. K. dan Novoselov, K. S. (2007). The rise of graphene. *Nature Materials*, 6, 183–191.
- Griffiths, D. J. (1995). *Introduction to Quantum Mechanics*. Prentice Hall Inc.
- Gunnarson, O., Lundqvist, B. I., dan Lundqvist, S. (1972). Screening in a spin polarized electron liquid. *Solid State Communications*, 11(1), 149–153.

- Hamann, D. R., Schlüter, M., dan Chiang, C. (1979). Norm-conserving pseudopotentials. *Physical Review Letters*, 43(20), 1494–1497.
- Han, M. Y., Özyilmaz, B., Zhang, Y., dan Kim, P. (2007). Energy band-gap engineering of graphene nanoribbons. *Physical Review Letters*, 98, 206805.
- Hohenberg, P. dan Kohn, W. (1964). Inhomogeneous electron gas. *Physical Review*, 136(3), 1–74.
- Igumbor, E. (2017). *Hybrid functional study of point defects in germanium* (Tesis, Universitas Pretoria).
- John, R., dan Merlin, B. (2016). Theoretical investigation of structural, electronic, and mechanical properties of two dimensional C, Si, Ge, Sn. *Crystal Structure Theory and Applications*, 5, 43–55.
- Khan, A. I., Rahman, M. M., Islam, A. K. M. A., dan Parvin, F. (2017). Mechanical, thermal and electronic properties of stanene: A first-principles study. *RSC Advances*, 7, 50485–50494.
- Kittel, C. (2005). *Introduction to Solid State Physics* (8th ed.). Wiley.
- Kohn, W. (1999). Electronic structure of matter-wave functions and density functionals. *Nobel Lecture, Department of Physics, University of California*.
- Kohn, W., dan Sham, L. (1965). Self-consistent equations including exchange and correlation effects. *Physical Review*, 140, 33–38.
- Leslie-Pelecky, D. L. dan Rieke, R. D. (1996). Magnetic properties of nanostructured materials. *Chemistry of Materials*, 8(8), 1770–1783.
- Li, S.-S., dan Zhang, C.-W. (2016). Tunable electronic structures and magnetic properties in two-dimensional stanene with hydrogenation. *Materials Chemistry and Physics*, 173, 150–156.
- Liu, C.-C., Jiang, H., dan Yao, Y. (2013). Low-energy effective Hamiltonian involving spin–orbit coupling in silicene and two-dimensional germanium and tin. *Physical Review Letters*, 111(14), 146802.
- Molle, A., Goldberger, J., Houssa, M., Xu, Y., Zhang, S.-C., dan Akinwande, D. (2017). Buckled two-dimensional xene sheets. *Nature Materials*, 16, 163–169.

- Naufal, A. R. (2025). *Rekayasa sifat magnetik material silicene dan germanene melalui terminasi atom hidrogen: Kajian komputasi berbasis DFT (density functional theory)* [Skripsi sarjana, Universitas Gadjah Mada].
- Novoselov, K. S., Geim, A. K., Morozov, S. V., Jiang, D. E., Zhang, Y., Dubonos, S. V., dan Firsov, A. A. (2004). Electric field effect in atomically thin carbon films. *Science*, 306(5696), 666–669.
- Pamungkas, M. A., Sari, V. K. R., Irwansyah, Putra, S. A., Abdurrouf, dan Nurhuda, M. (2021). Tuning electronic structure and magnetic properties of flat stanene by hydrogenation and Al/P doping: A first-principles DFT study. *Coatings*, 11(1), 47.
- Perdew, J. P., Chevary, J. A., Vosko, S. H., Jackson, K. A., Pederson, M. R., Singh, D. J., dan Fiolhais, C. (1992). Atoms, molecules, solids, and surface: Application of the generalized gradient approximation for exchange and correlation. *Physical Review B*, 46, 6671.
- Parr, R. G. dan Yang, W. (1989). *Density-Functional Theory of Atoms and Molecules*. Oxford University Press.
- Peng, B., Zhang, H., Shao, H., Xu, Y., Zhang, X., dan Zhu, H. (2016). Low lattice thermal conductivity of stanene. *Scientific Reports*, 6, 20225.
- Qiu, J., Fu, H., Xu, Y., Zhou, Q., Meng, S., Li, H., Chen, L., dan Wu, K. (2015). *From silicene to half-silicane by hydrogenation*. *ACS Nano*, 9(11), 11192–11199.
- Santra, S., et al. (2024). Beyond the horizons of graphene: Xenon for energy applications. *RSC Sustainability*, 2, 129–150.
- Sholihun. (2005). *First-principles calculations of vacancies in semiconductors* (Disertasi, Kanazawa University).
- Sholl, D. S. dan Steckel, J. A. (2009). *Density Functional Theory: A Practical Introduction*. John Wiley and Sons.
- Slater, J. C. (1951). A simplification of the Hartree–Fock method. *Physical Review*, 81(3), 385.

- Śpiewak, P., Vanhellefont, J., dan Kurzydłowski, K. J. (2011). Improved calculation of vacancy properties in Ge using the Heyd–Scuseria–Ernzerhof range-separated hybrid functional. *Journal of Applied Physics*, 110(6).
- Svendsen, P., dan von Barth, U. (1996). Gradient expansion of the exchange-correlation hole: The density-matrix formalism.
- Tang, P., Zhou, S., Xu, G., dan Duan, W. (2014). Stable two-dimensional dumbbell stanene: A quantum spin Hall insulator. *Physical Review B*, 90(12), 121408(R).
- Vanderbilt, D. (1990). Soft self-consistent pseudopotentials in a generalized eigenvalue formalism. *Physical Review B*, 41(11), 7892–7895.
- Wang, X. L., Li, H. D., Wang, J. T., dan Hou, J. G. (2012). *Half-hydrogenated silicene: A fully spin-polarized semiconductor at room temperature*. *Physical Review B*, 86(19), 195430.
- Xu, Y., Yan, B., Zhang, H.-J., Wang, J., Xu, G., Tang, P., Duan, W., dan Zhang, S.-C. (2013). Large-gap quantum spin Hall insulators in tin films. *Physical Review Letters*, 111(13), 136804.
- Yafei Li, et al. (2013). Topological insulator in stanene. *Physical Review Letters*, 111, 136804.
- Yuhara, J., Fujii, Y., Nishino, K., Isobe, N., Nakatake, M., Xian, L., Rubio, A., dan Le Lay, G. (2018). Large area planar stanene epitaxially grown on Ag(111). *2D Materials*, 5(2), 025002.
- Zangwill, A. (1988). *Physics at Surfaces*. Cambridge University Press.
- Zhang, C. W. dan Yan, S. S. (2012). First-principles study of ferromagnetism in two-dimensional silicene with hydrogenation. *The Journal of Physical Chemistry C*, 116(6), 4163–4166.
- Zhao, C.-X. dan Jia, J.-F. (2020). Stanene: A good platform for topological insulator and topological superconductor. *Frontiers of Physics*, 15(5), 53201.
- Zhao, J., Liu, H., Yu, Z., Quhe, R., Zhou, S., Wang, Y., ... dan Wu, K. (2016). Rise of silicene: A competitive 2D material. *Progress in Materials Science*, 83, 24–151.

- Zhou, J., Wang, Q., Sun, Q., Chen, X. S., Kawazoe, Y., dan Jena, P. (2009). Ferromagnetism in semihydrogenated graphene sheet. *Nano Letters*, 9(11), 3867–3870.
- Zhao, Y.-J., Mahadevan, P., dan Zunger, A. (2005). Practical rules for orbital-controlled ferromagnetism of 3d impurities in semiconductors. *Journal of Applied Physics*, 98(11).