

## DAFTAR PUSTAKA

- Abo-Amer, A.E., B.A. El-Deep, and A.D. Altalhi. 2008. Optimization of bacteriocin production by *Lactobacillus plantarum* AA135. Roum. Arch. Microbiol. Immunol. 67 : 36-42.
- Abo-Amer, A.E. 2011. Optimization of bacteriocin production by *Lactobacillus acidophilus* AA11, a strain isolated from Egyptian cheese. Ann Microbiol 61 : 445-452.
- Altuntas, E.G., S. Cosansu, and K. Ayhan. 2010. Some growth parameters and antimicrobial activity of a bacteriocin-producing strain *Pediococcus acidilactici* 13. Int. J. Food. Microbiol. 141 : 28–31.
- Axelsson, L. 2004. Lactic acid bacteria: classification and physiology. In Advance in Lactic Acid Bacteria: Microbiological and Functional Aspects. Marcel Dekker Inc., New York
- Biswas, S.R., P. Ray, M.C. Johnson, and B. Ray. 1991. Influence of growth condition on the production of a bacteriocin Pediocin AcH, by *Pediococcus acidilactici* H. Appl. Environ. Microbiol. 54 : 1265-1267.
- Bjorkroth, J. and W. Holzapfel. 2006. Genera *Leuconostoc*, *Oenococcus* and *Weissella*. Prokaryotes 4 : 267–319.
- Buntin, N., S. Cahanthachum, and S. Hongpattarakere. 2008. Screening of lactic acid bacteria from gastrointestinal tracts of marine fish for their potetial use probiotic. Songklanakarin J. Sci. Technol. 30 : 141-148.
- Chakoosari, M.M., M.F. Ghasemi, A.R. Masiha, R.K. Darsanaki, and A. Amini. 2015. Antimicrobial effect of lactic acid bacteria against common pathogenic bacteria. Med. Lab. J. 9 : 1-4.
- Cheigh, C.I., H.J. Choi, H. Park, S.B. Kim, M.C. Kook, T.S. Kim, J.K. Hwang, and Y.R. Pyun. 2002. Influence of growth conditions on the production of a nisin-like bacteriocin by *Lactococcus lactis* subsp. *lactis* A164 isolated from Kimchi. J. Biotechnol. 95 : 225-235.
- Chen, Y., H. WuI, and F. Yanagida. 2010. Isolation and characteristics of lactic acid bacteria isolated from ripe mulberries in Taiwan. Braz. J. Microbiol. 41 : 916-921.
- Cintas, L.M., J.M. Rodriguez, M.F. Fernandez, K. Sletten, L.F. Nes, P.E. Hernandez, and H. Holo. 1995. Isolation and characterization of pediocin 150, a new bacteriocin from *Pediococcus acidilactici* with a broad inhibition spectrum. App. Environ. Microbiol. 61 : 2643-2648.
- Cleveland, J., T.J. Montville, I.F. Nes, and M.L. Chikindas. 2001. Bacteriocins: safe, natural antimicrobials for food preservation. Int. J. Food. Microbiol. 71 : 1–20.

- Cotter, P.D., R.P. Ross, and C. Hill. 2012. Bacteriocin a viable alternative to antibiotics? *Nat. Rev. Microbiol.* 11 : 95–105.
- Damiani, P., M. Gobbetti, L. Cossignani, A. Corsetti, M.S. Simonetti, and J. Rossi. 1996. The sourdough microflora. Characterization of hetero- and homofermentative lactic acid bacteria, yeasts and their interactions on the basis of the volatile compounds produced. *Food Sci. Technol.* 29 : 63–70.
- Demardjati, B.S. dan W. Wardhana. 1990. Pengantar Praktek Laboratorium Taksonomi Avertebrata. UI Press, Jakarta.
- Dumbrepatil, A., M. Adsul, S. Chaudhari, J. Khire, and D. Gokhale. 2008. Utilization of molasses sugar for lactic acid production by *Lactobacillus delbrueckii* subsp. *delbrueckii* mutant Uc-3 in batch fermentation. *Appl. Environ. Microbiol.* 74 : 333-335.
- Eijsink V.G.H., M. Skeie, P.H. Middelhoven, M.B. Brurberg, and I.F. Nes. 1998. Comparative studies of class IIa bacteriocins of lactic acid bacteria. *Appl. Environ. Microbiol.* 64 : 3275-3281.
- El-Shafei, H.A., H.A. El-Sabour, N. Ibrahim, and Y.A. Mostafa. 2000. Isolation, screening and characterization of bacteriocin-producing lactic acid bacteria isolated from traditional fermented food. *Microbiol. Res.* 154 : 321-331.
- Engelke, G., Z. Gutowski-eckel, M. Hammelmann, and K.D. Entian. 1992. Biosynthesis of the lantibiotic Nisin: Genomic organization and membrane localization of the NisB protein. *App. Environ. Microbiol.* 58 : 3730-3743.
- Fast, A.W. and L.J. Lester. 1992. Pond Monitoring and Management Marine Shrimp Culture Principle and Practise. Elsevier Sci. Pub., Amsterdam.
- Farfante, I.P. 1988. Illustrated key to penaeoid shrimps of commerce in the Americas. NOAA Tech. Rep. NMFS 64: 1–32.
- Gaamouche, S., A. Arakrak, M. Bakkali, and A. Laglaoui. 2014. Antimicrobial activity of lactic acid bacteria and bacteriocins isolated from a traditional brine table olives against pathogenic bacteria. *Int. J. Curr. Microbiol. App. Sci.* 3 : 657-666.
- Galvez, A., H. Abriouel, R.L. López, and N.B. Omar. 2007. Bacteriocin-based strategies for food biopreservation. *Int. J. Food. Microbiol.* 120 : 51-70.
- Geis, A., J. Singh, and M. Teuber. 1983. Potential of lactic streptococci to produce bacteriocin. *App. Environ. Microbiol.* 45 : 205-211.
- Gilliland, S.E. 1990. Health and nutritional benefits from lactic acid bacteria. *FEMS Microbiol. Lett.* 87: 175–188.

- Gonzalez, B., E. Glaasker, E.R.S. Kunji, A.J.M. Driessen, J.E. Suarez, and W.N. Konings. 1996. Bactericidal mode of action of plantaricin C. *App. Environ. Microbiol.* 62 : 2701-2709.
- Halász, A. 2009. Lactic Acid Bacteria. *Food Quality and Standards EOLSS* : 70-82.
- Hamid, T.H.T.A., A.J. Khan, M.F. Jalil, and N.S Azhar. 2012. Isolation and screening of lactic acid bacteria, *Lactococcus lactis* from *Clarias gariepinus* (African catfish) with potential use as probiotic in aquaculture. *Afr. J. Biotechnol.* 11 : 7494-7499.
- Hammes, W.P. and C. Hertel. 2006. The Genera *Lactobacillus* and *Carnobacterium*. *Prokaryotes* 4 : 320–403.
- Han, B., Z. Yu, B. Liu, Q. Ma, and R. Zhang. 2011. Optimization of bacteriocin production by *Lactobacillus plantarum* YJG, isolated from the mucosa of the gut of healthy chickens. *Afr. J. Microbiol. Res.* 5 : 1147-1155.
- Holzappel, W.H., C.M.A.P. Franz, W. Ludwig, W. Back, and L.M.T. Dicks. 2006. The Genera *Pediococcus* and *Tetragenococcus*. *Prokaryotes* 4 : 229–266.
- Holzappel, W.H., P. Habere, R. Geisen, J.B. Roth, and S. Ulrich. 2001. Taxonomy and important features of probiotic microorganisms in food and nutrition. *Am. J. Clin. Nutr.* 73 : 365-373.
- Hoover, D.G. and L.R. Steenson. 1993. *Bacteriocins of Lactic Acid Bacteria*. Academic Press Inc., San Diego.
- Hurst, A. 1981. Nisin. *Adv. Appl. Microbiol.* 27 : 85–123.
- Hwang, C.F., J.H. Chang, J.Y. Hwang, C.C. Tsai, C.K. Lin, and H.Y. Tsen. 2004. Optimization of medium composition for improving biomass production of *Lactobacillus plantarum* Pi06 using the *Taguchi array* design and the *Box-Behnken* method. *Biotechnol. Bioprocess Eng.* 17 : 827-834.
- Indriati, N., A. Kusmarwati, and I. Hermana. 2014. Optimasi produksi bakteriosin yang dihasilkan oleh *Lactococcus lactis* ssp. *lactis* CN1.10a asal rusip. *Squalen Bulletin of Marine and Fisheries Postharvest and Biotechnology* 9 : 97-106.
- Jack, R.W., J. Wan, J. Gordon, K. Harmark, B.E. Davidson, A.J. Hillier, R.E.H. Wettenhall, M.W. Hickey, and M.J. Coventry. 1996. Characterization of the chemical and antimicrobial properties of piscicolin 126, a bacteriocin produced by *Carnobacterium piscicola* JG126. *App. Environ. Microbiol.* 62 : 2897-2903.
- Jimenez-Diaz, R., R.M. Rios-Sanchez, M. Desmazeaud, J.L. Ruiz-Barba, and J.C. Piard. 1993. Plantaricins S and T, two new bacteriocins produced by *Lactobacillus plantarum* LPC010 isolated from a green olive fermentation. *App. Environ. Microbiol.* 59 : 1416-1424.

- Kaiser, A.L. and T.J. Montville. 1996. Purification of the bacteriocin bavaricin MN and characterization of its mode of action against *Listeria monocytogenes* Scott A cells and lipid vehicles. *App. Environ. Microbiol.* 62 : 4529-4535.
- Kalchayanand, N., M.B. Hanlin, and B. Ray. 1992. Sublethal injury makes Gram-negative and resistant Gram-positive bacteria sensitive to the bacteriocins, pediocin AcH and nisin. *Letts. Appl. Microbiol.* 15 : 239-243.
- Kandler, O. and N. Weiss. 1995. *Bergey's Manual: Systematic Bacteriology*. The Williams and Wilkins Company, Baltimore.
- Karthikeyan, V. and S.W. Santosh. 2009. Isolation and partial characterization of bacteriocin produced from *Lactobacillus plantarum*. *Afr. J. Microbiol. Res.* 3 : 233-239.
- Kaur, G., T.P. Singh, and R.K. Malik. 2013. Antibacterial efficacy of Nisin, Pediocin 34 and Enterocin FH99 against *Listeria monocytogenes* and cross resistance of its bacteriocin resistant variants to common food preservatives. *Braz. J. Microbiol.* 44 : 63–71.
- Keppler, K., R. Geisen, and W.H. Holzapfel. 1994. An alpha-amylase sensitive bacteriocin of *Leuconostoc carnosum*. *Food Microbiol.* 11 : 39-45.
- Kim, C.H., G.E. Ji, and C. Ahn. 2000. Purification and molecular characterization of a bacteriocin from *Pediococcus* sp. KCA 1202-10 isolated from fermented flat fish. *Food Sci. Biotechnol.* 9: 270-276.
- Kongnum, K. and T. Hongpattarakere. 2012. Effect of *Lactobacillus plantarum* isolated from digestive tract of wild shrimp on growth and survival of white shrimp (*Litopenaeus vannamei*) challenged with *Vibrio harveyi*. *Fish Shellfish Immunol.* 32 : 170-177.
- Kusnadi, J. 1999. Produksi dan uji aktivitas antibakteri bakteriosin isolat *Pediococcus* sp. 24 serta identifikasinya. Universitas Gadjah Mada. Tesis.
- Lewus, C.B. and T.J. Montville. 1991. Detection of bacteriocins produced by lactic acid bacteria. *J. Microbiol. Methods* 13 : 145-150.
- Liew, S.L., A.B. Ariff, A.R. Raha, and Y.W. Ho. 2005. Optimization of medium composition for the production of a probiotic microorganism, *Lactobacillus rhamnosus*, using response surface methodology. *Int. J. Food. Microbiol.* 102 : 137–142.
- Lozano, J.C.N., J.N. Meyer, K. Sletten, C. Pelaz, and I.F. Nes. 1992. Purification and amino acid sequence of a bacteriocin produced by *Pediococcus acidilactici*. *J. Gen. Microbiol.* 138 : 1985-1990.

- Maeda, M., A. Shibata, G. Biswas, H. Korenaga, T. Kono, T. Itami, and M. Sakai. 2013. Isolation of lactic acid bacteria from kuruma shrimp (*Marsupenaeus japonicus*) intestine and assessment of immunomodulatory role of a selected strain as probiotic. *Mar. Biotechnol.* 16 : 181–192.
- Margino, S., S. Winarti, R. Indrati, dan E.S. Rahayu. 1998. Mutation Technique for Increasing the Production of antibacteria *Lactobacillus plantarum* TGR-2. *Indonesia Food and Nutrition Progress* 5 : 73-78.
- Margino, S. dan Subagiyo. 2014. Kajian probiotik BAL dari berbagai jenis udang penaeid : Optimasi nutrisi dan faktor lingkungan untuk produksi biomassa dan asam laktat isolat terpilih. *Hibah Bersaing Dosen Pascasarjana UGM*.
- Mayer, H., W.M. Deixler, and W. Bertsch. 1993. Significance of plasmids for mesophilic lactic acid bacteria. *DMZ, Lebensmittelindustrie und Milchwirtschaft* 114 : 9-16.
- Moreno, I., A.L.S. Lerayer, V.L.S. Baldini, and M.F.F. Leitão. 2000. Characterization of bacteriocins produced by *Lactococcus lactis* strains. *Braz. J. Microbiol.* 31 : 184-192.
- Mortvedt-abildgaard, C.I., J. Nissen-meyer, B. Jelle, B. Grenov, M. Skaugen, and I.F. Nes. 1995. Production and pH dependent bactericidal activity of lactocib S, a lantibiotic from *Lactobacillus sake* L45. *App. Environ. Microbiol.* 61 : 4381-4387.
- Neville, D.M. and T.H. Hudson. 1986. Transmembrane transport of diphtheria toxin, related toxins, and colicins. *Annu. Rev. Biochem.* 55 : 195-224.
- Onwuakor, C.E., V.O. Nwaugo, C.J. Nnadi, and J.M. Emetole. 2014. Effect of varied culture conditions on crude supernatant (bacteriocin) production from four lactobacillus species isolated from locally fermented maize (ogi). *Am. J. Microbiol. Res.* 2 : 125-130.
- Parada, J.S., C.R. Caron, A. Bianchi, P. Medeiros, and C.R. Soccol. 2007. Bacteriocins from lactic acid bacteria: Purification, properties and use as biopreservatives. *Braz. Arch. Biol. Technol.* 50 : 521-542.
- Park, Y.L., N.K. Lee, K.K. Park, Y. Park, J.M. Kim, H.M. Nam, S.C. Jung, and H.D. Paik. 2010. Medium optimization for Pediocin SA131 production by *Pediococcus pentosaceus* SA131 against bovine mastitis using response surface methodology. *Korean J. Food Sci. Ani. Resour.* 30 : 66-72.
- Piard, J.C., C. Delorme, M. Novel, M. Desmazeaud, and G. Novel. 1993. Conjugal transfer of the determinants for bacteriocin (lacticin 481) production and immunity in *Lactococcus lactis* subsp. *lactis* CNRZ 481. *FEMS Microbiol. Lett.* 112 : 313-318.

- Polak-Berecka, M., A. Waśko, M. Kordowska-Wiater, M. Podleśny, Z. Targoński, and A. Kubik-Komar. 2010. Optimization of medium composition for enhancing growth of *Lactobacillus rhamnosus* PEN using response surface methodology. *Pol. J. Microbiol.* 59 : 113-118.
- Pot, B., W. Ludwig, K. Kersters, K. Schleifer. 1994. *Bacteriocins of Lactic Acid Bacteria : Taxonomy of lactic acid bacteria. Microbiology, Genetics and Applications.* Blackie Academic and Professional, London.
- Pramonowibowo, A. Hartoko, dan A. Ghofar. 2007. Kepadatan udang putih (*Penaeus merguensis* De Man) di sekitar perairan Semarang. *Jurnal Pasir Laut* 2 : 18-29.
- Rahayu, E.S., A.K. Wardani, dan S. Margino. 2004. Skrining bakteri asam laktat penghasil bakteriosin dari daging dan produk olahannya. *Agritech* 24 : 74-81.
- Ray, B. 1992. *Bacteriocins of starter culture bacteria as biopreservatives: an overview. Food biopreservatives of microbial origin.* CRC Press, Inc., Florida.
- Riyadi, A., L. Widodo, dan K. Wibowo. 2005. Kajian kualitas perairan laut Kota Semarang dan kelayakannya untuk budidaya laut. *Jurnal Teknologi Lingkungan P3TL-BPPT* 6 : 497-501.
- Romadhon. 2012. *Isolasi, karakterisasi dan uji potensi bakteriosin bakteri asam laktat dari udang.* Universitas Gadjah Mada. Tesis.
- Rosenberry, B. 2005. *World shrimp farming.* In *Shrimp News International.* San Diego, California.
- Samelis, J., S. Roller, and J. Metaxopoulos. 1994. Sakacin B, a bacteriocin produced by *Lactobacillus sake* isolated from Greek dry fermented sausages. *J. App. Bacteriol.* 76 : 475-486.
- Santoso, A., E.S. Rahayu, D. Wibowo, dan S. Margino. 1997. Optimalisasi produksi antimikrobia oleh *Lactobacillus* sp. TGR-2. *Berkala Penelitian Pasca Sarjana: Univ. Gajah Mada* 10 : 133-145.
- Sharma, S., A.P. Garg, and G. Singh. 2010. Optimization of fermentation conditions for bacteriocin production by *Lactococcus lactis* CCSULAC1 on modified MRS medium. *Int. J. Dairy. Sci.* 5: 1-9.
- Solis, N.B. 1998. *Biology and culture of Penaeus monodon Tigbauan, Iloilo, Philipines.* SEAFDEC Aquaculture Departement : 3-36.
- Somkuti, G.A. and D.H. Steinberg. 2002. Agarose/agar assay system for the selection of bacteriocin-producing lactic fermentation bacteria. *Biotechnol. Lett.* 24 : 303-308.



- Stevens, K.A., B.W. Sheldon, N.A. Klapes, and T.R. Klaenhammer. 1991. Nisin treatment for inactivation of *Salmonella* species and other Grain-negative bacteria. *Appl. Environ. Microbiol.* 57: 1786-1788.
- Subagiyo, S. Margino, dan Triyanto. 2015. Pengaruh penambahan berbagai jenis sumber karbon, nitrogen dan fosfor pada medium de Man, Rogosa and Sharpe (MRS) terhadap pertumbuhan bakteri asam laktat terpilih yang diisolasi dari intestinum udang penaeid. *Jurnal Kelautan Tropis* 18 :127–132.
- Teuber, M. and A. Geis. 2006. The Genus *Lactococcus*. *Prokaryotes* 4 : 205–228.
- Todorov, S.D. 2008. Bacteriocin production by *Lactobacillus plantarum* AMA-K isolated from Amasi, a Zimbabwean fermented milk product and study of the adsorption of bacteriocin AMA-K TO *Listeria* sp. *Braz. J. Microbiol.* 39 : 178–187.
- Todorov, S.D. and L.M.T. Dicks. 2005. Effect of growth medium on bacteriocin production by *Lactobacillus plantarum* ST194BZ, a strain isolated from Boza. *Food Technol. Biotechnol.* 43: 165–173.
- Usmiati, S., Miskiyah, dan R.A.M. Rarah. 2009. Pengaruh penggunaan bakteriosin dari *Lactobacillus* sp. galur SCG 1223 terhadap kualitas mikrobiologi daging sapi segar. *JITV* 14 : 150-166.
- Wardani, T., E.S. Rahayu, S. Sudarmadji, dan S. Margino. 1997. Daya bunuh antimikrobia *Lactobacillus* sp. TGR-2 serta uji coba pada susu. *BPPS - UGM* 10 : 147-165.
- Yogeswara, I.B.A., I.G.A.W. Kusumawati, dan N.W. Nursini. 2014. Aplikasi bakteriosin pada edible film: peran active packaging sebagai kemasan antimikroba. *Prosiding Seminar Nasional Biosains, Universitas Dhyana Pura, Dalung.*
- Zacharof, M.P. and R.W. Lovitt. 2012. Bacteriocins produced by lactic acid bacteria a review article. *APCBEE Procedia* 2 : 50–56.
- Zhou, X.X., Y.J. Pan, Y.B. Wang, and W.F. Li. 2008. Optimization of medium composition for nisin fermentation with response surface methodology. *J. Food Sci.* 73 : 245-249.