

DAFTAR PUSTAKA

- Alauddin, M., Shirakawa, H., Koseki, T., Kijima, N., Budijanto, S., Islam, J., Goto, T. and Komai, M., 2016. Fermented rice bran supplementation mitigates metabolic syndrome in stroke-prone spontaneously hypertensive rats. *BMC complementary and alternative medicine*, 16(1), p.442.
- American Diabetes Association, 2014. Diagnosis and classification of diabetes mellitus. *Diabetes care*, 37(Supplement 1), pp.S81-S90.
- American Diabetes Association, 2016. Standards of medical care in diabetes—2016 abridged for primary care providers. *Clinical diabetes: a publication of the American Diabetes Association*, 34(1), p.3.
- Astawan M. dan A. Leomitro. 2009. Khasiat Whole Grain: Makanan Kaya Serat untuk Hidup Sehat. Gramedia Pustaka Utama. Jakarta.
- Astawan, M. and Febrinda, A.E., 2016. Potensi dedak dan bekatul beras sebagai ingredient pangan dan produk pangan fungsional. *Jurnal Pangan*, 19(1), pp.14-21.
- Badan Pusat Statistik. 2016. *Produksi Padi Tahun 2015 Naik 6,37 Persen*. <https://bps.go.id/brs/view/id/1271>
- Barnes, B.R., Ryder, J.W., Steiler, T.L., Fryer, L.G., Carling, D. and Zierath, J.R., 2002. Isoform-specific regulation of 5' AMP-activated protein kinase in skeletal muscle from obese Zucker (fa/fa) rats in response to contraction. *Diabetes*, 51(9), pp.2703-2708.
- Bintanah, S. and Kusuma, H.S., 2010. PENGARUH PEMBERIAN BEKATUL DAN TEPUNG TEMPE TERHADAP PROFIL GULA DARAH PADA TIKUS YANG DIBERI ALLOXAN (The Influence of Rice bran and Flour Tempeh on Blood Sugar Profile in Rats Fed Alloxan). *Jurnal Pangan dan Gizi*, 1(2).
- Budijanto, S., 2017. Pengembangan Bekatul sebagai Pangan Fungsional: Peluang, Hambatan, dan Tantangan. *JURNAL PANGAN*, 26(2).
- Buppajarntham, S., Junpaparp, P., Staros, E.B., 2014. *Insulin*. <http://emedicine.medscape.com/article/2089224-overview>
- Cao, S., Li, B., Yi, X., Chang, B., Zhu, B., Lian, Z., Zhang, Z., Zhao, G., Liu, H. and Zhang, H., 2012. Effects of exercise on AMPK signaling and downstream components to PI3K in rat with type 2 diabetes. *PLoS One*, 7(12), p.e51709.

- Cecchini M, Sassi F, Lauer JA, Lee YY, Guajardo-Barron V, Chisholm D. Tackling of unhealthy diets, physical inactivity, and obesity: health effects and cost-effectiveness. *Lancet*. 2010;376:(9754)1775–1784.
- Chen, L., Chen, R., Wang, H. and Liang, F., 2015. Mechanisms linking inflammation to insulin resistance. *International journal of endocrinology*, 2015.
- Chinma, C.E., Ilowefah, M. and Muhammad, K., 2014. Optimization of Rice Bran Fermentation Conditions Enhanced by Baker's Yeast for Extraction of Protein Concentrate. *Nigerian Food Journal*, 32(1), pp.126-132.
- Choi, Y.S., Choi, J.H., Han, D.J., Kim, H.Y., Lee, M.A., Kim, H.W., et al. (2011). Effects of rice bran fibre on heat-induced gel prepared with pork salt-soluble meat proteins in model system. *Meat Science*, 88, 59–66.
- Chopra, I., Li, H.F., Wang, H. and Webster, K.A., 2012. Phosphorylation of the insulin receptor by AMP-activated protein kinase (AMPK) promotes ligand-independent activation of the insulin signalling pathway in rodent muscle. *Diabetologia*, 55(3), pp.783-794.
- Cool, B., Zinker, B., Chiou, W., Kifle, L., Cao, N., Perham, M., Dickinson, R., Adler, A., Gagne, G., Iyengar, R. and Zhao, G., 2006. Identification and characterization of a small molecule AMPK activator that treats key components of type 2 diabetes and the metabolic syndrome. *Cell metabolism*, 3(6), pp.403-416.
- Coughlan, K.A., Valentine, R.J., Ruderman, N.B. and Saha, A.K., 2014. AMPK activation: a therapeutic target for type 2 diabetes?. *Diabetes, metabolic syndrome and obesity: targets and therapy*, 7, p.241.
- dos Santos Oliveira, M., Feddern, V., Kupski, L., Cipolatti, E.P., Badiale-Furlong, E. and de Souza-Soares, L.A., 2011. Changes in lipid, fatty acids and phospholipids composition of whole rice bran after solid-state fungal fermentation. *Bioresource technology*, 102(17), pp.8335-8338.
- Dugan, L.L., You, Y.H., Ali, S.S., Diamond-Stanic, M., Miyamoto, S., DeClevés, A.E., Andreyev, A., Quach, T., Ly, S., Shekhtman, G. and Nguyen, W., 2013. AMPK dysregulation promotes diabetes-related reduction of superoxide and mitochondrial function. *The Journal of clinical investigation*, 123(11).
- Elhomsy, G., Staros, E.B., 2014. *C-Peptide*.
<http://emedicine.medscape.com/article/2087824-overview#showall>

- Esa N.M., Ling T.B., dan Peng L.S. 2013. By-products of Rice Processing: An Overview of Health Benefits and Applications. *Journal of Rice Research*. Vol. 1(1) : 107–117.
- Fatimah, R.N., 2015. Diabetes melitus tipe 2. *Majority*, 4(05).
- Furman, B.L., 2015. Streptozotocin-induced diabetic models in mice and rats. *Current protocols in pharmacology*, pp.5-47.
- Ghasemi, A., Khalifi, S. and Jedi, S., 2014. Streptozotocin-nicotinamide-induced rat model of type 2 diabetes. *Acta Physiologica Hungarica*, 101(4), pp.408-420.
- Guariguata, L., Whiting, D.R., Hambleton, I., Beagley, J., Linnenkamp, U. and Shaw, J.E., 2014. Global estimates of diabetes prevalence for 2013 and projections for 2035. *Diabetes research and clinical practice*, 103(2), pp.137-149.
- Gul, K., Yousuf, B., Singh, A.K., Singh, P. and Wani, A.A., 2015. Rice bran: Nutritional values and its emerging potential for development of functional food—A review. *Bioactive Carbohydrates and Dietary Fibre*, 6(1), pp.24-30.
- Hardie, D.G., Ross, F.A. and Hawley, S.A., 2012. AMPK: a nutrient and energy sensor that maintains energy homeostasis. *Nature reviews Molecular cell biology*, 13(4), p.251.
- Henderson, A.J., Ollila, C.A., Kumar, A., Borresen, E.C., Raina, K., Agarwal, R. and Ryan, E.P., 2012. Chemopreventive properties of dietary rice bran: current status and future prospects. *Advances in Nutrition: An International Review Journal*, 3(5), pp.643-653.
- Huang, S. and Czech, M.P., 2007. The GLUT4 glucose transporter. *Cell metabolism*, 5(4), pp.237-252.
- Jariwalla, R.J., 2001. Rice-bran products: phytonutrients with potential applications in preventive and clinical medicine. *Drugs under experimental and clinical research*, 27(1), pp.17-26.
- Ley, S.H., Hamdy, O., Mohan, V. and Hu, F.B., 2014. Prevention and management of type 2 diabetes: dietary components and nutritional strategies. *The Lancet*, 383(9933), pp.1999-2007.
- Lim, S.I. and Lee, B.Y., 2010. Anti-diabetic effect of material fermented using rice bran and soybean as the main ingredient by *Bacillus* sp. *Journal of the Korean Society for Applied Biological Chemistry*, 53(2), pp.222-229.

- Livak, K.J. and Schmittgen, T.D., 2001. Analysis of relative gene expression data using real-time quantitative PCR and the 2- $\Delta\Delta CT$ method. *methods*, 25(4), pp.402-408.
- Luthfinanda, A.N., 2017. Pengaruh Pemberian Bekatul Terfermentasi terhadap Kadar Kolesterol dan Trigliserida Serum Darah Tikus Putih Jantan Galur Wistar Jantan Diabetes. Skripsi. Universitas Gadjah Mada. Yogyakarta.
- Misra, P. and Chakrabarti, R., 2007. The role of AMP kinase in diabetes. *Indian Journal of Medical Research*, 125(3), p.389.
- Moffat, C. and Ellen Harper, M., 2010. Metabolic functions of AMPK: aspects of structure and of natural mutations in the regulatory gamma subunits. *IUBMB life*, 62(10), pp.739-745.
- Musi, N., Fujii, N., Hirshman, M.F., Ekberg, I., Fröberg, S., Ljungqvist, O., Thorell, A. and Goodyear, L.J., 2001. AMP-activated protein kinase (AMPK) is activated in muscle of subjects with type 2 diabetes during exercise. *Diabetes*, 50(5), pp.921-927.
- National Center for Biotechnology Information n.d., *Primer Blast*. Viewed 12 January 2018. <<https://www.ncbi.nlm.nih.gov/tools/primer-blast/>>
- Oliveira, M.D.S., Feddern, V., Kupski, L., Cipolatti, E.P., Badiale-Furlong, E. and de Souza-Soares, L.A., 2010. Physico-chemical characterization of fermented rice bran biomass Caracterización físico-química de la biomasa del salvado de arroz fermentado. *CyTA—Journal of Food*, 8(3), pp.229-236.
- Oktiyani, N. 2013, 'Manfaat tepung gembili (*Dioscorea esculenta*) terhadap ekspresi *Adenosine monophosphate-activated protein kinase- $\alpha 2$* (Ampk- $\alpha 2$) nucleus otot skelet dan hepar pada model tikus diabetes mellitus tipe 2', Tesis, Universitas Gadjah Mada, Yogyakarta.
- PERKENI, K.P., 2011. Pencegahan Diabetes Melitus Tipe II di Indonesia, Jakarta: PB.
- Ruderman, N.B., Carling, D., Prentki, M. and Cacicedo, J.M., 2013. AMPK, insulin resistance, and the metabolic syndrome. *The Journal of clinical investigation*, 123(7), p.2764.
- Rutter, G.A., Xavier, G.D.S. and Leclerc, I., 2003. Roles of 5'-AMP-activated protein kinase (AMPK) in mammalian glucose homeostasis. *Biochemical Journal*, 375(Pt 1), p.1.

- Saibabu, V., Fatima, Z., Khan, L.A. and Hameed, S., 2015. Therapeutic potential of dietary phenolic acids. *Advances in pharmacological sciences*, 2015.
- Santoso, A. and Prakosa, C., 2010. Karakteristik tape buah sukun hasil fermentasi penggunaan konsentrasi ragi yang berbeda. *MAGISTRA*, 22(73), p.48.
- Schmidt, C.G., Gonçalves, L.M., Prietto, L., Hackbart, H.S. and Furlong, E.B., 2014. Antioxidant activity and enzyme inhibition of phenolic acids from fermented rice bran with fungus *Rizhopus oryzae*. *Food chemistry*, 146, pp.371-377.
- Silva, F.M., Kramer, C.K., de Almeida, J.C., Steemburgo, T., Gross, J.L. and Azevedo, M.J., 2013. Fiber intake and glycemic control in patients with type 2 diabetes mellitus: a systematic review with meta-analysis of randomized controlled trials. *Nutrition reviews*, 71(12), pp.790-801.
- Stanbury, P.F., Whitaker, A. and Hall, S.J., 2013. *Principles of fermentation technology*. Elsevier.
- Stapleton, D., Mitchelhill, K.I., Gao, G., Widmer, J., Michell, B.J., Teh, T., House, C.M., Fernandez, C.S., Cox, T., Witters, L.A. and Kemp, B.E., 1996. Mammalian AMP-activated protein kinase subfamily. *Journal of Biological Chemistry*, 271(2), pp.611-614.
- Sulistyoningrum, E., 2015. Tinjauan Molekular dan Aspek Klinis Resistensi Insulin. *MANDALA of Health*, 4(2), pp.131-138.
- Supriyati, T.H., Susanti, T. and Susana, I.W.R., 2015. Nutritional value of rice bran fermented by *Bacillus amyloliquefaciens* and humic substances and its utilization as a feed ingredient for broiler chickens. *Asian-Australasian journal of animal sciences*, 28(2), p.231.
- Suryajayanti, M., 2017. Pengaruh Pemberian Bekatul Terfermentasi terhadap Kadar Glukosa Tikus Wistar Jantan Model Diabetes Mellitus. Skripsi. Universitas Gadjah Mada. Yogyakarta.
- Thorn, S.L., Gollob, M.H., Harper, M.E., Beanlands, R.S. and DaSilva, J.N., 2013. Chronic AMPK activity dysregulation produces myocardial insulin resistance in the human Arg302Gln-PRKAG2 glycogen storage disease mouse model. *EJNMMI research*, 3(1), p.48.
- Treebak, J.T., Glund, S., Deshmukh, A., Klein, D.K., Long, Y.C., Jensen, T.E., Jørgensen, S.B., Viollet, B., Andersson, L., Neumann, D. and Wallimann, T.,

2006. AMPK-mediated AS160 phosphorylation in skeletal muscle is dependent on AMPK catalytic and regulatory subunits. *Diabetes*, 55(7), pp.2051-2058.
- Viollet, B., Andreelli, F., Jørgensen, S.B., Perrin, C., Geloën, A., Flamez, D., Mu, J., Lenzner, C., Baud, O., Bennoun, M. and Gomas, E., 2003. The AMP-activated protein kinase $\alpha 2$ catalytic subunit controls whole-body insulin sensitivity. *The Journal of clinical investigation*, 111(1), pp.91-98.
- Viollet, B., Lantier, L., Devin-Leclerc, J., Hébrard, S., Amouyal, C., Mounier, R., Foretz, M. and Andreelli, F., 2009. Targeting the AMPK pathway for the treatment of Type 2 diabetes. *Frontiers in bioscience (Landmark edition)*, 14, p.3380.
- Wahyuningsih, R., 2013. *Penatalaksanaan Diet pada Pasien*. Grha Ilmu.
- Wattiheluw, M.J., 2012. Pengaruh Konsentrat Campuran Kohay Dan Dedak Terfermentasi Dosis Rhizopus Oligosporus Terhadap Kadar Protein Kasar, Serat Kasar, Dan Lemak Kasar. *Indonesian Journal of Applied Sciences*, 2(3). World Health Organization, 2015. Global health observatory data repository. 2015.
- Winder, W.W., Holmes, B.F., Rubink, D.S., Jensen, E.B., Chen, M. and Holloszy, J.O., 2000. Activation of AMP-activated protein kinase increases mitochondrial enzymes in skeletal muscle. *Journal of applied physiology*, 88(6), pp.2219-2226.
- World Health Organization, 2016. *Global report on diabetes*. World Health Organization.
- Wu, S.J., Huang, G.Y. and Ng, L.T., 2013. γ -Tocotrienol induced cell cycle arrest and apoptosis via activating the Bax-mediated mitochondrial and AMPK signaling pathways in 3T3-L1 adipocytes. *Food and chemical toxicology*, 59, pp.501-513.
- Zeigerer, A., McBrayer, M.K. and McGraw, T.E., 2004. Insulin stimulation of GLUT4 exocytosis, but not its inhibition of endocytosis, is dependent on RabGAP AS160. *Molecular biology of the cell*, 15(10), pp.4406-4415.
- Zhang, B.B., Zhou, G. and Li, C., 2009. AMPK: an emerging drug target for diabetes and the metabolic syndrome. *Cell metabolism*, 9(5), pp.407-416.